Form C-144 July 21, 2008

1625 N. French Dr., Hobbs, NM 88240 District II 1301 W. Grand Avenue, Artesia, NM 88210 District III 1000 Rio Brazos Road, Aztec, NM 87410 District IV 1220 S. St. Francis Dr., Santa Fe, NM 87505

Alternative Method:

State of New Mexico Energy Minerals and Natural Resources Department Oil Conservation Division 1220 South St. Francis Dr. Santa Fe, NM 87505

For temporary pits, closed-loop systems, and below-grade tanks, submit to the appropriate NMOCD District Office. For permanent pits and exceptions submit to the Santa Fe Environmental Bureau office and

provide a copy to the appropriate NMOCD District Office.

Pit, Closed-Loop System, Below-Grade Tank, or				
Proposed Alternative Method Permit or Closure Plan Application				
Type of action: Permit of a pit, closed-loop system, below-grade tank, or proposed alternative method Closure of a pit, closed-loop system, below-grade tank, or proposed alternative method Modification to an existing permit Closure plan only submitted for an existing permitted or non-permitted pit, closed-loop system,				
below-grade tank, or proposed alternative method				
Instructions: Please submit one application (Form C-144) per individual pit, closed-loop system, below-grade tank or alternative request				
Please be advised that approval of this request does not relieve the operator of liability should operations result in pollution of surface water, ground water or the environment. Nor does approval relieve the operator of its responsibility to comply with any other applicable governmental authority's rules, regulations or ordinances.				
Operator: Simcoe LLC operated by BP America Production Co. OGRID #: 778				
Address: 1199 Main Ave., Suite 101, Durango, CO 81301				
Facility or well name: FIELDS 016				
APPNumber: 3004526796 OCD Permit Number:				
U/L or Qtr/Qtr N Section 25.0 Township 32.0N Range 11W County: San Juan County				
Center of Proposed Design: Latitude 36.952411 Longitude -107.945370 NAD: ☐1927 ▼ 1983				
Surface Owner: X Federal State Private Tribal Trust or Indian Allotment				
☐ Pit: Subsection F or G of 19.15.17.11 NMAC Temporary: ☐ Drilling ☐ Workover ☐ Permanent ☐ Emergency ☐ Cavitation ☐ P&A ☐ Lined ☐ Unlined Liner type: Thickness				
3.				
Closed-loop System: Subsection H of 19.15.17.11 NMAC Type of Operation: P&A Drilling a new well Workover or Drilling (Applies to activities which require prior approval of a permit or notice of intent) Drying Pad Above Ground Steel Tanks Haul-off Bins Other Lined Unlined Liner type: Thickness mil LLDPE HDPE PVC Other Liner Seams: Welded Factory Other				
4. ■ Below-grade tank: Subsection I of 19.15.17.11 NMAC Tank ID: A				
5				

Submittal of an exception request is required. Exceptions must be submitted to the Santa Fe Environmental Bureau office for consideration of approval.

Fencing: Subsection D of 19.15.17.11 NMAC (Applies to permanent pits, temporary pits, and below-grade tanks) Chain link, six feet in height, two strands of barbed wire at top (Required if located within 1000 feet of a permanent residence, school, institution or church) Four foot height, four strands of barbed wire evenly spaced between one and four feet Alternate. Please specify	hospital,			
Netting: Subsection E of 19.15.17.11 NMAC (Applies to permanent pits and permanent open top tanks) Screen Netting Other Monthly inspections (If netting or screening is not physically feasible)				
Signs: Subsection C of 19.15.17.11 NMAC 12"x 24", 2" lettering, providing Operator's name, site location, and emergency telephone numbers Signed in compliance with 19.15.16.8 NMAC				
Administrative Approvals and Exceptions: Justifications and/or demonstrations of equivalency are required. Please refer to 19.15.17 NMAC for guidance. Please check a box if one or more of the following is requested, if not leave blank: Administrative approval(s): Requests must be submitted to the appropriate division district or the Santa Fe Environmental Bureau consideration of approval. Exception(s): Requests must be submitted to the Santa Fe Environmental Bureau office for consideration of approval.	office for			
Siting Criteria (regarding permitting): 19.15.17.10 NMAC Instructions: The applicant must demonstrate compliance for each siting criteria below in the application. Recommendations of acceptant material are provided below. Requests regarding changes to certain siting criteria may require administrative approval from the appropriate or may be considered an exception which must be submitted to the Santa Fe Environmental Bureau office for consideration of a Applicant must attach justification for request. Please refer to 19.15.17.10 NMAC for guidance. Siting criteria does not apply to dry above-grade tanks associated with a closed-loop system.	opriate district approval.			
Ground water is less than 50 feet below the bottom of the temporary pit, permanent pit, or below-grade tank. - NM Office of the State Engineer - iWATERS database search; USGS; Data obtained from nearby wells	Yes No			
Within 300 feet of a continuously flowing watercourse, or 200 feet of any other significant watercourse or lakebed, sinkhole, or playa lake (measured from the ordinary high-water mark). - Topographic map; Visual inspection (certification) of the proposed site	☐ Yes ☐ No			
Within 300 feet from a permanent residence, school, hospital, institution, or church in existence at the time of initial application. (Applies to temporary, emergency, or cavitation pits and below-grade tanks) - Visual inspection (certification) of the proposed site; Aerial photo; Satellite image	☐ Yes ☐ No ☐ NA			
Within 1000 feet from a permanent residence, school, hospital, institution, or church in existence at the time of initial application. (Applies to permanent pits) - Visual inspection (certification) of the proposed site; Aerial photo; Satellite image	☐ Yes ☐ No ☐ NA			
Within 500 horizontal feet of a private, domestic fresh water well or spring that less than five households use for domestic or stock watering purposes, or within 1000 horizontal feet of any other fresh water well or spring, in existence at the time of initial application. - NM Office of the State Engineer - iWATERS database search; Visual inspection (certification) of the proposed site				
Within incorporated municipal boundaries or within a defined municipal fresh water well field covered under a municipal ordinance adopted pursuant to NMSA 1978, Section 3-27-3, as amended. - Written confirmation or verification from the municipality; Written approval obtained from the municipality				
Within 500 feet of a wetland. - US Fish and Wildlife Wetland Identification map; Topographic map; Visual inspection (certification) of the proposed site	Yes No			
Within the area overlying a subsurface mine Written confirmation or verification or map from the NM EMNRD-Mining and Mineral Division	☐ Yes ☐ No			
Within an unstable area. - Engineering measures incorporated into the design; NM Bureau of Geology & Mineral Resources; USGS; NM Geological Society; Topographic map	☐ Yes ☐ No			
Within a 100-year floodplain.	☐ Yes ☐ No			

Temporary Pits, Emergency Pits, and Below-grade Tanks Permit Application Attachment Checklist: Subsection B of 19.15.17.9 NMAC Instructions: Each of the following items must be attached to the application. Please indicate, by a check mark in the box, that the documents are attached. Hydrogeologic Report (Below-grade Tanks) - based upon the requirements of Paragraph (4) of Subsection B of 19.15.17.9 NMAC Hydrogeologic Data (Temporary and Emergency Pits) - based upon the requirements of Paragraph (2) of Subsection B of 19.15.17.9 NMAC Siting Criteria Compliance Demonstrations - based upon the appropriate requirements of 19.15.17.10 NMAC	
□ Design Plan - based upon the appropriate requirements of 19.15.17.11 NMAC □ Operating and Maintenance Plan - based upon the appropriate requirements of 19.15.17.12 NMAC □ Closure Plan (Please complete Boxes 14 through 18, if applicable) - based upon the appropriate requirements of Subsection C of 19.15.17.9 NMAC and 19.15.17.13 NMAC	
Previously Approved Design (attach copy of design) API Number: or Permit Number:	
12. Closed-loop Systems Permit Application Attachment Checklist: Subsection B of 19.15.17.9 NMAC Instructions: Each of the following items must be attached to the application. Please indicate, by a check mark in the box, that the documents are attached. □ Geologic and Hydrogeologic Data (only for on-site closure) - based upon the requirements of Paragraph (3) of Subsection B of 19.15.17.9	
Siting Criteria Compliance Demonstrations (only for on-site closure) - based upon the appropriate requirements of 19.15.17.10 NMAC Design Plan - based upon the appropriate requirements of 19.15.17.11 NMAC Operating and Maintenance Plan - based upon the appropriate requirements of 19.15.17.12 NMAC Closure Plan (Please complete Boxes 14 through 18, if applicable) - based upon the appropriate requirements of Subsection C of 19.15.17.9 NMAC and 19.15.17.13 NMAC	Z.
☐ Previously Approved Design (attach copy of design) API Number:	
Previously Approved Operating and Maintenance Plan API Number:(Applies only to closed-loop system that use	
above ground steel tanks or haul-off bins and propose to implement waste removal for closure)	
Permanent Pits Permit Application Checklist: Subsection B of 19.15.17.9 NMAC Instructions: Each of the following items must be attached to the application. Please indicate, by a check mark in the box, that the documents are attached. Hydrogeologic Report - based upon the requirements of Paragraph (1) of Subsection B of 19.15.17.9 NMAC Siting Criteria Compliance Demonstrations - based upon the appropriate requirements of 19.15.17.10 NMAC Climatological Factors Assessment Certified Engineering Design Plans - based upon the appropriate requirements of 19.15.17.11 NMAC Dike Protection and Structural Integrity Design - based upon the appropriate requirements of 19.15.17.11 NMAC Leak Detection Design - based upon the appropriate requirements of 19.15.17.11 NMAC Liner Specifications and Compatibility Assessment - based upon the appropriate requirements of 19.15.17.11 NMAC Quality Control/Quality Assurance Construction and Installation Plan Operating and Maintenance Plan - based upon the appropriate requirements of 19.15.17.12 NMAC Freeboard and Overtopping Prevention Plan - based upon the appropriate requirements of 19.15.17.11 NMAC Nuisance or Hazardous Odors, including H ₂ S, Prevention Plan Emergency Response Plan Oil Field Waste Stream Characterization Monitoring and Inspection Plan Erosion Control Plan Closure Plan - based upon the appropriate requirements of Subsection C of 19.15.17.9 NMAC and 19.15.17.13 NMAC	
Proposed Closure: 19.15.17.13 NMAC Instructions: Please complete the applicable boxes, Boxes 14 through 18, in regards to the proposed closure plan. Type: Drilling Workover Emergency Cavitation P&A Permanent Pit Below-grade Tank Closed-loop System Alternative Proposed Closure Method: Waste Excavation and Removal Waste Removal (Closed-loop systems only) On-site Closure Method (Only for temporary pits and closed-loop systems) In-place Burial On-site Trench Burial Alternative Closure Method (Exceptions must be submitted to the Santa Fe Environmental Bureau for consideration)	
Maste Excavation and Removal Closure Plan Checklist: (19.15.17.13 NMAC) Instructions: Each of the following items must be attached to the closure plan. Please indicate, by a check mark in the box, that the documents are attached. □ Protocols and Procedures - based upon the appropriate requirements of 19.15.17.13 NMAC □ Confirmation Sampling Plan (if applicable) - based upon the appropriate requirements of Subsection F of 19.15.17.13 NMAC □ Disposal Facility Name and Permit Number (for liquids, drilling fluids and drill cuttings) □ Soil Backfill and Cover Design Specifications - based upon the appropriate requirements of Subsection H of 19.15.17.13 NMAC □ Re-vegetation Plan - based upon the appropriate requirements of Subsection G of 19.15.17.13 NMAC	

	9 9
Waste Removal Closure For Closed-loop Systems That Utilize Above Ground Steel Tanks or Haul-off Bins Only: (19.15.17.13.1 Instructions: Please indentify the facility or facilities for the disposal of liquids, drilling fluids and drill cuttings. Use attachment if facilities are required.	
Disposal Facility Name: Disposal Facility Permit Number:	
Disposal Facility Name: Disposal Facility Permit Number:	
Will any of the proposed closed-loop system operations and associated activities occur on or in areas that <i>will not</i> be used for future ser Yes (If yes, please provide the information below) No	vice and operations?
Required for impacted areas which will not be used for future service and operations: Soil Backfill and Cover Design Specifications based upon the appropriate requirements of Subsection H of 19.15.17.13 NMAC Re-vegetation Plan - based upon the appropriate requirements of Subsection I of 19.15.17.13 NMAC Site Reclamation Plan - based upon the appropriate requirements of Subsection G of 19.15.17.13 NMAC	С
Siting Criteria (regarding on-site closure methods only): 19.15.17.10 NMAC Instructions: Each siting criteria requires a demonstration of compliance in the closure plan. Recommendations of acceptable sou provided below. Requests regarding changes to certain siting criteria may require administrative approval from the appropriate distributed an exception which must be submitted to the Santa Fe Environmental Bureau office for consideration of approval. Just demonstrations of equivalency are required. Please refer to 19.15.17.10 NMAC for guidance.	rict office or may be
Ground water is less than 50 feet below the bottom of the buried waste. - NM Office of the State Engineer - iWATERS database search; USGS; Data obtained from nearby wells	☐ Yes ☐ No ☐ NA
Ground water is between 50 and 100 feet below the bottom of the buried waste - NM Office of the State Engineer - iWATERS database search; USGS; Data obtained from nearby wells	☐ Yes ☐ No ☐ NA
Ground water is more than 100 feet below the bottom of the buried waste. - NM Office of the State Engineer - iWATERS database search; USGS; Data obtained from nearby wells	☐ Yes ☐ No ☐ NA
Within 300 feet of a continuously flowing watercourse, or 200 feet of any other significant watercourse or lakebed, sinkhole, or playa lake (measured from the ordinary high-water mark). - Topographic map; Visual inspection (certification) of the proposed site	☐ Yes ☐ No
Within 300 feet from a permanent residence, school, hospital, institution, or church in existence at the time of initial application. - Visual inspection (certification) of the proposed site; Aerial photo; Satellite image	Yes No
Within 500 horizontal feet of a private, domestic fresh water well or spring that less than five households use for domestic or stock watering purposes, or within 1000 horizontal feet of any other fresh water well or spring, in existence at the time of initial application. - NM Office of the State Engineer - iWATERS database; Visual inspection (certification) of the proposed site	Yes No
Within incorporated municipal boundaries or within a defined municipal fresh water well field covered under a municipal ordinance adopted pursuant to NMSA 1978, Section 3-27-3, as amended. - Written confirmation or verification from the municipality; Written approval obtained from the municipality	☐ Yes ☐ No
Within 500 feet of a wetland. - US Fish and Wildlife Wetland Identification map; Topographic map; Visual inspection (certification) of the proposed site	☐ Yes ☐ No
Within the area overlying a subsurface mine. - Written confirmation or verification or map from the NM EMNRD-Mining and Mineral Division	Yes No
Within an unstable area. - Engineering measures incorporated into the design; NM Bureau of Geology & Mineral Resources; USGS; NM Geological Society; Topographic map	☐ Yes ☐ No
Within a 100-year floodplain FEMA map	☐ Yes ☐ No
On-Site Closure Plan Checklist: (19.15.17.13 NMAC) Instructions: Each of the following items must be attached to the closure plan by a check mark in the box, that the documents are attached. Siting Criteria Compliance Demonstrations - based upon the appropriate requirements of 19.15.17.10 NMAC Proof of Surface Owner Notice - based upon the appropriate requirements of Subsection F of 19.15.17.13 NMAC Construction/Design Plan of Burial Trench (if applicable) based upon the appropriate requirements of 19.15.17.11 NMAC Construction/Design Plan of Temporary Pit (for in-place burial of a drying pad) - based upon the appropriate requirements of 19.15.17.13 NMAC Confirmation Sampling Plan (if applicable) - based upon the appropriate requirements of Subsection F of 19.15.17.13 NMAC Waste Material Sampling Plan - based upon the appropriate requirements of Subsection F of 19.15.17.13 NMAC Disposal Facility Name and Permit Number (for liquids, drilling fluids and drill cuttings or in case on-site closure standards cannot Soil Cover Design - based upon the appropriate requirements of Subsection H of 19.15.17.13 NMAC Re-vegetation Plan - based upon the appropriate requirements of Subsection G of 19.15.17.13 NMAC	.15.17.11 NMAC

•	
Operator Application Certification:	
I hereby certify that the information submitted with this application is true, accurate a	and complete to the best of my knowledge and belief.
Name (Print):	Title:
Signature:	Date:
e-mail address:	Telephone:
OCD Approval: Permit Application (including closure plan) Closure Plan (only)
OCD Representative Signature:	Approval Date:
Title: Oc	CD Permit Number:
Closure Report (required within 60 days of closure completion): Subsection K of Instructions: Operators are required to obtain an approved closure plan prior to im The closure report is required to be submitted to the division within 60 days of the consection of the form until an approved closure plan has been obtained and the closure	plementing any closure activities and submitting the closure report. ompletion of the closure activities. Please do not complete this
22. Closure Method: Waste Excavation and Removal On-Site Closure Method Alternative If different from approved plan, please explain.	Closure Method Waste Removal (Closed-loop systems only)
Were the closed-loop system operations and associated activities performed on or in a Yes (If yes, please demonstrate compliance to the items below) No Required for impacted areas which will not be used for future service and operations: Site Reclamation (Photo Documentation) Soil Backfilling and Cover Installation Re-vegetation Application Rates and Seeding Technique	fluids and drill cuttings were disposed. Use attachment if more than isposal Facility Permit Number:isposal Facility Permit Number:isposal Facility Permit Number:ireas that will not be used for future service and operations?
24. Closure Report Attachment Checklist: Instructions: Each of the following items mark in the box, that the documents are attached. Proof of Closure Notice (surface owner and division) Proof of Deed Notice (required for on-site closure) Plot Plan (for on-site closures and temporary pits) Confirmation Sampling Analytical Results (if applicable) Waste Material Sampling Analytical Results (required for on-site closure) Disposal Facility Name and Permit Number Soil Backfilling and Cover Installation Re-vegetation Application Rates and Seeding Technique Site Reclamation (Photo Documentation) On-site Closure Location: Latitude 10. 11. 12. 13. 13. 14. 15. 16. 17. 18. 18. 18. 18. 18. 18. 18	407.045070
Operator Closure Certification: I hereby certify that the information and attachments submitted with this closure report belief. I also certify that the closure complies with all applicable closure requirements. Name (Print): Steve Moskal Steven Moskal 2020.07.29 12:51:45	
e-mail address: Steve.Moskal@bpx.com	Telephone: (505) 330-9179
C-man address.	reiephone. (/

22.	
Operator Closure Certification:	
	ments submitted with this closure report is true, accurate and complete to the best of my knowledge and
belief. I also certify that the closure complies	with all applicable closure requirements and conditions specified in the approved closure plan.
Name (Print):	Title:
a.	
Signature:	Date:
e-mail address:	Telephone:

BPX ENERGY

(formally BP America Production Company)
SAN JUAN BASIN, NORTHWEST NEW MEXICO

BELOW-GRADE TANK CLOSURE PLAN

Fields # 16 – Tank ID: A
API #: 3004526796
Unit Letter N, Section 25, T32N, R11W

This plan will address the standard protocols and procedures for closure of below-grade tanks (BGTs) on BPX Energy (BPX) well sites. As stipulated in Paragraph A of 19.15.17.13 NMAC, BPX shall close a BGT within the time periods provided in 19.15.17.13 NMAC, or by an earlier date that the New Mexico Oil Conservation Division (NMOCD) requires because of imminent danger to fresh water, public health, safety or the environment. If deviations from this plan are necessary, any specific changes will be included on form C-144 and approved by the NMOCD. BPX shall close an existing BGT that does not meet the requirements of Paragraphs (1) through (4) of Subsection I of 19.15.17.11 NMAC or is not included in Paragraph (5) of Subsection I of 19.15.17.11 NMAC within five years after June 16, 2008, if not retrofit with a BGT that complies with the BPX's NMOCD approved BGT design attached to the BPX Design and Construction Plan. BPX shall close an existing BGT that does not meet the requirements of Paragraphs (1) through (4) of Subsection I of 19.15.17.11 NMAC, if not previously retrofitted to comply with the BPX's NMOCD approve BGT Design attached to the BPX Design and Construction Plan, prior to any sale or change in operator pursuant to 19.15.9.9 NMAC. BPX shall close the permitted BGT within 60 days of cessation of the BGTs operation or as required by the transitional provisions of Subsection B, D, or E of 19.15.17.17 NMAC.

General Closure Plan

1. BPX shall notify the surface owner by certified mail that it plans to close a BGT. Evidence of mailing of the notice to the address of the surface owner shown in the county tax records demonstrates compliance with this requirement.

Notice is attached.

2. BPX shall notify the division District III office verbally or by other means at least 72 hours, but not more than one (1) week, prior to any closure operation. The notice shall include the operator's name, and the location to be closed by unit letter, section, township and range. If the BGT closure is associated with a particular well, then the notice shall also include the well's name, number and API number.

Notice was provided and documented in the attached email.

- 3. BPX shall remove liquids and sludge from the BGT prior to implementing a closure method and dispose of the liquids and sludge in a NMOCD's division-approved facility. The facilities to be used are:
 - a. BPX Crouch Mesa Landfarm, Permit NM-02-003 (Solids)
 - b. JFJ Landfarm, Permit NM-01-010(B) (Solids and Sludge)
 - c. Basin Disposal, Permit NM-01-0005 (Liquids)
 - d. Envirotech Inc Soil Remediation Facility, Permit NM-01-0011 (Solids and Sludge)
 - e. BPX Operated E.E. Elliott SWD #1, API 30-045-27799 (Liquids)
 - f. BPX Operated 13 GCU SWD #1, API 30-045-28601 (Liquids)
 - g. BPX Operated GCU 259 SWD, API 30-045-20006 (Liquids)
 - h. BPX Operated GCU 306 SWD, API 30-045-24286 (Liquids)
 - i. BPX Operated GCU 307 SWD, API 30-045-24248 (Liquids)
 - j. BPX Operated GCU 328 SWD, API 30-045-24735 (Liquids)
 - k. BPX Operated Pritchard SWD #1, API 30-045-28351 (Liquids)

All liquids and/or sludge within the BGT were removed and sent to one of the above NMOCD approved facilities for disposal.

4. BPX shall remove the BGT and dispose of it in a NMOCD approved facility or recycle, reuse, or reclaim it in a manner that the NMOCD approves. If a liner is present and must be disposed of it will be cleaned by scraping any soils or other attached materials on the liner to a de minimus amount and disposed at a permitted solid waste facility, pursuant to Subparagraph (m) of Paragraph (1) of Subsection C of 19.15.35.8 NMAC. Documentation as to the final disposition of the removed BGT will be provided in the final closure report.

The BGT was transported for recycling.

5. BPX shall remove any on-site equipment associated with a BGT unless the equipment is required for well production.

All equipment associated with the BGT has been removed.

6. BPX shall test the soils beneath the BGT to determine whether a release has occurred. BPX shall collect at a minimum: a five (5) point composite sample and individual grab samples from any area that is wet, discolored or showing other evidence of a release and analyze for BTEX, TPH and chlorides. The testing methods for those constituents are as follows;

Constituents	Testing Method	Release Verification	Composite
		(mg/Kg)	Results
Benzene	US EPA Method SW-846 8021B or 8260B	0.2	< 0.024
Total BTEX	US EPA Method SW-846 8021B or 8260B	50	< 0.095
TPH	US EPA Method SW-846 418.1	100	<46
Chlorides	US EPA Method 300.0 or 4500B	250 or background	<60

Notes:

 $mg/Kg = milligram\ per\ kilogram,\ pcs = point\ composite\ sample,\ BTEX = benzene,\ toluene,\ ethylbenzene,\ and\ total\ xylenes,\ TPH = total\ petroleum\ hydrocarbons.$ Other EPA methods that the division approves may be applied to all constituents listed. Chloride closure standards will be determined by which ever concentration level is greatest.

<u>Soils beneath the BGT were sampled for TPH, BTEX, and chloride.</u> All test parameters were below the stated limits. A field and laboratory reports are attached.

7. BPX shall notify the division District III office of its results on form C-141. C-141 is attached.

8. If it is determined that a release has occurred, then BPX will comply with 19.15.30 NMAC and 19.15.29 NMAC, as appropriate.

Sampling results reveal no evidence of a release had occurred.

9. If the sampling demonstrates that a release has not occurred or that any release does not exceed the concentrations specified above, then BPX shall backfill the excavation, with compacted, non-waste containing, earthen material; construct a division-prescribed soil cover, re-contour and re-vegetate the location. The location will be reclaimed if it is not with in the active process area.

<u>Sampling results reveal no evidence of a release had occurred.</u> <u>BGT area has been backfilled with clean, earthen material after remedial activity has been completed.</u>

10. BPX shall reclaim the BGT location and all areas associated with the BGT including associated access roads to a safe and stable condition that blends with the surrounding undisturbed area. BPX shall substantially restore the impacted surface area to the condition that existed prior to oil and gas operations by placement of the soil cover as provided in Subsection H of 19.15.17.13 NMAC, re-contour the location and associated areas to a contour that approximates the original contour and blends with the surrounding topography and re-vegetate according to Subsection I of 19.15.17.13 NMAC.

BGT area has been backfilled with clean, earthen material. Reclamation will be completed within the allowable timeframe and will meet the specified requirements of 19.15.17.13 NMAC.

11. The soil cover for closures where the BGT has been removed or remediated to the NMOCD's satisfaction shall consist of the background thickness of topsoil or one foot of suitable material to establish vegetation at the site, whichever is greater. The soil cover will be constructed to the site's existing grade and all practicable efforts will be made to prevent ponding of water and erosion of the cover material.

BGT area has been backfilled with clean, earthen material. Reclamation will be completed within the allowable timeframe and will meet the specified requirements of 19.15.17.13 NMAC.

12. BPX shall seed the disturbed area the first growing season after closure of the BGT. Seeding will be accomplished by drilling on the contour whenever practical or by other division-approved methods. Vegetative cover will be, at a minimum, 70% of the native perennial vegetative cover (un-impacted by overgrazing, fire or other intrusion damaging to native vegetation), consisting of at least three native plant species, including at least one grass, but not including noxious weeds, and maintenance of that cover through two successive growing seasons. During the two growing seasons that prove viability, there shall be no artificial irrigation of the vegetation.

BGT area has been backfilled with clean, earthen material. Reclamation will be completed within the allowable timeframe and will meet the specified requirements of 19.15.17.13 NMAC.

13. BPX shall seed, plant and re-seed pursuant to Paragraph (3) of Subsection I of 19.15.17.13 NMAC, until the location successfully achieves the required vegetative cover.

BGT area has been backfilled with clean, earthen material. Reclamation will be completed within the allowable timeframe and will meet the specified requirements of 19.15.17.13 NMAC.

- 14. Pursuant to Paragraph (5) of Subsection I of 19.15.17.13 NMAC, BPX shall notify the NMOCD when it has seeded or planted and when it successfully achieves re-vegetation.

 BPX will notify NMOCD when re-vegetation is successfully completed.
- 15. Within 60 days of closure completion, BPX shall submit a closure report on NMOCD's form C-144, and will include the following;
 - a. proof of closure notification (surface owner and NMOCD)
 - b. sampling analytical reports; information required by 19.15.17 NMAC;
 - c. disposal facility name and permit number
 - d. details on back-filling, capping, covering, and where applicable re-vegetation application rates and seeding techniques and
 - e. site reclamation, photo documentation.

<u>Closure report on C-144 form is included & contains a photo of the current reclamation requirements completed.</u>

16. BPX shall certify that all information in the report and attachments is accurate, truthful, and compliant with all applicable closure requirements and conditions specified in the approved closure plan.

Certification section of C-144 has been completed.

From: Patti Campbell

Sent: Wednesday, June 17, 2020 2:41 PM

To: Smith, Cory, EMNRD < Cory. Smith@state.nm.us>

Cc: Steven Moskal, Don Buller, blagg_njv@yahoo.com, jeffcblagg@aol.com

Subject: BP Closure Notification - Fields Com 004

SENT VIA E-MAIL TO: CORY.SMITH@STATE.NM.US

June 17, 2020

New Mexico Oil Conservation Division 1000 Rio Brazos Road Aztec, New Mexico 87410

RE: Notice of Proposed Below-Grade Tank (BGT) Closure

Fields 016 API 30-045-26796 (N) Section 25 – T32N – R11W San Juan County, New Mexico

Dear Mr. Cory Smith,

In regards to the captioned subject and requirements of the NMOCD pit rule, this letter is notification that BP is planning to close a 21bbl BGT that will no longer be operational at this well site. We anticipate this work to start on or around June 22, 2020.

Should you have any questions, please feel free to contact BP.

Sincerely,

Patti Campbell | Regulatory Analyst BP America Production Company | BPX Energy Inc. (970) 712-5997 patti.campbell@bpx.com

bpx energy

This email and any attachments are intended only for the addressee(s) listed above and may contain confidential, proprietary, and/or privileged information. If you are not an intended recipient, please immediately advise the sender by return email, delete this email and any attachments, and destroy any copies of same. Any unauthorized review, use, copying, disclosure or distribution of this email and any attachments is prohibited.

RE: BP Closure Notification - Fields 016

From: Patti Campbell
To: Smith, Cory, EMNRD

Cc: Steven Moskal, Don Buller, blagg_njv@yahoo.com , jeffcblagg@aol.com

Sent: Wednesday, June 17, 2020 at 2:45 PM

Resent with corrected subject line.

Thank you.

Patti Campbell | Regulatory Analyst BP America Production Company | BPX Energy Inc. (970) 712-5997 patti.campbell@bpx.com



This email and any attachments are intended only for the addressee(s) listed above and may contain confidential, proprietary, and/or privileged information. If you are not an intended recipient, please immediately advise the sender by return email, delete this email and any attachments, and destroy any copies of same. Any unauthorized review, use, copying, disclosure or distribution of this email and any attachments is prohibited.

bp



BP America Production Company 1199 Main Ave., Suite 101

June 17, 2020

Bureau of Land Management Abiodun Adeloye 6251 College, Suite A Farmington, NM 87402

VIA EMAIL

Re: Notification of plans to close/remove a below grade tank Well Name: FIELDS 016 API# - 3004526796

Dear Mr. Adeloye,

As part of the NM "Pit Rule": 19.15.17.13 Closure Requirements, Paragraph J. BP America Production Company (BP) is required to notify the surface owner of BP's plans to close/remove a below grade tank. BP wishes to inform you of our plans to close/remove the below grade tank on its well pad located on your surface. BP plans to commence this work on or about June 22, 2020. Barring any unforeseen issues, the work should be completed within 10 working days.

As a point of clarification, BP will be closing the below grade tank and either operating without one or replacing it with an above ground tank, the well site will continue to operate.

If witnessing of the tank removal is required, please contact Steve Moskal for a specific time (505)-330-9179.

Sincerely,

Patti Campbell

Patti Campbell BPX – San Juan Regulatory Analyst District I
1625 N. French Dr., Hobbs, NM 88240
District II
811 S. First St., Artesia, NM 88210
District III
1000 Rio Brazos Road, Aztec, NM 87410
District IV
1220 S. St. Francis Dr., Santa Fe, NM 87505

State of New Mexico Energy Minerals and Natural Resources Department

Oil Conservation Division 1220 South St. Francis Dr. Santa Fe, NM 87505 Form C-141 Revised August 24, 2018 Submit to appropriate OCD District office

Incident ID	
District RP	
Facility ID	
Application ID	

Release Notification

Responsible Party

Responsible Party BPX Energy (formerly BP America Production Co.)					778
Contact Name Steve Moskal				Contact T	Celephone (505) 330-9179
Contact ema	il Steven.	Moskal@bpx.c	com	Incident #	(assigned by OCD)
Contact mail	ling address	1199 Main Av	e., Suite 101, D	ourango, CO 8	81301
			Location	of Release S	Source
atitude	36	.952411		Longitude	-107.945370
			(NAD 83 in deci	imal degrees to 5 deci	imal places)
Site Name F	ields 016			Site Type	Natural Gas Well
Date Release	Discovered			API# (if ap	pplicable) 3004526796
TT '. T	I a .:	T 1:	D		
Unit Letter	Section	Township	Range	Cou	
N	25	32N	11W	San J	Juan
Crude Oi		ul(s) Released (Select al		, , , , , , , , , , , , , , , , , , , ,	Release c justification for the volumes provided below) Volume Recovered (bbls)
Produced	Water	Volume Release	d (bbls)		Volume Recovered (bbls)
Is the concentration of dissolved chloride produced water >10,000 mg/l?				loride in the	☐ Yes ☐ No
Condensa	ate	Volume Release			Volume Recovered (bbls)
Natural C	Gas	Volume Release	d (Mcf)		Volume Recovered (Mcf)
Other (describe) Volume/Weight Released (provide units)			Released (provide	units)	Volume/Weight Recovered (provide units)
	TDII	DTEV 0 -L1	orida all balass	holow grada i	tank (BGT) permit closure standards.

Received by OCD: 7/30/2020 4:46:55 PM State of New Mexico
Page 2 Oil Conservation Division

P	ag	e	1	3	0	f	2	3

Incident ID	
District RP	
Facility ID	
Application ID	

Was this a major release as defined by	If YES, for what reason(s) does the respon	sible party consider this a major release?
19.15.29.7(A) NMAC?		
☐ Yes ⊠ No		
If YES, was immediate no	tice given to the OCD? By whom? To who	om? When and by what means (phone, email, etc)?
		(Farans, 111)
Not required.		
	Initial Re	sponse
The responsible p	party must undertake the following actions immediately	unless they could create a safety hazard that would result in injury
☐ The source of the rele	ease has been stopped.	
	s been secured to protect human health and	he environment.
Released materials ha	we been contained via the use of berms or di	kes, absorbent pads, or other containment devices.
All free liquids and re	ecoverable materials have been removed and	managed appropriately.
If all the actions described	d above have <u>not</u> been undertaken, explain w	hy:
has begun, please attach a	a narrative of actions to date. If remedial e	mediation immediately after discovery of a release. If remediation fforts have been successfully completed or if the release occurred ease attach all information needed for closure evaluation.
regulations all operators are public health or the environment failed to adequately investigations.	required to report and/or file certain release notifient. The acceptance of a C-141 report by the Otate and remediate contamination that pose a threat	est of my knowledge and understand that pursuant to OCD rules and ications and perform corrective actions for releases which may endanger CD does not relieve the operator of liability should their operations have to groundwater, surface water, human health or the environment. In esponsibility for compliance with any other federal, state, or local laws
Printed Name: Steve	e Moskal	Title: Environmental Coordinator
Signature:		Date:
email: Steve.Mosk	al@bpx.com	Telephone: (505) 330-9179
OCD Only		
Received by:		Date:

CLIENT: BPX	PO	BLAGG EN BOX 87, BI		•		APP#: 300	4526796
<u></u>	_	•	5) 632-1199	•	37410	TANK ID (if applicble):	Α
FIELD REPORT:	(circle one):	BGT CONFIRMATION /	RELEASE INVESTIG	ATION / OTHE	ER:	PAGE #:	1 of 1
SITE INFORMATI	ON: SITE	NAME: FIELDS	# 16			DATE STARTED:	06/22/20
QUAD/UNIT: N SEC: 25	TWP: 32N RM	NG: 11W PM:	NM CNTY	SJ	ST: NM	DATE FINISHED:	
1/4 -1/4/FOOTAGE: 1,255'S	/ 1,570'W S	E/SW LEASE T	YPE: FEDERAL	STATE / FE	E / INDIAN	- ENVIRONMENTAL	
LEASE #: NM010989	PROD. FORMA	ATION: PC CC	NTRACTOR: BF	LLEY O.F. X - D. BUI	.S. LLER	SPECIALIST(S):	JCB
REFERENCE PO						GL ELE	=v· 6 316'
1) 21 BGT (SW/DB)		DORD.: 36.9				EARING FROM W.H.:	
2)							
3)		OORD.:				EARING FROM W.H.:	
4)		OORD.:				EARING FROM W.H.:	
					DISTANCE/BE	ARING FROM W.H	OVM
SAMPLING DATA 1) SAMPLE ID: 21 BGT S		STODY RECORD(S) # 0			<u></u> ΩΛ	15R/8021R/300 0	(CI) READING (ppm) 0.0
SAMPLE ID:					BANALYSIS:	130/002 10/300.0	(01) 0.0
3) SAMPLE ID:					ANALYSIS:		
4) SAMPLE ID:		SAMPLE DATE:	SAMPLE TIME: _	LAB	BANALYSIS:		
5) SAMPLE ID:		SAMPLE DATE:	SAMPLE TIME: _	LAB	3 ANALYSIS:		
SOIL DESCRIPTI	ON: SOIL TYPE:	SAND / SILTY SAND / S	SILT / SILTY CLAY / CL	AY / GRAVEL /[OTHER BEDRO	OCK (SANDSTONE)	
	K YELLOWISH ORA					COHESIVE / MEDIUM PLAS	
COHESION (ALL OTHERS): NON COHESIVE / S			,		,	/ STIFF / VERY STIFF /	
CONSISTENCY (NON COHESIVE SOIL MOISTURE: DRY/SLIGHTLY MOIST) MO	•		HC ODOR DETECTED	YES NO EXP	PLANATION		
SAMPLE TYPE: GRAB (COMPOS			ANY AREAS DISPLAY	NG WETNESS:	YES NO EXPL	ANATION -	
DISCOLORATION/STAINING OBSERVED:			7.11.7.1.2.10 5.0. 2.1.		.20 [] 22		
SITE OBSERVAT	ONS: LOST INTE	EGRITY OF EQUIPMENT:	YES NO EXPLANAT	ION -			
APPARENT EVIDENCE OF A RELEASE OF			ANATION:				
EQUIPMENT SET OVER RECLAIMED A OTHER: NMOCD OR BLM REPS. N			TION SAMPLING	RGT INSTAI	I ED INTO EYO	CAVATED SANDSTO	NE (SAMDI ED)
SANDSTONE VERY HARD, COM			HON OAMI LING.	DOT INCIAL	LLLD INTO LXC	DAVAILD CANDOTO	IVE (OAIVII EED).
EXCAVATION DIMENSION ESTIMA		ft. X NA	ft. X NA	ft. E	EXCAVATION ES	STIMATION (Cubic Ya	
DEPTH TO GROUNDWATER: >100	NEAREST WATER	SOURCE: >1,000'	NEAREST SURFAC	E WATER:	>1,000' NMC	OCD TPH CLOSURE STD	D: 2,500 ppm
SITE SKETCH	BGT Locate	d: off on site	PLOT PL	AN circle:	attached 0V	M CALIB. READ. = 10	0.1 ppm RF =1.00
					♠ ov	M CALIB. GAS = 10	DO ppm 1.00
707							DATE: 06/22/20
TO \ W.H.	\				,,,	MISCELL.	NOTES
	PBGTL					PO: 4301191	
	T.B.~6' B.G.	BI	ERM		I ·	PO. 4301131 AFE#:	1302
					1.	SIO #:	
		() 1/			I ·	GL #:	
WOO R.'			FENCE		I ·	Permit date(s):	06/14/10
					I *	OCD Appr. date(s):	05/02/16
		PROD. TANK				ank OVM = Organio ID ppm = parts pe	
						A BGT Sidewalls Visi	
				X	- S.P.D.	BGT Sidewalls Visi	ible: Y / N
NOTES: BGT = BELOW-GRADE TANK; E.D. = EX	(CAVATION DEPRESSION; B.	G. = BELOW GRADE; B = BE	ELOW; T.H. = TEST HOLE;		. = WELL HEAD;	BGT Sidewalls Vis	
T.B. = TANK BOTTOM; PBGTL = PREVIO APPLICABLE OR NOT AVAILABLE; SW	OUS BELOW-GRADE TANK LI - SINGLE WALL; DW - DOUB	OCATION; SPD = SAMPLE P LE WALL; SB - SINGLE BOT	OINT DESIGNATION; R.W. TOM; DB - DOUBLE BOTTO	= retaining wal)M.		Magnetic declinat	ion: 10°E
NOTES: GOOGLE EARTH II	MAGERY DATE:	04/06/2019	ONSITE:	06/22/20			

Analytical Report

Lab Order **2006B26**Date Reported: 6/30/2020

Hall Environmental Analysis Laboratory, Inc.

CLIENT: Blagg Engineering Client Sample ID: 21 BGT 5-pt @ 6'

 Project:
 Fields 016
 Collection Date: 6/22/2020 11:01:00 AM

 Lab ID:
 2006B26-001
 Matrix: SOIL
 Received Date: 6/23/2020 8:05:00 AM

Analyses	Result	RL	Qual Units	DF	Date Analyzed	Batch
EPA METHOD 300.0: ANIONS					Analyst	: JMT
Chloride	ND	60	mg/Kg	20	6/26/2020 7:48:37 PM	53340
EPA METHOD 8015M/D: DIESEL RANGE ORG	ANICS				Analyst	CLP
Diesel Range Organics (DRO)	ND	9.2	mg/Kg	1	6/24/2020 11:19:10 AM	53252
Motor Oil Range Organics (MRO)	ND	46	mg/Kg	1	6/24/2020 11:19:10 AM	53252
Surr: DNOP	104	55.1-146	%Rec	1	6/24/2020 11:19:10 AM	53252
EPA METHOD 8015D: GASOLINE RANGE					Analyst	: NSB
Gasoline Range Organics (GRO)	ND	4.7	mg/Kg	1	6/24/2020 2:26:21 PM	53249
Surr: BFB	100	66.6-105	%Rec	1	6/24/2020 2:26:21 PM	53249
EPA METHOD 8021B: VOLATILES					Analyst	: NSB
Benzene	ND	0.024	mg/Kg	1	6/24/2020 2:26:21 PM	53249
Toluene	ND	0.047	mg/Kg	1	6/24/2020 2:26:21 PM	53249
Ethylbenzene	ND	0.047	mg/Kg	1	6/24/2020 2:26:21 PM	53249
Xylenes, Total	ND	0.095	mg/Kg	1	6/24/2020 2:26:21 PM	53249
Surr: 4-Bromofluorobenzene	102	80-120	%Rec	1	6/24/2020 2:26:21 PM	53249

Refer to the QC Summary report and sample login checklist for flagged QC data and preservation information.

Qualifiers:

- Value exceeds Maximum Contaminant Level.
- D Sample Diluted Due to Matrix
- H Holding times for preparation or analysis exceeded
- ND Not Detected at the Reporting Limit
- PQL Practical Quanitative Limit
- S % Recovery outside of range due to dilution or matrix

- B Analyte detected in the associated Method Blank
- E Value above quantitation range
- J Analyte detected below quantitation limits
- P Sample pH Not In Range
- RL Reporting Limit

Page 1 of 5

reived by OCD: 7/30/202	Air Bubbles (V or V) selddud nif		Page 16
. >=			
HALL ENVIRONMENTAL ANALYSIS LABORATOR www.hallenvironmental.com kins NE - Albuquerque, NM 87109 345-3975 Fax 505-345-4107			
RA 109	CHUNIDE 300	\times	
ENVIRONME YSIS LABOR/ environmental.com Albuquerque, NM 87109 Fax 505-345-4107	(AOV-ima2) 07S8		
A A Lal.co	8081 Pesticides / 8082 PCB's (VOA)		32
S L S L S L S L S L S L S L S L S L S L	8081 Pesticides / 8082 PCB's		1192
LYSIS LYSIS allenviron - Albuque Fax	Anions (F,CI,NO ₃ ,NO ₂ ,PO ₄ ,SO ₄)		7110
allen - Al	RCRA 8 Metals		88x 4301191982
ANALYSIS LABG ANALYSIS LABG www.hallenvironmental.com 1901 Hawkins NE - Albuquerque, NM 8 Tel. 505-345-3975 Fax 505-345-41	EDB (Method 504.1) PAH's (8310 or 8270 SIMS)		100
AL ww wkins wkins	TPH (Method 418.1)		But Po.
Hav 505-	TPH 8015B (GRO / DRO / MRO)		- W (T.
ANAL ANAL 4901 Hawkins NE - Tel. 505-345-3975	BTEX + MTBE + TPH (Gas only)		arks:
	BTEX + MTBE + TMB's (8021)		Remarks
	= 3.0 HEAL No.		Time 1144
) S S S		Date On Low
X Standard □ Rush Project Name: FIELDS 016 Project #:	Manager: STEVE MOSKA. Temperature: 3.04 Temperature: 3.04 The preservative Type Type		Walls of
Project Name: FIEL Project #:	Project Manager: Sampler: Sample Temperatu Container Type and # Type and #	408×1	Received by:
5 2	D Level 4 (Full Validation)	21867 S-pt@6	by: They
ENERGY			shed ished
ENE		2016	Relinquished by:
SPX SALL (ddress:	Fax#: ackage: ard ation P Time	(101)	C
ased to Imaging: 1/22/	Phone #: Standard Accreditation Date Time		Date: Time: Date: Time: Date: Time:

Hall Environmental Analysis Laboratory, Inc.

WO#: **2006B26**

30-Jun-20

Client: Blagg Engineering

Project: Fields 016

Sample ID: MB-53340 SampType: mblk TestCode: EPA Method 300.0: Anions

Client ID: PBS Batch ID: 53340 RunNo: 69932

Prep Date: 6/26/2020 Analysis Date: 6/26/2020 SeqNo: 2429403 Units: mg/Kg

Analyte Result PQL SPK value SPK Ref Val %REC LowLimit HighLimit %RPD RPDLimit Qual

Chloride ND 1.5

Sample ID: LCS-53340 SampType: Ics TestCode: EPA Method 300.0: Anions

Client ID: LCSS Batch ID: 53340 RunNo: 69932

Prep Date: 6/26/2020 Analysis Date: 6/26/2020 SeqNo: 2429404 Units: mg/Kg

Analyte Result PQL SPK value SPK Ref Val %REC LowLimit HighLimit %RPD RPDLimit Qual

Chloride 14 1.5 15.00 0 94.9 90 110

Qualifiers:

Value exceeds Maximum Contaminant Level.

D Sample Diluted Due to Matrix

H Holding times for preparation or analysis exceeded

ND Not Detected at the Reporting Limit

PQL Practical Quanitative Limit

S % Recovery outside of range due to dilution or matrix

B Analyte detected in the associated Method Blank

E Value above quantitation range

J Analyte detected below quantitation limits

P Sample pH Not In Range

RL Reporting Limit

Page 2 of 5

Hall Environmental Analysis Laboratory, Inc.

WO#: **2006B26 30-Jun-20**

Client: Blagg Engineering

Project: Fields 016

Sample ID: MB-53252 SampType: MBLK TestCode: EPA Method 8015M/D: Diesel Range Organics

Client ID: PBS Batch ID: 53252 RunNo: 69847

Prep Date: 6/23/2020 Analysis Date: 6/24/2020 SeqNo: 2425698 Units: mg/Kg

Analyte Result PQL SPK value SPK Ref Val %REC LowLimit HighLimit %RPD RPDLimit Qual

Diesel Range Organics (DRO) ND 10
Motor Oil Range Organics (MRO) ND 50

Surr: DNOP 13 10.00 126 55.1 146

Sample ID: LCS-53252 SampType: LCS TestCode: EPA Method 8015M/D: Diesel Range Organics

Client ID: LCSS Batch ID: 53252 RunNo: 69847

Prep Date: 6/23/2020 Analysis Date: 6/24/2020 SeqNo: 2425699 Units: mg/Kg

Analyte Result PQL SPK value SPK Ref Val %REC LowLimit HighLimit %RPD RPDLimit Qual

 Diesel Range Organics (DRO)
 48
 10
 50.00
 0
 96.5
 70
 130

 Surr: DNOP
 5.3
 5.000
 105
 55.1
 146

Qualifiers:

- Value exceeds Maximum Contaminant Level.
- D Sample Diluted Due to Matrix
- H Holding times for preparation or analysis exceeded
- ND Not Detected at the Reporting Limit
- PQL Practical Quanitative Limit
- S % Recovery outside of range due to dilution or matrix

- B Analyte detected in the associated Method Blank
- E Value above quantitation range
- J Analyte detected below quantitation limits
- P Sample pH Not In Range
- RL Reporting Limit

Page 3 of 5

Hall Environmental Analysis Laboratory, Inc.

WO#: **2006B26**

30-Jun-20

Client: Blagg Engineering

Project: Fields 016

Sample ID: mb-53249 SampType: MBLK TestCode: EPA Method 8015D: Gasoline Range

Client ID: PBS Batch ID: 53249 RunNo: 69855

Prep Date: 6/23/2020 Analysis Date: 6/24/2020 SeqNo: 2426470 Units: mg/Kg

Analyte Result PQL SPK value SPK Ref Val %REC LowLimit HighLimit %RPD RPDLimit Qual

Gasoline Range Organics (GRO) ND 5.0

Surr: BFB 1000 1000 102 66.6 105

Sample ID: Ics-53249 SampType: LCS TestCode: EPA Method 8015D: Gasoline Range

Client ID: LCSS Batch ID: 53249 RunNo: 69855

Prep Date: 6/23/2020 Analysis Date: 6/24/2020 SeqNo: 2426471 Units: mg/Kg

Analyte Result **PQL** SPK value SPK Ref Val %REC LowLimit HighLimit %RPD **RPDLimit** Qual Gasoline Range Organics (GRO) 5.0 25.00 0 88.3 80 120 Surr: BFB 1100 1000 66.6 S 112 105

Qualifiers:

- Value exceeds Maximum Contaminant Level.
- D Sample Diluted Due to Matrix
- H Holding times for preparation or analysis exceeded
- ND Not Detected at the Reporting Limit
- PQL Practical Quanitative Limit
- S % Recovery outside of range due to dilution or matrix

- B Analyte detected in the associated Method Blank
- E Value above quantitation range
- J Analyte detected below quantitation limits
- P Sample pH Not In Range
- RL Reporting Limit

Page 4 of 5

Hall Environmental Analysis Laboratory, Inc.

WO#: **2006B26**

30-Jun-20

Client: Blagg Engineering

Project: Fields 016

Sample ID: mb-53249 SampType: MBLK TestCode: EPA Method 8021B: Volatiles

Client ID: PBS Batch ID: 53249 RunNo: 69855

Prep Date: 6/23/2020 Analysis Date: 6/24/2020 SeqNo: 2426506 Units: mg/Kg

Analyte Result PQL SPK value SPK Ref Val %REC LowLimit HighLimit %RPD RPDLimit Qual

 Benzene
 ND
 0.025

 Toluene
 ND
 0.050

 Ethylbenzene
 ND
 0.050

 Xylenes, Total
 ND
 0.10

Surr: 4-Bromofluorobenzene 1.0 1.000 102 80 120

Sample ID: LCS-53249 SampType: LCS TestCode: EPA Method 8021B: Volatiles

Client ID: LCSS Batch ID: 53249 RunNo: 69855

Prep Date: 6/23/2020	Analysis [Date: 6 /	24/2020	8	SeqNo: 24	426507	Units: mg/K	g		
Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	%RPD	RPDLimit	Qual
Benzene	0.94	0.025	1.000	0	93.6	80	120			
Toluene	0.95	0.050	1.000	0	95.4	80	120			
Ethylbenzene	0.96	0.050	1.000	0	96.1	80	120			
Xylenes, Total	2.9	0.10	3.000	0	97.2	80	120			
Surr: 4-Bromofluorobenzene	1.0		1.000		105	80	120			

Sample ID: 2006b26-001ams SampType: MS TestCode: EPA Method 8021B: Volatiles

Client ID: 21 BGT 5-pt @ 6' Batch ID: 53249 RunNo: 69855

Prep Date: 6/23/2020 Analysis Da		Date: 6 /	24/2020	5	SeqNo: 2426526			(g		
Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	%RPD	RPDLimit	Qual
Benzene	0.88	0.023	0.9346	0	94.0	78.5	119			
Toluene	0.91	0.047	0.9346	0.01033	95.9	75.7	123			
Ethylbenzene	0.91	0.047	0.9346	0	97.5	74.3	126			
Xylenes, Total	2.7	0.093	2.804	0	97.8	72.9	130			
Surr: 4-Bromofluorobenzene	0.98		0.9346		105	80	120			

Sample ID: 2006b26-001amsd SampType: MSD TestCode: EPA Method 8021B: Volatiles

Client ID: 21 BGT 5-pt @ 6' Batch ID: 53249 RunNo: 69855

					-					
Prep Date: 6/23/2020	Analysis D	ate: 6/2	24/2020	S	SeqNo: 24	426527	Units: mg/K	g		
Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	%RPD	RPDLimit	Qual
Benzene	0.90	0.024	0.9416	0	95.8	78.5	119	2.65	20	
Toluene	0.92	0.047	0.9416	0.01033	96.3	75.7	123	1.15	20	
Ethylbenzene	0.92	0.047	0.9416	0	97.9	74.3	126	1.19	20	
Xylenes, Total	2.8	0.094	2.825	0	99.7	72.9	130	2.73	20	
Surr: 4-Bromofluorobenzene	0.97		0.9416		103	80	120	0	0	

Qualifiers:

Value exceeds Maximum Contaminant Level.

D Sample Diluted Due to Matrix

H Holding times for preparation or analysis exceeded

ND Not Detected at the Reporting Limit

PQL Practical Quanitative Limit

S % Recovery outside of range due to dilution or matrix

B Analyte detected in the associated Method Blank


E Value above quantitation range

J Analyte detected below quantitation limits

P Sample pH Not In Range

RL Reporting Limit

Page 5 of 5



Hall Environmental Analysis Laboratory 4901 Hawkins NE Albuquerque, NM 87109 TEL: 505-345-3975 FAX: 505-345-4107

Website: www.hallenvironmental.com

Sample Log-In Check List


Client Name: Blagg Engineering Work Order Number: 2006B26 RcptNo: 1 Received By: **Emily Mocho** 6/23/2020 8:05:00 AM Completed By: **Emily Mocho** 6/23/2020 8:31:50 AM Reviewed By: 6/23/20 Chain of Custody 1. Is Chain of Custody complete? Yes V No 🗌 Not Present 2. How was the sample delivered? Courier Log In 3. Was an attempt made to cool the samples? NA 🗌 Yes V Were all samples received at a temperature of >0° C to 6.0°C No _ NA 🗌 Sample(s) in proper container(s)? Yes V No Sufficient sample volume for indicated test(s)? No [Yes V 7. Are samples (except VOA and ONG) properly preserved? No 🗌 Yes 8. Was preservative added to bottles? No V Yes NA 🗌 9. Received at least 1 vial with headspace <1/4" for AQ VOA? Yes No 🗌 NA V Yes 🗆 10. Were any sample containers received broken? No V # of preserved bottles checked 11. Does paperwork match bottle labels? No 🗌 for pH: Yes V (Note discrepancies on chain of custody) (<2 or >12 unless noted) 12. Are matrices correctly identified on Chain of Custody? Adjusted? Yes V No 🗌 13. Is it clear what analyses were requested? No 🗌 Yes V 14. Were all holding times able to be met? Yes V No 🗌 (If no, notify customer for authorization.) Special Handling (if applicable) 15. Was client notified of all discrepancies with this order? NA V Yes No Person Notified: Date: By Whom: Via: eMail Phone Fax Regarding: Client Instructions: 16. Additional remarks: 17. Cooler Information Cooler No Temp °C Condition Seal Intact Seal No Seal Date Signed By

3.0

Good

Not Present





<u>District I</u> 1625 N. French Dr., Hobbs, NM 88240 Phone:(575) 393-6161 Fax:(575) 393-0720

811 S. First St., Artesia, NM 88210 Phone:(575) 748-1283 Fax:(575) 748-9720 District III
1000 Rio Brazos Rd., Aztec, NM 87410

Phone:(505) 334-6178 Fax:(505) 334-6170 1220 S. St Francis Dr., Santa Fe, NM 87505 Phone:(505) 476-3470 Fax:(505) 476-3462

State of New Mexico Energy, Minerals and Natural Resources Oil Conservation Division 1220 S. St Francis Dr. **Santa Fe, NM 87505**

CONDITIONS

Action 9461

CONDITIONS OF APPROVAL

Operator:	OGRID:	Action Number:	Action Type:
BP AMERICA PRODUCTION COMPANY 1199 Mai	Avenue 778	9461	C-144
Suite 101 Durango, CO81301			

OCD Reviewer	Condition
csmith	Closure Approved BGT A @ 30-045-26796