

I. REQUEST FOR ALLOWABLE AND AUTHORIZATION TO TRANSPORT

¹ Operator name and Address XTO Energy, Inc 4601 Holiday Hill Rd bldg #5 Midland, TX 79707		² OGRID Number 005380
		³ Reason for Filing Code/ Effective Date NW
⁴ API Number 30 - 0 15- 43712	⁵ Pool Name Willow Lake - Bone Spring, SE	⁶ Pool Code 96217
⁷ Property Code 326258	⁸ Property Name Corral Canyon 3 Fed	⁹ Well Number 009H

II. ¹⁰ Surface Location

Ul or lot no.	Section	Township	Range	Lot Idn	Feet from the	North/South Line	Feet from the	East/West line	County
M	3	25S	29E		170	South	84	West	Eddy

¹¹ Bottom Hole Location

UL or lot no.	Section	Township	Range	Lot Idn	Feet from the	North/South line	Feet from the	East/West line	County
	3	25S	29E	4	208	North	645	West	Eddy
¹² Lse Code F	¹³ Producing Method Code F	¹⁴ Gas Connection Date 08/12/2020	¹⁵ C-129 Permit Number	¹⁶ C-129 Effective Date	¹⁷ C-129 Expiration Date				

III. Oil and Gas Transporters

¹⁸ Transporter OGRID	¹⁹ Transporter Name and Address	²⁰ O/G/W
034053	Plains Marketing, LP PO Box 4648 Houston, TX 77210	O
248440	Western Refining Company, LP 6500 Trowbridge Drive El Paso, TX 79905	O
372422	Luic Energy Delaware, LLC 3100 Mckinnon Suite 800 Artesia, NM 88210	G

IV. Well Completion Data

²¹ Spud Date 09/11/2019	²² Ready Date 08/12/2020	²³ TD 8692' 14,163/8746	²⁴ PBTD 8692' 14162/8748	²⁵ Perforations 9769 - 14035	²⁶ DHC, MC N/A
²⁷ Hole Size	²⁸ Casing & Tubing Size	²⁹ Depth Set	³⁰ Sacks Cement		
17 1/2	13 3/8	588	1890		
12 1/4	9 5/8	7266	3440		
8 3/4	5 1/2	14163	1650		

V. Well Test Data

³¹ Date New Oil 08/13/202	³² Gas Delivery Date 08/13/2020	³³ Test Date 08/18/2020	³⁴ Test Length 24	³⁵ Tbg. Pressure 441	³⁶ Csg. Pressure 21
³⁷ Choke Size	³⁸ Oil 2339	³⁹ Water 2097	⁴⁰ Gas 4171		⁴¹ Test Method Flowing
⁴² I hereby certify that the rules of the Oil Conservation Division have been complied with and that the information given above is true and complete to the best of my knowledge and belief. Signature: <i>Cassie Evans</i>			OIL CONSERVATION DIVISION		
Printed name: Cassie Evans			Approved by: <i>Amelia Batawanta</i>		
Title: Regulatory Analyst			Title: BUSINESS OP. SPEC.		
E-mail Address: cassie_evans@xtoenergy.com			Approval Date: 01/26/2021		
Date: 09/22/2020			Phone:		
<i>01/26/2021 Request for NMOCD extension of time to file BLM-Approved form 3160-4. File 3160-4 within 10 days to NMOCD after BLM approval.</i>					

EMNRD-Rec'd: 09/29/2020

Form C-102

Revised August 1, 2011

Submit one copy to appropriate

District Office

☒ AMENDED REPORT

District I
1625 N. French Dr., Hobbs, NM 88240
Phone: (575) 393-6161 Fax: (575) 393-0720

District II
811 S. First St., Artesia, NM 88210
Phone: (575) 748-1283 Fax: (575) 748-9720

District III
1000 Rio Brazos Road, Aztec, NM 87410
Phone: (505) 334-6178 Fax: (505) 334-6170

District IV
1220 S. St. Francis Dr., Santa Fe, NM 87505
Phone: (505) 476-3460 Fax: (505) 476-3462

State of New Mexico
Energy, Minerals & Natural Resources Department
OIL CONSERVATION DIVISION
1220 South St. Francis Dr.
Santa Fe, NM 87505

WELL LOCATION AND ACREAGE DEDICATION PLAT

AS-DRILLED PLAT

¹ API Number 30-015-43712	² Pool Code 96217	³ Pool Name Willow Lake; Bone Spring, SE
⁴ Property Code 314121	⁵ Property Name CORRAL CANYON 3 FED	⁶ Well Number 9H
⁷ OGRID No. 005380	⁸ Operator Name XTO ENERGY, INC.	⁹ Elevation 2,998'

¹⁰ Surface Location

UL or lot no.	Section	Township	Range	Lot Idn	Feet from the	North/South line	Feet from the	East/West line	County
M	3	25 S	29 E		170	SOUTH	84	WEST	EDDY

¹¹ Bottom Hole Location If Different From Surface

UL or lot no.	Section	Township	Range	Lot Idn	Feet from the	North/South line	Feet from the	East/West line	County
4	3	25 S	29 E		208	NORTH	645	WEST	EDDY

¹² Dedicated Acres 159.95	¹³ Joint or Infill	¹⁴ Consolidation Code	¹⁵ Order No.
---	-------------------------------	----------------------------------	-------------------------

No allowable will be assigned to this completion until all interests have been consolidated or a non-standard unit has been approved by the division. NOTE: AS-DRILLED BOTTOM HOLE PLOTTED FROM DATA FURNISHED BY XTO ENERGY

	16 SEC. 33 SEC. 34 T24S R29E SEC. 3 T25S R29E SEC. 4 SEC. 9 SEC. 10 LOT 1 39.97 AC LOT 3 39.85 AC LOT 4 39.95 AC B.H.L. 208' L.T.P. MD=14,035' F.T.P. MD=9,769' K.O.P. MD=8,121' 645' 650' 336' 330' 647' 84' 637' 707' 536' 170'	17 OPERATOR CERTIFICATION I hereby certify that the information contained herein is true and complete to the best of my knowledge and belief, and that this organization either owns a working interest or unleased mineral interest in the land including the proposed bottom hole location or has a right to drill this well at this location pursuant to a contract with an owner of such a mineral or working interest, or to a voluntary pooling agreement or a compulsory pooling order heretofore entered by the division. <i>Cassie Evans</i> 09/18/2020 Signature Date <u>Cassie Evans</u> Printed Name <u>cassie_evans@xtoenergy.com</u> E-mail Address
	GEODETIC COORDINATES NAD 83 NME SURFACE LOCATION Y= 419,355.8 X= 650,501.2 LAT.= 32.152396°N LONG.= 103.980595°W FIRST TAKE POINT NAD 83 NME Y= 419,897.1 X= 651,060.8 LAT.= 32.153879°N LONG.= 103.978781°W CORNER COORDINATES TABLE NAD 27 NME A - Y= 424,436.0 N, X= 609,201.3 E B - Y= 424,441.8 N, X= 610,534.2 E C - Y= 421,781.3 N, X= 609,218.2 E D - Y= 421,789.7 N, X= 610,546.7 E E - Y= 419,127.1 N, X= 609,234.4 E F - Y= 419,135.6 N, X= 610,558.8 E KICK OFF POINT NAD 83 NME Y= 418,653.7 X= 651,055.3 LAT.= 32.150461°N LONG.= 103.978812°W KICK OFF POINT NAD 27 NME Y= 418,595.2 X= 609,871.1 LAT.= 32.150337°N LONG.= 103.978325°W	18 SURVEYOR CERTIFICATION I hereby certify that the well location shown on this plat was plotted from field notes of actual surveys made by me or under my supervision, and that the same is true and correct to the best of my belief. 5-18-2020 Date of Survey Signature and Seal of Professional Surveyor: <i>[Signature]</i> MARK DILLON HARP NEW MEXICO 23786 PROFESSIONAL SURVEYOR
	LAST TAKE POINT NAD 83 NME Y= 424,161.5 X= 651,037.5 LAT.= 32.165601°N LONG.= 103.978811°W BOTTOM HOLE LOCATION NAD 83 NME Y= 424,161.5 X= 651,037.5 LAT.= 32.165601°N LONG.= 103.978811°W LAST TAKE POINT NAD 27 NME Y= 424,102.9 X= 609,853.4 LAT.= 32.165478°N LONG.= 103.978323°W BOTTOM HOLE LOCATION NAD 27 NME Y= 424,230.8 X= 609,847.3 LAT.= 32.165829°N LONG.= 103.978342°W	MARK DILLON HARP 23786 Certificate Number JC 2017091546

Intent ☐ As Drilled ☐

API #		
Operator Name:	Property Name:	Well Number

Kick Off Point (KOP)

UL	Section	Township	Range	Lot	Feet	From N/S	Feet	From E/W	County
Latitude					Longitude				NAD

First Take Point (FTP)

UL	Section	Township	Range	Lot	Feet	From N/S	Feet	From E/W	County
Latitude					Longitude				NAD

Last Take Point (LTP)

UL	Section	Township	Range	Lot	Feet	From N/S	Feet	From E/W	County
Latitude					Longitude				NAD

Is this well the defining well for the Horizontal Spacing Unit? ☐Is this well an infill well? ☐

If infill is yes please provide API if available, Operator Name and well number for Defining well for Horizontal Spacing Unit.

API #		
Operator Name:	Property Name:	Well Number

KZ 06/29/2018

**Weatherford**

Drilling Services
710 S. Faudree Rd.
P.O. Box 61028
Odessa, TX USA 79765
Tel. (432) 561-8892 Fax (432) 561-8895

XTO Energy
303 Veterans Airpark Lane
Midland, TX, 79705

Date: April 30, 2020

Attention: Cheryl Rowell

Re: XTO Energy
Well: Corral Canyon 3 Fed 9H
Eddy County, New Mexico

Enclosed, please find the original survey performed on the referenced well by Precision Energy Services, Inc. (P-5 No. 676004), a Weatherford company. Other information required by your office is as follows:

<u>Name & Title Of Surveyor</u>	<u>Well Number</u>	<u>Surveyed Depths</u>	<u>Dates Performed</u>	<u>Type of Survey</u>
Brent Tyler	9H	168 MD	9/12/2019	Measurement
MWD Supervisor		14,107 MD	10/4/2019	While Drilling

A notarized plan vs. actual is attached to the survey report. If any other information is required, please contact the undersigned at the letterhead address and phone number.

Matt Hulkan
Operations Supervisor - Directional Drilling

4/30/2020
Date

**Weatherford®**

Drilling Services
710 S. Faudree Rd.
P.O. Box 61028
Odessa, TX USA 79765
Tel. (432) 561-8892 Fax (432) 561-8895

XTO Energy
303 Veterans Airpark Lane
Midland, TX, 79705

Date: April 30, 2020

Attention: Cheryl Rowell

Re: XTO Energy
Well: Corral Canyon 3 Fed 9H
Eddy County, New Mexico

Enclosed, please find the original survey performed on the referenced well by Precision Energy Services, Inc. (P-5 No. 676004), a Weatherford company. Other information required by your office is as follows:

<u>Name & Title Of Surveyor</u>	<u>Well Number</u>	<u>Surveyed Depths</u>	<u>Dates Performed</u>	<u>Type of Survey</u>
Brent Tyler	9H	168 MD	9/12/2019	Measurement
MWD Supervisor		14,107 MD	10/4/2019	While Drilling

A notarized plan vs. actual is attached to the survey report. If any other information is required, please contact the undersigned at the letterhead address and phone number.

Matt Hulkan
Operations Supervisor - Directional Drilling

4/30/2020
Date



Weatherford®

SURVEY REPORT

Report Date: 10/4/2019

Customer: XTO Energy

Job Name: 13948664

Well Name: Corral Canyon 3 Fed 9H

WILLOW LAKE;

Field: BONE SPRING, SOUTHEAST

Rig: Ensign T451

Rig Loc: Eddy Co., NM

Survey Calculation Method: Minimum Curvature						
Magnetic Reference	Target Direction	Total Magnetic Field	Magnetic Dip Angle	Magnetic Declination	Grid Convergence	Total Correction
Grid North	359.64 deg	47800 nT	59.85 deg	6.95 deg	0.19 deg	6.76 deg
Survey Tie-On	Depth	INC	AZ	TVD	NS	EW
	0.00 ft	0.00 deg	0.00 deg	0.00 ft	0.00 ft	0.00 ft

Depth (ft)	Inc (deg)	Azm (deg)	TVD (ft)	Well Head			
				NS (ft)	EW (ft)	Vsect (ft)	Dogleg (deg/100ft)
168.00	1.20	328.39	167.99	1.50	-0.92	1.50	0.71
260.00	2.33	348.16	259.94	4.15	-1.81	4.16	1.38
320.00	2.47	349.40	319.89	6.61	-2.30	6.63	0.25
381.00	2.03	353.51	380.84	8.98	-2.66	9.00	0.77
441.00	1.71	357.02	440.81	10.93	-2.83	10.95	0.57
494.00	1.58	352.07	493.79	12.44	-2.97	12.46	0.36
629.00	1.35	356.00	628.75	15.87	-3.34	15.89	0.19
690.00	1.26	32.01	689.73	17.16	-3.03	17.18	1.33
779.00	2.26	92.61	778.69	17.91	-0.76	17.91	2.22
871.00	4.21	124.83	870.55	15.90	3.82	15.87	2.82
961.00	6.68	131.59	960.14	10.53	10.45	10.47	2.83
1050.00	8.23	131.66	1048.38	2.86	19.08	2.74	1.74
1139.00	7.64	137.02	1136.53	-5.70	27.87	-5.87	1.06
1228.00	7.47	142.44	1224.76	-14.61	35.43	-14.84	0.82
1317.00	7.26	140.86	1313.03	-23.56	42.51	-23.83	0.33
1406.00	6.93	141.31	1401.34	-32.11	49.42	-32.42	0.38
1496.00	7.54	146.23	1490.63	-41.26	56.09	-41.61	0.97
1585.00	8.16	153.55	1578.80	-51.77	62.15	-52.16	1.32
1674.00	7.52	153.70	1666.96	-62.65	67.55	-63.07	0.72
1763.00	7.42	143.44	1755.21	-72.48	73.55	-72.95	1.50
1852.00	7.47	137.13	1843.46	-81.34	80.91	-81.85	0.92
1942.00	7.41	137.78	1932.71	-89.93	88.79	-90.48	0.11
2031.00	6.65	136.34	2021.04	-97.90	96.20	-98.51	0.88
2127.00	7.23	135.11	2116.33	-106.21	104.31	-106.86	0.62
2216.00	7.50	133.43	2204.60	-114.17	112.48	-114.87	0.39
2305.00	7.96	136.61	2292.79	-122.64	120.93	-123.40	0.71
2394.00	8.60	138.14	2380.86	-132.07	129.60	-132.88	0.76
2484.00	8.40	140.24	2469.87	-142.14	138.30	-143.00	0.41
2573.00	7.84	143.80	2557.98	-152.03	146.04	-152.95	0.85
2662.00	8.18	141.06	2646.11	-161.86	153.60	-162.82	0.57
2751.00	8.10	143.47	2734.22	-171.82	161.32	-172.83	0.39
2840.00	8.06	148.13	2822.33	-182.16	168.34	-183.21	0.74
2930.00	7.63	144.94	2911.49	-192.41	175.11	-193.50	0.68
3019.00	7.03	146.48	2999.76	-201.78	181.51	-202.92	0.71
3108.00	6.24	147.37	3088.17	-210.40	187.12	-211.57	0.90

Depth (ft)	Inc (deg)	Azm (deg)	TVD (ft)	Well Head		Vsect (ft)	Dogleg (deg/100ft)
				NS (ft)	EW (ft)		
3197.00	7.18	145.55	3176.56	-219.06	192.88	-220.26	1.08
3376.00	7.72	144.43	3354.04	-238.06	206.20	-239.35	0.31
3465.00	7.56	145.20	3442.25	-247.73	213.02	-249.06	0.21
3554.00	7.43	145.64	3530.49	-257.29	219.61	-258.66	0.16
3643.00	7.30	145.59	3618.76	-266.70	226.05	-268.12	0.15
3821.00	6.86	145.77	3795.40	-284.82	238.42	-286.32	0.25
3910.00	7.42	147.22	3883.71	-294.05	244.52	-295.58	0.66
4000.00	7.59	147.10	3972.94	-303.93	250.90	-305.50	0.19
4089.00	7.70	148.12	4061.15	-313.92	257.24	-315.53	0.20
4178.00	8.16	145.46	4149.30	-324.19	263.97	-325.84	0.66
4267.00	8.60	142.95	4237.35	-334.70	271.56	-336.40	0.64
4356.00	8.20	143.75	4325.39	-345.13	279.32	-346.88	0.47
4445.00	7.79	143.91	4413.53	-355.13	286.63	-356.92	0.46
4534.00	7.35	145.48	4501.75	-364.69	293.41	-366.53	0.55
4624.00	7.26	144.82	4591.02	-374.08	299.95	-375.96	0.14
4713.00	7.09	143.81	4679.33	-383.11	306.43	-385.03	0.24
4802.00	7.43	142.34	4767.61	-392.10	313.19	-394.06	0.44
4891.00	7.64	141.12	4855.84	-401.26	320.42	-403.27	0.30
4980.00	8.11	139.51	4944.00	-410.64	328.21	-412.70	0.58
5069.00	8.25	139.32	5032.10	-420.26	336.45	-422.36	0.16
5158.00	8.31	139.23	5120.17	-429.97	344.81	-432.13	0.07
5248.00	7.94	140.60	5209.27	-439.70	353.00	-441.91	0.46
5337.00	7.52	141.59	5297.46	-449.01	360.52	-451.27	0.50
5426.00	7.23	142.55	5385.72	-458.02	367.54	-460.32	0.35
5516.00	7.30	143.58	5475.00	-467.12	374.38	-469.46	0.16
5605.00	7.41	142.72	5563.27	-476.24	381.22	-478.62	0.17
5694.00	6.99	139.59	5651.56	-484.93	388.20	-487.36	0.65
5783.00	7.18	137.73	5739.89	-493.17	395.45	-495.64	0.33
5872.00	7.30	140.09	5828.18	-501.62	402.82	-504.14	0.36
5961.00	7.60	141.60	5916.42	-510.57	410.11	-513.14	0.40
6050.00	7.85	142.55	6004.62	-520.01	417.46	-522.62	0.32
6139.00	8.41	143.94	6092.72	-530.09	424.99	-532.75	0.67
6229.00	8.76	145.51	6181.71	-541.06	432.74	-543.77	0.47
6318.00	8.50	145.77	6269.71	-552.09	440.28	-554.84	0.30
6407.00	7.98	145.50	6357.79	-562.62	447.48	-565.42	0.59
6496.00	7.95	146.52	6445.93	-572.84	454.37	-575.68	0.16
6585.00	7.79	143.60	6534.09	-582.83	461.35	-585.72	0.48
6674.00	7.82	138.87	6622.27	-592.24	468.91	-595.18	0.72
6763.00	7.97	139.36	6710.42	-601.49	476.91	-604.47	0.18
6853.00	7.63	138.03	6799.59	-610.66	484.97	-613.70	0.43
6942.00	7.46	136.64	6887.82	-619.26	492.89	-622.34	0.28
7031.00	7.18	135.34	6976.09	-627.41	500.76	-630.55	0.37
7120.00	6.28	133.82	7064.48	-634.74	508.18	-637.92	1.03
7320.00	4.34	133.82	7263.61	-647.56	521.54	-650.82	0.97
7463.00	5.75	163.77	7406.08	-658.18	527.45	-661.48	2.06
7552.00	5.21	163.52	7494.67	-666.34	529.84	-669.65	0.61
7641.00	5.04	143.56	7583.32	-673.36	533.31	-676.70	2.00
7731.00	5.23	143.00	7672.96	-679.82	538.12	-683.18	0.22
7820.00	4.69	147.42	7761.63	-686.12	542.52	-689.52	0.74
7909.00	4.27	145.10	7850.36	-691.90	546.38	-695.32	0.51

Depth (ft)	Inc (deg)	Azm (deg)	TVD (ft)	Well Head		Vsect (ft)	Dogleg (deg/100ft)
				NS (ft)	EW (ft)		
7998.00	4.17	147.39	7939.12	-697.35	550.02	-700.79	0.22
8064.00	3.60	149.26	8004.96	-701.15	552.37	-704.61	0.88
8150.00	1.92	53.19	8090.89	-702.61	554.91	-706.08	4.95
8194.00	7.54	12.00	8134.73	-699.34	556.10	-702.82	14.15
8239.00	13.24	3.65	8178.98	-691.30	557.04	-694.79	13.07
8284.00	17.35	5.48	8222.38	-679.47	558.01	-682.97	9.20
8328.00	20.30	6.75	8264.02	-665.36	559.53	-668.86	6.77
8373.00	23.68	5.60	8305.74	-648.61	561.33	-652.12	7.57
8417.00	24.53	3.74	8345.90	-630.70	562.79	-634.23	2.59
8462.00	23.50	2.62	8387.01	-612.42	563.81	-615.95	2.50
8506.00	26.34	0.99	8426.91	-593.89	564.38	-597.42	6.64
8551.00	30.33	0.03	8466.51	-572.54	564.56	-576.07	8.92
8596.00	33.23	357.88	8504.76	-548.85	564.11	-552.38	6.92
8640.00	38.39	357.59	8540.43	-523.13	563.09	-526.66	11.73
8685.00	43.59	358.36	8574.38	-493.65	562.06	-497.17	11.61
8729.00	47.99	358.77	8605.06	-462.12	561.27	-465.64	10.02
8774.00	52.72	0.06	8633.76	-427.49	560.93	-431.00	10.74
8818.00	58.49	0.83	8658.61	-391.20	561.22	-394.71	13.19
8863.00	63.36	1.06	8680.47	-351.88	561.87	-355.41	10.83
8908.00	65.92	1.89	8699.74	-311.24	562.92	-314.77	5.93
8952.00	70.38	2.90	8716.11	-270.45	564.63	-273.99	10.36
8997.00	74.56	3.54	8729.66	-227.61	567.04	-231.17	9.39
9041.00	78.95	2.31	8739.74	-184.85	569.23	-188.42	10.34
9086.00	84.60	0.42	8746.18	-140.35	570.28	-143.93	13.23
9130.00	90.28	358.38	8748.14	-96.41	569.82	-99.99	13.71
9220.00	95.26	358.15	8743.80	-6.59	567.10	-10.15	5.54
9309.00	92.52	356.92	8737.76	82.12	563.28	78.57	3.37
9398.00	93.15	355.98	8733.36	170.83	557.77	167.33	1.27
9487.00	91.82	357.91	8729.50	259.62	553.04	256.14	2.63
9576.00	90.56	359.69	8727.65	348.57	551.17	345.10	2.45
9665.00	88.81	3.16	8728.14	437.53	553.39	434.04	4.37
9755.00	90.00	3.67	8729.07	527.36	558.75	523.84	1.44
9844.00	91.33	3.74	8728.04	616.17	564.50	612.61	1.50
9933.00	91.19	2.30	8726.08	705.02	569.18	701.43	1.63
10022.00	92.03	0.01	8723.58	793.96	570.98	790.36	2.74
10112.00	90.63	0.32	8721.49	883.93	571.24	880.33	1.59
10201.00	91.12	0.85	8720.13	972.92	572.15	969.30	0.81
10290.00	89.86	0.20	8719.37	1061.91	572.96	1058.29	1.59
10379.00	89.44	359.44	8719.92	1150.91	572.68	1147.28	0.98
10468.00	90.35	359.36	8720.08	1239.90	571.75	1236.28	1.03
10557.00	91.12	359.92	8718.94	1328.89	571.19	1325.27	1.07
10646.00	91.82	359.61	8716.65	1417.86	570.83	1414.24	0.86
10736.00	90.70	359.43	8714.68	1507.83	570.07	1504.22	1.26
10825.00	90.77	358.96	8713.53	1596.82	568.82	1593.21	0.53
10914.00	89.30	359.43	8713.48	1685.80	567.57	1682.20	1.73
11003.00	89.93	359.30	8714.08	1774.80	566.59	1771.20	0.72
11093.00	91.96	359.36	8712.59	1864.77	565.53	1861.18	2.26
11182.00	90.00	358.45	8711.07	1953.74	563.83	1950.16	2.43
11271.00	88.18	358.49	8712.48	2042.69	561.46	2039.12	2.05
11360.00	88.81	358.65	8714.82	2131.63	559.24	2128.08	0.73

Depth (ft)	Inc (deg)	Azm (deg)	TVD (ft)	Well Head		VSect (ft)	Dogleg (deg/100ft)
				NS (ft)	EW (ft)		
11449.00	90.77	359.30	8715.15	2220.61	557.64	2217.07	2.32
11538.00	90.21	359.35	8714.39	2309.60	556.60	2306.06	0.63
11627.00	87.90	358.19	8715.85	2398.56	554.69	2395.03	2.90
11717.00	88.11	357.85	8718.99	2488.45	551.58	2484.94	0.44
11806.00	89.16	358.03	8721.11	2577.37	548.38	2573.87	1.20
11895.00	91.12	357.89	8720.89	2666.31	545.21	2662.83	2.21
11984.00	91.12	359.26	8719.15	2755.26	543.00	2751.80	1.54
12074.00	90.49	1.92	8717.89	2845.24	543.93	2841.77	3.04
12162.00	91.12	1.80	8716.65	2933.19	546.78	2929.69	0.73
12252.00	91.33	1.56	8714.73	3023.13	549.42	3019.61	0.35
12341.00	90.28	0.69	8713.48	3112.10	551.17	3108.57	1.53
12430.00	89.16	359.61	8713.91	3201.09	551.40	3197.57	1.75
12519.00	89.86	359.35	8714.67	3290.09	550.59	3286.56	0.84
12608.00	90.84	358.66	8714.13	3379.07	549.05	3375.55	1.35
12697.00	91.54	358.73	8712.28	3468.03	547.02	3464.52	0.79
12787.00	91.54	359.64	8709.86	3557.98	545.74	3554.49	1.01
12876.00	92.31	0.47	8706.87	3646.93	545.83	3643.43	1.27
12965.00	91.54	0.21	8703.88	3735.88	546.35	3732.37	0.91
13054.00	90.98	0.37	8701.92	3824.86	546.80	3821.35	0.65
13143.00	91.26	359.67	8700.18	3913.84	546.84	3910.33	0.85
13232.00	90.00	0.08	8699.21	4002.83	546.64	3999.32	1.49
13322.00	91.40	0.33	8698.11	4092.82	546.96	4089.30	1.58
13411.00	89.30	359.77	8697.56	4181.82	547.04	4178.30	2.44
13500.00	90.28	359.57	8697.89	4270.81	546.53	4267.29	1.12
13589.00	93.01	359.61	8695.33	4359.76	545.89	4356.25	3.07
13678.00	89.44	359.40	8693.43	4448.73	545.12	4445.21	4.02
13767.00	90.42	358.86	8693.54	4537.71	543.77	4534.21	1.26
13856.00	90.14	359.00	8693.11	4626.70	542.11	4623.20	0.35
13946.00	89.58	358.11	8693.33	4716.67	539.84	4713.18	1.17
14035.00	90.63	357.49	8693.16	4805.60	536.42	4802.14	1.37
14107.00	90.56	357.21	8692.41	4877.52	533.09	4874.07	0.40
Projected to Total Depth:							
14164.00	90.56	357.21	8691.86	4934.45	530.32	4931.02	0.00

* Weatherford surveys from 168.00 ft MD to 8064.00 ft MD *

* Weatherford surveys from 8150.00 ft MD to 14107.00 ft MD with MagVar Corrections *

* TD at 14164.00 ft MD *

* The total correction is 6.76 deg relative to Grid North *

District I

1625 N. French Dr., Hobbs, NM 88240
Phone:(575) 393-6161 Fax:(575) 393-0720

District II

811 S. First St., Artesia, NM 88210
Phone:(575) 748-1283 Fax:(575) 748-9720

District III

1000 Rio Brazos Rd., Aztec, NM 87410
Phone:(505) 334-6178 Fax:(505) 334-6170

District IV

1220 S. St Francis Dr., Santa Fe, NM 87505
Phone:(505) 476-3470 Fax:(505) 476-3462

State of New Mexico
Energy, Minerals and Natural Resources
Oil Conservation Division
1220 S. St Francis Dr.
Santa Fe, NM 87505

CONDITIONS

Action 15792

CONDITIONS OF APPROVAL

Operator:	OGRID:	Action Number:	Action Type:
XTO ENERGY, INC 6401 Holiday Hill Road Building #5 Midland, TX79707	5380	15792	C-104C

OCD Reviewer	Condition
abustamante	01/26/2021 Request for NMOCD extension of time to file BLM-Approved form 3160-4. File 3160-4 within 10 days to NMOCD after BLM approval.