	Submit One Copy To Appropriate District	State of 1	New Mex	rico		Form C-103	
	Office District I	Energy, Minerals	and Natura	al Resources		Revised November 3, 201	
	1625 N. French Dr., Hobbs, NM 88240 District II				WELL API NO.		
	811 S. First St., Artesia, NM 88210	OIL CONSERVATION DIVISION 1220 South St. Francis Dr.			30-025-23116	f Lagga	
	<u>District III</u> 1000 Rio Brazos Rd., Aztec, NM 87410				5. Indicate Type of Lease STATE FEE		
	District IV	Santa Fe	e, NM 875	505	6. State Oil & Gas		
	1220 S. St. Francis Dr., Santa Fe, NM 87505						
		ES AND REPORTS ON			7. Lease Name or	Unit Agreement Name	
	(DO NOT USE THIS FORM FOR PROPOSA DIFFERENT RESERVOIR. USE "APPLICA PROPOSALS.)	SALS TO DRILL OR TO DEEPEN OR PLUG BACK TO A SATION FOR PERMIT" (FORM C-101) FOR SUCH			STATE A		
	1. Type of Well: ⊠Oil Well □ 0	Gas Well Other INJECTION			8. Well Number 005		
	2. Name of Operator GRIZZLY OPERATING, LLC	2. Name of Operator			9. OGRID Number 258350		
	3. Address of Operator				10. Pool name or Wildcat		
	5847 SAN FELIPE ST SUITE 3000	HOUSTON, TX 77057			HOBBS DRINKARD BLINEBRY		
	4. Well Location	ii.					
	Unit Letter_A : 660 feet						
	Section 32 Township	18S Range 38E NMPN					
	Figure 1 to the state of the second	11. Elevation (Show wh	3649 GR				
	2. Check Appropriate Box to Ir	ndicate Nature of No	tice, Rep	ort or Other Da	ta		
	NOTICE OF INT	ENTION TO:	-	SLIB	SEQUENT REF	ORT OF:	
		PLUG AND ABANDON REMEDIAL WOR				ALTERING CASING	
	TEMPORARILY ABANDON			COMMENCE DRI	EDRILLING OPNS. PAND A		
	PULL OR ALTER CASING	MULTIPLE COMPL		CASING/CEMENT	ГЈОВ 🗌		
	OTHER:			☐ Location is re	ady for OCD inspec	ction after P&A	
	All pits have been remediated in co	ompliance with OCD rule	es and the t	erms of the Opera	eady for OCD inspector's pit permit and o	ction after P&A closure plan.	
	✓ All pits have been remediated in co✓ Rat hole and cellar have been filled	d and leveled. Cathodic	es and the t	erms of the Opera	tor's pit permit and croperly abandoned.	closure plan.	
	All pits have been remediated in co	d and leveled. Cathodic	es and the t	erms of the Opera	tor's pit permit and croperly abandoned.	closure plan.	
	 All pits have been remediated in co Rat hole and cellar have been filled A steel marker at least 4" in diame OPERATOR NAME, LEAS 	d and leveled. Cathodic ter and at least 4' above E NAME, WELL NUM	es and the to protection ground level IBER, API	erms of the Opera holes have been p el has been set in o	tor's pit permit and or operly abandoned. concrete. It shows the arter/QUARTER	closure plan. e a LOCATION OR	
	All pits have been remediated in co Rat hole and cellar have been filled A steel marker at least 4" in diame OPERATOR NAME, LEASI UNIT LETTER, SECTION,	d and leveled. Cathodic ter and at least 4' above E NAME, WELL NUM TOWNSHIP, AND RA	es and the toprotection ground level [BER, API] ANGE. All	erms of the Opera holes have been p el has been set in o NUMBER, QUA INFORMATION	tor's pit permit and or operly abandoned. concrete. It shows the arter/QUARTER	closure plan. e a LOCATION OR	
	 All pits have been remediated in co Rat hole and cellar have been filled A steel marker at least 4" in diame OPERATOR NAME, LEAS 	d and leveled. Cathodic ter and at least 4' above E NAME, WELL NUM TOWNSHIP, AND RA	es and the toprotection ground level [BER, API] ANGE. All	erms of the Opera holes have been p el has been set in o NUMBER, QUA INFORMATION	tor's pit permit and or operly abandoned. concrete. It shows the arter/QUARTER	closure plan. e a LOCATION OR	
	All pits have been remediated in co Rat hole and cellar have been filled A steel marker at least 4" in diame OPERATOR NAME, LEASY UNIT LETTER, SECTION, PERMANENTLY STAMPE The location has been leveled as no	d and leveled. Cathodic ter and at least 4' above E NAME, WELL NUM TOWNSHIP, AND RAD ON THE MARKER	es and the toprotection ground level [BER, API ANGE. All 'S SURFA]	erms of the Opera holes have been p el has been set in o NUMBER, QUA INFORMATION CE.	tor's pit permit and or operly abandoned. concrete. It shows the ARTER/QUARTER NHAS BEEN WEL	closure plan. e LOCATION OR DED OR	
	All pits have been remediated in co Rat hole and cellar have been filled A steel marker at least 4" in diame OPERATOR NAME, LEAST UNIT LETTER, SECTION, PERMANENTLY STAMPE The location has been leveled as no other production equipment.	d and leveled. Cathodic ter and at least 4' above. E NAME, WELL NUM. TOWNSHIP, AND RAD ON THE MARKER: early as possible to origin	es and the toprotection ground level in the second	erms of the Opera holes have been p el has been set in o NUMBER, QUA INFORMATION CE.	tor's pit permit and or operly abandoned. concrete. It shows the ARTER/QUARTER N HAS BEEN WEL	closure plan. e LOCATION OR DED OR	
	All pits have been remediated in co Rat hole and cellar have been filled A steel marker at least 4" in diame OPERATOR NAME, LEAST UNIT LETTER, SECTION, PERMANENTLY STAMPE ☐ The location has been leveled as no other production equipment. ☐ Anchors, dead men, tie downs and	d and leveled. Cathodic ter and at least 4' above. E NAME, WELL NUM. TOWNSHIP, AND RAD ON THE MARKER: early as possible to origin risers have been cut off.	es and the toprotection ground level in the second ground level in the second ground level in the second ground in the second ground gr	erms of the Opera holes have been p el has been set in of NUMBER, QUA INFORMATION CE. contour and has be	tor's pit permit and or operly abandoned. concrete. It shows the ARTER/QUARTER N HAS BEEN WEL een cleared of all jund d level.	LOCATION OR DED OR k, trash, flow lines and	
	All pits have been remediated in coordinated and cellar have been filled. A steel marker at least 4" in diame OPERATOR NAME, LEAST UNIT LETTER, SECTION, PERMANENTLY STAMPE The location has been leveled as not other production equipment. Anchors, dead men, tie downs and If this is a one-well lease or last remoced of the operator.	d and leveled. Cathodic ter and at least 4' above. E NAME, WELL NUM TOWNSHIP, AND RAD ON THE MARKER: early as possible to origin risers have been cut off maining well on lease, the	es and the toprotection ground level in the second ground level in the second ground in the second ground ground at least two the battery are	NUMBER, QUA INFORMATION CE. contour and has be feet below ground pit location(s) h	tor's pit permit and or operly abandoned. concrete. It shows the ARTER/QUARTER NHAS BEEN WEL een cleared of all jund level.	LOCATION OR DED OR k, trash, flow lines and	
	All pits have been remediated in coordinated and cellar have been filled. A steel marker at least 4" in diame OPERATOR NAME, LEAST UNIT LETTER, SECTION, PERMANENTLY STAMPE The location has been leveled as no other production equipment. Anchors, dead men, tie downs and If this is a one-well lease or last remoce of the Operator from lease and well location.	d and leveled. Cathodic ter and at least 4' above ter and at least 4'	es and the toprotection ground level [BER, API] [ANGE. All and ground at least two the battery are plan. All	NUMBER, QUA INFORMATION CE. contour and has be feet below groun ad pit location(s) if flow lines, product	tor's pit permit and or operly abandoned. concrete. It shows the ARTER/QUARTER N HAS BEEN WEL een cleared of all junded level. have been remediated ction equipment and	LOCATION OR DED OR k, trash, flow lines and l in compliance with junk have been removed	
	All pits have been remediated in coordinated and cellar have been filled. A steel marker at least 4" in diame OPERATOR NAME, LEAST UNIT LETTER, SECTION, PERMANENTLY STAMPE The location has been leveled as not other production equipment. Anchors, dead men, tie downs and If this is a one-well lease or last rer OCD rules and the terms of the Operator from lease and well location. All metal bolts and other materials is	d and leveled. Cathodic ter and at least 4' above ter and at least 4'	es and the toprotection ground level [BER, API] [ANGE. All and ground at least two the battery are plan. All and ground at least two the battery are plan. All and ground at least two the battery are plan. All and ground at least two the battery are plan. All and ground at least two the battery are plan.	NUMBER, QUA INFORMATION CE. contour and has be feet below groun ad pit location(s) if flow lines, product	tor's pit permit and or operly abandoned. concrete. It shows the ARTER/QUARTER N HAS BEEN WEL een cleared of all junded level. have been remediated ction equipment and	LOCATION OR DED OR k, trash, flow lines and l in compliance with junk have been removed	
	All pits have been remediated in coordinated and cellar have been filled. A steel marker at least 4" in diame OPERATOR NAME, LEAST UNIT LETTER, SECTION, PERMANENTLY STAMPE The location has been leveled as not other production equipment. Anchors, dead men, tie downs and If this is a one-well lease or last remonder of the Operator from lease and well location. All metal bolts and other materials it to be removed.)	d and leveled. Cathodic ter and at least 4' above ter and at least 4'	es and the toprotection ground level and ground level and ground at least two the battery are plan. All table bases	NUMBER, QUA INFORMATION CE. contour and has before the below ground and pit location(s) I flow lines, product have been removed.	tor's pit permit and or operly abandoned. concrete. It shows the ARTER/QUARTER N HAS BEEN WEL een cleared of all junded level. have been remediated ction equipment and	LOCATION OR DED OR k, trash, flow lines and l in compliance with junk have been removed	
	All pits have been remediated in co Rat hole and cellar have been filled A steel marker at least 4" in diame OPERATOR NAME, LEASY UNIT LETTER, SECTION, PERMANENTLY STAMPE The location has been leveled as no other production equipment. Anchors, dead men, tie downs and If this is a one-well lease or last remonder of the Operator from lease and well location. All metal bolts and other materials it to be removed.) All other environmental concerns it Pipelines and flow lines have been	d and leveled. Cathodic ter and at least 4' above ter and the ter an	es and the toprotection ground level and the toprotection ground level and the toprotection ground at least two the battery and the plan. All the table bases over OCD rui	NUMBER, QUA INFORMATION CE. contour and has be feet below ground pit location(s) have been removed	tor's pit permit and or roperly abandoned. concrete. It shows the ARTER/QUARTER NHAS BEEN WELL deen cleared of all junded level. have been remediated ction equipment and ded. (Poured onsite control of the control of	k, trash, flow lines and in compliance with junk have been removed increte bases do not have	
	All pits have been remediated in co Rat hole and cellar have been filled A steel marker at least 4" in diame OPERATOR NAME, LEASY UNIT LETTER, SECTION, PERMANENTLY STAMPE The location has been leveled as no other production equipment. Anchors, dead men, tie downs and If this is a one-well lease or last remonder of the Operator from lease and well location. All metal bolts and other materials it to be removed.) All other environmental concerns it Pipelines and flow lines have been retrieved flow lines and pipelines.	d and leveled. Cathodic ter and at least 4' above ter and at least 4' above E NAME, WELL NUM TOWNSHIP, AND RAD ON THE MARKER: early as possible to origin risers have been cut off maining well on lease, thor's pit permit and closure have been removed. Por have been addressed as pabandoned in accordance	es and the toprotection ground level and level and level and ground at least two the battery and the plan. All the table bases over OCD rules with 19.1	NUMBER, QUAINFORMATION CE. contour and has been ground pit location(s) If flow lines, product have been removed.	tor's pit permit and or operly abandoned. concrete. It shows the ARTER/QUARTER N HAS BEEN WEL een cleared of all junded level. have been remediated etion equipment and ed. (Poured onsite con All fluids have been	k, trash, flow lines and in compliance with junk have been removed removed from non-	
	All pits have been remediated in coordinate and cellar have been filled. A steel marker at least 4" in diame OPERATOR NAME, LEAST UNIT LETTER, SECTION, PERMANENTLY STAMPE The location has been leveled as not other production equipment. Anchors, dead men, tie downs and If this is a one-well lease or last remoce of the Operator from lease and well location. All metal bolts and other materials it to be removed.) All other environmental concerns it pipelines and flow lines have been retrieved flow lines and pipelines. If this is a one-well lease or last removed lease or last removed.	d and leveled. Cathodic ter and at least 4' above ter and at least 4' above E NAME, WELL NUM TOWNSHIP, AND RAD ON THE MARKER' early as possible to origin risers have been cut offinaining well on lease, thor's pit permit and closur have been removed. Por have been addressed as p abandoned in accordance maining well on lease: all	es and the toprotection ground level and level and level and ground at least two the battery and the plan. All the table bases over OCD rules with 19.1	NUMBER, QUAINFORMATION CE. contour and has been ground pit location(s) If flow lines, product have been removed.	tor's pit permit and or operly abandoned. concrete. It shows the ARTER/QUARTER N HAS BEEN WEL een cleared of all junded level. have been remediated etion equipment and ed. (Poured onsite con All fluids have been	k, trash, flow lines and in compliance with junk have been removed removed from non-	
	All pits have been remediated in coordinates and cellar have been filled. A steel marker at least 4" in diame OPERATOR NAME, LEAST UNIT LETTER, SECTION, PERMANENTLY STAMPE The location has been leveled as not other production equipment. Anchors, dead men, tie downs and If this is a one-well lease or last remocal of the operator from lease and well location. All metal bolts and other materials be to be removed.) All other environmental concerns be pipelines and flow lines have been retrieved flow lines and pipelines. If this is a one-well lease or last remocation, except for utility's distribution	d and leveled. Cathodic ter and at least 4' above ter and at least 4' above E NAME, WELL NUM TOWNSHIP, AND RAD ON THE MARKER' early as possible to origin risers have been cut off maining well on lease, thor's pit permit and closure have been addressed as pabandoned in accordance maining well on lease: all infrastructure.	des and the toprotection ground level ground level ground level ground level ground at least two de battery are plan. All trable bases per OCD rule with 19.1 delectrical	NUMBER, QUA INFORMATION CE. contour and has been ground pit location(s) he flow lines, production where the second with the second pit location of the seco	tor's pit permit and or operly abandoned. concrete. It shows the ARTER/QUARTER NHAS BEEN WELL deen cleared of all junded level. It have been remediated action equipment and led. (Poured onsite concentration of the conce	k, trash, flow lines and in compliance with junk have been removed removed from non-	
	All pits have been remediated in coordinate and cellar have been filled. A steel marker at least 4" in diame OPERATOR NAME, LEAST UNIT LETTER, SECTION, PERMANENTLY STAMPE The location has been leveled as not other production equipment. Anchors, dead men, tie downs and If this is a one-well lease or last remoce of the Operator from lease and well location. All metal bolts and other materials it to be removed.) All other environmental concerns it pipelines and flow lines have been retrieved flow lines and pipelines. If this is a one-well lease or last removed lease or last removed.	d and leveled. Cathodic ter and at least 4' above ter and to a possible to original risers have been cut off maining well on lease, the present the present the present the present terms and closure the present terms and the present terms are the present terms and the present terms are the present terms are the present terms and the present terms are the present terms and the present terms are the present terms are the present terms and the present terms are th	des and the toprotection ground level ground level ground level ground level ground at least two the battery at the plan. All ground gr	NUMBER, QUA INFORMATION CE. contour and has been ground pit location(s) If flow lines, product have been removed less. 5.35.10 NMAC. service poles and	tor's pit permit and or operly abandoned. concrete. It shows the ARTER/QUARTER NHAS BEEN WELL deen cleared of all junded level. have been remediated cition equipment and ded. (Poured onsite continuous properties of the properties of the properties of the permitted described and the	k, trash, flow lines and in compliance with junk have been removed increte bases do not have removed from non-	
	All pits have been remediated in coordinates and cellar have been filled. A steel marker at least 4" in diame OPERATOR NAME, LEAST UNIT LETTER, SECTION, PERMANENTLY STAMPE The location has been leveled as not other production equipment. Anchors, dead men, tie downs and If this is a one-well lease or last remocal of the operator from lease and well location. All metal bolts and other materials be to be removed.) All other environmental concerns be pipelines and flow lines have been retrieved flow lines and pipelines. If this is a one-well lease or last remocation, except for utility's distribution	d and leveled. Cathodic ter and at least 4' above ter and to a possible to original risers have been cut off maining well on lease, the present the present the present the present terms and closure the present terms and the present terms are the present terms and the present terms are the present terms are the present terms and the present terms are the present terms and the present terms are the present terms are the present terms and the present terms are th	des and the toprotection ground level ground level ground level ground level ground at least two the battery at the plan. All ground gr	NUMBER, QUA INFORMATION CE. contour and has been ground pit location(s) If flow lines, product have been removed less. 5.35.10 NMAC. service poles and	tor's pit permit and or operly abandoned. concrete. It shows the ARTER/QUARTER NHAS BEEN WELL deen cleared of all junded level. have been remediated cition equipment and ded. (Poured onsite continuous properties of the properties of the properties of the permitted described and the	k, trash, flow lines and in compliance with junk have been removed increte bases do not have removed from non-	
	All pits have been remediated in comparison of the content of the	d and leveled. Cathodic ter and at least 4' above ter and at least 4' above E NAME, WELL NUM TOWNSHIP, AND RAD ON THE MARKER' early as possible to origin risers have been cut off maining well on lease, thor's pit permit and closure have been removed. Por have been addressed as pabandoned in accordance maining well on lease: all infrastructure.	es and the toprotection ground level ground level ground level ground level ground at least two the battery are plan. All table bases per OCD rule with 19.1 all electrical priate Distance Dist	NUMBER, QUAINFORMATION CE. contour and has before below ground pit location(s) have been removed les. 5.35.10 NMAC. service poles and rict office to scheoolege and rict office and rict office to scheoolege and rict office and rict	tor's pit permit and or operly abandoned. concrete. It shows the ARTER/QUARTER NHAS BEEN WELL deen cleared of all juned level. have been remediated extion equipment and led. (Poured onsite concentrations have been remodules have been remodules an inspection.	k, trash, flow lines and lin compliance with junk have been removed encrete bases do not have removed from non-oved from lease and well DATE9/28/2020	
	All pits have been remediated in comparison of the comparison of t	d and leveled. Cathodic ter and at least 4' above ter and at least 4' above E NAME, WELL NUM TOWNSHIP, AND RAD ON THE MARKER' early as possible to origin risers have been cut off maining well on lease, thor's pit permit and closure have been removed. Por have been addressed as pabandoned in accordance maining well on lease: all infrastructure.	es and the toprotection ground level ground level ground level ground level ground at least two the battery are plan. All table bases per OCD rule with 19.1 all electrical priate Distance Dist	NUMBER, QUAINFORMATION CE. contour and has before below ground pit location(s) have been removed les. 5.35.10 NMAC. service poles and rict office to scheoolege and rict office and rict office to scheoolege and rict office and rict	tor's pit permit and or operly abandoned. concrete. It shows the ARTER/QUARTER NHAS BEEN WELL deen cleared of all juned level. have been remediated extion equipment and led. (Poured onsite concentrations have been remodules have been remodules an inspection.	k, trash, flow lines and lin compliance with junk have been removed encrete bases do not have removed from non-oved from lease and well DATE9/28/2020	
	All pits have been remediated in comparison of the comparison of t	d and leveled. Cathodic ter and at least 4' above ter and at least 4' above E NAME, WELL NUM TOWNSHIP, AND RAD ON THE MARKER: early as possible to origin risers have been cut offinaining well on lease, thor's pit permit and closur have been removed. Por have been addressed as pabandoned in accordance maining well on lease: all infrastructure.	des and the toprotection ground level ground level ground level ground level ground at least two de battery and the plan. All ground gr	erms of the Opera holes have been pel has been set in our and has been set below groun and pit location(s) have been remove the set of set of service poles and service	tor's pit permit and or operly abandoned. Concrete. It shows the Concrete of all juncted level. It is a concrete of all fluids have been removed the concrete of a concrete	k, trash, flow lines and in compliance with junk have been removed from non-oved from lease and well DATE9/28/2020 NE: _432.664.7659	
Red	All pits have been remediated in comparison of the control of the	d and leveled. Cathodic ter and at least 4' above ter and at least 4' above E NAME, WELL NUM TOWNSHIP, AND RAD ON THE MARKER early as possible to origin risers have been cut off maining well on lease, the present and closure have been addressed as probable abandoned in accordance maining well on lease: all infrastructure. TOKER E-MAIL:	des and the toprotection ground level ground level ground level ground level ground at least two de battery and the plan. All ground gr	erms of the Opera holes have been pel has been set in our and has been set below groun and pit location(s) have been remove the set of set of service poles and service	tor's pit permit and or operly abandoned. concrete. It shows the ARTER/QUARTER NHAS BEEN WELL deen cleared of all juned level. have been remediated extion equipment and led. (Poured onsite concentrations have been remodules have been remodules an inspection.	k, trash, flow lines and in compliance with junk have been removed from non-oved from lease and well DATE9/28/2020 NE: _432.664.7659	





<u>District I</u> 1625 N. French Dr., Hobbs, NM 88240 Phone:(575) 393-6161 Fax:(575) 393-0720

811 S. First St., Artesia, NM 88210 Phone:(575) 748-1283 Fax:(575) 748-9720

District III
1000 Rio Brazos Rd., Aztec, NM 87410 Phone:(505) 334-6178 Fax:(505) 334-6170

1220 S. St Francis Dr., Santa Fe, NM 87505 Phone:(505) 476-3470 Fax:(505) 476-3462

State of New Mexico Energy, Minerals and Natural Resources Oil Conservation Division 1220 S. St Francis Dr. **Santa Fe, NM 87505**

CONDITIONS

Action 12723

CONDITIONS OF APPROVAL

Operator:			OGRID:	Action Number:	Action Type:
GRIZZLY OPERATING, LLC	5847 San Felipe, Suite 3000	Houston, TX77057	258350	12723	C-103Z

OCD Reviewer	Condition
plmartinez	None