## **UNITED STATES** DEPARTMENT OF THE INTERIOR BUREAU OF LAND MANAGEMENT

FORM APPROVED OMB NO. 1004-0137 Expires: January 31, 2018

SUNDRY NOTICES AND REPORTS ON WELLS  Do not use this form for proposals to drill or to re-enter an abandoned well. Use form 3160-3 (APD) for such proposals.			N	NMNM86024  6. If Indian, Allottee or Tribe Name		
SUBMIT IN	7. If	7. If Unit or CA/Agreement, Name and/or No.				
Type of Well     ☐ Gas Well ☐ Oth		8. Well Name and No. BLUE STEEL 21 WA FEE 9H				
Name of Operator     MARATHON OIL PERMIAN L	Contact: ADRI	AN COVARRUBIAS		PI Well No. 0-015-45895-0	η-X1	
3a. Address  3b. Phone No. (inc				rield and Pool or E		
5555 SAN FELIPE ST HOUSTON, TX 77056		713.296.3368	Pl	URPLE SAGE-	WOLFĆAMP (GAS)	
4. Location of Well (Footage, Sec., T.	., R., M., or Survey Description)		11. C	County or Parish, S	tate	
Sec 28 T23S R29E NWNW 27 32.282478 N Lat, 103.994514			El	DDY COUNTY	, NM	
12. CHECK THE AF	PPROPRIATE BOX(ES) TO I	NDICATE NATURE OF	F NOTICE, REPO	ORT, OR OTH	ER DATA	
TYPE OF SUBMISSION		TYPE OF	ACTION			
☐ Notice of Intent	☐ Acidize	□ Deepen	☐ Production (St	art/Resume)	☐ Water Shut-Off	
Subsequent Report     Subsequent Re	☐ Alter Casing	☐ Hydraulic Fracturing	☐ Reclamation		☐ Well Integrity	
	Casing Repair	☐ New Construction	Recomplete			
☐ Final Abandonment Notice	<ul><li>☐ Change Plans</li><li>☐ Convert to Injection</li></ul>	☐ Plug and Abandon☐ Plug Back☐	☐ Temporarily A☐ Water Disposa		,	
for a total of 1,158 shots, 0.34 with 1,667 bbls of 15% HCL a produce on 11/21/2020.	operations. 11/07/2020 Start from the inspection operations. 11/07/2020 Start from the insize using 28,332,490 lbs cid. PBTD at 20240'. Total interstitute to file BLM- approved Formula in the inside the inspection of the inspection.	s of 40/70; 100 Mesh. St rval from 10,335' to 20,12	imulated 26'. Ready to			
14. I hereby certify that the foregoing is	Electronic Submission #539012	PERMIAN LLC, sent to th	e Carlsbad			
Name (Printed/Typed) ADRIAN C	Title REGUL/	ATORY PROFES	SIONAL			
Signature (Electronic S	Submission)	Date 12/02/20	)20			
	THIS SPACE FOR FE	EDERAL OR STATE (	OFFICE USE			
Approved By ACCEPT	ED		N SHEPARD UM ENGINEER		Date 12/21/2020	
Conditions of approval, if any, are attache certify that the applicant holds legal or equ which would entitle the applicant to condu	itable title to those rights in the subjec		I			
Title 18 U.S.C. Section 1001 and Title 43 States any false, fictitious or fraudulent s			willfully to make to a	ny department or a	agency of the United	

## Revisions to Operator-Submitted EC Data for Sundry Notice #539012

**Operator Submitted BLM Revised (AFMSS)** 

HF SR OTHER Sundry Type: SR

Lease: NMNM86024 NMNM86024

Agreement:

Operator: MARATHON OIL PERMIAN LLC MARATHON OIL PERMIAN LLC

5555 SAN FELIPE ST HOUSTON, TX 77056 5555 SAN FELIPE ST HOUSTON, TX 77056 Ph: 713-296-3368 Ph: 713.629 6600

Admin Contact:

ADRIAN COVARRUBIAS REGULATORY PROFESSIONAL ADRIAN COVARRUBIAS REGULATORY PROFESSIONAL E-Mail: acovarrubias@marathonoil.com E-Mail: acovarrubias@marathonoil.com

Ph: 713-296-3368 Ph: 713.296.3368

ADRIAN COVARRUBIAS REGULATORY PROFESSIONAL Tech Contact: ADRIAN COVARRUBIAS

REGULATORY PROFESSIONAL E-Mail: acovarrubias@marathonoil.com E-Mail: acovarrubias@marathonoil.com

Ph: 713-296-3368 Ph: 713.296.3368

Location:

State: County: NM EDDY EDDY

PURPLE SAGE WOLFCAMP PURPLE SAGE-WOLFCAMP (GAS) Field/Pool:

Well/Facility: BLUE STEEL 21 WA FEE 9H

BLUE STEEL 21 WA FEE 9H Sec 28 T23S R29E NWNW 270FNL 1225FWL Sec 28 T23S R29E Mer NMP NWNW 270FNL 1225FWL

32.282478 N Lat, 103.994514 W Lon

Report Printed: 12/2/2020



## Wellbore Schematic Well Name: BLUE STEEL 21 WA FEE 009H

State/Province	Country	Field Name	Latitude (°)	Longitude (°)	North/South Distance (ft)	North/South Reference
NEW MEXICO	UNITED STATES	PURPLE SAGE	32.28235590	-103.99402510	270.0	FNL
API/ IPO UWI	KB-Ground Distance (ft)	KB-Mud Line Distance (ft)	Ground Elevation (ft)	Drilling Rig Spud Date	Well Original Completion Date	Well First Production Date
3001545895	27.00		3,001.00	8/24/2019		

3001545	0090	27.00	3,001.00 8/24/2019		
			HORIZONTAL, BLUE STEEL 21 WA FEE 009H, 12/2/2020 1:25:56 PM		
MD (ftKB)	Incl (°)	TVD (ftKB)	Vertical schematic (actual)		
_ 325.5	- 0.3 -	325.5	Des:Conductor Cement; Top MD:27.0  ftKB; Btm MD:145.0 ftKB; Date:6/26/2019  Des:Surface Casing Cement; Top MD:27.0  ftKB; Btm MD:370.2 ftKB; Date:8/24/2019  Des:Intermediate Casing Cement: Top  Des:Intermediate Casing Cement: Top		
_ 2,980.3	9.9 -	_ 2,966.6 _	Des:Surface Casing Cement; Top MD:27.0 / Length:118.00 ft ftKB; Btm MD:370.2 ftKB; Date:8/24/2019 / No.:2; Des:Surface; OD:13.375 in; Des:Intermediate Casing Cement; Top		
9,716.9 —	0.8	9,668.4	MD:27.0 ftKB; Btm MD:2,995.0 ftKB;  Date:10/7/2019    Mai: 10.07/2019   Mai: 10.07/2		
_ 10,816.9	86.4	_ 10,252.5 _	Des:Intermediate Casing Cement; Top   ID:8.840 in; Depth MD:26.6-2,982.0 ftKB; MD:27.0 ftKB; Btm MD:7,570.0 ftKB; Length:2,955.44 ft		
11,086.0 —	88.4 –	- 10,261.5 —	Date:12/17/2019  Des:Production Casing Cement; Top		
11,368.1	91.8 –	_ 10,260.2 <u>_</u>	MD:7,570.0 ftKB; Btm MD:11,429.0 ftKB; J		
- 11,591.9	92.9 –	- 10,251.1 <i>-</i>	Length:11,385.20 ft		
11,856.0	90.5	10,239.5			
12,352.0	90.5 -	10,241.1			
12,617.1	92.5 – 91.9 –	10,232.8 — 10,217.0 —			
13,362.9 =	91.9	10,208.5			
13,630.9 —	88.4	_ 10,206.2 _			
14,127.0	92.4	10,206.6			
14,391.1 —	89.8 -	_ 10,203.1 _			
14,889.1	92.0 –	_ 10,191.8 _	Des:Production Casing Cement; Top MD:9,691.0 ftKB; Btm MD:20,328.0 ftKB;		
15,151.9 —	86.8 –	_ 10,199.1 <i>_</i>	Date:1/21/2020		
15,648.0	- 90.3 -	10,202.4			
15,912.1 — 16,408.1 —	- 89.5 - - 89.5 -	10,204.9 — 10,208.1 —			
16,672.9	- 89.2 -	10,208.1			
16,925.9 -	90.0	10,212.6			
17,421.9	91.7 –	_ 10,192.4 _			
17,687.0 —	86.7	_ 10,201.1 <u>_</u>			
18,182.1	89.5	_ 10,223.2 _			
18,446.9 —	89.8 -	_ 10,225.1 <u>_</u>			
18,942.9 —	89.4	_ 10,226.8 _			
19,208.0	89.4	- 10,233.8 <i>-</i>			
19,704.1 —	93.2 -	10,234.5			
19,949.1	90.8 -	10,228.5			
20,153.5 ===================================	- 89.1 - - 87.6 -	- 10,227.8 - - 10,231.8 -	No.:5; Des:Liner 1; OD:4.500 in; ID:3.920 -in; Depth MD:9,670.3-20,328.0 ftKB; Length:10,657.67 ft		
	57.5	13,201.0	Ecligati. 10,007.07 it		

www.marathonoil.com

Geological Tops (TVD) BLUE STEEL 21 WA FEE 9H				
Base Salt	2956			
Lamar	3003			
Delaware Sands (Bell Canyon)	3038			
Cherry Canyon	3911			
Brushy Canyon	5068			
Bone Spring	6749			
Wolfcamp	9952			

<u>District I</u> 1625 N. French Dr., Hobbs, NM 88240 Phone:(575) 393-6161 Fax:(575) 393-0720

811 S. First St., Artesia, NM 88210 Phone:(575) 748-1283 Fax:(575) 748-9720

District III
1000 Rio Brazos Rd., Aztec, NM 87410 Phone:(505) 334-6178 Fax:(505) 334-6170

1220 S. St Francis Dr., Santa Fe, NM 87505 Phone:(505) 476-3470 Fax:(505) 476-3462

**State of New Mexico Energy, Minerals and Natural Resources Oil Conservation Division** 1220 S. St Francis Dr. **Santa Fe, NM 87505** 

CONDITIONS

Action 13536

## **CONDITIONS OF APPROVAL**

Operator:	OGRID:	Action Number:	Action Type:
MARATHON OIL PERMIAN LLC 5555 San Felipe St.	372098	13536	C-103T
Permian Regulatory Team Houston, TX77056			

OCD Reviewer	Condition
ksimmons	None