For State Use Only:
APPROVED BY:

Kurt Simmons

Form C-103 State of New Mexico 1625 N. French Dr., Hobbs, NM 88240 Phone:(575) 393-6161 Fax:(575) 393-0720 **Energy, Minerals and Natural Resources** Permit 292399 District II WELL APLNIIMBER 811 S. First St., Artesia, NM 88210 Oil Conservation Division Phone:(575) 748-1283 Fax:(575) 748-9720 30-015-45578 **District III** 5. Indicate Type of Lease 1220 S. St Francis Dr. 1000 Rio Brazos Rd., Aztec, NM 87410 Phone:(505) 334-6178 Fax:(505) 334-6170 6 State Oil & Gas Lease No. District IV **Santa Fe, NM 87505** 1220 S. St Francis Dr., Santa Fe, NM 87505 Phone:(505) 476-3470 Fax:(505) 476-3462 7. Lease Name or Unit Agreement Name SUNDRY NOTICES AND REPORTS ON WELLS **ROCK SPUR 27 W1BO STATE** (DO NOT USE THIS FORM FOR PROPOSALS TO DRILL OR TO DEEPEN OR PLUG BACK TO A DIFFERENT RESERVOIR. USE "APPLICATION FOR PERMIT" (FORM C-101) FOR SUCH PROPOSALS.) 1. Type of Well: 8. Well Number 003H 2. Name of Operator 9. OGRID Number MEWBOURNE OIL CO 14744 3. Address of Operator 10. Pool name or Wildcat P.O. Box 5270, Hobbs, NM 88241 4. Well Location <u>A</u> : <u>250</u> feet from the N line and feet 1300 Unit Letter A from the E Section Township 24S Range 28E NMPM County Eddy 11. Elevation (Show whether DR, KB, BT, GR, etc.) 2957 GR Pit or Below-grade Tank Application or Closure Depth to Groundwater __ Distance from nearest fresh water well _ Distance from nearest surface water Pit Type Pit Liner Thickness: bbls: Construction Material ____ mil Below-Grade Tank: Volume_ 12. Check Appropriate Box to Indicate Nature of Notice, Report or Other Data SUBSEQUENT REPORT OF NOTICE OF INTENTION TO: PLUG AND ABANDON ALTER CASING PERFORM REMEDIAL WORK REMEDIAL WORK TEMPORARILY ABANDON CHANGE OF PLANS COMMENCE DRILLING OPNS. PLUG AND ABANDON CASING/CEMENT JOB PULL OR ALTER CASING MULTIPLE COMPL X Other: Other: Drilling/Cement 13. Describe proposed or completed operations. (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work.) SEE RULE 1103. For Multiple Completions: Attach wellbore diagram of proposed completion or recompletion. TD'ed 12 ¼" hole @ 2491'. Ran 2476' of 9 5/8" 40# HCL80 LT&C csg. Cmt w/425 sks Premium Plus Class C (65/35/6) w/additives. Mixed @ 12.5#/g w/2.01 yd. Tail w/200 sks Premium Plus Class C w/2% Fluid loss. Mixed @ 14.8#/g w/1.33 yd. Continued in attachment. See Attached 1/23/2021 Spudded well. **Casing and Cement Program** Pres Pres Date String Fluid Hole Weight Grade Dpth Yield Class Open Type Size Size lb/ft TOC Set Dpth Held Drop Hole 01/25/21 12.25 9.625 40 hcl80 0 2476 625 2.01 0 1500 0 Υ 01/31/21 Int2 Mud 8 75 29 icp110 2176 9299 1 38 1500 Υ 7 850 Н 0 O 02/04/21 Mud 6.125 13.5 hcp110 14564 2500 Υ Liner1 4.5 0 475 1.74 0 I hereby certify that the information above is true and complete to the best of my knowledge and belief. I further certify that any pit or below-grade tank has been/will be constructed or closed according to NMOCD guidelines 🗌, a general permit 🗌 or an (attached) alternative OCD-approved plan 🔲 SIGNATURE DATE 2/10/2021 Electronically Signed Vice President Operations E-mail address Type or print name Monty Whetstone prodmgr@mewbourne.com Telephone No. 903-561-2900

Petroleum Specialist - A

DATE

2/11/2021 1:26:24 PM

TITLE

Submit I Copy To Appropriate District	State of New Mexi	co	Form C-103	
Office <u>District I</u> – (575) 393-6161	Energy, Minerals and Natura	Resources	Revised July 18, 2013	
1625 N. French Dr., Hobbs, NM 88240 District II – (575) 748-1283			WELL API NO. 30-015-45578	
811 S. First St., Artesia, NM 88210	OIL CONSERVATION D		5. Indicate Type of Lease	
<u>District III</u> – (505) 334-6178 1000 Rio Brazos Rd., Aztec, NM 87410	1220 South St. Franci	s Dr.	STATE STEE	
District IV - (505) 476-3460	Santa Fe, NM 875	05	6. State Oil & Gas Lease No.	
1220 S. St. Francis Dr., Santa Fe, NM 87505				
	ICES AND REPORTS ON WELLS		7. Lease Name or Unit Agreement Name	
	OSALS TO DRILL OR TO DEEPEN OR PLUG		Rock Spur 27 W1BO St Com	
PROPOSALS.)	CATION FOR PERMIT" (FORM C-101) FOR	SUCH	8. Well Number 3H	
1. Type of Well: Oil Well	Gas Well 🛛 Other			
2. Name of Operator			9. OGRID Number 14744	
Mewbourne Oil Company 3. Address of Operator			10. Pool name or Wildcat	
PO Box 5270, Hobbs NM 88241			Purple Sage; Wolfcamp	
4. Well Location				
Unit Letter A	: 250 feet from the North li	ne and 1300	feet from the Eastline	
Section 27		ange 28E	NMPM Eddy County	
Scotion 27	11. Elevation (Show whether DR, R		Tivilization of the second of	
White Probability of the second	2957' GL		Car Sur Sair Sair	
12. Check	Appropriate Box to Indicate Nat	ure of Notice, I	Report or Other Data	
NOTICE OF IN	ITENTION TO:	CLID	SEQUENT REPORT OF:	
PERFORM REMEDIAL WORK	NTENTION TO: PLUG AND ABANDON □ F	SODS REMEDIAL WORK		
TEMPORARILY ABANDON		COMMENCE DRIL	_	
PULL OR ALTER CASING		CASING/CEMENT	-	
DOWNHOLE COMMINGLE		-	_	
CLOSED-LOOP SYSTEM				
OTHER:		OTHER:		
13. Describe proposed or comp	pleted operations. (Clearly state all per	tinent details, and	give pertinent dates, including estimated date	
of starting any proposed w proposed completion or re	ork). SEE RULE 19.15.7.14 NMAC.	For Multiple Com	pietions: Attach wellbore diagram of	
proposed completion of re-	completion.			
01/25/21	Wan 10 1 - 10 - 10 - 10 - 10 - 10 - 10 - 1		25/0 / 17/2 NO 10 10 5// /2 01 1 To T	
TD'ed 12 ¼" hole @ 2491'. Ran 2476' of 9 5	/8" 40# HCL80 LT&C csg. Cmt w/425 sks Prem d loss Mixed @ 14 8#/g w/1 33 vd. Displaced w	ium Plus Class C (65/3 /184 bbls of FW Plug	35/6) w/additives. Mixed @ 12.5#/g w/2.01 yd. Tail down @ 7:30 A.M. 01/26/21. Circ 209 sks of cmt to the	
pits. Set Cameron mandrel hanger throug	h BOP w/90k#. At 5:15 P.M. 01/26/21 tested c	sg to 1500# for 30 min	n, held OK. FIT to 10.0 PPG EMW. Drilled out at 8	
3/4".				
01/31/21				
TD'ed 8 ¾" hole @ 9416'. Ran 9299' of 7" 29# ICP110 LT&C csg. Cmt w/450 sks Midcon Lite w/additives. Mixed @ 10.5#/g w/1.38 yd. Tail w/400 sks Class H w/additives. Mixed @ 15.6#/g w/1.18 yd. Displaced csg with 343 bbls of OBM. Plug down @ 5:15 P.M. 01/31/21. Did not circ cmt. Slow rate lift pressure 150# @ 3 BPM.				
w/additives. Mixed @ 15.6#/g w/1.18 yd. Di Est TOC @ 2176'. Set Cameron madrel ha	splaced csg with 343 bbls of OBM. Plug down (nger though BOP w/150k#, At 9:00 A.M. 02/0	2, 5:15 P.M. 01/51/21. 1/21 tested csg to 150	0#, held OK. FIT to 13.5 PPG EMW. Drilled out at 6	
1/8".		J		
02/04/21				
TD'ed 6 1/8" hole @ 14564' MD. Ran 4 1/2" 13.5# HCP110 BPN csg from 9052' (top of liner) to 14564'. Cmt w/475 sks Poz H (35:65:6) w/additives. Mixed @ 13.5#/g				
w/1.74 yd. Followed w/5 bbls FW. Released dart. Displaced w/175 bbls sugar BW. Plug down @ 6:45 P.M. 02/05/21. Bump plug w/3200#. Set packer w/50k#. Sting out of PBR w/1700# on DP. Displace 7" csg w/330 bbls BW w/polymer sweep. Circ 161 sks of cmt off liner top to the pit. At 8:00 P.M. 02/05/21, tested csg to 2500# for 30 min,				
w/1.74 yd. Followed w/5 bbls FW. Released PBR w/1700# on DP Displace 7" csg w/330	dart. Displaced w/175 bbls sugar BW. Plug dow	n @ 6:45 P.M. 02/05/2	21. Bump plug w/3200#. Set packer w/50k#. Sting out of	
w/1.74 yd. Followed w/5 bbls FW. Released PBR w/1700# on DP. Displace 7" csg w/330 held OK. Rig released to move @ 6:30 P.N	dart. Displaced w/175 bbls sugar BW. Plug dow bbls BW w/polymer sweep. Circ 161 sks of cm	n @ 6:45 P.M. 02/05/2	21. Bump plug w/3200#. Set packer w/50k#. Sting out of	
PBR w/1700# on DP. Displace 7" csg w/330 held OK. Rig released to move @ 6:30 P.M	dart. Displaced w/175 bbls sugar BW. Plug dow bbls BW w/polymer sweep. Circ 161 sks of cm/4. on 02/06/21.	n @ 6:45 P.M. 02/05/2 off liner top to the pit	21. Bump plug w/3200#. Set packer w/50k#. Sting out of	
PBR w/1700# on DP. Displace 7" csg w/330	dart. Displaced w/175 bbls sugar BW. Plug dow bbls BW w/polymer sweep. Circ 161 sks of cm	n @ 6:45 P.M. 02/05/2 off liner top to the pit	21. Bump plug w/3200#. Set packer w/50k#. Sting out of	
PBR w/1700# on DP. Displace 7" csg w/330 held OK. Rig released to move @ 6:30 P.M	dart. Displaced w/175 bbls sugar BW. Plug dow bbls BW w/polymer sweep. Circ 161 sks of cm/4. on 02/06/21.	n @ 6:45 P.M. 02/05/2 off liner top to the pit	21. Bump plug w/3200#. Set packer w/50k#. Sting out of	
PBR w/1700# on DP. Displace 7" csg w/330 held OK. Rig released to move @ 6:30 P. Spud Date: 01/23/2021	dart. Displaced w/175 bbls sugar BW. Plug dow bbls BW w/polymer sweep. Circ 161 sks of cmr 4. on 02/06/21. Rig Release Da	n @ 6:45 P.M. 02/05/2 off liner top to the pit te: 02/06/2021	21. Bump plug w/3200#. Set packer w/50k#. Sting out of . At 8:00 P.M. 02/05/21, tested csg to 2500# for 30 min,	
PBR w/1700# on DP. Displace 7" csg w/330 held OK. Rig released to move @ 6:30 P. Spud Date: 01/23/2021	dart. Displaced w/175 bbls sugar BW. Plug dow bbls BW w/polymer sweep. Circ 161 sks of cm/4. on 02/06/21.	n @ 6:45 P.M. 02/05/2 off liner top to the pit te: 02/06/2021	21. Bump plug w/3200#. Set packer w/50k#. Sting out of . At 8:00 P.M. 02/05/21, tested csg to 2500# for 30 min,	
PBR w/1700# on DP. Displace 7" csg w/330 held OK. Rig released to move @ 6:30 P. Spud Date: 01/23/2021 I hereby certify that the information	dart. Displaced w/175 bbls sugar BW. Plug dow bbls BW w/polymer sweep. Circ 161 sks of cm/4. on 02/06/21. Rig Release Da	n @ 6:45 P.M. 02/05/2 off liner top to the pit te: 02/06/2021 of my knowledge	21. Bump plug w/3200#. Set packer w/50k#. Sting out of . At 8:00 P.M. 02/05/21, tested csg to 2500# for 30 min, and belief.	
PBR w/1700# on DP. Displace 7" csg w/330 held OK. Rig released to move @ 6:30 P. Spud Date: 01/23/2021	dart. Displaced w/175 bbls sugar BW. Plug dow bbls BW w/polymer sweep. Circ 161 sks of cm/4. on 02/06/21. Rig Release Da	n @ 6:45 P.M. 02/05/2 off liner top to the pit te: 02/06/2021	21. Bump plug w/3200#. Set packer w/50k#. Sting out of . At 8:00 P.M. 02/05/21, tested csg to 2500# for 30 min, and belief.	
PBR w/1700# on DP. Displace 7" csg w/330 held OK. Rig released to move @ 6:30 P. Spud Date: 01/23/2021 I hereby certify that the information SIGNATURE	dart. Displaced w/175 bbls sugar BW. Plug dow bbls BW w/polymer sweep. Circ 161 sks of cmr. A. on 02/06/21. Rig Release Da above is true and complete to the best	of my knowledge oryDA	21. Bump plug w/3200#. Set packer w/50k#. Sting out of At 8:00 P.M. 02/05/21, tested csg to 2500# for 30 min, and belief. TE02/10/21	
PBR w/1700# on DP. Displace 7" csg w/330 held OK. Rig released to move @ 6:30 P.M. Spud Date: 01/23/2021 I hereby certify that the information SIGNATURE Type or print name Ruby Caballer	dart. Displaced w/175 bbls sugar BW. Plug dow bbls BW w/polymer sweep. Circ 161 sks of cmr. A. on 02/06/21. Rig Release Da above is true and complete to the best	of my knowledge oryDA	21. Bump plug w/3200#. Set packer w/50k#. Sting out of At 8:00 P.M. 02/05/21, tested csg to 2500# for 30 min, and belief. TE02/10/21	
PBR w/1700# on DP. Displace 7" csg w/330 held OK. Rig released to move @ 6:30 P. Spud Date: 01/23/2021 I hereby certify that the information SIGNATURE	dart. Displaced w/175 bbls sugar BW. Plug dow bbls BW w/polymer sweep. Circ 161 sks of cmr. A. on 02/06/21. Rig Release Da above is true and complete to the best	of my knowledge oryDA	21. Bump plug w/3200#. Set packer w/50k#. Sting out of At 8:00 P.M. 02/05/21, tested csg to 2500# for 30 min, and belief. TE02/10/21	
PBR w/1700# on DP. Displace 7" csg w/330 held OK. Rig released to move @ 6:30 P.M. Spud Date: 01/23/2021 I hereby certify that the information SIGNATURE Type or print name Ruby Caballer	dart. Displaced w/175 bbls sugar BW. Plug dow bbls BW w/polymer sweep. Circ 161 sks of cmr. A. on 02/06/21. Rig Release Da above is true and complete to the best	of my knowledge oryDA	21. Bump plug w/3200#. Set packer w/50k#. Sting out of At 8:00 P.M. 02/05/21, tested csg to 2500# for 30 min, and belief. TE02/10/21	

<u>District I</u> 1625 N. French Dr., Hobbs, NM 88240 Phone:(575) 393-6161 Fax:(575) 393-0720

District II 811 S. First St., Artesia, NM 88210 Phone: (575) 748-1283 Fax: (575) 748-9720

District III 1000 Rio Brazos Rd., Aztec, NM 87410 Phone:(505) 334-6178 Fax:(505) 334-6170

1220 S. St Francis Dr., Santa Fe, NM 87505 Phone:(505) 476-3470 Fax:(505) 476-3462

State of New Mexico Energy, Minerals and Natural Resources Oil Conservation Division 1220 S. St Francis Dr. **Santa Fe, NM 87505**

Comments

Permit 292399

DRILLING COMMENTS

Operator:	OGRID:
MEWBOURNE OIL CO	14744
P.O. Box 5270	Permit Number:
Hobbs, NM 88241	292399
	Permit Type:
	Drilling

Comments

Created By	Comment	Comment Date

There are no Comments for this Permit