

District I
1625 N. French Dr., Hobbs, NM 88240
District II
811 S. First St., Artesia, NM 88210
District III
1000 Rio Brazos Rd., Aztec, NM 87410
District IV
1220 S. St. Francis Dr., Santa Fe, NM 87505

State of New Mexico
Energy, Minerals & Natural Resources

Form C-104
Revised August 1, 2011

Oil Conservation Division
1220 South St. Francis Dr.
Santa Fe, NM 87505

Submit one copy to appropriate District Office

☐ AMENDED REPORT

I. REQUEST FOR ALLOWABLE AND AUTHORIZATION TO TRANSPORT

¹ Operator name and Address Burnett Oil Co. Inc. Burnett Plaza - Suite 1500 801 Cherry Street- Unit 9 Fort Worth, Texas 76102		² OGRID Number 03080
		³ Reason for Filing Code/ Effective Date New Well/ 1/17/2021
⁴ API Number 30 - 015-47064	⁵ Pool Name Cedar Lake Glorieta Yeso	⁶ Pool Code 96831
⁷ Property Code 2388	⁸ Property Name Jackson A	⁹ Well Number 59

II. ¹⁰ Surface Location

UL or lot no.	Section	Township	Range	Lot Idn	Feet from the	North/South Line	Feet from the	East/West line	County
I	13	17S	30E		1800	South	990	East	Eddy

¹¹ Bottom Hole Location

UL or lot no.	Section	Township	Range	Lot Idn	Feet from the	North/South line	Feet from the	East/West line	County
I	13	17S	30E		1650	South	990	East	Eddy
¹² Lse Code F	¹³ Producing Method Code P	¹⁴ Gas Connection Date 1/17/21	¹⁵ C-129 Permit Number	¹⁶ C-129 Effective Date	¹⁷ C-129 Expiration Date				


III. Oil and Gas Transporters

¹⁸ Transporter OGRID	¹⁹ Transporter Name and Address	²⁰ O/G/W
015694	Holly Frontier Corporation/Navajo Refinery P.O. Box 159 Artesia, NM 88211	O
038785	DCP Midstream LLC 5718 Westheimer, Suite 2000 Houston, Texas 77057	G
221115	Frontier Field Services LLC 2002 Timberloch Place, Suite 110 The Woodlands, TX 77380	G

IV. Well Completion Data

²¹ Spud Date 11/15/2020	²² Ready Date 1/17/2021	²³ TD 6160'	²⁴ PBDT 6135'	²⁵ Perforations 5126-6116'	²⁶ DHC, MC
²⁷ Hole Size	²⁸ Casing & Tubing Size	²⁹ Depth Set	³⁰ Sacks Cement		
12.25"	8.625"	380	270 sxs		
7.875"	5.5"	6157	1310 sxs		

V. Well Test Data

³¹ Date New Oil 1/17/2021	³² Gas Delivery Date 1/17/2021	³³ Test Date 1/26/2021	³⁴ Test Length 24	³⁵ Tbg. Pressure 350	³⁶ Csg. Pressure 55
³⁷ Choke Size	³⁸ Oil 83	³⁹ Water 495	⁴⁰ Gas 175		⁴¹ Test Method P
⁴² I hereby certify that the rules of the Oil Conservation Division have been complied with and that the information given above is true and complete to the best of my knowledge and belief. Signature: 			OIL CONSERVATION DIVISION		
Printed name: Leslie Garvis			Approved by: KURT SIMMONS		
Title: Regulatory & Government Affairs Mgr			Title: NMOC, SANTA FE		
E-mail Address: lgarvis@burnettoil.com			Approval Date: 02/19/2021		
Date: 2/5/2021		Phone: 817-583-8730			

DISTRICT I
1625 N. French Dr., Hobbs, NM 88240
Phone (575) 393-6161 Fax: (575) 393-0720

DISTRICT II
811 S. First St., Artesia, NM 88210
Phone (575) 748-1223 Fax: (575) 748-9720

DISTRICT III
1000 Rio Brazos Rd., Artec, NM 87410
Phone (505) 334-6178 Fax: (505) 334-6170

DISTRICT IV
1220 S. St. Francis Dr., Santa Fe, NM 87505
Phone (505) 476-3400 Fax: (505) 476-3408

State of New Mexico
Energy, Minerals and Natural Resources Department

Form C-102
Revised August 24, 2011

Submit one copy to appropriate
District Office

OIL CONSERVATION DIVISION
1220 South St. Francis Dr.
Santa Fe, New Mexico 87505

☒ AMENDED REPORT

WELL LOCATION AND ACREAGE DEDICATION PLAT

API Number 30-015-47064	Pool Code 96831	Pool Name Cedar Lake Glorieta Yeso
Property Code 20767	Property Name JACKSON A	Well Number 59
OGRID No. 03080	Operator Name BURNETT OIL CO., INC.	Elevation 3742

Surface Location

UL or lot No.	Section	Township	Range	Lot Idn	FEET from the	SOUTH/NORTH LINE	FEET from the	East/EAST LINE	County
I	13	17 S	30 E		1800	SOUTH	990	EAST	EDDY


Bottom Hole Location If Different From Surface

UL or lot No.	Section	Township	Range	Lot Idn	FEET from the	SOUTH/NORTH LINE	FEET from the	East/EAST LINE	County
I	13	17 S	30 E		1650	SOUTH	986	EAST	EDDY

Dedicated Acres	Joint or Infill	Consolidation Code	Order No.
40			

NO ALLOWABLE WILL BE ASSIGNED TO THIS COMPLETION UNTIL ALL INTERESTS HAVE BEEN CONSOLIDATED
OR A NON-STANDARD UNIT HAS BEEN APPROVED BY THE DIVISION

N: 670192.3 E: 663987.3 (NAD 83)	N: 670199.2 E: 666626.7 (NAD 83)	N: 670206.2 E: 669266.2 (NAD 83)	OPERATOR CERTIFICATION I hereby certify that the information contained herein is true and complete to the best of my knowledge and belief, and that this organization either owns a working interest or unleased mineral interest in the land including the proposed bottom hole location or has a right to drill this well at this location pursuant to a contract with an owner of such a mineral or working interest, or to a voluntary pooling agreement or a compulsory pooling order heretofore entered by the division. <i>Leslie Garvis</i> 2/5/21 Signature Date Leslie Garvis Printed Name lgarvis@burnettoil.com Email Address
SURFACE LOCATION Lat - N 32.832165° Long - W 103.920026° NMSPC- N 666722.6 E 668287.8 (NAD-83)			SURVEYOR CERTIFICATION I hereby certify that the well location shown on this plat was plotted from field notes of actual surveys made by me or under my supervision, and that the same is true and correct to the best of my belief. JANUARY 29, 2021 Date Surveyed Signature & Seal of Professional Surveyor Certified by: Gary L. Llanes 7977 BASIC SURVEYS
BOTTOM HOLE LOCATION Lat - N 32.831753° Long - W 103.920015° NMSPC- N 666572.8 E 668291.7 (NAD-83)			SCALE: 1" = 1000' WO Num.: 35296

Submit To Appropriate District Office Two Copies District I 1625 N. French Dr., Hobbs, NM 88240 District II 811 S. First St., Artesia, NM 88210 District III 1000 Rio Brazos Rd., Aztec, NM 87410 District IV 1220 S. St. Francis Dr., Santa Fe, NM 87505		State of New Mexico Energy, Minerals and Natural Resources Oil Conservation Division 1220 South St. Francis Dr. Santa Fe, NM 87505			Form C-105 Revised April 3, 2017									
		1. WELL API NO. 30-015-47064												
		2. Type of Lease ☐ STATE ☐ FEE ☒ FED/INDIAN												
		3. State Oil & Gas Lease No.												
WELL COMPLETION OR RECOMPLETION REPORT AND LOG														
4. Reason for filing: ☒ COMPLETION REPORT (Fill in boxes #1 through #31 for State and Fee wells only) ☐ C-144 CLOSURE ATTACHMENT (Fill in boxes #1 through #9, #15 Date Rig Released and #32 and/or #33; attach this and the plat to the C-144 closure report in accordance with 19.15.17.13 K NMAC)				5. Lease Name or Unit Agreement Name Jackson A 6. Well Number: 59										
7. Type of Completion: ☒ NEW WELL ☐ WORKOVER ☐ DEEPENING ☐ PLUGBACK ☐ DIFFERENT RESERVOIR ☐ OTHER														
8. Name of Operator Burnett Oil Co. Inc.				9. OGRID 03080										
10. Address of Operator Burnett Plaza - Suite 1500 801 Cherry Street - Unit 9 Fort Worth, Texas 76102				11. Pool name or Wildcat Cedar Lake Glorieta Yeso										
12. Location	Unit Ltr	Section	Township	Range	Lot	Feet from the								
Surface:	I	13	17S	30E		1800								
BH:	I	13	17S	30E		1650								
13. Date Spudded 11/15/20		14. Date T.D. Reached 11/17/2020		15. Date Rig Released 11/19/2020		16. Date Completed (Ready to Produce) 1/17/2021								
17. Elevations (DF and RKB, RT, GR, etc.) 3742 GL														
18. Total Measured Depth of Well 6160'		19. Plug Back Measured Depth 6135'		20. Was Directional Survey Made? Yes		21. Type Electric and Other Logs Run CNL								
22. Producing Interval(s), of this completion - Top, Bottom, Name Glorieta 4560-4655 ', Yeso Top: 4655 Bottom: Not Reached														
23. CASING RECORD (Report all strings set in well)														
CASING SIZE	WEIGHT LB./FT.	DEPTH SET	HOLE SIZE	CEMENTING RECORD	AMOUNT PULLED									
16"	39	150'	20"											
8.625"	24	380'	12.25"	270 sxs										
5.5"	17	6157'	7.875"	1310 sxs										
24. LINER RECORD														
SIZE	TOP	BOTTOM	SACKS CEMENT	SCREEN										
25. TUBING RECORD														
SIZE	DEPTH SET	PACKER SET												
2.875	5351													
26. Perforation record (interval, size, and number) 5126-5422' 0.42, 40 Open 5475-5739' 0.42, 40 Open 5803-6116' 0.42, 40 Open				27. ACID, SHOT, FRACTURE, CEMENT, SQUEEZE, ETC. <table border="1" style="width:100%; border-collapse: collapse;"> <tr> <th>DEPTH INTERVAL</th> <th>AMOUNT AND KIND MATERIAL USED</th> </tr> <tr> <td>5126-5422'</td> <td>Frac 567,000 gal SW+30,750# 100 Mesh+ 208,000# 40/70, 37,520# 40/70 CS</td> </tr> <tr> <td>5475-5739'</td> <td>Frac 564,480 gal SW+30,850# 100 Mesh+ 207,900# 40/70, 37,550# 40/70 C</td> </tr> <tr> <td>5803-6116'</td> <td>Frac 59,188 gal SW+30,920# 100 Mesh+ 205,520# 40/70, 37,650# 40/70 CS</td> </tr> </table>			DEPTH INTERVAL	AMOUNT AND KIND MATERIAL USED	5126-5422'	Frac 567,000 gal SW+30,750# 100 Mesh+ 208,000# 40/70, 37,520# 40/70 CS	5475-5739'	Frac 564,480 gal SW+30,850# 100 Mesh+ 207,900# 40/70, 37,550# 40/70 C	5803-6116'	Frac 59,188 gal SW+30,920# 100 Mesh+ 205,520# 40/70, 37,650# 40/70 CS
DEPTH INTERVAL	AMOUNT AND KIND MATERIAL USED													
5126-5422'	Frac 567,000 gal SW+30,750# 100 Mesh+ 208,000# 40/70, 37,520# 40/70 CS													
5475-5739'	Frac 564,480 gal SW+30,850# 100 Mesh+ 207,900# 40/70, 37,550# 40/70 C													
5803-6116'	Frac 59,188 gal SW+30,920# 100 Mesh+ 205,520# 40/70, 37,650# 40/70 CS													
28. PRODUCTION														
Date First Production 1/17/2021		Production Method (Flowing, gas lift, pumping - Size and type pump) Electric Pumping Unit			Well Status (Prod. or Shut-in) Producing									
Date of Test 1/26/2021	Hours Tested 24	Choke Size	Prod'n For Test Period	Oil - Bbl 83	Gas - MCF 175	Water - Bbl. 495								
Flow Tubing Press. 350	Casing Pressure 55	Calculated 24-Hour Rate	Oil - Bbl.	Gas - MCF	Water - Bbl.	Oil Gravity - API - (Corr.) 40								
29. Disposition of Gas (Sold, used for fuel, vented, etc.) Sold						30. Test Witnessed By								
31. List Attachments														
32. If a temporary pit was used at the well, attach a plat with the location of the temporary pit.						33. Rig Release Date:								
34. If an on-site burial was used at the well, report the exact location of the on-site burial:														
Latitude				Longitude		NAD83								
I hereby certify that the information shown on both sides of this form is true and complete to the best of my knowledge and belief														
Signature 		Name Leslie Garvis		Title Regulatory & Government Affairs Manager		Date								
E-mail Address lgarvis@burnettoil.com														



Burnett Oil Company, Inc.

Eddy County, NM (NAD 27)

Sec 13-T17S-R30E

Jackson A 59 (NAD 27)

Wellbore #1

Survey: Survey #1

Standard Survey Report

19 November, 2020



Microsoft Survey Report

Company:	Burnett Oil Company, Inc.	Local Co-ordinate Reference:	Well Jackson A 59 (NAD 27)
Project:	Eddy County, NM (NAD 27)	TVD Reference:	3742+17 @ 3759.0usft
Site:	Sec 13-T17S-R30E	MD Reference:	3742+17 @ 3759.0usft
Well:	Jackson A 59 (NAD 27)	North Reference:	Grid
Wellbore:	Wellbore #1	Survey Calculation Method:	Minimum Curvature
Design:	Wellbore #1	Database:	EDM 5000.15 Single User Db

Project	Eddy County, NM (NAD 27)		
Map System:	US State Plane 1927 (Exact solution)	System Datum:	Mean Sea Level
Geo Datum:	NAD 1927 (NADCON CONUS)		
Map Zone:	New Mexico East 3001		

Site	Sec 13-T17S-R30E		
Site Position:		Northing:	666,658.80 usft
From:	Map	Easting:	627,108.80 usft
Position Uncertainty:	0.0 usft	Slot Radius:	13-3/16 "
		Latitude:	32° 49' 55.370 N
		Longitude:	103° 55' 10.269 W
		Grid Convergence:	0.22 °

Well	Jackson A 59 (NAD 27)		
Well Position	+N/-S	0.0 usft	Northing: 666,658.80 usft
	+E/-W	0.0 usft	Easting: 627,108.80 usft
Position Uncertainty	0.0 usft	Wellhead Elevation:	usft
		Latitude:	32° 49' 55.370 N
		Longitude:	103° 55' 10.269 W
		Ground Level:	3,742.0 usft

Wellbore	Wellbore #1		
Magnetics	Model Name	Sample Date	Declination (°)
	IGRF2015	11/19/20	6.79
			Dip Angle (°) 60.52
			Field Strength (nT) 47,904.48190008

Design	Wellbore #1		
Audit Notes:			
Version:	1.0	Phase:	ACTUAL
		Tie On Depth:	0.0
Vertical Section:	Depth From (TVD) (usft)	+N/-S (usft)	+E/-W (usft)
	0.0	0.0	0.0
			Direction (°) 178.42

Survey Program	Date	11/19/20		
From (usft)	To (usft)	Survey (Wellbore)	Tool Name	Description
447.0	6,160.0	Survey #1 (Wellbore #1)	MWD	OWSG MWD - Standard

Survey									
Measured Depth (usft)	Inclination (°)	Azimuth (°)	Vertical Depth (usft)	+N/-S (usft)	+E/-W (usft)	Vertical Section (usft)	Dogleg Rate (°/100usft)	Build Rate (°/100usft)	Turn Rate (°/100usft)
0.0	0.00	0.00	0.0	0.0	0.0	0.0	0.00	0.00	0.00
447.0	0.88	209.16	447.0	-3.0	-1.7	3.0	0.20	0.20	0.00
1st MWD Survey									
508.0	0.70	217.42	508.0	-3.7	-2.1	3.6	0.35	-0.30	13.54
696.0	0.84	219.44	696.0	-5.7	-3.7	5.6	0.08	0.07	1.07
884.0	0.70	231.22	883.9	-7.5	-5.5	7.3	0.11	-0.07	6.27
947.0	0.66	202.65	946.9	-8.0	-5.9	7.9	0.54	-0.06	-45.35
1,136.0	0.79	128.39	1,135.9	-9.9	-5.3	9.7	0.47	0.07	-39.29
1,262.0	1.32	116.70	1,261.9	-11.0	-3.3	10.9	0.45	0.42	-9.28
1,387.0	1.27	122.06	1,386.9	-12.4	-0.9	12.4	0.10	-0.04	4.29
1,513.0	1.36	136.21	1,512.8	-14.2	1.3	14.3	0.27	0.07	11.23

**PANTHER**
Microsoft
 Survey Report

Company:	Burnett Oil Company, Inc.	Local Co-ordinate Reference:	Well Jackson A 59 (NAD 27)
Project:	Eddy County, NM (NAD 27)	TVD Reference:	3742+17 @ 3759.0usft
Site:	Sec 13-T17S-R30E	MD Reference:	3742+17 @ 3759.0usft
Well:	Jackson A 59 (NAD 27)	North Reference:	Grid
Wellbore:	Wellbore #1	Survey Calculation Method:	Minimum Curvature
Design:	Wellbore #1	Database:	EDM 5000.15 Single User Db

Survey									
Measured Depth (usft)	Inclination (°)	Azimuth (°)	Vertical Depth (usft)	+N/-S (usft)	+E/-W (usft)	Vertical Section (usft)	Dogleg Rate (°/100usft)	Build Rate (°/100usft)	Turn Rate (°/100usft)
1,638.0	1.27	138.32	1,637.8	-16.4	3.3	16.4	0.08	-0.07	1.69
1,764.0	1.05	142.54	1,763.8	-18.3	4.9	18.4	0.19	-0.17	3.35
1,889.0	1.32	237.02	1,888.8	-20.0	4.4	20.1	1.40	0.22	75.58
2,015.0	2.77	204.50	2,014.7	-23.6	1.9	23.6	1.43	1.15	-25.81
2,141.0	2.20	197.03	2,140.6	-28.6	0.0	28.6	0.52	-0.45	-5.93
2,266.0	3.12	192.55	2,265.4	-34.3	-1.5	34.2	0.75	0.74	-3.58
2,392.0	3.47	174.27	2,391.2	-41.4	-1.8	41.3	0.87	0.28	-14.51
2,517.0	3.12	170.93	2,516.0	-48.5	-0.9	48.5	0.32	-0.28	-2.67
2,642.0	3.21	190.09	2,640.8	-55.3	-1.0	55.3	0.85	0.07	15.33
2,768.0	2.86	163.10	2,766.7	-61.8	-0.7	61.8	1.16	-0.28	-21.42
2,893.0	3.47	180.59	2,891.5	-68.6	0.2	68.6	0.91	0.49	13.99
3,020.0	3.43	181.47	3,018.2	-76.2	0.0	76.2	0.05	-0.03	0.69
3,145.0	3.12	179.89	3,143.0	-83.4	-0.1	83.3	0.26	-0.25	-1.26
3,271.0	3.12	181.82	3,268.9	-90.2	-0.2	90.2	0.08	0.00	1.53
3,397.0	3.16	183.05	3,394.7	-97.1	-0.5	97.1	0.06	0.03	0.98
3,521.0	2.99	192.37	3,518.5	-103.7	-1.3	103.6	0.43	-0.14	7.52
3,646.0	3.03	193.78	3,643.3	-110.1	-2.8	110.0	0.07	0.03	1.13
3,772.0	2.81	196.24	3,769.1	-116.3	-4.5	116.1	0.20	-0.17	1.95
3,897.0	4.00	180.51	3,893.9	-123.6	-5.4	123.4	1.20	0.95	-12.58
4,022.0	4.00	179.80	4,018.6	-132.3	-5.4	132.1	0.04	0.00	-0.57
4,148.0	4.04	182.88	4,144.3	-141.1	-5.6	140.9	0.17	0.03	2.44
4,274.0	2.86	173.74	4,270.1	-148.7	-5.5	148.5	1.03	-0.94	-7.25
4,400.0	1.49	133.66	4,396.0	-152.9	-4.0	152.8	1.56	-1.09	-31.81
4,526.0	0.75	44.89	4,522.0	-153.5	-2.2	153.4	1.31	-0.59	-70.45
4,652.0	0.66	72.40	4,648.0	-152.7	-0.9	152.6	0.27	-0.07	21.83
4,778.0	0.92	61.59	4,774.0	-152.0	0.7	151.9	0.24	0.21	-8.58
4,903.0	0.31	66.86	4,898.9	-151.4	1.9	151.4	0.49	-0.49	4.22
5,029.0	0.31	73.72	5,024.9	-151.1	2.5	151.2	0.03	0.00	5.44
5,155.0	0.26	50.25	5,150.9	-150.9	3.0	150.9	0.10	-0.04	-18.63
5,281.0	0.18	64.49	5,276.9	-150.6	3.4	150.6	0.08	-0.06	11.30
5,406.0	0.00	288.17	5,401.9	-150.5	3.6	150.6	0.14	-0.14	0.00
5,531.0	0.09	323.42	5,526.9	-150.4	3.6	150.5	0.07	0.07	0.00
5,657.0	0.04	22.21	5,652.9	-150.3	3.5	150.4	0.06	-0.04	46.66
5,783.0	0.09	319.28	5,778.9	-150.2	3.5	150.2	0.06	0.04	-49.94
5,909.0	0.13	92.88	5,904.9	-150.1	3.5	150.2	0.16	0.03	106.03
6,096.0	0.18	51.22	6,091.9	-150.0	4.0	150.0	0.06	0.03	-22.28
Last MWD Survey 6096 MD/6091.9 TVD -150 S 4.0 E N: 666508.8 E: 627112.7									
6,160.0	0.18	51.22	6,155.9	-149.8	4.1	149.9	0.00	0.00	0.00
PTB 6160 MD/6155.9 TVD -149.8 S 4.1 E N: 666508.9 E: 627112.9									

**PANTHER**
Microsoft
 Survey Report

Company:	Burnett Oil Company, Inc.	Local Co-ordinate Reference:	Well Jackson A 59 (NAD 27)
Project:	Eddy County, NM (NAD 27)	TVD Reference:	3742+17 @ 3759.0usft
Site:	Sec 13-T17S-R30E	MD Reference:	3742+17 @ 3759.0usft
Well:	Jackson A 59 (NAD 27)	North Reference:	Grid
Wellbore:	Wellbore #1	Survey Calculation Method:	Minimum Curvature
Design:	Wellbore #1	Database:	EDM 5000.15 Single User Db


Survey Annotations				
Measured Depth (usft)	Vertical Depth (usft)	Local Coordinates		Comment
		+N/-S (usft)	+E/-W (usft)	
447.0	447.0	-3.0	-1.7	1st MWD Survey
6,096.0	6,091.9	-150.0	4.0	Last MWD Survey 6096 MD/6091.9 TVD -150 S 4.0 E N: 666508.8 E: 627112.7
6,160.0	6,155.9	-149.8	4.1	PTB 6160 MD/6155.9 TVD -149.8 S 4.1 E N: 666508.9 E: 627112.9


Checked By: _____ Approved By: _____ Date: _____

Burnett Oil Company, Inc.
 Project: Eddy County, NM NAD 83
 Site: Sec 13-T17S-R30E
 Well: Jackson A 59
 Wellbore: Wellbore #1
 Plan: Plan #1 (Jackson A 59 Wellbore #1)

3742.0
 RKB Elevation: 3742+17 @ 3759.0usft
 North American Datum 1983

0.00 666722.60 668287.55 32° 49' 55.792 N 103° 55' 12.095 W



Submit To Appropriate District Office Two Copies District I 1625 N. French Dr., Hobbs, NM 88240 District II 811 S. First St., Artesia, NM 88210 District III 1000 Rio Brazos Rd., Aztec, NM 87410 District IV 1220 S. St. Francis Dr., Santa Fe, NM 87505		State of New Mexico Energy, Minerals and Natural Resources Oil Conservation Division 1220 South St. Francis Dr. Santa Fe, NM 87505			Form C-105 Revised April 3, 2017		
		1. WELL API NO. 30-015-47064					
		2. Type of Lease ☐ STATE ☐ FEE ☒ FED/INDIAN					
		3. State Oil & Gas Lease No.					
WELL COMPLETION OR RECOMPLETION REPORT AND LOG							
4. Reason for filing: ☒ COMPLETION REPORT (Fill in boxes #1 through #31 for State and Fee wells only) ☐ C-144 CLOSURE ATTACHMENT (Fill in boxes #1 through #9, #15 Date Rig Released and #32 and/or #33; attach this and the plat to the C-144 closure report in accordance with 19.15.17.13 K NMAC)				5. Lease Name or Unit Agreement Name Jackson A			
				6. Well Number: 59			
7. Type of Completion: ☒ NEW WELL ☐ WORKOVER ☐ DEEPENING ☐ PLUGBACK ☐ DIFFERENT RESERVOIR ☐ OTHER							
8. Name of Operator Burnett Oil Co.Inc.				9. OGRID 03080			
10. Address of Operator Burnett Plaza - Suite 1500 801 Cherry Street - Unit 9 Fort Worth, Texas 76102				11. Pool name or Wildcat Cedar Lake Glorieta Yeso			
12. Location	Unit Ltr	Section	Township	Range	Lot	Feet from the N/S Line	
Surface:	I	13	17S	30E		1800	
BH:	I	13	17S	30E		1650	
13. Date Spudded 11/15/20		14. Date T.D. Reached 11/17/2020		15. Date Rig Released 11/19/2020		16. Date Completed (Ready to Produce) 1/17/2021	
17. Elevations (DF and RKB, RT, GR, etc.) 3742 GL							
18. Total Measured Depth of Well 6160'		19. Plug Back Measured Depth 6135'		20. Was Directional Survey Made? Yes		21. Type Electric and Other Logs Run CNL	
22. Producing Interval(s), of this completion - Top, Bottom, Name Glorieta 4560-4655 ', Yeso Top: 4655 Bottom: Not Reached							
23. CASING RECORD (Report all strings set in well)							
CASING SIZE		WEIGHT LB./FT.		DEPTH SET		HOLE SIZE	
16"		39		150'		20"	
8.625"		24		380'		12.25"	
5.5"		17		6157'		7.875"	
24. LINER RECORD							
SIZE	TOP	BOTTOM	SACKS CEMENT	SCREEN			
25. TUBING RECORD							
SIZE	DEPTH SET		PACKER SET				
	2 875		5351				
26. Perforation record (interval, size, and number)							
5126-5422' 0.42, 40 Open							
5475-5739' 0.42, 40 Open							
5803-6116' 0.42, 40 Open							
27. ACID, SHOT, FRACTURE, CEMENT, SQUEEZE, ETC.							
DEPTH INTERVAL		AMOUNT AND KIND MATERIAL USED					
5126-5422'		Frac 567,000 gal SW+30,750# 100 Mesh+ 208,000# 40/70, 37,520# 40/70 CS					
5475-5739'		Frac 564,480 gal SW+30,850# 100 Mesh+ 207,900# 40/70, 37,550# 40/70 C					
5803-6116'		Frac 59,188 gal SW+30,920# 100 Mesh+ 205,520# 40/70, 37,650# 40/70 CS					
28. PRODUCTION							
Date First Production 1/17/2021		Production Method (Flowing, gas lift, pumping - Size and type pump) Electric Pumping Unit			Well Status (Prod. or Shut-in) Producing		
Date of Test 1/26/2021	Hours Tested 24	Choke Size	Prod'n For Test Period	Oil - Bbl 83	Gas - MCF 175	Water - Bbl. 495	
Flow Tubing Press. 350	Casing Pressure 55	Calculated 24-Hour Rate	Oil - Bbl.	Gas - MCF	Water - Bbl.	Oil Gravity - API - (Corr.) 40	
29. Disposition of Gas (Sold, used for fuel, vented, etc.) Sold						30. Test Witnessed By	
31. List Attachments							
32. If a temporary pit was used at the well, attach a plat with the location of the temporary pit.						33. Rig Release Date:	
34. If an on-site burial was used at the well, report the exact location of the on-site burial:							
Latitude Longitude NAD83							
I hereby certify that the information shown on both sides of this form is true and complete to the best of my knowledge and belief							
Signature 		Name Leslie Garvis		Title Regulatory & Government Affairs Manager		Date	
E-mail Address lgarvis@burnettoil.com							

District I

1625 N. French Dr., Hobbs, NM 88240
Phone:(575) 393-6161 Fax:(575) 393-0720

District II

811 S. First St., Artesia, NM 88210
Phone:(575) 748-1283 Fax:(575) 748-9720

District III

1000 Rio Brazos Rd., Aztec, NM 87410
Phone:(505) 334-6178 Fax:(505) 334-6170

District IV

1220 S. St Francis Dr., Santa Fe, NM 87505
Phone:(505) 476-3470 Fax:(505) 476-3462

State of New Mexico
Energy, Minerals and Natural Resources
Oil Conservation Division
1220 S. St Francis Dr.
Santa Fe, NM 87505

CONDITIONS

Action 18216

CONDITIONS OF APPROVAL

Operator: BURNETT OIL CO INC Suite 1500 Fort Worth, TX76102	801 Cherry Street Unit #9	OGRID: 3080	Action Number: 18216	Action Type: C-104C
OCD Reviewer ksimmons		Condition None		