

District I
1625 N. French Dr., Hobbs, NM 88240
District II
811 S. First St., Artesia, NM 88210
District III
1000 Rio Brazos Rd., Aztec, NM 87410
District IV
1220 S. St. Francis Dr., Santa Fe, NM 87505

Oil Conservation Division
1220 South St. Francis Dr.
Santa Fe, NM 87505

Submit one copy to appropriate District Office

☒ AMENDED REPORT

I. REQUEST FOR ALLOWABLE AND AUTHORIZATION TO TRANSPORT

¹ Operator name and Address SPUR ENERGY PARTNERS LLC 920 MEMORIAL CITY WAY, SUITE 1000 HOUSTON, TX 77024		² OGRID Number 328947
		³ Reason for Filing Code/ Effective Date NW 10/2020
⁴ API Number 30 – 015 – 46626	⁵ Pool Name N. SEVEN RIVERS-GLORIETA-YESO	⁶ Pool Code 97565
⁷ Property Code 325897	⁸ Property Name SHELBY 23	⁹ Well Number 4H

II. ¹⁰ Surface Location

UL or lot no. A	Section 26	Township 19S	Range 25E	Lot Idn	Feet from the 858	North/South Line NORTH	Feet from the 718	East/West line EAST	County EDDY
--------------------	---------------	-----------------	--------------	---------	----------------------	---------------------------	----------------------	------------------------	----------------

¹¹ Bottom Hole Location FTP: 105’ FSL 1113’ FEL LTP: 174’ FNL 1127’ FEL

UL or lot no. A	Section 23	Township 19S	Range 25E	Lot Idn	Feet from the 54	North/South line NORTH	Feet from the 1124	East/West line EAST	County EDDY
¹² Lse Code P	¹³ Producing Method Code P	¹⁴ Gas Connection Date 07/21/2020	¹⁵ C-129 Permit Number		¹⁶ C-129 Effective Date		¹⁷ C-129 Expiration Date		

III. Oil and Gas Transporters

¹⁸ Transporter OGRID	¹⁹ Transporter Name and Address	²⁰ O/G/W
33479	HOLLYFRONTIER REFINING & MARKETING 2828 N. HARWOOD, SUITE 1300, DALLAS, TX 75201	O
371960	LUCID ENERGY DELAWARE, LLC 3100 MCKINNION, STE 800, DALLAS, TX 75201	G

IV. Well Completion Data

²¹ Spud Date 03/29/2020	²² Ready Date 07/24/2020	²³ TD 2883’V/8636’M	²⁴ PBTD 2883’V/8565’’M	²⁵ Perforations 3427’-8516’	²⁶ DHC, MC
²⁷ Hole Size		²⁸ Casing & Tubing Size		²⁹ Depth Set	³⁰ Sacks Cement
12-1/4’’		9-5/8’’		1275’	625
8-3/4’’		7’’		3164’	1245
8-3/4’’		5-1/2’’		8636’	1245
		3-1/2’’		3038’	

V. Well Test Data

³¹ Date New Oil 07/30/2020	³² Gas Delivery Date 07/21/2020	³³ Test Date 08/09/2020	³⁴ Test Length 24-HOURS	³⁵ Tbg. Pressure 360	³⁶ Csg. Pressure 140
³⁷ Choke Size NA	³⁸ Oil 1140	³⁹ Water 3590	⁴⁰ Gas 540		⁴¹ Test Method PUMPING

⁴² I hereby certify that the rules of the Oil Conservation Division have been complied with and that the information given above is true and complete to the best of my knowledge and belief. <i>Sarah Chapman</i> Signature: Printed name: SARAH CHAPMAN Title: REGULATORY DIRECTOR E-mail Address: SCHAPMAN@SPUREPLLC.COM Date: 10/08/2020	OIL CONSERVATION DIVISION Approved by: John Garcia Title: Petroleum Specialist Approval Date: 2/24/2021	
		Phone: 832-930-8613

Submit To Appropriate District Office Two Copies <u>District I</u> 1625 N. French Dr., Hobbs, NM 88240 <u>District II</u> 811 S. First St., Artesia, NM 88210 <u>District III</u> 1000 Rio Brazos Rd., Aztec, NM 87410 <u>District IV</u> 1220 S. St. Francis Dr., Santa Fe, NM 87505		State of New Mexico Energy, Minerals and Natural Resources Oil Conservation Division 1220 South St. Francis Dr. Santa Fe, NM 87505			Form C-105 Revised April 3, 2017													
WELL COMPLETION OR RECOMPLETION REPORT AND LOG																		
4. Reason for filing: <input checked="" type="checkbox"/> COMPLETION REPORT (Fill in boxes #1 through #31 for State and Fee wells only) <input type="checkbox"/> C-144 CLOSURE ATTACHMENT (Fill in boxes #1 through #9, #15 Date Rig Released and #32 and/or #33; attach this and the plat to the C-144 closure report in accordance with 19.15.17.13.K NMAC)								5. Lease Name or Unit Agreement Name SHELBY 23 6. Well Number: <div style="text-align: center; font-size: 1.2em;">4H</div>										
7. Type of Completion: <input checked="" type="checkbox"/> NEW WELL <input type="checkbox"/> WORKOVER <input type="checkbox"/> DEEPENING <input type="checkbox"/> PLUGBACK <input type="checkbox"/> DIFFERENT RESERVOIR <input type="checkbox"/> OTHER _____																		
8. Name of Operator <div style="text-align: center; font-weight: bold;">SPUR ENERGY PARTNERS LLC</div>						9. OGRID <div style="text-align: center; font-weight: bold;">328947</div>												
10. Address of Operator <div style="text-align: center; font-weight: bold;">9655 KATY FREEWAY, SUITE 500, HOUSTON, TX 77024</div>						11. Pool name or Wildcat <div style="text-align: center; font-weight: bold;">N. SEVEN RIVERS; GLORIETA-YESO</div>												
12. Location	Unit Ltr	Section	Township	Range	Lot	Feet from the	N/S Line	Feet from the	E/W Line	County								
Surface:	A	26	19S	25E		858	NORTH	718	EAST	EDDY								
BH:	A	23	19S	25E		54	NORTH	1124	EAST	EDDY								
13. Date Spudded 03/29/2020	14. Date T.D. Reached 04/05/2020		15. Date Rig Released 04/06/2020			16. Date Completed (Ready to Produce) 07/24/2020		17. Elevations (DF and RKB, RT, GR, etc.) 3415'										
18. Total Measured Depth of Well 8636'			19. Plug Back Measured Depth 8565'			20. Was Directional Survey Made? YES		21. Type Electric and Other Logs Run MUDLOG										
22. Producing Interval(s), of this completion - Top, Bottom, Name																		
23. CASING RECORD (Report all strings set in well)																		
CASING SIZE		WEIGHT LB./FT.		DEPTH SET		HOLE SIZE		CEMENTING RECORD		AMOUNT PULLED								
9-5/8"		36#		1275'		12-1/4"		625 CIRC TO SURFACE		0								
7"		32#		3164'		8-3/4"		1245 CIRC TO SURFACE		0								
5-1/2"		20#		8636'		8-3/4"		1245 CIRC TO SURFACE		0								
24. LINER RECORD						25. TUBING RECORD												
SIZE	TOP	BOTTOM	SACKS CEMENT	SCREEN	SIZE	DEPTH SET	PACKER SET											
					3-1/2"	3038'												
26. Perforation record (interval, size, and number) 8516-8355, 8320-8149, 8115-7944, 7910-7739, 7705-7533, 7499-7328, 7294-7123, 7089-6918, 6883-6712, 6678-6507, 6473-6302, 6267-6096, 6062-5891, 5857-5686, 5652-5480, 5446-5275, 5241-5070, 5036-4865, 4830-4659, 4625-4454, 4420-4249, 4214-4043, 4009-3838, 3804-3633, 3599-3427						27. ACID, SHOT, FRACTURE, CEMENT, SQUEEZE, ETC. <table border="1" style="width:100%; border-collapse: collapse;"> <tr> <th>DEPTH INTERVAL</th> <th>AMOUNT AND KIND MATERIAL USED</th> </tr> <tr> <td>3427'-8516'</td> <td>. Frac in 25 stages w/ 12519906gal slickwater and 4908644# sand</td> </tr> <tr> <td> </td> <td> </td> </tr> <tr> <td> </td> <td> </td> </tr> </table>					DEPTH INTERVAL	AMOUNT AND KIND MATERIAL USED	3427'-8516'	. Frac in 25 stages w/ 12519906gal slickwater and 4908644# sand				
DEPTH INTERVAL	AMOUNT AND KIND MATERIAL USED																	
3427'-8516'	. Frac in 25 stages w/ 12519906gal slickwater and 4908644# sand																	
28. PRODUCTION																		
Date First Production 07/30/2020		Production Method (Flowing, gas lift, pumping - Size and type pump) ELECTRIC SUBMERSIBLE PUMP				Well Status (Prod. or Shut-in) PROD												
Date of Test 08/09/2020	Hours Tested 24-HOURS	Choke Size NA	Prod'n For Test Period	Oil - Bbl 1140	Gas - MCF 540	Water - Bbl. 3590	Gas - Oil Ratio											
Flow Tubing Press. 360	Casing Pressure 140	Calculated 24-Hour Rate	Oil - Bbl. 1140	Gas - MCF 540	Water - Bbl. 3590	Oil Gravity - API - (Corr.)												
29. Disposition of Gas (Sold, used for fuel, vented, etc.) SOLD							30. Test Witnessed By JERRY MATHEWS											
31. List Attachments																		
32. If a temporary pit was used at the well, attach a plat with the location of the temporary pit.							33. Rig Release Date:											
34. If an on-site burial was used at the well, report the exact location of the on-site burial:																		
Latitude _____ Longitude _____ NAD83																		
I hereby certify that the information shown on both sides of this form is true and complete to the best of my knowledge and belief																		
Signature <i>Sarah Chapman</i>			Printed Name SARAH CHAPMAN			Title REGULATORY DIRECTOR			Date 10/08/2020									
E-mail Address SCHAPMAN@SPUREPLLC.COM																		

This form is to be filed with the appropriate District Office of the Division not later than 20 days after the completion of any newly-drilled or deepened well and not later than 60 days after completion of closure. When submitted as a completion report, this shall be accompanied by one copy of all electrical and radio-activity logs run on the well and a summary of all special tests conducted, including drill stem tests. All depths reported shall be measured depths. In the case of directionally drilled wells, true vertical depths shall also be reported. For multiple completions, items 11, 12 and 26-31 shall be reported for each zone.


Southeastern New Mexico		Northwestern New Mexico	
T. Anhy	T. Canyon	T. Ojo Alamo	T. Penn A "
T. Salt	T. Strawn	T. Kirtland	T. Penn. "B"
B. Salt	T. Atoka	T. Fruitland	T. Penn. "C"
T. Yates	T. Miss	T. Pictured Cliffs	T. Penn. "D"
T. 7 Rivers	T. Devonian	T. Cliff House	T. Leadville
T. Queen	T. Silurian	T. Menefee	T. Madison
T. Grayburg	T. Montoya	T. Point Lookout	T. Elbert
T. San Andres 1945'	T. Simpson	T. Mancos	T. McCracken
T. Glorieta 2529'	T. McKee	T. Gallup	T. Ignacio Otzte
T. Paddock 2730'	T. Ellenburger	Base Greenhorn	T. Granite
T. Blinebry	T. Gr. Wash	T. Dakota	
T. Tubb	T. Delaware Sand	T. Morrison	
T. Drinkard	T. Bone Springs	T. Todilto	
T. Abo	T.	T. Entrada	
T. Wolfcamp	T.	T. Wingate	
T. Penn	T.	T. Chinle	
T. Cisco (Bough C)	T.	T. Permian	

No. 1, from.....to.....
No. 2, from.....to.....
No. 3, from.....to.....
No. 4, from.....to.....

Include data on rate of water inflow and elevation to which water rose in hole.

No. 1, from.....to.....feet.....
 No. 2, from.....to.....feet.....
 No. 3, from.....to.....feet.....

From	To	Thickness In Feet	Lithology



District I
1625 N. French Dr., Hobbs, NM 88240
Phone:(575) 393-6161 Fax:(575) 393-0720
District II
811 S. First St., Artesia, NM 88210
Phone:(575) 748-1283 Fax:(575) 748-9720
District III
1000 Rio Brazos Rd., Aztec, NM 87410
Phone:(505) 334-6178 Fax:(505) 334-6170
District IV
1220 S. St Francis Dr., Santa Fe, NM 87505
Phone:(505) 476-3470 Fax:(505) 476-3462

State of New Mexico
Energy, Minerals and Natural Resources
Oil Conservation Division
1220 S. St Francis Dr.
Santa Fe, NM 87505

CONDITIONS

Action 18735

CONDITIONS OF APPROVAL

Operator: SPUR ENERGY PARTNERS LLC Suite 500 Houston, TX77024	9655 Katy Freeway	OGRID: 328947	Action Number: 18735	Action Type: C-104C
OCD Reviewer jagarcia	Condition None			