

District I
1625 N. French Dr., Hobbs, NM 88240
District II
811 S. First St., Artesia, NM 88210
District III
1000 Rio Brazos Rd., Aztec, NM 87410
District IV
1220 S. St. Francis Dr., Santa Fe, NM 87505

State of New Mexico
Energy, Minerals & Natural Resources

Form C-104
Revised August 1, 2011

Oil Conservation Division
1220 South St. Francis Dr.
Santa Fe, NM 87505

Submit one copy to appropriate District Office

☐ AMENDED REPORT

I. REQUEST FOR ALLOWABLE AND AUTHORIZATION TO TRANSPORT

¹ Operator name and Address Burnett Oil Co. Inc Burnett Plaza - Suite 1500 801 Cherry Street - Unit 9 Fort Worth, Texas 76102		² OGRID Number 03080
		³ Reason for Filing Code/ Effective Date NW/ 12/21/2020
⁴ API Number 30 - 0 15-45764	⁵ Pool Name Cedar Lake Glorieta Yeso	
	⁶ Pool Code 96831	
⁷ Property Code 20143	⁸ Property Name Stevens A	⁹ Well Number 23

II. ¹⁰ Surface Location

UL or lot no.	Section	Township	Range	Lot Idn	Feet from the	North/South Line	Feet from the	East/West line	County
K	13	17S	30E		2610	South	1620	West	Eddy

¹¹ Bottom Hole Location

UL or lot no.	Section	Township	Range	Lot Idn	Feet from the	North/South line	Feet from the	East/West line	County
K	13	17S	30E		2329	South	1595	West	Eddy

¹² Lse Code F	¹³ Producing Method Code P	¹⁴ Gas Connection Date 12/21/20	¹⁵ C-129 Permit Number	¹⁶ C-129 Effective Date	¹⁷ C-129 Expiration Date
-----------------------------	--	--	-----------------------------------	------------------------------------	-------------------------------------

III. Oil and Gas Transporters

¹⁸ Transporter OGRID	¹⁹ Transporter Name and Address	²⁰ O/G/W
015694	Holly Frontier Corporation/Navajo Refinery P.O. Box 159 Artesia, NM 88211	O
038785	DCP Midstream LLC 5718 Westheimer, Suite 2000 Houston, Texas 77057	G
221115	Frontier Field Services LLC 2002 Timberloch Place, Suite 110 The Woodlands, TX 77380	G

IV. Well Completion Data

²¹ Spud Date 10/21/2020	²² Ready Date 12/21/2020	²³ TD 6100	²⁴ PBDT 6069	²⁵ Perforations 4529-5549'	²⁶ DHC, MC
²⁷ Hole Size	²⁸ Casing & Tubing Size	²⁹ Depth Set	³⁰ Sacks Cement		
12.25"	8.625"	313'	360 sxs		
7.875"	5.5 "	6078'	1320 sxs		

V. Well Test Data

³¹ Date New Oil 12/21/2020	³² Gas Delivery Date 12/21/2020	³³ Test Date 12/22/2020	³⁴ Test Length 24 Hours	³⁵ Tbg. Pressure 260	³⁶ Csg. Pressure 120
³⁷ Choke Size	³⁸ Oil 121	³⁹ Water 754	⁴⁰ Gas 290		⁴¹ Test Method P

⁴² I hereby certify that the rules of the Oil Conservation Division have been complied with and that the information given above is true and complete to the best of my knowledge and belief.

Signature:

Printed name:

Leslie Garvis

Title:

Regulatory & Government Affairs Manager

E-mail Address:

lgarvis@burnettoil.com

Date:

2/2/2021

Phone:

817-583-8730

OIL CONSERVATION DIVISION

Approved by:

Title:

Approval Date:

DISTRICT I
1635 N. French Dr., Hobbs, NM 88240
Phone (505) 298-8181 Fax (505) 298-0780

DISTRICT II
811 S. First St., Artesia, NM 88210
Phone (505) 746-1283 Fax (505) 746-0720

DISTRICT III
1000 Rio Brazos Rd., Artesia, NM 87410
Phone (505) 334-8178 Fax (505) 334-8170

DISTRICT IV
1280 S. St. Francis Dr., Santa Fe, NM 87505
Phone (505) 476-3450 Fax (505) 476-3458

State of New Mexico
Energy, Minerals and Natural Resources Department

OIL CONSERVATION DIVISION
1220 South St. Francis Dr.
Santa Fe, New Mexico 87505

Form C-102
Revised August 13, 2011

Submit one copy to appropriate
District Office

WELL LOCATION AND ACREAGE DEDICATION PLAT

☒ AMENDED REPORT

API Number 30-015-45764	Pool Code 96831	Pool Name Cedar Lake Glorieta Yeso
Property Code 20143	Property Name STEVENS A	Well Number 23
OGRID No. 03080	Operator Name BURNETT OIL COMPANY, INC.	Elevation 3713'

Surface Location

UL or lot No.	Section	Township	Range	Lot Idn	FEET from the	SOUTH/South line	FEET from the	East/EAST line	County
K	13	17 S	30 E		2610	SOUTH	1620	WEST	EDDY

Bottom Hole Location If Different From Surface

UL or lot No.	Section	Township	Range	Lot Idn	FEET from the	SOUTH/South line	FEET from the	East/EAST line	County
K	13	17 S	30 E		2329	SOUTH	1595	WEST	EDDY
Dedicated Acres 40	Joint or Infill	Consolidation Code	Order No.						

NO ALLOWABLE WILL BE ASSIGNED TO THIS COMPLETION UNTIL ALL INTERESTS HAVE BEEN CONSOLIDATED
OR A NON-STANDARD UNIT HAS BEEN APPROVED BY THE DIVISION

N: 670192.3 E: 663987.3 NAD 83 N: 670206.2 E: 669266.2 NAD 83 N: 687554.9 E: 664012.8 NAD 83 N: 664913.1 E: 664004.5 NAD 83 N: 664925.4 E: 668283.1 NAD 83	SURFACE LOCATION Lat - N 32.834401° Long - W 103.928661° NMSPC- N 667526.2 E 665632.3 (NAD-83) (NAVD-88) BOTTOM HOLE LOCATION Lat - N 32.833630° Long - W 103.928750° NMSPC- N 667245.5 E 665606.0 (NAD-83) (NAVD-88)	OPERATOR CERTIFICATION I hereby certify that the information contained herein is true and complete to the best of my knowledge and belief, and that this organization either owns a working interest or unleased mineral interest in the land including the proposed bottom hole location or has a right to drill this well at this location pursuant to a contract with an owner of such a mineral or working interest, or to a voluntary pooling agreement or a compulsory pooling order heretofore entered by the division. <i>Leslie Garvis</i> 2/2/21 Signature Date Leslie Garvis Printed Name lgarvis@burnettoil.com Email Address SURVEYOR CERTIFICATION I hereby certify that the well location shown on this plat was plotted from field notes of actual surveys made by me or under my supervision, and that the same is true and correct to the best of my belief. JANUARY 28 2021 Date Surveyed Signature & Seal of Professional Surveyor 7977 Certificate No. Gary L. Llanes 7977 BRAIN SURVEYS 0' 500' 1000' 1500' 2000' SCALE: 1" = 1000' WO Num.: 35295
---	---	---



Burnett Oil Company, Inc.

Eddy County, NM (NAD 27)

Sec 13-T17S-R30E

Stevens A 23 (NAD 27)

Wellbore #1

Survey: Survey #1

Standard Survey Report

20 November, 2020



PANTHER

Microsoft Survey Report

Company:	Burnett Oil Company, Inc.	Local Co-ordinate Reference:	Well Stevens A 23 (NAD 27
Project:	Eddy County, NM (NAD 27)	TVD Reference:	3713+17 @ 3730.0usft
Site:	Sec 13-T17S-R30E	MD Reference:	3713+17 @ 3730.0usft
Well:	Stevens A 23 (NAD 27	North Reference:	Grid
Wellbore:	Wellbore #1	Survey Calculation Method:	Minimum Curvature
Design:	Wellbore #1	Database:	EDM 5000.15 Single User Db

Project	Eddy County, NM (NAD 27)		
Map System:	US State Plane 1927 (Exact solution)	System Datum:	Mean Sea Level
Geo Datum:	NAD 1927 (NADCON CONUS)		
Map Zone:	New Mexico East 3001		

Site	Sec 13-T17S-R30E		
Site Position:		Northing:	666,658.80 usft
From:	Map	Easting:	627,108.80 usft
Position Uncertainty:	0.0 usft	Slot Radius:	13-3/16 "
		Latitude:	32° 49' 55.370 N
		Longitude:	103° 55' 10.269 W
		Grid Convergence:	0.22 °

Well	Stevens A 23 (NAD 27		
Well Position	+N/-S	0.0 usft	Northing:
	+E/-W	0.0 usft	Easting:
Position Uncertainty	0.0 usft	Wellhead Elevation:	usft
		Latitude:	32° 50' 3.424 N
		Longitude:	103° 55' 41.352 W
		Ground Level:	3,713.0 usft

Wellbore	Wellbore #1		
Magnetics	Model Name	Sample Date	Declination (°)
	IGRF2015	11/20/20	6.80
			Dip Angle (°)
			60.52
			Field Strength (nT)
			47,904.80997230

Design	Wellbore #1		
Audit Notes:			
Version:	1.0	Phase:	ACTUAL
		Tie On Depth:	0.0
Vertical Section:	Depth From (TVD) (usft)	+N/-S (usft)	+E/-W (usft)
	0.0	0.0	0.0
			Direction (°)
			184.87

Survey Program	Date	11/20/20		
From (usft)	To (usft)	Survey (Wellbore)	Tool Name	Description
409.0	6,100.0	Survey #1 (Wellbore #1)	MWD	OWSG MWD - Standard

Survey									
Measured Depth (usft)	Inclination (°)	Azimuth (°)	Vertical Depth (usft)	+N/-S (usft)	+E/-W (usft)	Vertical Section (usft)	Dogleg Rate (°/100usft)	Build Rate (°/100usft)	Turn Rate (°/100usft)
0.0	0.00	0.00	0.0	0.0	0.0	0.0	0.00	0.00	0.00
409.0	1.85	291.93	408.9	2.5	-6.1	-1.9	0.45	0.45	0.00
1st MWD Survey									
470.0	2.15	297.82	469.9	3.4	-8.1	-2.7	0.60	0.49	9.66
594.0	2.51	237.96	593.8	3.0	-12.4	-1.9	1.89	0.29	-48.27
720.0	0.44	286.21	719.8	1.7	-15.2	-0.4	1.78	-1.64	38.29
846.0	0.31	200.61	845.8	1.5	-15.8	-0.2	0.41	-0.10	-67.94
973.0	0.18	142.60	972.8	1.0	-15.8	0.3	0.21	-0.10	-45.68
1,098.0	0.57	103.05	1,097.8	0.7	-15.1	0.6	0.36	0.31	-31.64
1,161.0	0.66	104.10	1,160.8	0.6	-14.4	0.7	0.14	0.14	1.67
1,287.0	1.41	169.32	1,286.7	-1.1	-13.4	2.3	1.02	0.60	51.76



Microsoft Survey Report

Company:	Burnett Oil Company, Inc.	Local Co-ordinate Reference:	Well Stevens A 23 (NAD 27
Project:	Eddy County, NM (NAD 27)	TVD Reference:	3713+17 @ 3730.0usft
Site:	Sec 13-T17S-R30E	MD Reference:	3713+17 @ 3730.0usft
Well:	Stevens A 23 (NAD 27	North Reference:	Grid
Wellbore:	Wellbore #1	Survey Calculation Method:	Minimum Curvature
Design:	Wellbore #1	Database:	EDM 5000.15 Single User Db

Survey									
Measured Depth (usft)	Inclination (°)	Azimuth (°)	Vertical Depth (usft)	+N/-S (usft)	+E/-W (usft)	Vertical Section (usft)	Dogleg Rate (°/100usft)	Build Rate (°/100usft)	Turn Rate (°/100usft)
1,412.0	3.74	182.68	1,411.6	-6.7	-13.3	7.8	1.91	1.86	10.69
1,537.0	5.36	186.37	1,536.2	-16.6	-14.2	17.7	1.32	1.30	2.95
1,724.0	5.49	187.34	1,722.4	-34.1	-16.3	35.4	0.09	0.07	0.52
1,850.0	6.33	188.48	1,847.7	-47.0	-18.1	48.4	0.67	0.67	0.90
1,913.0	5.93	187.95	1,910.3	-53.7	-19.0	55.1	0.64	-0.63	-0.84
1,976.0	5.49	189.01	1,973.0	-59.9	-20.0	61.3	0.72	-0.70	1.68
2,102.0	5.85	190.15	2,098.4	-72.1	-22.0	73.7	0.30	0.29	0.90
2,227.0	6.20	184.52	2,222.7	-85.1	-23.7	86.8	0.55	0.28	-4.50
2,354.0	6.59	183.12	2,348.9	-99.2	-24.6	101.0	0.33	0.31	-1.10
2,479.0	5.76	182.33	2,473.2	-112.7	-25.3	114.4	0.67	-0.66	-0.63
2,604.0	6.42	178.64	2,597.5	-125.9	-25.4	127.6	0.61	0.53	-2.95
2,729.0	6.64	185.58	2,721.7	-140.1	-25.9	141.8	0.66	0.18	5.55
2,854.0	6.33	186.63	2,845.9	-154.1	-27.4	155.9	0.27	-0.25	0.84
2,980.0	6.07	186.63	2,971.1	-167.7	-29.0	169.5	0.21	-0.21	0.00
3,105.0	5.89	186.81	3,095.5	-180.6	-30.5	182.5	0.14	-0.14	0.14
3,231.0	5.19	182.85	3,220.9	-192.7	-31.5	194.7	0.63	-0.56	-3.14
3,358.0	6.24	182.24	3,347.2	-205.3	-32.1	207.3	0.83	0.83	-0.48
3,484.0	6.11	182.15	3,472.5	-218.9	-32.6	220.9	0.10	-0.10	-0.07
3,549.0	6.07	182.77	3,537.1	-225.8	-32.9	227.7	0.12	-0.06	0.95
3,734.0	5.89	181.36	3,721.1	-245.0	-33.6	247.0	0.13	-0.10	-0.76
3,860.0	5.93	182.33	3,846.5	-258.0	-34.0	260.0	0.09	0.03	0.77
3,986.0	5.67	183.21	3,971.8	-270.7	-34.6	272.7	0.22	-0.21	0.70
4,111.0	5.32	183.21	4,096.2	-282.7	-35.3	284.6	0.28	-0.28	0.00
4,237.0	4.40	193.58	4,221.8	-293.2	-36.8	295.3	1.01	-0.73	8.23
4,362.0	2.64	226.45	4,346.6	-299.8	-40.0	302.2	2.09	-1.41	26.30
4,488.0	0.40	207.90	4,472.5	-302.2	-42.3	304.7	1.80	-1.78	-14.72
4,613.0	0.18	251.32	4,597.5	-302.7	-42.7	305.2	0.24	-0.18	34.74
4,739.0	0.79	26.76	4,723.5	-302.0	-42.5	304.5	0.74	0.48	107.49
4,865.0	1.27	43.99	4,849.5	-300.2	-41.1	302.6	0.45	0.38	13.67
4,991.0	1.27	45.39	4,975.5	-298.2	-39.2	300.4	0.02	0.00	1.11
5,117.0	1.19	47.68	5,101.4	-296.3	-37.2	298.4	0.07	-0.06	1.82
5,243.0	1.01	49.52	5,227.4	-294.7	-35.4	296.7	0.15	-0.14	1.46
5,369.0	1.10	43.11	5,353.4	-293.1	-33.7	294.9	0.12	0.07	-5.09
5,495.0	1.05	31.95	5,479.4	-291.3	-32.3	293.0	0.17	-0.04	-8.86
5,621.0	1.14	30.72	5,605.3	-289.2	-31.0	290.8	0.07	0.07	-0.98
5,747.0	1.05	26.85	5,731.3	-287.1	-29.9	288.6	0.09	-0.07	-3.07
5,873.0	1.23	31.07	5,857.3	-284.9	-28.6	286.3	0.16	0.14	3.35
5,999.0	1.14	26.59	5,983.3	-282.6	-27.4	283.9	0.10	-0.07	-3.56
6,043.0	1.27	29.13	6,027.3	-281.8	-26.9	283.1	0.32	0.30	5.77
Last MWD Survey 6043 MD/6027.3 TVD -281.8 S -26.9 W N: 667180.5 E: 624426.5									
6,100.0	1.27	29.13	6,084.2	-280.7	-26.3	281.9	0.00	0.00	0.00
PTB 6100 MD/6084.2 TVD -280.7 S -26.3 W N: 667181.7 E: 624427.1									

**PANTHER**
Microsoft
 Survey Report



Company:	Burnett Oil Company, Inc.	Local Co-ordinate Reference:	Well Stevens A 23 (NAD 27
Project:	Eddy County, NM (NAD 27)	TVD Reference:	3713+17 @ 3730.0usft
Site:	Sec 13-T17S-R30E	MD Reference:	3713+17 @ 3730.0usft
Well:	Stevens A 23 (NAD 27	North Reference:	Grid
Wellbore:	Wellbore #1	Survey Calculation Method:	Minimum Curvature
Design:	Wellbore #1	Database:	EDM 5000.15 Single User Db

Survey Annotations				
Measured Depth (usft)	Vertical Depth (usft)	Local Coordinates		Comment
		+N/-S (usft)	+E/-W (usft)	
409.0	408.9	2.5	-6.1	1st MWD Survey
6,043.0	6,027.3	-281.8	-26.9	Last MWD Survey 6043 MD/6027.3 TVD -281.8 S -26.9 W N: 667180.5 E: 6244
6,100.0	6,084.2	-280.7	-26.3	PTB 6100 MD/6084.2 TVD -280.7 S -26.3 W N: 667181.7 E: 624427.1

Checked By: _____ Approved By: _____ Date: _____

Burnett Oil Company, Inc.
Project: Eddy County, NM (NAD 27)
Site: Sec 13-T17S-R30E
Well: Stevens A 23 (NAD 27)
Wellbore: Wellbore #1
Survey: Survey #1 (Stevens A 23 (NAD 27)/Wellbore #1)

Stevens A 23 (NAD 27)
3713.0
RKB Elevation: 3713+17 @ 3730.0usft
North American Datum 1983
0.00 667462.41 624453.52 32° 50' 3.424 N 103° 55' 41.352 W



Azimuths to Grid North
True North: -0.22°
Magnetic North: 6.58°

Magnetic Field
Strength: 47904.8nT
Dip Angle: 60.52°
Date: 11/20/2020
Model: IGRF2015

Section Details

No plan data is available

DESIGN TARGET DETAILS

No target data is available.

Submit To Appropriate District Office Two Copies <u>District I</u> 1625 N. French Dr., Hobbs, NM 88240 <u>District II</u> 811 S. First St., Artesia, NM 88210 <u>District III</u> 1000 Rio Brazos Rd., Aztec, NM 87410 <u>District IV</u> 1220 S. St. Francis Dr., Santa Fe, NM 87505		State of New Mexico Energy, Minerals and Natural Resources Oil Conservation Division 1220 South St. Francis Dr. Santa Fe, NM 87505				Form C-105 Revised April 3, 2017														
		1. WELL API NO. 30-015-45764		2. Type of Lease ☐ STATE ☐ FEE ☒ FED/INDIAN		3. State Oil & Gas Lease No.														
WELL COMPLETION OR RECOMPLETION REPORT AND LOG																				
4. Reason for filing: ☒ COMPLETION REPORT (Fill in boxes #1 through #31 for State and Fee wells only) ☐ C-144 CLOSURE ATTACHMENT (Fill in boxes #1 through #9, #15 Date Rig Released and #32 and/or #33; attach this and the plat to the C-144 closure report in accordance with 19.15.17.13.K NMAC)				5. Lease Name or Unit Agreement Name Stevens A																
				6. Well Number: 23																
7. Type of Completion: ☒ NEW WELL ☐ WORKOVER ☐ DEEPENING ☐ PLUGBACK ☐ DIFFERENT RESERVOIR ☐ OTHER																				
8. Name of Operator Burnett Oil Co.Inc.				9. OGRID 03080																
10. Address of Operator Burnett Plaza - Suite 1500 801 Cherry Street - Unit 9 Fort Worth, Texas 76102				11. Pool name or Wildcat Cedar Lake Glorieta Yeso																
12. Location	Unit Ltr	Section	Township	Range	Lot	Feet from the	N/S Line	Feet from the	E/W Line	County										
Surface:	K	13	17S	30E		2610	South	1620	West	Eddy										
BH:	K	13	17S	30E		2329	South	1595	West	Eddy										
13. Date Spudded 10/21/2020	14. Date T.D. Reached 10/26/2020	15. Date Rig Released 10/26/2020		16. Date Completed (Ready to Produce) 12/21/2020		17. Elevations (DF and RKB, RT, GR, etc.) 3713 GL														
18. Total Measured Depth of Well 6100		19. Plug Back Measured Depth 6069		20. Was Directional Survey Made? Yes		21. Type Electric and Other Logs Run 3713' GL														
22. Producing Interval(s), of this completion - Top, Bottom, Name Glorieta 4504-4592', Yeso 4592' Top																				
23. CASING RECORD (Report all strings set in well)																				
CASING SIZE		WEIGHT LB./FT.		DEPTH SET		HOLE SIZE		CEMENTING RECORD		AMOUNT PULLED										
16"		39		150'		20"														
8.625"		24		313'		12.25"		360 sxs												
5.5"		17		6078'		7.875"		1320 sxs												
24. LINER RECORD						25. TUBING RECORD														
SIZE	TOP	BOTTOM	SACKS CEMENT	SCREEN		SIZE	DEPTH SET	PACKER SET												
						2 875	4711	2636												
26. Perforation record (interval, size, and number) 4529-4780' 0.42, 40, Open 4830-5026' 0.42, 40, Open 5085-5264' 0.42, 40 Open 5318-5549' 0.42, 40 Open						27. ACID, SHOT, FRACTURE, CEMENT, SQUEEZE, ETC. <table border="1" style="width:100%; border-collapse: collapse;"> <tr> <th>DEPTH INTERVAL</th> <th>AMOUNT AND KIND MATERIAL USED</th> </tr> <tr> <td>4529-4780</td> <td>FRAC W/1000 GAL OF 15% HCL, 598,962 GAL OF SLICKWATER W/ 30,350#</td> </tr> <tr> <td>4830-5026</td> <td>FRAC W/1,000 GAL OF 15% HCL, 563,892 GALS OF SLICKWATER W/ 31,000#</td> </tr> <tr> <td>5085-5264</td> <td>FRAC W/1000 GAL OF 15% HCL, FOLLOWED BY 448,360 GAL OF SLICKWATER W/30,100#</td> </tr> <tr> <td>5318-5549</td> <td>FRAC W 2,000 GAL OF 15% HCL, 590,730 GALS OF SLICKWATER WITH 30,150 #</td> </tr> </table>					DEPTH INTERVAL	AMOUNT AND KIND MATERIAL USED	4529-4780	FRAC W/1000 GAL OF 15% HCL, 598,962 GAL OF SLICKWATER W/ 30,350#	4830-5026	FRAC W/1,000 GAL OF 15% HCL, 563,892 GALS OF SLICKWATER W/ 31,000#	5085-5264	FRAC W/1000 GAL OF 15% HCL, FOLLOWED BY 448,360 GAL OF SLICKWATER W/30,100#	5318-5549	FRAC W 2,000 GAL OF 15% HCL, 590,730 GALS OF SLICKWATER WITH 30,150 #
DEPTH INTERVAL	AMOUNT AND KIND MATERIAL USED																			
4529-4780	FRAC W/1000 GAL OF 15% HCL, 598,962 GAL OF SLICKWATER W/ 30,350#																			
4830-5026	FRAC W/1,000 GAL OF 15% HCL, 563,892 GALS OF SLICKWATER W/ 31,000#																			
5085-5264	FRAC W/1000 GAL OF 15% HCL, FOLLOWED BY 448,360 GAL OF SLICKWATER W/30,100#																			
5318-5549	FRAC W 2,000 GAL OF 15% HCL, 590,730 GALS OF SLICKWATER WITH 30,150 #																			
28. PRODUCTION																				
Date First Production 12/21/2020		Production Method (Flowing, gas lift, pumping - Size and type pump) Electric Pumping Unit				Well Status (Prod. or Shut-in) Producing														
Date of Test 12/22/2020	Hours Tested 24	Choke Size	Prod'n For Test Period	Oil - Bbl 121	Gas - MCF 290	Water - Bbl 754	Gas - Oil Ratio													
Flow Tubing Press. 260	Casing Pressure 120	Calculated 24-Hour Rate	Oil - Bbl	Gas - MCF	Water - Bbl	Oil Gravity - API - (Corr.) 40														
29. Disposition of Gas (Sold, used for fuel, vented, etc.) Sold						30. Test Witnessed By														
31. List Attachments																				
32. If a temporary pit was used at the well, attach a plat with the location of the temporary pit.						33. Rig Release Date:														
34. If an on-site burial was used at the well, report the exact location of the on-site burial:																				
Latitude				Longitude				NAD83												
I hereby certify that the information shown on both sides of this form is true and complete to the best of my knowledge and belief																				
Signature 		Printed Name Leslie Garvis		Title Regulatory & Government Affairs Manager		Date 2/2/21														
E-mail Address lgarvis@burnettoil.com																				

District I

1625 N. French Dr., Hobbs, NM 88240
Phone:(575) 393-6161 Fax:(575) 393-0720

District II

811 S. First St., Artesia, NM 88210
Phone:(575) 748-1283 Fax:(575) 748-9720

District III

1000 Rio Brazos Rd., Aztec, NM 87410
Phone:(505) 334-6178 Fax:(505) 334-6170

District IV

1220 S. St Francis Dr., Santa Fe, NM 87505
Phone:(505) 476-3470 Fax:(505) 476-3462

State of New Mexico
Energy, Minerals and Natural Resources
Oil Conservation Division
1220 S. St Francis Dr.
Santa Fe, NM 87505

CONDITIONS

Action 19576

CONDITIONS OF APPROVAL

Operator:	OGRID:	Action Number:	Action Type:
BURNETT OIL CO INC 801 Cherry Street Unit #9 Suite 1500 Fort Worth, TX76102	3080	19576	C-104C

OCD Reviewer	Condition
ksimmons	None