

District I
1625 N. French Dr., Hobbs, NM 88240
District II
811 S. First St., Artesia, NM 88210
District III
1000 Rio Brazos Rd., Aztec, NM 87410
District IV
1220 S. St. Francis Dr., Santa Fe, NM 87505

Oil Conservation Division
1220 South St. Francis Dr.
Santa Fe, NM 87505

Submit one copy to appropriate District Office

☐ AMENDED REPORT

I. REQUEST FOR ALLOWABLE AND AUTHORIZATION TO TRANSPORT

¹ Operator name and Address Caza Operating LLC 200 N. Lorraine St. #1550, Midland, TX 79701		² OGRID Number 249099	
		³ Reason for Filing Code/ Effective Date NW	
⁴ API Number 30 - 0 25-46533	⁵ Pool Name WC-025 G-09 S253536D; UPR WOLFCAMP		⁶ Pool Code 98228 KZ
⁷ Property Code 317657 326483	⁸ Property Name SIOUX 25-36 STATE FED COM		⁹ Well Number 8H

II. ¹⁰ Surface Location

Ul or lot no. B	Section 25	Township 25S	Range 35E	Lot Idn	Feet from the 163	North/South Line North	Feet from the 1449	East/West line East	County Lea
--------------------	---------------	-----------------	--------------	---------	----------------------	---------------------------	-----------------------	------------------------	---------------

¹¹ Bottom Hole Location SL

UL or lot no. O	Section 2536	Township 36S25S	Range 35E	Lot Idn	Feet from the 119	North/South line South	Feet from the 2241	East/West line East	County Lea
¹² Lse Code F	¹³ Producing Method Code F	¹⁴ Gas Connection Date 12/29/2020	¹⁵ C-129 Permit Number		¹⁶ C-129 Effective Date		¹⁷ C-129 Expiration Date		

III. Oil and Gas Transporters

¹⁸ Transporter OGRID	¹⁹ Transporter Name and Address	²⁰ O/G/W
373554	Salt Creek Midstream 5825 N. Sam Houston Pkwy W. #150 Houston, TX 77086	O
24650	Versado Gas Processors Targa Midstream Services, LLC 100 Louisiana, # 4300, Houston TX 77002	G
025670	BC & V OPERATING, INC. P.O. BOX 837 HOBBS, NM 88M1-0837	W


12/27/2019

IV. Well Completion Data

²¹ Spud Date 12/27/2020	²² Ready Date 12/29/2020	²³ TD 22150	²⁴ PBDT 22117	²⁵ Perforations 12310-22117	²⁶ DHC, MC
²⁷ Hole Size		²⁸ Casing & Tubing Size	²⁹ Depth Set		³⁰ Sacks Cement
17.5		13.375	1141		880
12.25		9.625	9130		4614
8.5		6	22133		4065

V. Well Test Data

³¹ Date New Oil 1/12/2021	³² Gas Delivery Date 1/12/2021	³³ Test Date 1/29/2021	³⁴ Test Length 24	³⁵ Tbg. Pressure 1212	³⁶ Csg. Pressure 800
³⁷ Choke Size 38	³⁸ Oil 1544	³⁹ Water 3527	⁴⁰ Gas 1410		⁴¹ Test Method F

⁴² I hereby certify that the rules of the Oil Conservation Division have been complied with and that the information given above is true and complete to the best of my knowledge and belief. Signature: 	OIL CONSERVATION DIVISION
Printed name: Steve Morris	Approved by: PATRICIA MARTINEZ
Title: Engineer	Title: LM II
E-mail Address: steve.morris@morcorengineering.com	Approval Date: 3/24/2021
Date: 1/30/2021	Phone: 985-415-9729
FILE BLM 3160-4 COMLETION REPORT WITHIN 10 DAYS TO NMOC D AFTER BLM APPROVAL.	

1625 N. French Dr., Hobbs, NM 88240
 Phone: (575) 393-6161 Fax: (575) 393-0720
District II
 811 S. First St., Artesia, NM 88210
 Phone: (575) 748-1283 Fax: (575) 748-9720
District III
 1000 Rio Brazos Road, Aztec, NM 87410
 Phone: (505) 334-6178 Fax: (505) 334-6170
District IV
 1220 S. St. Francis Dr., Santa Fe, NM 87505
 Phone: (505) 476-3460 Fax: (505) 476-3462

State of New Mexico
 Energy, Minerals & Natural Resources Department
OIL CONSERVATION DIVISION
 1220 South St. Francis Dr.
 Santa Fe, NM 87505

Revised August 1, 2011
 Submit one copy to appropriate
 District Office

☐ AMENDED REPORT


WELL LOCATION AND ACREAGE DEDICATION AS-DRILLED PLAT

¹ API Number 30-025-46533	² Pool Code 98228	³ Pool Name WC-025 G-09 S253536D; UPR WOLFCAMP
⁴ Property Code 317657 326483	Property Name SIOUX 25-36 STATE FED COM	
⁷ OGRID No. 249099	⁸ Operator Name CAZA OPERATING LLC	⁶ Well Number 8H
		⁹ Elevation 3085'

¹⁰ Surface Location

UL or lot no.	Section	Township	Range	Lot Idn	Feet from the	North/South line	Feet from the	East/West line	County
B	25	25S	35E		163	NORTH	1449	EAST	LEA
¹¹ Bottom Hole Location If Different From Surface									
UL or lot no.	Section	Township	Range	Lot Idn	Feet from the	North/South line	Feet from the	East/West line	County
O	36	25S	35E		119	SOUTH	2241	EAST	LEA
¹² Dedicated Acres 320.0	¹³ Joint or Infill	¹⁴ Consolidation Code	¹⁵ Order No.						

No allowable will be assigned to this completion until all interests have been consolidated or a non-standard unit has been approved by the division.



Distances/areas relative to NAD 83 Combined Scale Factor: 0.99987673 Convergence Angle: 00°32'19.77000"



Caza Operating LLC

Lea County, New Mexico (NAD 83)

Sioux 25-36 State Fed Com

Sioux 25-36 State Fed Com 8H

API # 30-025-46533

Wellbore #2

Survey: MS MWD

Standard Survey Report

26 May, 2020




MS Directional
Survey Report


Company:	Caza Operating LLC	Local Co-ordinate Reference:	Well Sioux 25-36 State Fed Com 8H
Project:	Lea County, New Mexico (NAD 83)	TVD Reference:	WELL @ 3109.00usft (Citadel 2)
Site:	Sioux 25-36 State Fed Com	MD Reference:	WELL @ 3109.00usft (Citadel 2)
Well:	Sioux 25-36 State Fed Com 8H	North Reference:	Grid
Wellbore:	Wellbore #2	Survey Calculation Method:	Minimum Curvature
Design:	Surveys	Database:	5000.1 Conroe DB

Project	Lea County, New Mexico (NAD 83)		
Map System:	US State Plane 1983	System Datum:	Mean Sea Level
Geo Datum:	North American Datum 1983		
Map Zone:	New Mexico Eastern Zone		

Site	Sioux 25-36 State Fed Com		
Site Position:		Northing:	404,579.81 usft
From:	Map	Easting:	855,901.65 usft
Position Uncertainty:	0.00 usft	Slot Radius:	13-3/16 "
		Latitude:	32° 6' 29.498 N
		Longitude:	103° 19' 2.639 W
		Grid Convergence:	0.540 °

Well	Sioux 25-36 State Fed Com 8H		
Well Position	+N/-S	0.00 usft	Northing: 404,579.81 usft
	+E/-W	0.00 usft	Easting: 855,901.65 usft
Position Uncertainty	0.00 usft	Wellhead Elevation:	usft
		Latitude:	32° 6' 29.498 N
		Longitude:	103° 19' 2.639 W
		Ground Level:	3,085.00 usft

Wellbore	Wellbore #2				
Magnetics	Model Name	Sample Date	Declination (°)	Dip Angle (°)	Field Strength (nT)
	HDGM2020	4/25/2020	6.450	59.700	47,677.90

Design	Surveys				
Audit Notes:					
Version:	1.0	Phase:	ACTUAL	Tie On Depth:	10,460.00
Vertical Section:	Depth From (TVD) (usft)	+N/-S (usft)	+E/-W (usft)	Direction (°)	
	0.00	0.00	0.00	184.03	

Survey Program	Date	5/12/2020			
From (usft)	To (usft)	Survey (Wellbore)	Tool Name	Description	
222.00	10,460.00	Phoenix MWD (Wellbore #1)	MWD+HRGM	OWSG MWD + HRGM	
10,468.00	22,150.00	MS MWD (Wellbore #2)	MWD+HRGM	OWSG MWD + HRGM	

Survey										
Measured Depth (usft)	Inclination (°)	Azimuth (°)	Vertical Depth (usft)	+N/-S (usft)	+E/-W (usft)	Vertical Section (usft)	Dogleg Rate (°/100usft)	Build Rate (°/100usft)	Turn Rate (°/100usft)	
10,460.00	8.72	299.27	10,421.17	84.64	-691.44	-35.84	0.00	0.00	0.00	
10,468.00	8.10	299.60	10,429.08	85.22	-692.46	-36.34	7.77	-7.75	4.13	
10,500.00	5.00	282.20	10,460.87	86.63	-695.79	-37.51	11.40	-9.69	-54.38	
10,562.00	4.50	247.00	10,522.67	86.25	-700.67	-36.79	4.69	-0.81	-56.77	
10,656.00	3.50	284.30	10,616.46	85.52	-706.84	-35.63	2.90	-1.06	39.68	
10,750.00	6.10	289.00	10,710.12	87.85	-714.35	-37.43	2.80	2.77	5.00	
10,844.00	6.90	277.10	10,803.52	90.17	-724.67	-39.02	1.66	0.85	-12.66	
10,938.00	5.60	254.80	10,896.97	89.67	-734.70	-37.81	2.90	-1.38	-23.72	
11,033.00	4.40	253.60	10,991.61	87.43	-742.67	-35.02	1.27	-1.26	-1.26	
11,127.00	4.50	248.80	11,085.33	85.07	-749.57	-32.19	0.41	0.11	-5.11	



MS Directional Survey Report



Company:	Caza Operating LLC	Local Co-ordinate Reference:	Well Sioux 25-36 State Fed Com 8H
Project:	Lea County, New Mexico (NAD 83)	TVD Reference:	WELL @ 3109.00usft (Citadel 2)
Site:	Sioux 25-36 State Fed Com	MD Reference:	WELL @ 3109.00usft (Citadel 2)
Well:	Sioux 25-36 State Fed Com 8H	North Reference:	Grid
Wellbore:	Wellbore #2	Survey Calculation Method:	Minimum Curvature
Design:	Surveys	Database:	5000.1 Conroe DB

Survey									
Measured Depth (usft)	Inclination (°)	Azimuth (°)	Vertical Depth (usft)	+N/-S (usft)	+E/-W (usft)	Vertical Section (usft)	Dogleg Rate (°/100usft)	Build Rate (°/100usft)	Turn Rate (°/100usft)
11,221.00	3.70	191.90	11,179.12	80.77	-753.64	-27.61	4.22	-0.85	-60.53
11,315.00	3.80	175.10	11,272.92	74.70	-753.99	-21.53	1.17	0.11	-17.87
11,410.00	3.70	162.40	11,367.72	68.64	-752.80	-15.57	0.88	-0.11	-13.37
11,457.00	5.30	171.70	11,414.57	65.05	-752.03	-12.04	3.73	3.40	19.79
11,505.00	9.00	178.10	11,462.19	59.10	-751.58	-6.13	7.87	7.71	13.33
11,552.00	14.60	175.70	11,508.18	49.51	-751.02	3.39	11.96	11.91	-5.11
11,600.00	18.50	182.60	11,554.19	35.86	-750.91	17.00	9.09	8.13	14.38
11,647.00	21.40	182.80	11,598.36	19.85	-751.67	33.03	6.17	6.17	0.43
11,694.00	25.10	183.90	11,641.54	1.33	-752.76	51.58	7.93	7.87	2.34
11,788.00	34.40	180.70	11,723.07	-45.22	-754.45	98.13	10.03	9.89	-3.40
11,835.00	40.20	179.20	11,760.44	-73.68	-754.40	126.52	12.49	12.34	-3.19
11,882.00	45.00	177.70	11,795.03	-105.47	-753.52	158.17	10.44	10.21	-3.19
11,929.00	50.50	172.90	11,826.63	-140.11	-750.61	192.52	13.93	11.70	-10.21
11,976.00	55.20	168.50	11,855.01	-177.05	-744.51	228.93	12.47	10.00	-9.36
12,070.00	60.50	172.00	11,905.02	-255.45	-731.11	306.20	6.46	5.64	3.72
12,165.00	66.40	179.90	11,947.52	-340.10	-725.27	390.23	9.69	6.21	8.32
12,260.00	76.80	186.00	11,977.49	-429.94	-730.05	480.18	12.52	10.95	6.42
12,355.00	85.90	187.90	11,991.77	-523.06	-741.42	573.87	9.78	9.58	2.00
12,362.00	86.50	188.10	11,992.23	-529.98	-742.39	580.84	9.03	8.57	2.86
12,447.00	85.30	187.10	11,998.31	-614.01	-753.60	665.46	1.84	-1.41	-1.18
12,541.00	83.10	185.90	12,007.81	-706.92	-764.19	758.88	2.66	-2.34	-1.28
12,635.00	82.60	185.40	12,019.51	-799.74	-773.37	852.11	0.75	-0.53	-0.53
12,671.00	84.30	185.90	12,023.61	-835.33	-776.89	887.86	4.92	4.72	1.39
12,763.00	85.60	185.70	12,031.71	-926.50	-786.15	979.46	1.43	1.41	-0.22
12,855.00	86.90	183.50	12,037.73	-1,018.00	-793.51	1,071.25	2.77	1.41	-2.39
12,948.00	86.60	181.10	12,043.00	-1,110.77	-797.24	1,164.05	2.60	-0.32	-2.58
13,041.00	85.60	180.00	12,049.33	-1,203.55	-798.13	1,256.66	1.60	-1.08	-1.18
13,133.00	86.20	179.20	12,055.91	-1,295.31	-797.49	1,348.15	1.09	0.65	-0.87
13,225.00	88.30	178.50	12,060.32	-1,387.18	-795.65	1,439.66	2.41	2.28	-0.76
13,318.00	87.20	177.80	12,063.97	-1,480.06	-792.65	1,532.10	1.40	-1.18	-0.75
13,410.00	90.50	178.90	12,065.82	-1,571.98	-790.00	1,623.62	3.78	3.59	1.20
13,503.00	90.60	178.40	12,064.92	-1,664.95	-787.81	1,716.20	0.55	0.11	-0.54
13,599.00	90.90	178.10	12,063.67	-1,760.90	-784.88	1,811.71	0.44	0.31	-0.31
13,691.00	89.00	178.40	12,063.75	-1,852.85	-782.07	1,903.24	2.09	-2.07	0.33
13,786.00	86.30	178.60	12,067.64	-1,947.73	-779.58	1,997.70	2.85	-2.84	0.21
13,880.00	86.90	179.60	12,073.22	-2,041.55	-778.11	2,091.19	1.24	0.64	1.06
13,976.00	84.00	179.70	12,080.83	-2,137.24	-777.52	2,186.60	3.02	-3.02	0.10
14,070.00	84.70	180.20	12,090.09	-2,230.78	-777.44	2,279.90	0.91	0.74	0.53
14,164.00	86.60	180.10	12,097.22	-2,324.51	-777.69	2,373.41	2.02	2.02	-0.11
14,258.00	86.60	180.50	12,102.79	-2,418.34	-778.18	2,467.05	0.42	0.00	0.43
14,352.00	86.00	179.60	12,108.86	-2,512.14	-778.26	2,560.63	1.15	-0.64	-0.96
14,447.00	85.20	179.80	12,116.15	-2,606.86	-777.77	2,655.07	0.87	-0.84	0.21
14,541.00	86.90	179.00	12,122.62	-2,700.63	-776.78	2,748.54	2.00	1.81	-0.85



MS Directional Survey Report



Company:	Caza Operating LLC	Local Co-ordinate Reference:	Well Sioux 25-36 State Fed Com 8H
Project:	Lea County, New Mexico (NAD 83)	TVD Reference:	WELL @ 3109.00usft (Citadel 2)
Site:	Sioux 25-36 State Fed Com	MD Reference:	WELL @ 3109.00usft (Citadel 2)
Well:	Sioux 25-36 State Fed Com 8H	North Reference:	Grid
Wellbore:	Wellbore #2	Survey Calculation Method:	Minimum Curvature
Design:	Surveys	Database:	5000.1 Conroe DB

Survey									
Measured Depth (usft)	Inclination (°)	Azimuth (°)	Vertical Depth (usft)	+N/-S (usft)	+E/-W (usft)	Vertical Section (usft)	Dogleg Rate (°/100usft)	Build Rate (°/100usft)	Turn Rate (°/100usft)
14,635.00	90.30	181.30	12,124.92	-2,794.58	-777.03	2,842.28	4.37	3.62	2.45
14,730.00	89.90	182.10	12,124.75	-2,889.54	-779.85	2,937.20	0.94	-0.42	0.84
14,823.00	89.30	182.70	12,125.40	-2,982.45	-783.74	3,030.16	0.91	-0.65	0.65
14,917.00	90.50	181.30	12,125.57	-3,076.39	-787.02	3,124.09	1.96	1.28	-1.49
15,011.00	87.60	178.40	12,127.12	-3,170.36	-786.78	3,217.81	4.36	-3.09	-3.09
15,105.00	90.10	181.40	12,129.01	-3,264.32	-786.62	3,311.53	4.15	2.66	3.19
15,199.00	89.00	180.30	12,129.75	-3,358.30	-788.01	3,405.38	1.65	-1.17	-1.17
15,293.00	91.80	182.40	12,129.09	-3,452.26	-790.22	3,499.26	3.72	2.98	2.23
15,387.00	90.90	180.10	12,126.88	-3,546.20	-792.27	3,593.12	2.63	-0.96	-2.45
15,481.00	91.60	179.80	12,124.83	-3,640.18	-792.19	3,686.86	0.81	0.74	-0.32
15,575.00	89.70	178.90	12,123.76	-3,734.16	-791.12	3,780.53	2.24	-2.02	-0.96
15,670.00	85.50	177.80	12,127.74	-3,829.02	-788.39	3,874.96	4.57	-4.42	-1.16
15,763.00	86.50	178.20	12,134.23	-3,921.73	-785.16	3,967.22	1.16	1.08	0.43
15,858.00	85.90	176.90	12,140.52	-4,016.44	-781.10	4,061.40	1.50	-0.63	-1.37
15,951.00	88.20	177.90	12,145.31	-4,109.21	-776.89	4,153.65	2.70	2.47	1.08
16,046.00	88.00	178.10	12,148.46	-4,204.10	-773.58	4,248.07	0.30	-0.21	0.21
16,140.00	86.70	177.60	12,152.80	-4,297.93	-770.06	4,341.42	1.48	-1.38	-0.53
16,234.00	88.40	178.40	12,156.82	-4,391.78	-766.78	4,434.81	2.00	1.81	0.85
16,329.00	90.00	178.40	12,158.15	-4,486.73	-764.13	4,529.34	1.68	1.68	0.00
16,423.00	88.20	176.90	12,159.62	-4,580.64	-760.27	4,622.74	2.49	-1.91	-1.60
16,519.00	90.00	179.10	12,161.13	-4,676.56	-756.93	4,718.19	2.96	1.88	2.29
16,612.00	93.30	182.40	12,158.45	-4,769.48	-758.14	4,810.97	5.02	3.55	3.55
16,706.00	92.60	182.50	12,153.62	-4,863.27	-762.15	4,904.81	0.75	-0.74	0.11
16,800.00	91.60	183.00	12,150.17	-4,957.10	-766.66	4,998.72	1.19	-1.06	0.53
16,894.00	90.40	181.40	12,148.53	-5,051.01	-770.27	5,092.66	2.13	-1.28	-1.70
16,989.00	90.60	181.60	12,147.70	-5,145.98	-772.75	5,187.56	0.30	0.21	0.21
17,081.00	88.60	180.30	12,148.35	-5,237.95	-774.28	5,279.42	2.59	-2.17	-1.41
17,175.00	88.10	180.10	12,151.05	-5,331.92	-774.61	5,373.17	0.57	-0.53	-0.21
17,268.00	87.90	180.30	12,154.30	-5,424.86	-774.93	5,465.91	0.30	-0.22	0.22
17,363.00	88.30	178.60	12,157.45	-5,519.80	-774.02	5,560.55	1.84	0.42	-1.79
17,456.00	90.70	177.60	12,158.26	-5,612.73	-770.94	5,653.04	2.80	2.58	-1.08
17,551.00	90.40	176.00	12,157.35	-5,707.58	-765.63	5,747.27	1.71	-0.32	-1.68
17,644.00	90.10	174.90	12,156.94	-5,800.28	-758.26	5,839.23	1.23	-0.32	-1.18
17,738.00	90.70	175.70	12,156.28	-5,893.96	-750.55	5,932.14	1.06	0.64	0.85
17,833.00	91.50	178.20	12,154.46	-5,988.80	-745.50	6,026.39	2.76	0.84	2.63
17,928.00	89.50	176.30	12,153.63	-6,083.68	-740.94	6,120.71	2.90	-2.11	-2.00
18,022.00	91.40	177.80	12,152.89	-6,177.55	-736.11	6,214.01	2.58	2.02	1.60
18,115.00	90.40	179.30	12,151.43	-6,270.50	-733.75	6,306.56	1.94	-1.08	1.61
18,210.00	92.50	182.60	12,149.03	-6,365.44	-735.33	6,401.38	4.12	2.21	3.47
18,305.00	90.40	180.80	12,146.62	-6,460.36	-738.14	6,496.26	2.91	-2.21	-1.89
18,399.00	90.90	183.70	12,145.56	-6,554.27	-741.83	6,590.20	3.13	0.53	3.09
18,495.00	90.90	184.60	12,144.05	-6,650.01	-748.78	6,686.19	0.94	0.00	0.94
18,590.00	92.40	183.40	12,141.31	-6,744.73	-755.40	6,781.14	2.02	1.58	-1.26



MS Directional Survey Report



Company:	Caza Operating LLC	Local Co-ordinate Reference:	Well Sioux 25-36 State Fed Com 8H
Project:	Lea County, New Mexico (NAD 83)	TVD Reference:	WELL @ 3109.00usft (Citadel 2)
Site:	Sioux 25-36 State Fed Com	MD Reference:	WELL @ 3109.00usft (Citadel 2)
Well:	Sioux 25-36 State Fed Com 8H	North Reference:	Grid
Wellbore:	Wellbore #2	Survey Calculation Method:	Minimum Curvature
Design:	Surveys	Database:	5000.1 Conroe DB

Survey									
Measured Depth (usft)	Inclination (°)	Azimuth (°)	Vertical Depth (usft)	+N/-S (usft)	+E/-W (usft)	Vertical Section (usft)	Dogleg Rate (°/100usft)	Build Rate (°/100usft)	Turn Rate (°/100usft)
18,684.00	87.10	178.50	12,141.72	-6,838.65	-756.96	6,874.94	7.68	-5.64	-5.21
18,779.00	88.00	178.40	12,145.79	-6,933.53	-754.39	6,969.41	0.95	0.95	-0.11
18,875.00	89.90	179.20	12,147.54	-7,029.49	-752.38	7,064.98	2.15	1.98	0.83
18,969.00	90.40	179.30	12,147.30	-7,123.48	-751.15	7,158.66	0.54	0.53	0.11
19,064.00	91.00	179.50	12,146.14	-7,218.47	-750.16	7,253.34	0.67	0.63	0.21
19,159.00	90.70	179.80	12,144.73	-7,313.46	-749.58	7,348.05	0.45	-0.32	0.32
19,203.00	91.10	179.90	12,144.04	-7,357.45	-749.46	7,391.93	0.94	0.91	0.23
19,298.00	91.10	180.30	12,142.21	-7,452.43	-749.63	7,486.69	0.42	0.00	0.42
19,394.00	91.20	180.90	12,140.29	-7,548.41	-750.63	7,582.50	0.63	0.10	0.63
19,488.00	90.60	179.90	12,138.81	-7,642.39	-751.29	7,676.29	1.24	-0.64	-1.06
19,582.00	90.70	180.80	12,137.74	-7,736.38	-751.86	7,770.09	0.96	0.11	0.96
19,676.00	90.50	180.60	12,136.76	-7,830.37	-753.01	7,863.93	0.30	-0.21	-0.21
19,771.00	90.40	180.20	12,136.01	-7,925.36	-753.68	7,958.74	0.43	-0.11	-0.42
19,866.00	89.40	176.60	12,136.18	-8,020.31	-751.02	8,053.26	3.93	-1.05	-3.79
19,960.00	89.00	176.30	12,137.49	-8,114.12	-745.20	8,146.43	0.53	-0.43	-0.32
20,055.00	89.00	176.60	12,139.15	-8,208.92	-739.32	8,240.59	0.32	0.00	0.32
20,150.00	89.80	177.90	12,140.14	-8,303.81	-734.77	8,334.91	1.61	0.84	1.37
20,245.00	89.70	176.90	12,140.56	-8,398.71	-730.46	8,429.28	1.06	-0.11	-1.05
20,341.00	90.10	178.00	12,140.73	-8,494.61	-726.18	8,524.64	1.22	0.42	1.15
20,435.00	89.70	177.00	12,140.89	-8,588.52	-722.08	8,618.03	1.15	-0.43	-1.06
20,530.00	89.80	177.40	12,141.31	-8,683.40	-717.44	8,712.35	0.43	0.11	0.42
20,624.00	88.90	175.50	12,142.37	-8,777.21	-711.62	8,805.52	2.24	-0.96	-2.02
20,719.00	88.70	175.00	12,144.36	-8,871.87	-703.76	8,899.39	0.57	-0.21	-0.53
20,814.00	89.10	179.60	12,146.19	-8,966.72	-699.29	8,993.69	4.86	0.42	4.84
20,909.00	89.90	180.10	12,147.02	-9,061.71	-699.04	9,088.43	0.99	0.84	0.53
21,004.00	90.00	180.40	12,147.10	-9,156.71	-699.45	9,183.23	0.33	0.11	0.32
21,099.00	90.60	180.50	12,146.60	-9,251.71	-700.20	9,278.04	0.64	0.63	0.11
21,193.00	90.10	179.40	12,146.03	-9,345.70	-700.12	9,371.80	1.29	-0.53	-1.17
21,288.00	90.80	180.10	12,145.28	-9,440.70	-699.70	9,466.53	1.04	0.74	0.74
21,383.00	92.10	180.90	12,142.88	-9,535.66	-700.53	9,561.32	1.61	1.37	0.84
21,477.00	92.40	180.70	12,139.19	-9,629.58	-701.84	9,655.09	0.38	0.32	-0.21
21,572.00	90.20	179.60	12,137.03	-9,724.55	-702.09	9,749.84	2.59	-2.32	-1.16
21,668.00	89.80	179.70	12,137.03	-9,820.54	-701.50	9,845.56	0.43	-0.42	0.10
21,762.00	88.90	179.60	12,138.10	-9,914.54	-700.93	9,939.28	0.96	-0.96	-0.11
21,858.00	88.70	179.60	12,140.11	-10,010.51	-700.26	10,034.97	0.21	-0.21	0.00
21,951.00	88.30	179.20	12,142.54	-10,103.48	-699.29	10,127.64	0.61	-0.43	-0.43
22,046.00	87.90	178.60	12,145.69	-10,198.40	-697.46	10,222.21	0.76	-0.42	-0.63
22,089.00	88.10	178.90	12,147.19	-10,241.37	-696.53	10,265.00	0.84	0.47	0.70
22,150.00	88.10	178.90	12,149.21	-10,302.32	-695.36	10,325.72	0.00	0.00	0.00 PTB

District I

1625 N. French Dr., Hobbs, NM 88240
Phone:(575) 393-6161 Fax:(575) 393-0720

District II

811 S. First St., Artesia, NM 88210
Phone:(575) 748-1283 Fax:(575) 748-9720

District III

1000 Rio Brazos Rd., Aztec, NM 87410
Phone:(505) 334-6178 Fax:(505) 334-6170

District IV

1220 S. St Francis Dr., Santa Fe, NM 87505
Phone:(505) 476-3470 Fax:(505) 476-3462

State of New Mexico
Energy, Minerals and Natural Resources
Oil Conservation Division
1220 S. St Francis Dr.
Santa Fe, NM 87505

CONDITIONS

Action 16413

CONDITIONS OF APPROVAL

Operator:	OGRID:	Action Number:	Action Type:
CAZA OPERATING, LLC Suite 1550 Midland, TX79701	249099	16413	C-104C

OCD Reviewer	Condition
plmartinez	None