

District I
1625 N. French Dr., Hobbs, NM 88240
District II
811 S. First St., Artesia, NM 88210
District III
1000 Rio Brazos Road, Aztec, NM 87410
District IV
1220 S. St. Francis Dr., Santa Fe, NM 87505

State of New Mexico
Energy Minerals and Natural Resources
Department
Oil Conservation Division
1220 South St. Francis Dr.
Santa Fe, NM 87505

Form C-144
Revised April 3, 2017

For temporary pits, below-grade tanks, and multi-well fluid management pits, submit to the appropriate NMOC District Office.
For permanent pits submit to the Santa Fe Environmental Bureau office and provide a copy to the appropriate NMOC District Office.

77

Pit, Below-Grade Tank, or
Proposed Alternative Method Permit or Closure Plan Application

- Type of action: ☐ Below grade tank registration
☐ Permit of a pit or proposed alternative method
☒ Closure of a pit, below-grade tank, or proposed alternative method
☐ Modification to an existing permit/or registration
☐ Closure plan only submitted for an existing permitted or non-permitted pit, below-grade tank, or proposed alternative method

Instructions: Please submit one application (Form C-144) per individual pit, below-grade tank or alternative request

Please be advised that approval of this request does not relieve the operator of liability should operations result in pollution of surface water, ground water or the environment. Nor does approval relieve the operator of its responsibility to comply with any other applicable governmental authority's rules, regulations or ordinances.

1.
Operator: DJR Operating, LLC OGRID #: 371838
Address: 1 Road 3263, Aztec, NM 87410
Facility or well name: Jicarilla Apache Tribal 122 2
API Number: 30-039-22927 OCD Permit Number: _____
U/L or Qtr/Qtr P Section 04 Township 25N Range 04W County: Rio Arriba
Center of Proposed Design: Latitude 36.423807 Longitude -107.368217 NAD83
Surface Owner: ☐ Federal ☐ State ☐ Private ☒ Tribal Trust or Indian Allotment

2.
☐ **Pit:** Subsection F, G or J of 19.15.17.11 NMAC Release Confirmed see incident #NCS1932436155
Temporary: ☐ Drilling ☐ Workover
☐ Permanent ☐ Emergency ☐ Cavitation ☐ P&A ☐ Multi-Well Fluid Management Low Chloride Drilling Fluid ☐ yes ☐ no
☐ Lined ☐ Unlined Liner type: Thickness _____ mil ☐ LLDPE ☐ HDPE ☐ PVC ☐ Other _____
☐ String-Reinforced
Liner Seams: ☐ Welded ☐ Factory ☐ Other _____ Volume: _____ bbl Dimensions: L _____ x W _____ x D _____

3.
☒ **Below-grade tank:** Subsection I of 19.15.17.11 NMAC
Volume: 90 bbl Type of fluid: Produced Water Tank
Construction material: Steel tank with fixed roof
☐ Secondary containment with leak detection ☐ Visible sidewalls, liner, 6-inch lift and automatic overflow shut-off
☐ Visible sidewalls and liner ☐ Visible sidewalls only ☒ Other Single-walled tank
Liner type: Thickness _____ mil ☐ HDPE ☐ PVC ☐ Other _____

4.
☐ **Alternative Method:**
Submittal of an exception request is required. Exceptions must be submitted to the Santa Fe Environmental Bureau office for consideration of approval.

5.
Fencing: Subsection D of 19.15.17.11 NMAC (*Applies to permanent pits, temporary pits, and below-grade tanks*)
☐ Chain link, six feet in height, two strands of barbed wire at top (*Required if located within 1000 feet of a permanent residence, school, hospital, institution or church*)
☐ Four foot height, four strands of barbed wire evenly spaced between one and four feet
☐ Alternate. Please specify _____

6.

Netting: Subsection E of 19.15.17.11 NMAC (*Applies to permanent pits and permanent open top tanks*)

- ☐ Screen ☐ Netting ☐ Other _____
- ☐ Monthly inspections (If netting or screening is not physically feasible)

7.

Signs: Subsection C of 19.15.17.11 NMAC

- ☐ 12"x 24", 2" lettering, providing Operator's name, site location, and emergency telephone numbers
- ☐ Signed in compliance with 19.15.16.8 NMAC

8.

Variations and Exceptions:

Justifications and/or demonstrations of equivalency are required. Please refer to 19.15.17 NMAC for guidance.

Please check a box if one or more of the following is requested, if not leave blank:

- ☐ Variance(s): Requests must be submitted to the appropriate division district for consideration of approval.
- ☐ Exception(s): Requests must be submitted to the Santa Fe Environmental Bureau office for consideration of approval.

9.

Siting Criteria (regarding permitting): 19.15.17.10 NMAC***Instructions: The applicant must demonstrate compliance for each siting criteria below in the application. Recommendations of acceptable source material are provided below. Siting criteria does not apply to drying pads or above-grade tanks.*****General siting****Ground water is less than 25 feet below the bottom of a low chloride temporary pit or below-grade tank.**

- ☐ NM Office of the State Engineer - iWATERS database search; ☐ USGS; ☐ Data obtained from nearby wells

☐ Yes ☐ No
☐ NA

Ground water is less than 50 feet below the bottom of a Temporary pit, permanent pit, or Multi-Well Fluid Management pit .

NM Office of the State Engineer - iWATERS database search; USGS; Data obtained from nearby wells

☐ Yes ☐ No
☐ NA

Within incorporated municipal boundaries or within a defined municipal fresh water well field covered under a municipal ordinance adopted pursuant to NMSA 1978, Section 3-27-3, as amended. **(Does not apply to below grade tanks)**

- Written confirmation or verification from the municipality; Written approval obtained from the municipality

☐ Yes ☐ No

Within the area overlying a subsurface mine. **(Does not apply to below grade tanks)**

- Written confirmation or verification or map from the NM EMNRD-Mining and Mineral Division

☐ Yes ☐ No

Within an unstable area. **(Does not apply to below grade tanks)**

- Engineering measures incorporated into the design; NM Bureau of Geology & Mineral Resources; USGS; NM Geological Society; Topographic map

☐ Yes ☐ No

Within a 100-year floodplain. **(Does not apply to below grade tanks)**

- FEMA map

☐ Yes ☐ No

Below Grade Tanks

Within 100 feet of a continuously flowing watercourse, significant watercourse, lake bed, sinkhole, wetland or playa lake (measured from the ordinary high-water mark).

- Topographic map; Visual inspection (certification) of the proposed site

☐ Yes ☒ No

Within 200 horizontal feet of a spring or a fresh water well used for public or livestock consumption;.

- NM Office of the State Engineer - iWATERS database search; Visual inspection (certification) of the proposed site

☐ Yes ☒ No

Temporary Pit using Low Chloride Drilling Fluid (maximum chloride content 15,000 mg/liter)

Within 100 feet of a continuously flowing watercourse, or any other significant watercourse or within 200 feet of any lakebed, sinkhole, or playa lake (measured from the ordinary high-water mark). (Applies to low chloride temporary pits.)

- Topographic map; Visual inspection (certification) of the proposed site

☐ Yes ☐ No

Within 300 feet from a occupied permanent residence, school, hospital, institution, or church in existence at the time of initial application.

- Visual inspection (certification) of the proposed site; Aerial photo; Satellite image

☐ Yes ☐ No

Within 200 horizontal feet of a spring or a private, domestic fresh water well used by less than five households for domestic or stock watering purposes, or 300feet of any other fresh water well or spring, in existence at the time of the initial application.

NM Office of the State Engineer - iWATERS database search; Visual inspection (certification) of the proposed site

☐ Yes ☐ No

Within 100 feet of a wetland.

- US Fish and Wildlife Wetland Identification map; Topographic map; Visual inspection (certification) of the proposed site

☐ Yes ☐ No

Temporary Pit Non-low chloride drilling fluid

Within 300 feet of a continuously flowing watercourse, or any other significant watercourse, or within 200 feet of any lakebed, sinkhole, or playa lake (measured from the ordinary high-water mark).

- Topographic map; Visual inspection (certification) of the proposed site

☐ Yes ☐ No

Within 300 feet from a permanent residence, school, hospital, institution, or church in existence at the time of initial application.

- Visual inspection (certification) of the proposed site; Aerial photo; Satellite image

☐ Yes ☐ No

Within 500 horizontal feet of a spring or a private, domestic fresh water well used by less than five households for domestic or stock watering purposes, or 1000 feet of any other fresh water well or spring, in the existence at the time of the initial application;

- NM Office of the State Engineer - iWATERS database search; Visual inspection (certification) of the proposed site

☐ Yes ☐ No

Within 300 feet of a wetland.

- US Fish and Wildlife Wetland Identification map; Topographic map; Visual inspection (certification) of the proposed site

☐ Yes ☐ No

Permanent Pit or Multi-Well Fluid Management Pit

Within 300 feet of a continuously flowing watercourse, or 200 feet of any other significant watercourse, or lakebed, sinkhole, or playa lake (measured from the ordinary high-water mark).

- Topographic map; Visual inspection (certification) of the proposed site

☐ Yes ☐ No

Within 1000 feet from a permanent residence, school, hospital, institution, or church in existence at the time of initial application.

- Visual inspection (certification) of the proposed site; Aerial photo; Satellite image

☐ Yes ☐ No

Within 500 horizontal feet of a spring or a fresh water well used for domestic or stock watering purposes, in existence at the time of initial application.

- NM Office of the State Engineer - iWATERS database search; Visual inspection (certification) of the proposed site

☐ Yes ☐ No

Within 500 feet of a wetland.

- US Fish and Wildlife Wetland Identification map; Topographic map; Visual inspection (certification) of the proposed site

☐ Yes ☐ No

10.

Temporary Pits, Emergency Pits, and Below-grade Tanks Permit Application Attachment Checklist: Subsection B of 19.15.17.9 NMAC

Instructions: Each of the following items must be attached to the application. Please indicate, by a check mark in the box, that the documents are attached.

- ☐ Hydrogeologic Report (Below-grade Tanks) - based upon the requirements of Paragraph (4) of Subsection B of 19.15.17.9 NMAC
- ☐ Hydrogeologic Data (Temporary and Emergency Pits) - based upon the requirements of Paragraph (2) of Subsection B of 19.15.17.9 NMAC
- ☐ Siting Criteria Compliance Demonstrations - based upon the appropriate requirements of 19.15.17.10 NMAC
- ☐ Design Plan - based upon the appropriate requirements of 19.15.17.11 NMAC
- ☐ Operating and Maintenance Plan - based upon the appropriate requirements of 19.15.17.12 NMAC
- ☐ Closure Plan (Please complete Boxes 14 through 18, if applicable) - based upon the appropriate requirements of Subsection C of 19.15.17.9 NMAC and 19.15.17.13 NMAC

☐ Previously Approved Design (attach copy of design) API Number: _____ or Permit Number: _____

11.

Multi-Well Fluid Management Pit Checklist: Subsection B of 19.15.17.9 NMAC

Instructions: Each of the following items must be attached to the application. Please indicate, by a check mark in the box, that the documents are attached.

- ☐ Design Plan - based upon the appropriate requirements of 19.15.17.11 NMAC
- ☐ Operating and Maintenance Plan - based upon the appropriate requirements of 19.15.17.12 NMAC
- ☐ A List of wells with approved application for permit to drill associated with the pit.
- ☐ Closure Plan (Please complete Boxes 14 through 18, if applicable) - based upon the appropriate requirements of Subsection C of 19.15.17.9 NMAC and 19.15.17.13 NMAC
- ☐ Hydrogeologic Data - based upon the requirements of Paragraph (4) of Subsection B of 19.15.17.9 NMAC
- ☐ Siting Criteria Compliance Demonstrations - based upon the appropriate requirements of 19.15.17.10 NMAC

☐ Previously Approved Design (attach copy of design) API Number: _____ or Permit Number: _____

12.

Permanent Pits Permit Application Checklist: Subsection B of 19.15.17.9 NMAC

Instructions: Each of the following items must be attached to the application. Please indicate, by a check mark in the box, that the documents are attached.

- ☐ Hydrogeologic Report - based upon the requirements of Paragraph (1) of Subsection B of 19.15.17.9 NMAC
☐ Siting Criteria Compliance Demonstrations - based upon the appropriate requirements of 19.15.17.10 NMAC
☐ Climatological Factors Assessment
☐ Certified Engineering Design Plans - based upon the appropriate requirements of 19.15.17.11 NMAC
☐ Dike Protection and Structural Integrity Design - based upon the appropriate requirements of 19.15.17.11 NMAC
☐ Leak Detection Design - based upon the appropriate requirements of 19.15.17.11 NMAC
☐ Liner Specifications and Compatibility Assessment - based upon the appropriate requirements of 19.15.17.11 NMAC
☐ Quality Control/Quality Assurance Construction and Installation Plan
☐ Operating and Maintenance Plan - based upon the appropriate requirements of 19.15.17.12 NMAC
☐ Freeboard and Overtopping Prevention Plan - based upon the appropriate requirements of 19.15.17.11 NMAC
☐ Nuisance or Hazardous Odors, including H₂S, Prevention Plan
☐ Emergency Response Plan
☐ Oil Field Waste Stream Characterization
☐ Monitoring and Inspection Plan
☐ Erosion Control Plan
☐ Closure Plan - based upon the appropriate requirements of Subsection C of 19.15.17.9 NMAC and 19.15.17.13 NMAC

13.

Proposed Closure: 19.15.17.13 NMAC

Instructions: Please complete the applicable boxes, Boxes 14 through 18, in regards to the proposed closure plan.

- Type: ☐ Drilling ☐ Workover ☐ Emergency ☐ Cavitation ☐ P&A ☐ Permanent Pit ☐ Below-grade Tank ☐ Multi-well Fluid Management Pit
☐ Alternative
- Proposed Closure Method: ☐ Waste Excavation and Removal
☐ Waste Removal (Closed-loop systems only)
☐ On-site Closure Method (Only for temporary pits and closed-loop systems)
☐ In-place Burial ☐ On-site Trench Burial
☐ Alternative Closure Method

14.

Waste Excavation and Removal Closure Plan Checklist: (19.15.17.13 NMAC) **Instructions:** Each of the following items must be attached to the closure plan. Please indicate, by a check mark in the box, that the documents are attached.

- ☐ Protocols and Procedures - based upon the appropriate requirements of 19.15.17.13 NMAC
☐ Confirmation Sampling Plan (if applicable) - based upon the appropriate requirements of Subsection C of 19.15.17.13 NMAC
☐ Disposal Facility Name and Permit Number (for liquids, drilling fluids and drill cuttings)
☐ Soil Backfill and Cover Design Specifications - based upon the appropriate requirements of Subsection H of 19.15.17.13 NMAC
☐ Re-vegetation Plan - based upon the appropriate requirements of Subsection H of 19.15.17.13 NMAC
☐ Site Reclamation Plan - based upon the appropriate requirements of Subsection H of 19.15.17.13 NMAC

15.

Siting Criteria (regarding on-site closure methods only): 19.15.17.10 NMAC

Instructions: Each siting criteria requires a demonstration of compliance in the closure plan. Recommendations of acceptable source material are provided below. Requests regarding changes to certain siting criteria require justifications and/or demonstrations of equivalency. Please refer to 19.15.17.10 NMAC for guidance.

Ground water is less than 25 feet below the bottom of the buried waste. - NM Office of the State Engineer - iWATERS database search; USGS; Data obtained from nearby wells	<input type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> NA
Ground water is between 25-50 feet below the bottom of the buried waste - NM Office of the State Engineer - iWATERS database search; USGS; Data obtained from nearby wells	<input type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> NA
Ground water is more than 100 feet below the bottom of the buried waste. - NM Office of the State Engineer - iWATERS database search; USGS; Data obtained from nearby wells	<input type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> NA
Within 100 feet of a continuously flowing watercourse, or 200 feet of any other significant watercourse, lakebed, sinkhole, or playa lake (measured from the ordinary high-water mark). - Topographic map; Visual inspection (certification) of the proposed site	<input type="checkbox"/> Yes <input type="checkbox"/> No
Within 300 feet from a permanent residence, school, hospital, institution, or church in existence at the time of initial application. - Visual inspection (certification) of the proposed site; Aerial photo; Satellite image	<input type="checkbox"/> Yes <input type="checkbox"/> No
Within 300 horizontal feet of a private, domestic fresh water well or spring used for domestic or stock watering purposes, in existence at the time of initial application. - NM Office of the State Engineer - iWATERS database; Visual inspection (certification) of the proposed site	<input type="checkbox"/> Yes <input type="checkbox"/> No
Written confirmation or verification from the municipality; Written approval obtained from the municipality	<input type="checkbox"/> Yes <input type="checkbox"/> No
Within 300 feet of a wetland. US Fish and Wildlife Wetland Identification map; Topographic map; Visual inspection (certification) of the proposed site	<input type="checkbox"/> Yes <input type="checkbox"/> No
Within incorporated municipal boundaries or within a defined municipal fresh water well field covered under a municipal ordinance	

adopted pursuant to NMSA 1978, Section 3-27-3, as amended.

- Written confirmation or verification from the municipality; Written approval obtained from the municipality

☐ Yes ☐ No

Within the area overlying a subsurface mine.

- Written confirmation or verification or map from the NM EMNRD-Mining and Mineral Division

☐ Yes ☐ No

Within an unstable area.

- Engineering measures incorporated into the design; NM Bureau of Geology & Mineral Resources; USGS; NM Geological Society; Topographic map

☐ Yes ☐ No

Within a 100-year floodplain.

- FEMA map

☐ Yes ☐ No

16.

On-Site Closure Plan Checklist: (19.15.17.13 NMAC) *Instructions: Each of the following items must be attached to the closure plan. Please indicate, by a check mark in the box, that the documents are attached.*

- ☐ Siting Criteria Compliance Demonstrations - based upon the appropriate requirements of 19.15.17.10 NMAC
- ☐ Proof of Surface Owner Notice - based upon the appropriate requirements of Subsection E of 19.15.17.13 NMAC
- ☐ Construction/Design Plan of Burial Trench (if applicable) based upon the appropriate requirements of Subsection K of 19.15.17.11 NMAC
- ☐ Construction/Design Plan of Temporary Pit (for in-place burial of a drying pad) - based upon the appropriate requirements of 19.15.17.11 NMAC
- ☐ Protocols and Procedures - based upon the appropriate requirements of 19.15.17.13 NMAC
- ☐ Confirmation Sampling Plan (if applicable) - based upon the appropriate requirements of 19.15.17.13 NMAC
- ☐ Waste Material Sampling Plan - based upon the appropriate requirements of 19.15.17.13 NMAC
- ☐ Disposal Facility Name and Permit Number (for liquids, drilling fluids and drill cuttings or in case on-site closure standards cannot be achieved)
- ☐ Soil Cover Design - based upon the appropriate requirements of Subsection H of 19.15.17.13 NMAC
- ☐ Re-vegetation Plan - based upon the appropriate requirements of Subsection H of 19.15.17.13 NMAC
- ☐ Site Reclamation Plan - based upon the appropriate requirements of Subsection H of 19.15.17.13 NMAC

17.

Operator Application Certification:

I hereby certify that the information submitted with this application is true, accurate and complete to the best of my knowledge and belief.

Name (Print): _____ Title: _____

Signature: _____ Date: _____

e-mail address: _____ Telephone: _____

18.

OCD Approval: ☐ Permit Application (including closure plan) ☒ Closure Plan (only) ☐ OCD Conditions (see attachment)

OCD Representative Signature:  Approval Date: 3/30/21

Title: Environmental Specialist OCD Permit Number: 77

19.

Closure Report (required within 60 days of closure completion): 19.15.17.13 NMAC

Instructions: Operators are required to obtain an approved closure plan prior to implementing any closure activities and submitting the closure report. The closure report is required to be submitted to the division within 60 days of the completion of the closure activities. Please do not complete this section of the form until an approved closure plan has been obtained and the closure activities have been completed.

☒ Closure Completion Date: 4/8/2020

20.

Closure Method:

- ☒ Waste Excavation and Removal ☐ On-Site Closure Method ☐ Alternative Closure Method ☐ Waste Removal (Closed-loop systems only)
- ☐ If different from approved plan, please explain.

21.

Closure Report Attachment Checklist: *Instructions: Each of the following items must be attached to the closure report. Please indicate, by a check mark in the box, that the documents are attached.*

- ☒ Proof of Closure Notice (surface owner and division)
- ☐ Proof of Deed Notice (required for on-site closure for private land only)
- ☐ Plot Plan (for on-site closures and temporary pits)
- ☒ Confirmation Sampling Analytical Results (if applicable)
- ☐ Waste Material Sampling Analytical Results (required for on-site closure)
- ☒ Disposal Facility Name and Permit Number
- ☒ Soil Backfilling and Cover Installation
- ☒ Re-vegetation Application Rates and Seeding Technique
- ☒ Site Reclamation (Photo Documentation)


On-site Closure Location: Latitude 36.423807 Longitude -107.251646 NAD: ☐ 1927 ☐ 1983

22.

Operator Closure Certification:

I hereby certify that the information and attachments submitted with this closure report is true, accurate and complete to the best of my knowledge and belief. I also certify that the closure complies with all applicable closure requirements and conditions specified in the approved closure plan.

Name (Print): Larissa Farrell Title: Regulatory Specialist

Signature:  Date: 8/14/2020

e-mail address: lfarrelldjrllc.com Telephone: 505-444-0289



1 Road 3263
Aztec, NM 87410
Phone: (505) 632-3476

August 14, 2020

Mr. Cory Smith
Environmental Specialist
Oil Conservation Division
Energy, Minerals & Natural Resources
1000 Rio Brazos
Aztec, New Mexico, 87410

Re: C-144 BGT Closure
Jicarilla Apache Tribal 122 2

Dear Mr. Smith,

DJR Operating, LLC has removed the below grade tank and disposed of the contents of the tank at Envirotech Landfarm. Enclosed with this letter is the Jicarilla Apache Tribal 122 2 C-144 BGT Closure and approvals given by Jicarilla Oil and Gas for all remediation activities. Due to employee changes, there is no record of the 72 hour notification given to NMOCD or JOGA. JOGA representatives were onsite during removal and sampling activities. During excavation, sandstone bedrock was reached at 5' bgs therefore no further excavation was completed. Jicarilla Oil and Gas has approved the application of potassium permanganate to mitigate the impact of release. The area has been backfilled and reseeded per Jicarilla Oil and Gas standards.

If you have any questions regarding this application, please contact me at (505) 444-0289 or lfarrell@djrlc.com.

Sincerely,

A handwritten signature in blue ink that reads 'Larissa Farrell'.

Larissa Farrell
Regulatory Specialist

Larissa Farrell

From: Larissa Farrell
Sent: Thursday, March 12, 2020 1:45 PM
To: kcmannwell@yahoo.com; Smith, Cory, EMNRD
Cc: Richard Graves; Felipe Aragon
Subject: 48-hr Notification of Confirmation Sampling

Good afternoon,

On behalf of DJR Operating, Envirotech will be conducting confirmation sampling at the following locations on Tuesday March 17, 2020 starting at 10:00am. Please let this serve as 48-hour notification of confirmation sampling.

We will begin at the Jicarilla Apache F 6 and end at the Jicarilla Apache Tribal 122 2.

Jicarilla Apache F 6
API# 30-039-05958
UL-D, Sec. 22, T25N, R5W
#NRM2006541507

Jicarilla Apache Tribal 122 2
API# 30-039-22927
UL-P, Sec. 04, T25N, R4W
#NCS1932436155

Thank you,

Larissa Farrell
Regulatory Specialist
(505)444-0289
lfarrell@djrlc.com



Larissa Farrell

From: Larissa Farrell
Sent: Friday, March 20, 2020 2:26 PM
To: Smith, Cory, EMNRD
Subject: Jicarilla 122 22 Confirmation Sampling

Hi Cory,

I just wanted to let you know that Envirotech will be collecting confirmation samples at the Jicarilla 122 22 on Wednesday March 25, 2020 at 1pm. We have also notified Jicarilla Oil and Gas. Please let this serve as 48 hour notification.

Thank you,

Larissa Farrell
Regulatory Specialist
(505)444-0289
lfarrell@djrlc.com



Larissa Farrell

From: Yahoo Warning <kcmanwell@yahoo.com>
Sent: Tuesday, March 31, 2020 8:18 AM
To: Larissa Farrell
Subject: Re: Jicarilla 122 2 BGT Closure

Follow Up Flag: Follow up
Flag Status: Flagged

Good Morning Larissa,

Per our discussion about the Jicarilla 122 2, due to excavation hitting bedrock and still having contaminants on the bottom of excavation. The use of potassium permanganate will be an alternative method to help the degradation of present contaminants, backfill will be permitted and noted as an amendment to the closure plan. Approval is granted to expedite the the approval process, should you have any questions or comments. Please contact myself via email or 505-330-8031.

Thank You,

K.C. Manwell, Environmental Specialist
Jicarilla Environmental Protection Office

On Monday, March 30, 2020, 02:15:49 PM MDT, Larissa Farrell <lfarrell@djrlc.com> wrote:

Good afternoon Keith,

Attached are the results from the Jicarilla 122 2 BGT Closure. All constituents were below the Table I closure standard except the base of the excavation due to the sandstone which no further excavation can occur in this area. We would like to have Envirotech apply potassium permanganate to the base to mitigate the contaminants within the sandstone. Please provide an email with your approval on this path forward.

If you have any questions, please let me know.

Thank you,

Larissa Farrell

Regulatory Specialist

(505)444-0289

lfarrell@djrlc.com



Disclaimer

The information contained in this communication from the sender is confidential. It is intended solely for use by the recipient and others authorized to receive it. If you are not the recipient, you are hereby notified that any disclosure, copying, distribution or taking action in relation of the contents of this information is strictly prohibited and may be unlawful.

This email has been scanned for viruses and malware, and may have been automatically archived by **Mimecast Ltd**, an innovator in Software as a Service (SaaS) for business. Providing a **safer** and **more useful** place for your human generated data. Specializing in; Security, archiving and compliance. To find out more [Click Here](#).



April 21, 2020

Project #17035-0129
NMOCD Incident # nCS1932436155

Ms. Larissa Farrell
DJR Operating, LLC
1 Road 3263
Aztec, New Mexico 87410

Phone: (505) 632-3476
E-mail: lfarrell@djrlc.com

RE: BGT Closure and Release Closure Report for the Jicarilla 122-2 Well Site Located in Section 4, Township 25N, Range 4W, San Juan County New Mexico

Dear Ms. Farrell:

Envirotech, Inc. (Envirotech) of Farmington, New Mexico, was contracted by DJR Operating, LLC (DJR) to provide sampling activities for the closure of a below grade tank (BGT) at the Jicarilla 122-2 well site (API: 30-039-22927) located within Section 4, Township 25 North, Range 4 West in San Juan County, New Mexico; see **Figure 1, Vicinity Map**.

On October 8, 2019, DJR personnel removed the BGT and Envirotech personnel collected a five-point composite confirmation soil sample from beneath the former location of the BGT. BGT removal and sampling activities were witnessed by Mr. Hobson Sandoval, Jicarilla Apache Nation Oil and Gas (JOGA) representative.

BGT CLOSURE CONFIRMATION LABORATORY ANALYSIS

The soil sample was placed into individual laboratory provided 4-ounce jars, capped head space free, and transported on ice to Envirotech Analytical Laboratory. The soil sample was analyzed for contaminants of concern identified in the table below. Soil sample locations are illustrated in **Figure 2, Site Map** and in the attached **Site Photography**.

Based on the C-144 received by the New Mexico Oil Conservation Division (NMOCD) on January 21, 2009, the following closure criteria from *19.15.17.13 NMAC* were applied:

Constituent	Method	Limit
Chloride	EPA 300.0	250 mg/kg
Total Petroleum Hydrocarbons (TPH)	EPA Method 8015D	100 mg/kg
Benzene, Toluene, Ethylbenzene, Total Xylenes (BTEX)	EPA Method 8021B	50 mg/kg
Benzene	EPA Method 8021B	0.2 mg/kg



DJR Operating, LLC
 Jicarilla 122-2 BGT Closure
 Project #17035-0129
 October 2019 – April 2020
 Page 2

Based on the laboratory analytical results, TPH as diesel and oil range organics (DRO and ORO) was above the applicable NMOCD and Jicarilla Oil and Gas Administration (JOGA) BGT Closure Criteria, see **Table 1, Summary of Soil Analytical Results**. Therefore, a release notification per 19.15.29.10 NMAC was submitted to NMOCD and JOGA on November 6, 2020.

REMEDIATION EXCAVATION MONITORING AND SAMPLING

DJR contracted roustabout personnel proceed with the remediation excavation activities.

A competent sandstone base was encountered at 5 feet below ground surface (bgs). Envirotech personnel was requested to return to the site on November 4, 2019 to collect soil samples of the excavation in order to guide and direct the remediation efforts. The excavation measured 40 feet by 49 feet by 5 feet in depth. One five-point composite sample was collected from the base of the excavation and each of the walls. Soil samples were placed into individual laboratory provided 4-ounce jars, capped head space free, and transported on ice to Envirotech Analytical Laboratory.

The soil samples were compared to the release closure criteria provided in 19.15.29.12 NMAC. Based on the enclosed **Siting Criteria Documentation**, the following NMOCD release closure criteria from *Table 1: Closure Criteria for Soils Impacted by a Release* were applied:

Depth to Groundwater	Constituent	Method	Limit
>100 feet	Chloride	EPA 300.0	20,000 mg/kg
	TPH	EPA Method 8015D	2,500 mg/kg
	Gasoline + Diesel Range Organics (GRO+DRO)	EPA Method 8015D	1,000 mg/kg
	BTEX	EPA Method 8021B	50 mg/kg
	Benzene	EPA Method 8021B	10 mg/kg

Based on laboratory analytical results, the concentrations of contaminants of concern were above the applicable release closure criteria and required further remediation actions; see **Table 1, Summary of Soil Analytical Results**.

BGT RELEASE CLOSURE CONFIRMATION LABORATORY ANALYSIS

Due to inclement winter weather, DJR was not able to return to the site to continue the remediation excavation until March 2020. DJR maintained communication with JOGA on the status of the remediation throughout the standby time.

Envirotech personnel returned to the site on March 25, 2020, to perform confirmation soil sampling activities. Mr. Richard Graves, DJR representative, was on-site to witness sampling activities. Five 5-point composite samples were collected from the excavation with final measurements being



DJR Operating, LLC
Jicarilla 122-2 BGT Closure
Project #17035-0129
October 2019 – April 2020
Page 3

50 feet by 40 feet by 5 feet in depth. One five-point composite sample was collected from the base of the excavation and each of the walls. Soil samples were placed into individual laboratory provided 4-ounce jars, capped head space free, and transported on ice to Envirotech Analytical Laboratory.

The soil samples were analyzed for contaminants of concern identified in the table above. Soil sample locations are illustrated in **Figure 2, Site Map** and in the attached **Site Photography**.

Based on the final laboratory analytical results, all contaminants of concern were below the applicable NMOCD and JOGA closure criteria except for DRO in the base sample, which returned results of 1,320 mg/kg; see **Table 1, Summary of Soil Analytical Results**.

POTASSIUM PERMANGANATE APPLICATION

On April 1, 2020, Envirotech returned to the site to apply a potassium permanganate solution to the competent sandstone base of the excavation. The potassium permanganate application will aid in the situ remediation of the residual hydrocarbons. The application of the potassium permanganate solution was approved by JOGA representatives prior to application.

After the application of the potassium permanganate solution, DJR personnel backfilled the excavation with clean backfill and recontoured the area to match pre-existing conditions on April 7, 2020. The area was reseeded on April 8, 2020, with the approved Jicarilla Mesa seed mixture. Potassium permanganate application and backfilling activities are documented in the attached **Site Photography**.

SUMMARY AND CONCLUSIONS

On March 25, 2020, Envirotech personnel completed confirmation sampling of the remediation excavation that was completed as a result of the removal and closure of a BGT at the Jicarilla 122-2 well site. On March 31, 2020, JOGA representatives approved the closure to *Table 1: Closure Criteria for Soils Impacted by a Release* and the application of potassium permanganate to aid in-situ bioremediation. Envirotech personnel returned to the site on April 1, 2020, to perform potassium permanganate application activities. Based on the analytical results, Envirotech recommends requesting a **No Further Action** status from the NMOCD and JOGA regarding the BGT closure and subsequent release investigation.

STATEMENT OF LIMITATIONS

The work and services provided were in accordance with NMOCD and JOGA standards. All observations and conclusions provided here are based on the information and current site conditions found at the subject well site. This work has been conducted and reported in accordance



DJR Operating, LLC
Jicarilla 122-2 BGT Closure
Project #17035-0129
October 2019 – April 2020
Page 4

with generally accepted professional practices in geology, engineering, environmental chemistry, and hydrogeology.

We appreciate the opportunity to be of service. If you have any questions or require additional information, please contact our office at (505) 632-0615.

Respectfully submitted,
ENVIROTECH, INC.

Reviewed by:

A handwritten signature in blue ink that reads 'Brittany Hall'.


Brittany Hall
Environmental Field Technician
bhall@envirotech-inc.com

A handwritten signature in blue ink that reads 'Felipe Aragon'.

Felipe Aragon, CHMM, CES
Environmental Assistant Manager
faragon@envirotech-inc.com


Enclosures: Figure 1, *Vicinity Map*
Figure 2, *Site Map*
Site Photography
Table 1, *Summary of Soil Analytical Results*
Laboratory Analytical Report

Cc: Client File 17035



Source: 7.5 Minute, Lapis Point, New Mexico U.S.G.S. Topographic Quadrangle Map
 Scale: 1:24,000 1" = 2,000

DJR Operating, LLC Jicarilla 122-2 Well Site API: 30-039-22927 Section 4, Township 25N, Range 4W Rio Arriba County, New Mexico 36.42384, -107.25091 Incident # nCS1932436155		 ENVIRONMENTAL SCIENTISTS & ENGINEERS		Vicinity Map	
Project Number: 17035-0129		Date Drawn: 4/15/2020		Figure #1	
5796 U.S. HIGHWAY 64 Farmington, New Mexico 87401 505.632.0615		DRAWN BY: Brittany Hall		PROJECT MANAGER: Felipe Aragon	



Legend

- - North Wall
- - East Wall
- - South Wall
- - West Wall
- - Base
- - Excavation

Sampling point represents a 5-point composite sample



envirotech

MAP DRAWN BY:

CJG
10/10/2019

REVISIONS BY:

BAH
4/15/2020

APPROVED BY:

FRA
4/17/2020




Figure 2, Site Map

DJR Operating
Jicarilla 122-2 Well Site
API: 30-039-22927
Section 4, Township 25N, Range 4W
Rio Arriba County, New Mexico
36.42384, -107.25091
Project #17035-0129
Incident #nCS1932436155

**SITE PHOTOGRAPHY
DJR OPERATING
JICARILLA APACHE 122-2
SECTION 4, TOWNSHIP 25N, RANGE 4W
RIO ARRIBA COUNTY, NEW MEXICO
PROJECT # 17035-0129
INCIDENT #NCS1932436155**

October 8, 2019



Picture 1: Well Site Sign



Picture 2: Sample Points Below BGT

**SITE PHOTOGRAPHY
DJR OPERATING
JICARILLA APACHE 122-2
SECTION 4, TOWNSHIP 25N, RANGE 4W
RIO ARriba COUNTY, NEW MEXICO
PROJECT # 17035-0129
INCIDENT #NCS1932436155**

March 25, 2020




Picture 3: View of Excavation West Wall



Picture 4: View of Excavation North Wall

**SITE PHOTOGRAPHY
DJR OPERATING
JICARILLA APACHE 122-2
SECTION 4, TOWNSHIP 25N, RANGE 4W
RIO ARriba COUNTY, NEW MEXICO
PROJECT # 17035-0129
INCIDENT #NCS1932436155**




Picture 5: View of Excavation East Wall




Picture 6: View of Excavation South Wall

**SITE PHOTOGRAPHY
DJR OPERATING
JICARILLA APACHE 122-2
SECTION 4, TOWNSHIP 25N, RANGE 4W
RIO ARriba COUNTY, NEW MEXICO
PROJECT # 17035-0129
INCIDENT #NCS1932436155**

April 1, 2020



Picture 7: Potassium Permanganate Application (North)



Picture 8: Potassium Permanganate Application (South)

**SITE PHOTOGRAPHY
DJR OPERATING
JICARILLA APACHE 122-2
SECTION 4, TOWNSHIP 25N, RANGE 4W
RIO ARriba COUNTY, NEW MEXICO
PROJECT # 17035-0129
INCIDENT #NCS1932436155
April 7, 2020**



Picture 9: View of Backfilled and Recontoured Area (View 1)



Picture 10: View of Backfilled and Recontoured Area (View 2)

CLIENT: DJR LLL Environmental Specialist: PC
 CLIENT/JOB # 17035-0129
 START DATE: 10/8/19 LAT: 36.423844
 FINISH DATE: _____ LONG: -107.250617
 Page # _____ of _____



FIELD REPORT: BELOW GROUND TANK VERIFICATION

LOCATION NAME: Jicarilla Apache Tr. WELL #: 122 Temp Pit: _____ PERM Pit: _____
 QUAD/UNIT: D SEC: H TWP: 25N RNG: 4W PM: _____
 QTR/FOOTAGE: _____ CNTY: Rio Arriba ST: New Mexico
 Excavation Approx: ~15 Feet X ~15 Feet X ~4 Feet Deep _____ Cubic Yardage: _____
 Disposal Facility: _____ Remediation Method: _____
 Land Owner: Indian API: 30-039-20259 Pit Volume: 22927
 Construction Material: Steel Double Walled, With Leak Detection: _____

Temporary Pit Closure: NMAC 19.15.17 Table II (Permitted after 6/28/2013)

BGT Closure: NMAC 19.15.17 Table I (Permitted after 6/28/2013)

BGT Closure: BENZENE ≤ 0.2 mg/kg, BTEX ≤ 50 mg/kg, TPH (418.1) ≤ 100 mg/kg, CHLORIDES ≤ 250 mg/kg (Permitted before 6/28/2013)

FIELD 418.1 ANALYSIS

SAMPLE DESCRIPTION	TIME	SAMPLE ID	LAB #	WEIGHT	mL FREON	DILUTION	READING	CALC. (mg/kg)

PID RESULTS		SITE PERIMETER		SAMPLE PROFILE	
SAMPLE ID	RESULTS (mg/kg)	on back			

FIELD CHLORIDES RESULTS		
SAMPLE ID	READING	CALC. (mg/kg)

SAMPLE ID	ANALYSIS	US EPA
Compos. 4c	BENZENE	8021B/8015
	BTEX	8021B/80260B
Compos. 4c	GRO & DRO	8015
Compos. 4c	CHLORIDES	EPA300
	TPH	418.1

Damon Carter

Analyst Signature

Damon Carter

Printed Name



NOTES: DJR representative, field crew on site
Hobson with EPA on site

WO #:

Who ordered/Site Rep.:

Wellhead to digsite - 205'
C-ring to digsite - 124'
C-ring to wellhead - 113'

[Handwritten signature]



SLN

CLIENT: DSR LLCEnvironmental Specialist: DUCLIENT/JOB # 17039-0129START DATE: 11/4/19

FINISH DATE: _____

LAT: 36.423844LONG: -107.250917

Page # _____ of _____

FIELD REPORT: BELOW GROUND TANK VERIFICATION

LOCATION NAME: Jicarilla Apache M. 1041 WELL #: 122-2 Temp Pit: _____ PERM Pit: _____QUAD/UNIT: D SEC: 4 TWP: 25N RNG: 4W PM: _____QTR/FOOTAGE: _____ CNTY: Rio Arriba ST: New MexicoExcavation Approx: 40 Feet X 49 Feet X 5 Feet Deep _____ Cubic Yardage: _____

Disposal Facility: _____ Remediation Method: _____

Land Owner: _____ API: _____ Pit Volume: _____

Construction Material: _____ Double Walled, With Leak Detection: _____

Temporary Pit Closure: NMAC 19.15.17 Table II (Permitted after 6/28/2013)

BGT Closure: NMAC 19.15.17 Table I (Permitted after 6/28/2013)

BGT Closure: BENZENE ≤ 0.2 mg/kg, BTEX ≤ 50 mg/kg, TPH (418.1) ≤ 100 mg/kg, CHLORIDES ≤ 250 mg/kg (Permitted before 6/28/2013)

FIELD 418.1 ANALYSIS

SAMPLE DESCRIPTION	TIME	SAMPLE ID	LAB #	WEIGHT	mL FREON	DILUTION	READING	CALC. (mg/kg)

PID RESULTS

SITE PERIMETER

SAMPLE PROFILE


SAMPLE ID RESULTS (mg/kg)

on back

5 point composite

FIELD CHLORIDES RESULTS

SAMPLE ID READING CALC. (mg/kg)



SAMPLE ID ANALYSIS US EPA

	BENZENE	8021B/8015
	BTEX	8021B/80260B
	GRO & DRO	8015
	CHLORIDES	EPA300
	TPH	418.1

Damon Carter

Analyst Signature



Damon Carter

Printed Name

NOTES: 2 DJR representatives on site
Hobson with EPA on site

WO #:

Who ordered/Site Rep.:



103.6 wellhead to CRing
 124.6 CRing to excavation
 190.7 excavation to wellhead

5 ft deep

CLIENT:

DJR



Environmental Specialist:

Ball

CLIENT/JOB #

17035-0129

START DATE:

3/17/2020

FINISH DATE:

3/25/2020

LAT:

36.423844

LONG:

-107.250917

Page #

of

FIELD REPORT: BELOW GROUND TANK VERIFICATION

LOCATION

NAME:

Jicarilla

WELL #:

122-2

Temp Pit:

PERM Pit:

QUAD/UNIT:

SEC: 4

TWP:

25N

RNG:

4W

PM:

QTR/FOOTAGE:

CNTY:

Rio Arriba

ST:

NM

Excavation Approx:

49

Feet X

40

Feet X

5

Feet Deep

Cubic Yardage

Disposal Facility:

Remediation Method:

excavation

Land Owner:

Jicarilla

API:

30-0391-2227

Pit Volume:

Construction Material:

Double Walled, With Leak Detection:

Temporary Pit Closure: NMAC 19.15.17 Table II (Permitted after 6/28/2013)

BGT Closure: NMAC 19.15.17 Table I (Permitted after 6/28/2013)

BGT Closure: BENZENE ≤ 0.2 mg/kg, BTEX ≤ 50 mg/kg, TPH (418.1) ≤ 100 mg/kg, CHLORIDES ≤ 250 mg/kg (Permitted before 6/28/2013)

FIELD 418.1 ANALYSIS

SAMPLE DESCRIPTION	TIME	SAMPLE ID	LAB #	WEIGHT	mL FREON	DILUTION	READING	CALC. (mg/kg)
west wall	1204	1		5	20	4	494	1976
North wall	1206	2		5	20	4	1390	5560
East wall	1208	3		5	20	4	644	2576
South wall	1210	4		5	20	4	161	644

PID RESULTS

SITE PERIMETER

SAMPLE PROFILE

SAMPLE ID RESULTS (mg/kg)


1	23.0	
2	0.0	
3	0.0	4-2.0

FIELD CHLORIDES RESULTS

SAMPLE ID READING CALC. (mg/kg)

SAMPLE ID ANALYSIS US EPA

	BENZENE	8021B/8015
	BTEX	8021B/80260B
	GRO & DRO	8015
	CHLORIDES	EPA300
	TPH	418.1



Analyst Signature

NOTES:

Confirmation sampling on back

Printed Name

WO #:


Who ordered/Site Rep.:

Pit Closure Verification 2015

200 standard 1203 - reading 224

March 25, 2020

- no field analysis
- Richard Graves on-site (Ticarilla + Larissa Farrell did not make it)



base is at sandstone bed rock + cannot be excavated further

Site Ranking Criteria

Site Name: Jicarilla 122-2			
API #: 30-039-22927			
Lat/Long: 36.423844, -107.250917			
TRS: Section 4 T25N R4W			
Land Jurisdiction: Jicarilla Apache Nation			
County: Rio Arriba			
Wellhead Protection Area Assessment			
Water Source Type (well/spring/stock pond)	ID	Latitude	Longitude
None			
Distance to Nearest Significant Watercourse			
786.3 ft northeast of tributary of La Norias Canyon			
Depth to Groundwater Determination			
Cathodic Report/Site Specific Hydrogeology	Not available		
Elevation Differential	440 ft higher than La Norias Canyon		
Water Wells	RG 50845 POD1 8ft higher in elevation, DTW=135 ft		
Sensitive Receptor Determination			
<300' of any continuously flowing watercourse or any other significant watercourse			No
<200' of any lakebed, sinkhole or playa lake (measured from the Ordinary High Water Mark)			No
<300' of an occupied permanent residence, school, hospital, institution or church			No
<500' of a spring or private/domestic water well used by <5 households for domestic or stock watering purposes			No
<1000' of any water well or spring			No
Within incorporated municipal boundaries or within a defined municipal fresh water well			No
<300' of a wetland			No
Within the area overlying a subsurface mine			No
Within an unstable area			No
Within a 100-year floodplain			No
DTW Determination	≤50 <input type="checkbox"/>	50-100 <input type="checkbox"/>	>100 <input checked="" type="checkbox"/>
Benzene	10	10	10
BTEX (mg/kg)	50	50	50
8015 TPH (GRO/DRO) (mg/kg)	Not Applicable	1,000	1,000
8015 TPH (GRO/DRO/MRO) (mg/kg)	100	2,500	2,500
Chlorides (mg/kg)	600	10,000	20,000



Practical Solutions of a Better Tomorrow

Table 1, Summary of Soil Analytical Results
 DJR Operating, LLC
 BGT and Release Closure Report
 Jicarilla Apache 122-2; API: 30-039-22927
 Section 4, Township 25N, Range 4W
 Rio Arriba County, New Mexico
 Project #17035-0129
 Incident #nCS1932436155

Sample Description*	Date	Sample Depth	EPA Method 8015			EPA Method 8021		EPA Method 300.0
			GRO (mg/kg)	DRO (mg/kg)	ORO (mg/kg)	Benzene (mg/kg)	Total BTEX (mg/kg)	Chlorides (mg/kg)
NMOCD BGT Closure Criteria: Table 1 -19.15.17.13 (2008)			100			0.2	50	250
BGT Sample	10/8/2019	0.5 feet	<20.0	4,700	3,030	<0.0250	<0.100	36.3

NMOCD Release Closure Criteria: Table 1 -19.15.29.12			1,000			10	50	10,000
			2,500					
West Wall	11/4/2019	1-5 feet	<20.0	11,800	6,430	<0.0250	<0.100	242
North Wall	11/4/2019	1-5 feet	<20.0	18,000	12,000	<0.0250	<0.100	600
East Wall	11/4/2019	1-5 feet	<20.0	8,650	13,200	<0.0250	<0.100	1,710
Base	11/4/2019	5 feet	<20.0	2,260	<500	<0.0250	<0.100	560
South Wall	11/4/2019	1-5 feet	<20.0	2,470	2,900	<0.0250	<0.100	805
West Wall	3/25/2020	1-5 feet	<20.0	311	210	<0.0250	<0.100	532
North Wall	3/25/2020	1-5 feet	<20.0	619	228	<0.0250	<0.100	542
East Wall	3/25/2020	1-5 feet	<20.0	848	291	<0.0250	<0.100	356
Base	3/25/2020	5 feet	<20.0	1,320	255	<0.0250	<0.100	330
South Wall	3/25/2020	1-5 feet	<20.0	315	150	<0.0250	<0.100	688

*5-point composite soil sample

Samples used for release closure

BOLD - above applicable regulatory standard



Practical Solutions for a Better Tomorrow



Analytical Report

Report Summary

Client: DJR Operating, LLC

Samples Received: 10/8/2019

Job Number: 17035-0129

Work Order: P910027

Project Name/Location: Jicarilla 122-2

Report Reviewed By:

A handwritten signature in black ink, appearing to read 'Walter Hinchman', is written over a light blue rectangular background.

Date: 10/15/19

Walter Hinchman, Laboratory Director



Envirotech Inc. certifies the test results meet all requirements of TNI unless footnoted otherwise.
Statement of Data Authenticity: Envirotech, Inc, attests the data reported has not been altered in any way.
Partial or incomplete reproduction of this report is prohibited, unless approved by Envirotech, Inc.
Envirotech, Inc, holds the Utah TNI certification NM009792018-1 for the data reported.
Envirotech, Inc, holds the Texas TNI certification T104704557-19-2 for the data reported.



DJR Operating, LLC
1 Rd 3263
Aztec NM, 87410

Project Name: Jicarilla 122-2
Project Number: 17035-0129
Project Manager: Felipe Aragon

Reported:
10/15/19 14:34

Analytical Report for Samples

Client Sample ID	Lab Sample ID	Matrix	Sampled	Received	Container
BGT Sample	P910027-01A	Soil	10/08/19	10/08/19	Glass Jar, 4 oz.
	P910027-01B	Soil	10/08/19	10/08/19	Glass Jar, 4 oz.

Partial or incomplete reproduction of this report is prohibited, unless approved by Envirotech, Inc.



DJR Operating, LLC	Project Name:	Jicarilla 122-2	Reported: 10/15/19 14:34
1 Rd 3263	Project Number:	17035-0129	
Aztec NM, 87410	Project Manager:	Felipe Aragon	

**BGT Sample
P910027-01 (Solid)**

Reporting									
Analyte	Result	Limit	Units	Dilution	Batch	Prepared	Analyzed	Method	Notes

Volatile Organics by EPA 8021

Benzene	ND	0.0250	mg/kg	1	1941027	10/09/19	10/10/19	EPA 8021B	
Toluene	ND	0.0250	mg/kg	1	1941027	10/09/19	10/10/19	EPA 8021B	
Ethylbenzene	ND	0.0250	mg/kg	1	1941027	10/09/19	10/10/19	EPA 8021B	
p,m-Xylene	ND	0.0500	mg/kg	1	1941027	10/09/19	10/10/19	EPA 8021B	
o-Xylene	ND	0.0250	mg/kg	1	1941027	10/09/19	10/10/19	EPA 8021B	
Total Xylenes	ND	0.0250	mg/kg	1	1941027	10/09/19	10/10/19	EPA 8021B	
<i>Surrogate: 4-Bromochlorobenzene-PID</i>		92.6 %		50-150	1941027	10/09/19	10/10/19	EPA 8021B	

Nonhalogenated Organics by 8015 - DRO/ORO

Diesel Range Organics (C10-C28)	4700	50.0	mg/kg	2	1941026	10/09/19	10/09/19	EPA 8015D	
Oil Range Organics (C28-C40)	3030	250	mg/kg	5	1941026	10/09/19	10/11/19	EPA 8015D	
<i>Surrogate: n-Nonane</i>		143 %		50-200	1941026	10/09/19	10/09/19	EPA 8015D	

Nonhalogenated Organics by 8015 - GRO

Gasoline Range Organics (C6-C10)	ND	20.0	mg/kg	1	1941027	10/09/19	10/10/19	EPA 8015D	
<i>Surrogate: 1-Chloro-4-fluorobenzene-FID</i>		87.0 %		50-150	1941027	10/09/19	10/10/19	EPA 8015D	

Anions by 300.0/9056A

Chloride	36.3	20.0	mg/kg	1	1941028	10/09/19	10/09/19	EPA 300.0/9056A	
----------	------	------	-------	---	---------	----------	----------	--------------------	--

Partial or incomplete reproduction of this report is prohibited, unless approved by Envirotech, Inc.



DJR Operating, LLC	Project Name:	Jicarilla 122-2	Reported: 10/15/19 14:34
1 Rd 3263	Project Number:	17035-0129	
Aztec NM, 87410	Project Manager:	Felipe Aragon	

Volatile Organics by EPA 8021 - Quality Control**Envirotech Analytical Laboratory**

Analyte	Result	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Notes
---------	--------	-----------------	-------	-------------	---------------	------	-------------	-----	-----------	-------

Batch 1941027 - Purge and Trap EPA 5030A**Blank (1941027-BLK1)**

Prepared: 10/09/19 1 Analyzed: 10/11/19 0

Benzene	ND	0.0250	mg/kg							
Toluene	ND	0.0250	"							
Ethylbenzene	ND	0.0250	"							
p,m-Xylene	ND	0.0500	"							
o-Xylene	ND	0.0250	"							
Total Xylenes	ND	0.0250	"							
Surrogate: 4-Bromochlorobenzene-PID	7.57		"	8.00		94.6	50-150			

LCS (1941027-BS1)

Prepared: 10/09/19 1 Analyzed: 10/11/19 0

Benzene	5.17	0.0250	mg/kg	5.00		103	70-130			
Toluene	5.15	0.0250	"	5.00		103	70-130			
Ethylbenzene	5.13	0.0250	"	5.00		103	70-130			
p,m-Xylene	10.3	0.0500	"	10.0		103	70-130			
o-Xylene	5.16	0.0250	"	5.00		103	70-130			
Total Xylenes	15.4	0.0250	"	15.0		103	70-130			
Surrogate: 4-Bromochlorobenzene-PID	7.57		"	8.00		94.6	50-150			

Matrix Spike (1941027-MS1)

Source: P910027-01

Prepared: 10/09/19 1 Analyzed: 10/11/19 0

Benzene	4.91	0.0250	mg/kg	5.00	ND	98.2	54.3-133			
Toluene	4.89	0.0250	"	5.00	ND	97.8	61.4-130			
Ethylbenzene	4.87	0.0250	"	5.00	ND	97.5	61.4-133			
p,m-Xylene	9.77	0.0500	"	10.0	ND	97.7	63.3-131			
o-Xylene	4.88	0.0250	"	5.00	ND	97.6	63.3-131			
Total Xylenes	14.6	0.0250	"	15.0	ND	97.6	63.3-131			
Surrogate: 4-Bromochlorobenzene-PID	7.16		"	8.00		89.6	50-150			

Matrix Spike Dup (1941027-MSD1)

Source: P910027-01

Prepared: 10/09/19 1 Analyzed: 10/11/19 1

Benzene	5.02	0.0250	mg/kg	5.00	ND	100	54.3-133	2.16	20	
Toluene	4.99	0.0250	"	5.00	ND	99.8	61.4-130	1.94	20	
Ethylbenzene	4.96	0.0250	"	5.00	ND	99.1	61.4-133	1.65	20	
p,m-Xylene	9.89	0.0500	"	10.0	ND	98.9	63.3-131	1.27	20	
o-Xylene	4.99	0.0250	"	5.00	ND	99.7	63.3-131	2.18	20	
Total Xylenes	14.9	0.0250	"	15.0	ND	99.2	63.3-131	1.58	20	
Surrogate: 4-Bromochlorobenzene-PID	7.61		"	8.00		95.1	50-150			

Partial or incomplete reproduction of this report is prohibited, unless approved by Envirotech, Inc.



DJR Operating, LLC	Project Name:	Jicarilla 122-2	Reported: 10/15/19 14:34
1 Rd 3263	Project Number:	17035-0129	
Aztec NM, 87410	Project Manager:	Felipe Aragon	

Nonhalogenated Organics by 8015 - DRO/ORO - Quality Control

Envirotech Analytical Laboratory

Analyte	Result	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Notes
---------	--------	-----------------	-------	-------------	---------------	------	-------------	-----	-----------	-------

Batch 1941026 - DRO Extraction EPA 3570

Blank (1941026-BLK1)

Prepared: 10/09/19 0 Analyzed: 10/09/19 1

Diesel Range Organics (C10-C28)	ND	25.0	mg/kg							
Oil Range Organics (C28-C40)	ND	50.0	"							
Surrogate: n-Nonane	58.4		"	50.0		117	50-200			

LCS (1941026-BS1)

Prepared: 10/09/19 0 Analyzed: 10/09/19 1

Diesel Range Organics (C10-C28)	537	25.0	mg/kg	500		107	38-132			
Surrogate: n-Nonane	60.1		"	50.0		120	50-200			

Matrix Spike (1941026-MS1)

Source: P910028-01

Prepared: 10/09/19 0 Analyzed: 10/09/19 1

Diesel Range Organics (C10-C28)	767	25.0	mg/kg	500	220	109	38-132			
Surrogate: n-Nonane	58.8		"	50.0		118	50-200			

Matrix Spike Dup (1941026-MSD1)

Source: P910028-01

Prepared: 10/09/19 0 Analyzed: 10/09/19 1

Diesel Range Organics (C10-C28)	777	25.0	mg/kg	500	220	112	38-132	1.33	20	
Surrogate: n-Nonane	58.6		"	50.0		117	50-200			

Partial or incomplete reproduction of this report is prohibited, unless approved by Envirotech, Inc.



DJR Operating, LLC	Project Name:	Jicarilla 122-2	Reported: 10/15/19 14:34
1 Rd 3263	Project Number:	17035-0129	
Aztec NM, 87410	Project Manager:	Felipe Aragon	

Nonhalogenated Organics by 8015 - GRO - Quality Control

Envirotech Analytical Laboratory

Analyte	Result	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Notes
---------	--------	-----------------	-------	-------------	---------------	------	-------------	-----	-----------	-------

Batch 1941027 - Purge and Trap EPA 5030A

Blank (1941027-BLK1)

Prepared: 10/09/19 1 Analyzed: 10/11/19 0

Gasoline Range Organics (C6-C10)	ND	20.0	mg/kg							
Surrogate: 1-Chloro-4-fluorobenzene-FID	7.07		"	8.00		88.4	50-150			

LCS (1941027-BS2)

Prepared: 10/09/19 1 Analyzed: 10/11/19 1

Gasoline Range Organics (C6-C10)	43.9	20.0	mg/kg	50.0		87.7	70-130			
Surrogate: 1-Chloro-4-fluorobenzene-FID	7.06		"	8.00		88.3	50-150			

Matrix Spike (1941027-MS2)

Source: P910027-01

Prepared: 10/09/19 1 Analyzed: 10/11/19 1

Gasoline Range Organics (C6-C10)	46.5	20.0	mg/kg	50.0	ND	93.0	70-130			
Surrogate: 1-Chloro-4-fluorobenzene-FID	7.07		"	8.00		88.4	50-150			

Matrix Spike Dup (1941027-MSD2)

Source: P910027-01

Prepared: 10/09/19 1 Analyzed: 10/11/19 1

Gasoline Range Organics (C6-C10)	46.2	20.0	mg/kg	50.0	ND	92.3	70-130	0.734	20	
Surrogate: 1-Chloro-4-fluorobenzene-FID	7.02		"	8.00		87.8	50-150			

Partial or incomplete reproduction of this report is prohibited, unless approved by Envirotech, Inc.



DJR Operating, LLC	Project Name:	Jicarilla 122-2	Reported: 10/15/19 14:34
1 Rd 3263	Project Number:	17035-0129	
Aztec NM, 87410	Project Manager:	Felipe Aragon	

Anions by 300.0/9056A - Quality Control**Envirotech Analytical Laboratory**

Analyte	Result	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Notes
---------	--------	-----------------	-------	-------------	---------------	------	-------------	-----	-----------	-------

Batch 1941028 - Anion Extraction EPA 300.0/9056A**Blank (1941028-BLK1)**

Prepared & Analyzed: 10/09/19 1

Chloride	ND	20.0	mg/kg
----------	----	------	-------

LCS (1941028-BS1)

Prepared & Analyzed: 10/09/19 1

Chloride	256	20.0	mg/kg	250	102	90-110
----------	-----	------	-------	-----	-----	--------

Matrix Spike (1941028-MS1)**Source: P910027-01**

Prepared & Analyzed: 10/09/19 1

Chloride	295	20.0	mg/kg	250	36.3	103	80-120
----------	-----	------	-------	-----	------	-----	--------

Matrix Spike Dup (1941028-MSD1)**Source: P910027-01**

Prepared & Analyzed: 10/09/19 1

Chloride	293	20.0	mg/kg	250	36.3	103	80-120	0.677	20
----------	-----	------	-------	-----	------	-----	--------	-------	----

QC Summary Report**Comment:**

Calculations are based off of the raw (non-rounded) data. However, for reporting purposes all QC data is rounded to three significant figures. Therefore, hand calculated values may differ slightly.

Partial or incomplete reproduction of this report is prohibited, unless approved by Envirotech, Inc.



DJR Operating, LLC
1 Rd 3263
Aztec NM, 87410

Project Name: Jicarilla 122-2
Project Number: 17035-0129
Project Manager: Felipe Aragon

Reported:
10/15/19 14:34

Notes and Definitions

ND Analyte NOT DETECTED at or above the reporting limit

NR Not Reported

RPD Relative Percent Difference

** Methods marked with ** are non-accredited methods.

Soil data is reported on an "as received" weight basis, unless reported otherwise.

Partial or incomplete reproduction of this report is prohibited, unless approved by Envirotech, Inc.

Project Information

Chain of Custody

Page 1 of 1

Client: DJR LLC		Report Attention		Lab Use Only		TAT		EPA Program							
Project: Jicarilla 122-2		Report due by:		Lab WO#		Job Number		1D	3D	RCRA	CWA	SDWA			
Project Manager: F.Aragon		Email:		P910027		17035-0129									
Address:		Address:		Analysis and Method								State			
City, State, Zip		City, State, Zip										NM	CO	UT	AZ
Phone:		Phone:										X			
Email: Gcrabtree Dcarter Faragon															

Time Sampled	Date Sampled	Matrix	No Containers	Sample ID	Lab Number	8015	ORO	8021	Cl-											Remarks
9:57	10/8/2019	S	2	BGT Sample	1	X	X	X	X											2.4 oz Jars, Cool

Additional Instructions:

I, (field sampler), attest to the validity and authenticity of this sample. I am aware that tampering with or intentionally mislabelling the sample location, date or time of collection is considered fraud and may be grounds for legal action. Sampled by: Damon Carter

visice in cooler
Samples requiring thermal preservation must be received on ice the day they are sampled or received packed in ice at an avg temp above 0 but less than 6°C on subsequent days.

Relinquished by: (Signature) <i>Damon Carter</i>	Date 10/8/19	Time 13:58	Received by: (Signature) <i>Damon Carter</i>	Date 10/8/19	Time 13:58	Lab Use Only
Relinquished by: (Signature)	Date	Time	Received by: (Signature)	Date	Time	Received on ice: <input checked="" type="checkbox"/> Y / <input type="checkbox"/> N
						T1 AVG Temp °C <u>4</u>
						T2 T3

Sample Matrix: S - Soil, Sd - Solid, Sg - Sludge, A - Aqueous, O - Other

Container Type: g - glass, p - poly/plastic, ag - amber glass, v - VOA

Note: Samples are discarded 30 days after results are reported unless other arrangements are made. Hazardous samples will be returned to client or disposed of at the client expense. The report for the analysis of the above samples is applicable only to those samples received by the laboratory with this COC. The liability of the laboraotry is limited to the amount paid for on the report.



Analytical Report

Report Summary

Client: DJR Operating, LLC

Samples Received: 11/4/2019

Job Number: 17035-0132

Work Order: P911010

Project Name/Location: Jicarilla 122-2

Confirmation Samples

Report Reviewed By:

A handwritten signature in black ink, appearing to read 'Walter Hinchman', is written over a light blue rectangular background.

Date: 11/11/19

Walter Hinchman, Laboratory Director



Envirotech Inc. certifies the test results meet all requirements of TNI unless footnoted otherwise.
Statement of Data Authenticity: Envirotech, Inc. attests the data reported has not been altered in any way.
Partial or incomplete reproduction of this report is prohibited, unless approved by Envirotech, Inc.
Envirotech, Inc. holds the Utah TNI certification NM009792018-1 for the data reported.
Envirotech, Inc. holds the Texas TNI certification T104704557-19-2 for the data reported.



DJR Operating, LLC
1 Rd 3263
Aztec NM, 87410

Project Name: Jicarilla 122-2 Confirmation Samples
Project Number: 17035-0132
Project Manager: Felipe Aragon

Reported:
11/11/19 17:28

Analytical Report for Samples

Client Sample ID	Lab Sample ID	Matrix	Sampled	Received	Container
Base	P911010-01A	Soil	11/04/19	11/04/19	Glass Jar, 4 oz.
	P911010-01B	Soil	11/04/19	11/04/19	Glass Jar, 4 oz.
North Wall	P911010-02A	Soil	11/04/19	11/04/19	Glass Jar, 4 oz.
	P911010-02B	Soil	11/04/19	11/04/19	Glass Jar, 4 oz.
West Wall	P911010-03A	Soil	11/04/19	11/04/19	Glass Jar, 4 oz.
	P911010-03B	Soil	11/04/19	11/04/19	Glass Jar, 4 oz.
South Wall	P911010-04A	Soil	11/04/19	11/04/19	Glass Jar, 4 oz.
	P911010-04B	Soil	11/04/19	11/04/19	Glass Jar, 4 oz.
East Wall	P911010-05A	Soil	11/04/19	11/04/19	Glass Jar, 4 oz.
	P911010-05B	Soil	11/04/19	11/04/19	Glass Jar, 4 oz.

Partial or incomplete reproduction of this report is prohibited, unless approved by Envirotech, Inc.



DJR Operating, LLC	Project Name:	Jicarilla 122-2 Confirmation Samples	Reported: 11/11/19 17:28
1 Rd 3263	Project Number:	17035-0132	
Aztec NM, 87410	Project Manager:	Felipe Aragon	

Base
P911010-01 (Solid)

Reporting									
Analyte	Result	Limit	Units	Dilution	Batch	Prepared	Analyzed	Method	Notes

Volatile Organics by EPA 8021

Benzene	ND	0.0250	mg/kg	1	1945025	11/06/19	11/07/19	EPA 8021B	
Toluene	ND	0.0250	mg/kg	1	1945025	11/06/19	11/07/19	EPA 8021B	
Ethylbenzene	ND	0.0250	mg/kg	1	1945025	11/06/19	11/07/19	EPA 8021B	
p,m-Xylene	ND	0.0500	mg/kg	1	1945025	11/06/19	11/07/19	EPA 8021B	
o-Xylene	ND	0.0250	mg/kg	1	1945025	11/06/19	11/07/19	EPA 8021B	
Total Xylenes	ND	0.0250	mg/kg	1	1945025	11/06/19	11/07/19	EPA 8021B	
<i>Surrogate: 4-Bromochlorobenzene-PID</i>		108 %		50-150	1945025	11/06/19	11/07/19	EPA 8021B	

Nonhalogenated Organics by 8015 - DRO/ORO

Diesel Range Organics (C10-C28)	2260	250	mg/kg	10	1945026	11/06/19	11/11/19	EPA 8015D	
Oil Range Organics (C28-C40)	ND	500	mg/kg	10	1945026	11/06/19	11/11/19	EPA 8015D	
<i>Surrogate: n-Nonane</i>		98.9 %		50-200	1945026	11/06/19	11/11/19	EPA 8015D	

Nonhalogenated Organics by 8015 - GRO

Gasoline Range Organics (C6-C10)	ND	20.0	mg/kg	1	1945025	11/06/19	11/07/19	EPA 8015D	
<i>Surrogate: 1-Chloro-4-fluorobenzene-FID</i>		96.8 %		50-150	1945025	11/06/19	11/07/19	EPA 8015D	

Anions by 300.0/9056A

Chloride	560	100	mg/kg	5	1945022	11/07/19	11/07/19	EPA 300.0/9056A	
----------	-----	-----	-------	---	---------	----------	----------	--------------------	--

Partial or incomplete reproduction of this report is prohibited, unless approved by Envirotech, Inc.



DJR Operating, LLC	Project Name:	Jicarilla 122-2 Confirmation Samples	Reported: 11/11/19 17:28
1 Rd 3263	Project Number:	17035-0132	
Aztec NM, 87410	Project Manager:	Felipe Aragon	

North Wall
P911010-02 (Solid)

Reporting									
Analyte	Result	Limit	Units	Dilution	Batch	Prepared	Analyzed	Method	Notes

Volatile Organics by EPA 8021

Benzene	ND	0.0250	mg/kg	1	1945025	11/06/19	11/07/19	EPA 8021B	
Toluene	ND	0.0250	mg/kg	1	1945025	11/06/19	11/07/19	EPA 8021B	
Ethylbenzene	ND	0.0250	mg/kg	1	1945025	11/06/19	11/07/19	EPA 8021B	
p,m-Xylene	ND	0.0500	mg/kg	1	1945025	11/06/19	11/07/19	EPA 8021B	
o-Xylene	ND	0.0250	mg/kg	1	1945025	11/06/19	11/07/19	EPA 8021B	
Total Xylenes	ND	0.0250	mg/kg	1	1945025	11/06/19	11/07/19	EPA 8021B	
<i>Surrogate: 4-Bromochlorobenzene-PID</i>		102 %		50-150	1945025	11/06/19	11/07/19	EPA 8021B	

Nonhalogenated Organics by 8015 - DRO/ORO

Diesel Range Organics (C10-C28)	18000	1250	mg/kg	50	1945026	11/06/19	11/11/19	EPA 8015D	
Oil Range Organics (C28-C40)	12000	2500	mg/kg	50	1945026	11/06/19	11/11/19	EPA 8015D	
<i>Surrogate: n-Nonane</i>		110 %		50-200	1945026	11/06/19	11/11/19	EPA 8015D	

Nonhalogenated Organics by 8015 - GRO

Gasoline Range Organics (C6-C10)	ND	20.0	mg/kg	1	1945025	11/06/19	11/07/19	EPA 8015D	
<i>Surrogate: 1-Chloro-4-fluorobenzene-FID</i>		95.2 %		50-150	1945025	11/06/19	11/07/19	EPA 8015D	

Anions by 300.0/9056A

Chloride	600	100	mg/kg	5	1945022	11/07/19	11/07/19	EPA 300.0/9056A	
----------	-----	-----	-------	---	---------	----------	----------	--------------------	--

Partial or incomplete reproduction of this report is prohibited, unless approved by Envirotech, Inc.



DJR Operating, LLC	Project Name:	Jicarilla 122-2 Confirmation Samples	Reported: 11/11/19 17:28
1 Rd 3263	Project Number:	17035-0132	
Aztec NM, 87410	Project Manager:	Felipe Aragon	

**West Wall
P911010-03 (Solid)**

Reporting									
Analyte	Result	Limit	Units	Dilution	Batch	Prepared	Analyzed	Method	Notes

Volatile Organics by EPA 8021

Benzene	ND	0.0250	mg/kg	1	1945025	11/06/19	11/07/19	EPA 8021B	
Toluene	ND	0.0250	mg/kg	1	1945025	11/06/19	11/07/19	EPA 8021B	
Ethylbenzene	ND	0.0250	mg/kg	1	1945025	11/06/19	11/07/19	EPA 8021B	
p,m-Xylene	ND	0.0500	mg/kg	1	1945025	11/06/19	11/07/19	EPA 8021B	
o-Xylene	ND	0.0250	mg/kg	1	1945025	11/06/19	11/07/19	EPA 8021B	
Total Xylenes	ND	0.0250	mg/kg	1	1945025	11/06/19	11/07/19	EPA 8021B	
<i>Surrogate: 4-Bromochlorobenzene-PID</i>		104 %		50-150	1945025	11/06/19	11/07/19	EPA 8021B	

Nonhalogenated Organics by 8015 - DRO/ORO

Diesel Range Organics (C10-C28)	11800	2500	mg/kg	100	1945026	11/06/19	11/11/19	EPA 8015D	
Oil Range Organics (C28-C40)	6430	5000	mg/kg	100	1945026	11/06/19	11/11/19	EPA 8015D	
<i>Surrogate: n-Nonane</i>		%		50-200	1945026	11/06/19	11/11/19	EPA 8015D	S4

Nonhalogenated Organics by 8015 - GRO

Gasoline Range Organics (C6-C10)	ND	20.0	mg/kg	1	1945025	11/06/19	11/07/19	EPA 8015D	
<i>Surrogate: 1-Chloro-4-fluorobenzene-FID</i>		95.7 %		50-150	1945025	11/06/19	11/07/19	EPA 8015D	

Anions by 300.0/9056A

Chloride	242	100	mg/kg	5	1945022	11/07/19	11/07/19	EPA 300.0/9056A	
----------	-----	-----	-------	---	---------	----------	----------	--------------------	--

Partial or incomplete reproduction of this report is prohibited, unless approved by Envirotech, Inc.



DJR Operating, LLC	Project Name:	Jicarilla 122-2 Confirmation Samples	Reported: 11/11/19 17:28
1 Rd 3263	Project Number:	17035-0132	
Aztec NM, 87410	Project Manager:	Felipe Aragon	

South Wall
P911010-04 (Solid)

Reporting									
Analyte	Result	Limit	Units	Dilution	Batch	Prepared	Analyzed	Method	Notes

Volatile Organics by EPA 8021

Benzene	ND	0.0250	mg/kg	1	1945025	11/06/19	11/07/19	EPA 8021B	
Toluene	ND	0.0250	mg/kg	1	1945025	11/06/19	11/07/19	EPA 8021B	
Ethylbenzene	ND	0.0250	mg/kg	1	1945025	11/06/19	11/07/19	EPA 8021B	
p,m-Xylene	ND	0.0500	mg/kg	1	1945025	11/06/19	11/07/19	EPA 8021B	
o-Xylene	ND	0.0250	mg/kg	1	1945025	11/06/19	11/07/19	EPA 8021B	
Total Xylenes	ND	0.0250	mg/kg	1	1945025	11/06/19	11/07/19	EPA 8021B	
<i>Surrogate: 4-Bromochlorobenzene-PID</i>		107 %		50-150	1945025	11/06/19	11/07/19	EPA 8021B	

Nonhalogenated Organics by 8015 - DRO/ORO

Diesel Range Organics (C10-C28)	2470	250	mg/kg	10	1945026	11/06/19	11/11/19	EPA 8015D	
Oil Range Organics (C28-C40)	2900	500	mg/kg	10	1945026	11/06/19	11/11/19	EPA 8015D	
<i>Surrogate: n-Nonane</i>		140 %		50-200	1945026	11/06/19	11/11/19	EPA 8015D	

Nonhalogenated Organics by 8015 - GRO

Gasoline Range Organics (C6-C10)	ND	20.0	mg/kg	1	1945025	11/06/19	11/07/19	EPA 8015D	
<i>Surrogate: 1-Chloro-4-fluorobenzene-FID</i>		95.2 %		50-150	1945025	11/06/19	11/07/19	EPA 8015D	

Anions by 300.0/9056A

Chloride	805	100	mg/kg	5	1945022	11/07/19	11/07/19	EPA 300.0/9056A	
----------	-----	-----	-------	---	---------	----------	----------	--------------------	--

Partial or incomplete reproduction of this report is prohibited, unless approved by Envirotech, Inc.



DJR Operating, LLC	Project Name:	Jicarilla 122-2 Confirmation Samples	Reported: 11/11/19 17:28
1 Rd 3263	Project Number:	17035-0132	
Aztec NM, 87410	Project Manager:	Felipe Aragon	

East Wall
P911010-05 (Solid)

Reporting									
Analyte	Result	Limit	Units	Dilution	Batch	Prepared	Analyzed	Method	Notes

Volatile Organics by EPA 8021

Benzene	ND	0.0250	mg/kg	1	1945025	11/06/19	11/07/19	EPA 8021B	
Toluene	ND	0.0250	mg/kg	1	1945025	11/06/19	11/07/19	EPA 8021B	
Ethylbenzene	ND	0.0250	mg/kg	1	1945025	11/06/19	11/07/19	EPA 8021B	
p,m-Xylene	ND	0.0500	mg/kg	1	1945025	11/06/19	11/07/19	EPA 8021B	
o-Xylene	ND	0.0250	mg/kg	1	1945025	11/06/19	11/07/19	EPA 8021B	
Total Xylenes	ND	0.0250	mg/kg	1	1945025	11/06/19	11/07/19	EPA 8021B	
<i>Surrogate: 4-Bromochlorobenzene-PID</i>		105 %		50-150	1945025	11/06/19	11/07/19	EPA 8021B	

Nonhalogenated Organics by 8015 - DRO/ORO

Diesel Range Organics (C10-C28)	8650	2500	mg/kg	100	1945026	11/06/19	11/11/19	EPA 8015D	
Oil Range Organics (C28-C40)	13200	5000	mg/kg	100	1945026	11/06/19	11/11/19	EPA 8015D	
<i>Surrogate: n-Nonane</i>		%		50-200	1945026	11/06/19	11/11/19	EPA 8015D	S4

Nonhalogenated Organics by 8015 - GRO

Gasoline Range Organics (C6-C10)	ND	20.0	mg/kg	1	1945025	11/06/19	11/07/19	EPA 8015D	
<i>Surrogate: 1-Chloro-4-fluorobenzene-FID</i>		94.4 %		50-150	1945025	11/06/19	11/07/19	EPA 8015D	

Anions by 300.0/9056A

Chloride	1710	100	mg/kg	5	1945022	11/07/19	11/07/19	EPA 300.0/9056A	
----------	------	-----	-------	---	---------	----------	----------	--------------------	--

Partial or incomplete reproduction of this report is prohibited, unless approved by Envirotech, Inc.



DJR Operating, LLC	Project Name:	Jicarilla 122-2 Confirmation Samples	Reported: 11/11/19 17:28
1 Rd 3263	Project Number:	17035-0132	
Aztec NM, 87410	Project Manager:	Felipe Aragon	

Volatile Organics by EPA 8021 - Quality Control**Envirotech Analytical Laboratory**

Analyte	Result	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Notes
---------	--------	-----------------	-------	-------------	---------------	------	-------------	-----	-----------	-------

Batch 1945025 - Purge and Trap EPA 5030A**Blank (1945025-BLK1)**

Prepared: 11/06/19 1 Analyzed: 11/06/19 2

Benzene	ND	0.0250	mg/kg							
Toluene	ND	0.0250	"							
Ethylbenzene	ND	0.0250	"							
p,m-Xylene	ND	0.0500	"							
o-Xylene	ND	0.0250	"							
Total Xylenes	ND	0.0250	"							
Surrogate: 4-Bromochlorobenzene-PID	8.52		"	8.00		107	50-150			

LCS (1945025-BS1)

Prepared: 11/06/19 1 Analyzed: 11/06/19 2

Benzene	4.67	0.0250	mg/kg	5.00		93.3	70-130			
Toluene	4.61	0.0250	"	5.00		92.3	70-130			
Ethylbenzene	4.58	0.0250	"	5.00		91.6	70-130			
p,m-Xylene	9.14	0.0500	"	10.0		91.4	70-130			
o-Xylene	4.60	0.0250	"	5.00		92.0	70-130			
Total Xylenes	13.7	0.0250	"	15.0		91.6	70-130			
Surrogate: 4-Bromochlorobenzene-PID	8.67		"	8.00		108	50-150			

Matrix Spike (1945025-MS1)

Source: P911010-01

Prepared: 11/06/19 1 Analyzed: 11/07/19 0

Benzene	4.67	0.0250	mg/kg	5.00	ND	93.4	54.3-133			
Toluene	4.62	0.0250	"	5.00	ND	92.4	61.4-130			
Ethylbenzene	4.60	0.0250	"	5.00	ND	92.0	61.4-133			
p,m-Xylene	9.19	0.0500	"	10.0	ND	91.9	63.3-131			
o-Xylene	4.61	0.0250	"	5.00	ND	92.2	63.3-131			
Total Xylenes	13.8	0.0250	"	15.0	ND	92.0	63.3-131			
Surrogate: 4-Bromochlorobenzene-PID	8.63		"	8.00		108	50-150			

Matrix Spike Dup (1945025-MSD1)

Source: P911010-01

Prepared: 11/06/19 1 Analyzed: 11/07/19 0

Benzene	4.58	0.0250	mg/kg	5.00	ND	91.7	54.3-133	1.86	20	
Toluene	4.54	0.0250	"	5.00	ND	90.8	61.4-130	1.68	20	
Ethylbenzene	4.52	0.0250	"	5.00	ND	90.4	61.4-133	1.70	20	
p,m-Xylene	9.05	0.0500	"	10.0	ND	90.5	63.3-131	1.55	20	
o-Xylene	4.55	0.0250	"	5.00	ND	91.0	63.3-131	1.29	20	
Total Xylenes	13.6	0.0250	"	15.0	ND	90.7	63.3-131	1.46	20	
Surrogate: 4-Bromochlorobenzene-PID	8.92		"	8.00		111	50-150			

Partial or incomplete reproduction of this report is prohibited, unless approved by Envirotech, Inc.



DJR Operating, LLC	Project Name:	Jicarilla 122-2 Confirmation Samples	Reported: 11/11/19 17:28
1 Rd 3263	Project Number:	17035-0132	
Aztec NM, 87410	Project Manager:	Felipe Aragon	

Nonhalogenated Organics by 8015 - DRO/ORO - Quality Control

Envirotech Analytical Laboratory

Analyte	Result	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Notes
---------	--------	-----------------	-------	-------------	---------------	------	-------------	-----	-----------	-------

Batch 1945026 - DRO Extraction EPA 3570

Blank (1945026-BLK1)

Prepared: 11/06/19 1 Analyzed: 11/11/19 1

Diesel Range Organics (C10-C28)	ND	25.0	mg/kg							
Oil Range Organics (C28-C40)	ND	50.0	"							
Surrogate: n-Nonane	65.3		"	50.0		131	50-200			

LCS (1945026-BS1)

Prepared: 11/06/19 1 Analyzed: 11/11/19 1

Diesel Range Organics (C10-C28)	488	25.0	mg/kg	500		97.5	38-132			
Surrogate: n-Nonane	49.9		"	50.0		99.7	50-200			

Matrix Spike (1945026-MS1)

Source: P911010-01

Prepared: 11/06/19 1 Analyzed: 11/11/19 1

Diesel Range Organics (C10-C28)	2670	250	mg/kg	500	2260	81.9	38-132			
Surrogate: n-Nonane	48.4		"	50.0		96.9	50-200			

Matrix Spike Dup (1945026-MSD1)

Source: P911010-01

Prepared: 11/06/19 1 Analyzed: 11/11/19 1

Diesel Range Organics (C10-C28)	2580	250	mg/kg	500	2260	62.9	38-132	3.63	20	
Surrogate: n-Nonane	45.8		"	50.0		91.5	50-200			

Partial or incomplete reproduction of this report is prohibited, unless approved by Envirotech, Inc.



DJR Operating, LLC	Project Name:	Jicarilla 122-2 Confirmation Samples	Reported: 11/11/19 17:28
1 Rd 3263	Project Number:	17035-0132	
Aztec NM, 87410	Project Manager:	Felipe Aragon	

Nonhalogenated Organics by 8015 - GRO - Quality Control

Envirotech Analytical Laboratory

Analyte	Result	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Notes
---------	--------	-----------------	-------	-------------	---------------	------	-------------	-----	-----------	-------

Batch 1945025 - Purge and Trap EPA 5030A

Blank (1945025-BLK1)

Prepared: 11/06/19 1 Analyzed: 11/06/19 2

Gasoline Range Organics (C6-C10)	ND	20.0	mg/kg							
Surrogate: 1-Chloro-4-fluorobenzene-FID	7.68		"	8.00		96.0	50-150			

LCS (1945025-BS2)

Prepared: 11/06/19 1 Analyzed: 11/07/19 0

Gasoline Range Organics (C6-C10)	59.4	20.0	mg/kg	50.0		119	70-130			
Surrogate: 1-Chloro-4-fluorobenzene-FID	7.76		"	8.00		97.0	50-150			

Matrix Spike (1945025-MS2)

Source: P911010-01

Prepared: 11/06/19 1 Analyzed: 11/07/19 0

Gasoline Range Organics (C6-C10)	60.3	20.0	mg/kg	50.0	ND	121	70-130			
Surrogate: 1-Chloro-4-fluorobenzene-FID	7.70		"	8.00		96.2	50-150			

Matrix Spike Dup (1945025-MSD2)

Source: P911010-01

Prepared: 11/06/19 1 Analyzed: 11/07/19 0

Gasoline Range Organics (C6-C10)	61.3	20.0	mg/kg	50.0	ND	123	70-130	1.50	20	
Surrogate: 1-Chloro-4-fluorobenzene-FID	7.71		"	8.00		96.4	50-150			

Partial or incomplete reproduction of this report is prohibited, unless approved by Envirotech, Inc.



DJR Operating, LLC	Project Name:	Jicarilla 122-2 Confirmation Samples	Reported: 11/11/19 17:28
1 Rd 3263	Project Number:	17035-0132	
Aztec NM, 87410	Project Manager:	Felipe Aragon	

Anions by 300.0/9056A - Quality Control**Envirotech Analytical Laboratory**

Analyte	Result	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Notes
---------	--------	-----------------	-------	-------------	---------------	------	-------------	-----	-----------	-------

Batch 1945022 - Anion Extraction EPA 300.0/9056A**Blank (1945022-BLK1)**

Prepared: 11/06/19 0 Analyzed: 11/06/19 1

Chloride	ND	20.0	mg/kg							
----------	----	------	-------	--	--	--	--	--	--	--

LCS (1945022-BS1)

Prepared: 11/06/19 0 Analyzed: 11/06/19 1

Chloride	252	20.0	mg/kg	250		101	90-110			
----------	-----	------	-------	-----	--	-----	--------	--	--	--

Matrix Spike (1945022-MS1)**Source: P911013-01**

Prepared: 11/06/19 0 Analyzed: 11/06/19 1

Chloride	990	40.0	mg/kg	250	717	109	80-120			
----------	-----	------	-------	-----	-----	-----	--------	--	--	--

Matrix Spike Dup (1945022-MSD1)**Source: P911013-01**

Prepared: 11/06/19 0 Analyzed: 11/06/19 1

Chloride	946	40.0	mg/kg	250	717	91.8	80-120	4.51	20	
----------	-----	------	-------	-----	-----	------	--------	------	----	--

QC Summary Report**Comment:**

Calculations are based off of the raw (non-rounded) data. However, for reporting purposes all QC data is rounded to three significant figures. Therefore, hand calculated values may differ slightly.

Partial or incomplete reproduction of this report is prohibited, unless approved by Envirotech, Inc.



DJR Operating, LLC
1 Rd 3263
Aztec NM, 87410

Project Name: Jicarilla 122-2 Confirmation Samples
Project Number: 17035-0132
Project Manager: Felipe Aragon

Reported:
11/11/19 17:28

Notes and Definitions

- S4 Surrogate was diluted out due to high concentrations of target and/or non-target analytes and does not provide useful information. The associated LCS spike recovery was acceptable.
- ND Analyte NOT DETECTED at or above the reporting limit
- NR Not Reported
- RPD Relative Percent Difference
- ** Methods marked with ** are non-accredited methods.
- Soil data is reported on an "as received" weight basis, unless reported otherwise.

Partial or incomplete reproduction of this report is prohibited, unless approved by Envirotech, Inc.

Project Information

Chain of Custody

Page 1 of 1Client: DJR LLCProject: Jicarilla 122-2 Confirmation SamplesProject Manager: F.Aragon

Address: _____

City, State, Zip _____

Phone: _____

Email: Gcrabtree Dcarter Faragon

Report Attention

Report due by: _____

Email: _____

Address: _____

City, State, Zip _____

Phone: _____

Lab Use Only

TAT

EPA Program

Lab WO#

P911010

Job Number

17035-0132

1D

3D

RCRA

CWA

SDWA

Analysis and Method

State

NM

CO

UT

AZ

X

Remarks

24 oz Jars, Cool

Time Sampled	Date Sampled	Matrix	No Containers	Sample ID	Lab Number	8015	ORO	8021	C-										
14:02	11/4/2019	S	2	Base	1	X	X	X	X										
14:12	11/4/19	S	2	North wall	2														
14:20	11/4/19	S	2	West wall	3														
14:25	11/4/19	S	2	South wall	4														
14:30	11/4/19	S	2	East wall	5														

Additional Instructions:

I, (field sampler), attest to the validity and authenticity of this sample. I am aware that tampering with or intentionally mislabelling the sample location, date or time of collection is considered fraud and may be grounds for legal action. Sampled by: Damon Carter

Samples requiring thermal preservation must be received on ice the day they are sampled or received packed in ice at an avg temp above 0 but less than 6°C on subsequent days.

Relinquished by: (Signature)

Date

Time

Received by: (Signature)

Date

Time

Lab Use Only

Received on ice: Y / N

Relinquished by: (Signature)

Date

Time

Received by: (Signature)

Date

Time

T1 _____ T2 _____ T3 _____

AVG Temp °C 4

Sample Matrix: S - Soil, Sd - Solid, Sg - Sludge, A - Aqueous, O - Other _____

Container Type: g - glass, p - poly/plastic, ag - amber glass, v - VOA

Note: Samples are discarded 30 days after results are reported unless other arrangements are made. Hazardous samples will be returned to client or disposed of at the client expense. The report for the analysis of the above samples is applicable only to those samples received by the laboratory with this COC. The liability of the laboratory is limited to the amount paid for on the report.



Analytical Report

Report Summary

Client: DJR Operating, LLC

Samples Received: 3/25/2020

Job Number: 17035-0129

Work Order: P003122

Project Name/Location: Jicarilla 122-2

Report Reviewed By:

A handwritten signature in black ink, appearing to read 'Walter Hinchman', is placed over a light blue rectangular background.

Date: 3/30/20

Walter Hinchman, Laboratory Director



Envirotech Inc. certifies the test results meet all requirements of TNI unless footnoted otherwise.
Statement of Data Authenticity: Envirotech, Inc, attests the data reported has not been altered in any way.
Partial or incomplete reproduction of this report is prohibited, unless approved by Envirotech, Inc.
Envirotech, Inc, holds the Utah TNI certification NM009792018-1 for the data reported.
Envirotech, Inc, holds the Texas TNI certification T104704557-19-2 for the data reported.



DJR Operating, LLC
1 Rd 3263
Aztec NM, 87410

Project Name: Jicarilla 122-2
Project Number: 17035-0129
Project Manager: Felipe Aragon

Reported:
03/30/20 12:27

Analytical Report for Samples

Client Sample ID	Lab Sample ID	Matrix	Sampled	Received	Container
West Wall	P003122-01A	Soil	03/25/20	03/25/20	Glass Jar, 4 oz.
	P003122-01B	Soil	03/25/20	03/25/20	Glass Jar, 4 oz.
North Wall	P003122-02A	Soil	03/25/20	03/25/20	Glass Jar, 4 oz.
	P003122-02B	Soil	03/25/20	03/25/20	Glass Jar, 4 oz.
East Wall	P003122-03A	Soil	03/25/20	03/25/20	Glass Jar, 4 oz.
	P003122-03B	Soil	03/25/20	03/25/20	Glass Jar, 4 oz.
Base	P003122-04A	Soil	03/25/20	03/25/20	Glass Jar, 4 oz.
	P003122-04B	Soil	03/25/20	03/25/20	Glass Jar, 4 oz.
South Wall	P003122-05A	Soil	03/25/20	03/25/20	Glass Jar, 4 oz.
	P003122-05B	Soil	03/25/20	03/25/20	Glass Jar, 4 oz.

Partial or incomplete reproduction of this report is prohibited, unless approved by Envirotech, Inc.



DJR Operating, LLC	Project Name:	Jicarilla 122-2	Reported: 03/30/20 12:27
1 Rd 3263	Project Number:	17035-0129	
Aztec NM, 87410	Project Manager:	Felipe Aragon	

West Wall
P003122-01 (Solid)

Reporting									
Analyte	Result	Limit	Units	Dilution	Batch	Prepared	Analyzed	Method	Notes

Volatile Organics by EPA 8021

Benzene	ND	0.0250	mg/kg	1	2013020	03/27/20	03/27/20	EPA 8021B	
Toluene	ND	0.0250	mg/kg	1	2013020	03/27/20	03/27/20	EPA 8021B	
Ethylbenzene	ND	0.0250	mg/kg	1	2013020	03/27/20	03/27/20	EPA 8021B	
p,m-Xylene	ND	0.0500	mg/kg	1	2013020	03/27/20	03/27/20	EPA 8021B	
o-Xylene	ND	0.0250	mg/kg	1	2013020	03/27/20	03/27/20	EPA 8021B	
Total Xylenes	ND	0.0250	mg/kg	1	2013020	03/27/20	03/27/20	EPA 8021B	
<i>Surrogate: 4-Bromochlorobenzene-PID</i>		103 %		50-150	2013020	03/27/20	03/27/20	EPA 8021B	

Nonhalogenated Organics by 8015 - DRO/ORO

Diesel Range Organics (C10-C28)	311	25.0	mg/kg	1	2013004	03/27/20	03/27/20	EPA 8015D	
Oil Range Organics (C28-C40)	210	50.0	mg/kg	1	2013004	03/27/20	03/27/20	EPA 8015D	
<i>Surrogate: n-Nonane</i>		94.7 %		50-200	2013004	03/27/20	03/27/20	EPA 8015D	

Nonhalogenated Organics by 8015 - GRO

Gasoline Range Organics (C6-C10)	ND	20.0	mg/kg	1	2013020	03/27/20	03/27/20	EPA 8015D	
<i>Surrogate: 1-Chloro-4-fluorobenzene-FID</i>		87.9 %		50-150	2013020	03/27/20	03/27/20	EPA 8015D	

Anions by 300.0/9056A

Chloride	532	20.0	mg/kg	1	2013018	03/27/20	03/27/20	EPA 300.0/9056A	
----------	-----	------	-------	---	---------	----------	----------	--------------------	--

Partial or incomplete reproduction of this report is prohibited, unless approved by Envirotech, Inc.



DJR Operating, LLC	Project Name:	Jicarilla 122-2	
1 Rd 3263	Project Number:	17035-0129	Reported:
Aztec NM, 87410	Project Manager:	Felipe Aragon	03/30/20 12:27

North Wall
P003122-02 (Solid)

Reporting									
Analyte	Result	Limit	Units	Dilution	Batch	Prepared	Analyzed	Method	Notes

Volatile Organics by EPA 8021

Benzene	ND	0.0250	mg/kg	1	2013020	03/27/20	03/28/20	EPA 8021B	
Toluene	ND	0.0250	mg/kg	1	2013020	03/27/20	03/28/20	EPA 8021B	
Ethylbenzene	ND	0.0250	mg/kg	1	2013020	03/27/20	03/28/20	EPA 8021B	
p,m-Xylene	ND	0.0500	mg/kg	1	2013020	03/27/20	03/28/20	EPA 8021B	
o-Xylene	ND	0.0250	mg/kg	1	2013020	03/27/20	03/28/20	EPA 8021B	
Total Xylenes	ND	0.0250	mg/kg	1	2013020	03/27/20	03/28/20	EPA 8021B	
<i>Surrogate: 4-Bromochlorobenzene-PID</i>		101 %		50-150	2013020	03/27/20	03/28/20	EPA 8021B	

Nonhalogenated Organics by 8015 - DRO/ORO

Diesel Range Organics (C10-C28)	619	25.0	mg/kg	1	2013004	03/27/20	03/27/20	EPA 8015D	
Oil Range Organics (C28-C40)	228	50.0	mg/kg	1	2013004	03/27/20	03/27/20	EPA 8015D	
<i>Surrogate: n-Nonane</i>		109 %		50-200	2013004	03/27/20	03/27/20	EPA 8015D	

Nonhalogenated Organics by 8015 - GRO

Gasoline Range Organics (C6-C10)	ND	20.0	mg/kg	1	2013020	03/27/20	03/28/20	EPA 8015D	
<i>Surrogate: 1-Chloro-4-fluorobenzene-FID</i>		87.7 %		50-150	2013020	03/27/20	03/28/20	EPA 8015D	

Anions by 300.0/9056A

Chloride	542	20.0	mg/kg	1	2013018	03/27/20	03/27/20	EPA 300.0/9056A	
----------	-----	------	-------	---	---------	----------	----------	--------------------	--

Partial or incomplete reproduction of this report is prohibited, unless approved by Envirotech, Inc.



DJR Operating, LLC	Project Name:	Jicarilla 122-2	
1 Rd 3263	Project Number:	17035-0129	Reported:
Aztec NM, 87410	Project Manager:	Felipe Aragon	03/30/20 12:27

East Wall
P003122-03 (Solid)

Reporting									
Analyte	Result	Limit	Units	Dilution	Batch	Prepared	Analyzed	Method	Notes

Volatile Organics by EPA 8021

Benzene	ND	0.0250	mg/kg	1	2013020	03/27/20	03/28/20	EPA 8021B	
Toluene	ND	0.0250	mg/kg	1	2013020	03/27/20	03/28/20	EPA 8021B	
Ethylbenzene	ND	0.0250	mg/kg	1	2013020	03/27/20	03/28/20	EPA 8021B	
p,m-Xylene	ND	0.0500	mg/kg	1	2013020	03/27/20	03/28/20	EPA 8021B	
o-Xylene	ND	0.0250	mg/kg	1	2013020	03/27/20	03/28/20	EPA 8021B	
Total Xylenes	ND	0.0250	mg/kg	1	2013020	03/27/20	03/28/20	EPA 8021B	
<i>Surrogate: 4-Bromochlorobenzene-PID</i>		<i>102 %</i>		<i>50-150</i>	<i>2013020</i>	<i>03/27/20</i>	<i>03/28/20</i>	<i>EPA 8021B</i>	

Nonhalogenated Organics by 8015 - DRO/ORO

Diesel Range Organics (C10-C28)	848	25.0	mg/kg	1	2013004	03/27/20	03/27/20	EPA 8015D	
Oil Range Organics (C28-C40)	291	50.0	mg/kg	1	2013004	03/27/20	03/27/20	EPA 8015D	
<i>Surrogate: n-Nonane</i>		<i>110 %</i>		<i>50-200</i>	<i>2013004</i>	<i>03/27/20</i>	<i>03/27/20</i>	<i>EPA 8015D</i>	

Nonhalogenated Organics by 8015 - GRO

Gasoline Range Organics (C6-C10)	ND	20.0	mg/kg	1	2013020	03/27/20	03/28/20	EPA 8015D	
<i>Surrogate: 1-Chloro-4-fluorobenzene-FID</i>		<i>86.7 %</i>		<i>50-150</i>	<i>2013020</i>	<i>03/27/20</i>	<i>03/28/20</i>	<i>EPA 8015D</i>	

Anions by 300.0/9056A

Chloride	356	20.0	mg/kg	1	2013018	03/27/20	03/27/20	EPA 300.0/9056A	
----------	------------	------	-------	---	---------	----------	----------	--------------------	--

Partial or incomplete reproduction of this report is prohibited, unless approved by Envirotech, Inc.



DJR Operating, LLC	Project Name:	Jicarilla 122-2	Reported: 03/30/20 12:27
1 Rd 3263	Project Number:	17035-0129	
Aztec NM, 87410	Project Manager:	Felipe Aragon	

Base
P003122-04 (Solid)

Reporting									
Analyte	Result	Limit	Units	Dilution	Batch	Prepared	Analyzed	Method	Notes

Volatile Organics by EPA 8021

Benzene	ND	0.0250	mg/kg	1	2013020	03/27/20	03/28/20	EPA 8021B	
Toluene	ND	0.0250	mg/kg	1	2013020	03/27/20	03/28/20	EPA 8021B	
Ethylbenzene	ND	0.0250	mg/kg	1	2013020	03/27/20	03/28/20	EPA 8021B	
p,m-Xylene	ND	0.0500	mg/kg	1	2013020	03/27/20	03/28/20	EPA 8021B	
o-Xylene	ND	0.0250	mg/kg	1	2013020	03/27/20	03/28/20	EPA 8021B	
Total Xylenes	ND	0.0250	mg/kg	1	2013020	03/27/20	03/28/20	EPA 8021B	
<i>Surrogate: 4-Bromochlorobenzene-PID</i>		102 %		50-150	2013020	03/27/20	03/28/20	EPA 8021B	

Nonhalogenated Organics by 8015 - DRO/ORO

Diesel Range Organics (C10-C28)	1320	25.0	mg/kg	1	2013004	03/27/20	03/27/20	EPA 8015D	
Oil Range Organics (C28-C40)	255	50.0	mg/kg	1	2013004	03/27/20	03/27/20	EPA 8015D	
<i>Surrogate: n-Nonane</i>		93.1 %		50-200	2013004	03/27/20	03/27/20	EPA 8015D	

Nonhalogenated Organics by 8015 - GRO

Gasoline Range Organics (C6-C10)	ND	20.0	mg/kg	1	2013020	03/27/20	03/28/20	EPA 8015D	
<i>Surrogate: 1-Chloro-4-fluorobenzene-FID</i>		86.5 %		50-150	2013020	03/27/20	03/28/20	EPA 8015D	

Anions by 300.0/9056A

Chloride	330	40.0	mg/kg	2	2013018	03/27/20	03/27/20	EPA 300.0/9056A	
----------	-----	------	-------	---	---------	----------	----------	--------------------	--

Partial or incomplete reproduction of this report is prohibited, unless approved by Envirotech, Inc.



DJR Operating, LLC	Project Name:	Jicarilla 122-2	Reported: 03/30/20 12:27
1 Rd 3263	Project Number:	17035-0129	
Aztec NM, 87410	Project Manager:	Felipe Aragon	

South Wall
P003122-05 (Solid)

Reporting									
Analyte	Result	Limit	Units	Dilution	Batch	Prepared	Analyzed	Method	Notes

Volatile Organics by EPA 8021

Benzene	ND	0.0250	mg/kg	1	2013020	03/27/20	03/28/20	EPA 8021B	
Toluene	ND	0.0250	mg/kg	1	2013020	03/27/20	03/28/20	EPA 8021B	
Ethylbenzene	ND	0.0250	mg/kg	1	2013020	03/27/20	03/28/20	EPA 8021B	
p,m-Xylene	ND	0.0500	mg/kg	1	2013020	03/27/20	03/28/20	EPA 8021B	
o-Xylene	ND	0.0250	mg/kg	1	2013020	03/27/20	03/28/20	EPA 8021B	
Total Xylenes	ND	0.0250	mg/kg	1	2013020	03/27/20	03/28/20	EPA 8021B	
<i>Surrogate: 4-Bromochlorobenzene-PID</i>		102 %		50-150	2013020	03/27/20	03/28/20	EPA 8021B	

Nonhalogenated Organics by 8015 - DRO/ORO

Diesel Range Organics (C10-C28)	315	25.0	mg/kg	1	2013004	03/27/20	03/27/20	EPA 8015D	
Oil Range Organics (C28-C40)	150	50.0	mg/kg	1	2013004	03/27/20	03/27/20	EPA 8015D	
<i>Surrogate: n-Nonane</i>		94.0 %		50-200	2013004	03/27/20	03/27/20	EPA 8015D	

Nonhalogenated Organics by 8015 - GRO

Gasoline Range Organics (C6-C10)	ND	20.0	mg/kg	1	2013020	03/27/20	03/28/20	EPA 8015D	
<i>Surrogate: 1-Chloro-4-fluorobenzene-FID</i>		87.3 %		50-150	2013020	03/27/20	03/28/20	EPA 8015D	

Anions by 300.0/9056A

Chloride	688	40.0	mg/kg	2	2013018	03/27/20	03/27/20	EPA 300.0/9056A	
----------	-----	------	-------	---	---------	----------	----------	--------------------	--

Partial or incomplete reproduction of this report is prohibited, unless approved by Envirotech, Inc.



DJR Operating, LLC	Project Name:	Jicarilla 122-2	Reported: 03/30/20 12:27
1 Rd 3263	Project Number:	17035-0129	
Aztec NM, 87410	Project Manager:	Felipe Aragon	

Volatile Organics by EPA 8021 - Quality Control**Envirotech Analytical Laboratory**

Analyte	Result	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Notes
---------	--------	-----------------	-------	-------------	---------------	------	-------------	-----	-----------	-------

Batch 2013020 - Purge and Trap EPA 5030A**Blank (2013020-BLK1)**

Prepared & Analyzed: 03/27/20 1

Benzene	ND	0.0250	mg/kg							
Toluene	ND	0.0250	"							
Ethylbenzene	ND	0.0250	"							
p,m-Xylene	ND	0.0500	"							
o-Xylene	ND	0.0250	"							
Total Xylenes	ND	0.0250	"							
Surrogate: 4-Bromochlorobenzene-PID	8.29		"	8.00		104	50-150			

LCS (2013020-BS1)

Prepared & Analyzed: 03/27/20 1

Benzene	4.98	0.0250	mg/kg	5.00		99.5	70-130			
Toluene	5.12	0.0250	"	5.00		102	70-130			
Ethylbenzene	5.07	0.0250	"	5.00		101	70-130			
p,m-Xylene	10.1	0.0500	"	10.0		101	70-130			
o-Xylene	5.04	0.0250	"	5.00		101	70-130			
Total Xylenes	15.1	0.0250	"	15.0		101	0-200			
Surrogate: 4-Bromochlorobenzene-PID	8.49		"	8.00		106	50-150			

Matrix Spike (2013020-MS1)

Source: P003122-01

Prepared: 03/27/20 1 Analyzed: 03/27/20 2

Benzene	4.72	0.0250	mg/kg	5.00	ND	94.4	54.3-133			
Toluene	4.88	0.0250	"	5.00	ND	97.6	61.4-130			
Ethylbenzene	4.81	0.0250	"	5.00	ND	96.2	61.4-133			
p,m-Xylene	9.54	0.0500	"	10.0	ND	95.4	63.3-131			
o-Xylene	4.74	0.0250	"	5.00	ND	94.8	63.3-131			
Total Xylenes	14.3	0.0250	"	15.0	ND	95.2	0-200			
Surrogate: 4-Bromochlorobenzene-PID	8.39		"	8.00		105	50-150			

Matrix Spike Dup (2013020-MSD1)

Source: P003122-01

Prepared: 03/27/20 1 Analyzed: 03/27/20 2

Benzene	4.86	0.0250	mg/kg	5.00	ND	97.3	54.3-133	3.02	20	
Toluene	4.98	0.0250	"	5.00	ND	99.7	61.4-130	2.10	20	
Ethylbenzene	4.92	0.0250	"	5.00	ND	98.5	61.4-133	2.36	20	
p,m-Xylene	9.76	0.0500	"	10.0	ND	97.6	63.3-131	2.38	20	
o-Xylene	4.88	0.0250	"	5.00	ND	97.7	63.3-131	2.99	20	
Total Xylenes	14.6	0.0250	"	15.0	ND	97.7	0-200	2.58	200	
Surrogate: 4-Bromochlorobenzene-PID	8.37		"	8.00		105	50-150			

Partial or incomplete reproduction of this report is prohibited, unless approved by Envirotech, Inc.



DJR Operating, LLC	Project Name:	Jicarilla 122-2	Reported: 03/30/20 12:27
1 Rd 3263	Project Number:	17035-0129	
Aztec NM, 87410	Project Manager:	Felipe Aragon	

Nonhalogenated Organics by 8015 - DRO/ORO - Quality Control

Envirotech Analytical Laboratory

Analyte	Result	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Notes
---------	--------	-----------------	-------	-------------	---------------	------	-------------	-----	-----------	-------

Batch 2013004 - DRO Extraction EPA 3570

Blank (2013004-BLK1)

Prepared & Analyzed: 03/27/20 0

Diesel Range Organics (C10-C28)	ND	25.0	mg/kg							
Oil Range Organics (C28-C40)	ND	50.0	"							
Surrogate: n-Nonane	53.5		"	50.0		107	50-200			

LCS (2013004-BS1)

Prepared & Analyzed: 03/27/20 0

Diesel Range Organics (C10-C28)	433	25.0	mg/kg	500		86.6	38-132			
Surrogate: n-Nonane	46.9		"	50.0		93.9	50-200			

Matrix Spike (2013004-MS1)

Source: P003122-01

Prepared & Analyzed: 03/27/20 0

Diesel Range Organics (C10-C28)	722	25.0	mg/kg	500	311	82.2	38-132			
Surrogate: n-Nonane	24.8		"	25.0		99.4	50-200			

Matrix Spike Dup (2013004-MSD1)

Source: P003122-01

Prepared: 03/27/20 0 Analyzed: 03/27/20 1

Diesel Range Organics (C10-C28)	719	25.0	mg/kg	500	311	81.5	38-132	0.471	20	
Surrogate: n-Nonane	25.1		"	25.0		101	50-200			

Partial or incomplete reproduction of this report is prohibited, unless approved by Envirotech, Inc.



DJR Operating, LLC	Project Name:	Jicarilla 122-2	Reported: 03/30/20 12:27
1 Rd 3263	Project Number:	17035-0129	
Aztec NM, 87410	Project Manager:	Felipe Aragon	

Nonhalogenated Organics by 8015 - GRO - Quality Control

Envirotech Analytical Laboratory

Analyte	Result	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Notes
---------	--------	-----------------	-------	-------------	---------------	------	-------------	-----	-----------	-------

Batch 2013020 - Purge and Trap EPA 5030A

Blank (2013020-BLK1)

Prepared & Analyzed: 03/27/20 1

Gasoline Range Organics (C6-C10)	ND	20.0	mg/kg							
Surrogate: 1-Chloro-4-fluorobenzene-FID	7.12		"	8.00		89.0	50-150			

LCS (2013020-BS2)

Prepared & Analyzed: 03/27/20 1

Gasoline Range Organics (C6-C10)	46.3	20.0	mg/kg	50.0		92.5	70-130			
Surrogate: 1-Chloro-4-fluorobenzene-FID	7.13		"	8.00		89.1	50-150			

Matrix Spike (2013020-MS2)

Source: P003122-01

Prepared: 03/27/20 1 Analyzed: 03/27/20 2

Gasoline Range Organics (C6-C10)	50.5	20.0	mg/kg	50.0	ND	101	70-130			
Surrogate: 1-Chloro-4-fluorobenzene-FID	7.15		"	8.00		89.4	50-150			

Matrix Spike Dup (2013020-MSD2)

Source: P003122-01

Prepared: 03/27/20 1 Analyzed: 03/27/20 2

Gasoline Range Organics (C6-C10)	49.3	20.0	mg/kg	50.0	ND	98.6	70-130	2.33	20	
Surrogate: 1-Chloro-4-fluorobenzene-FID	7.09		"	8.00		88.7	50-150			

Partial or incomplete reproduction of this report is prohibited, unless approved by Envirotech, Inc.



DJR Operating, LLC	Project Name:	Jicarilla 122-2	Reported: 03/30/20 12:27
1 Rd 3263	Project Number:	17035-0129	
Aztec NM, 87410	Project Manager:	Felipe Aragon	

Anions by 300.0/9056A - Quality Control**Envirotech Analytical Laboratory**

Analyte	Result	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Notes
---------	--------	-----------------	-------	-------------	---------------	------	-------------	-----	-----------	-------

Batch 2013018 - Anion Extraction EPA 300.0/9056A**Blank (2013018-BLK1)**

Prepared & Analyzed: 03/27/20 1

Chloride ND 20.0 mg/kg

LCS (2013018-BS1)

Prepared & Analyzed: 03/27/20 1

Chloride 249 20.0 mg/kg 250 99.4 90-110

Matrix Spike (2013018-MS1)**Source: P003124-01**

Prepared & Analyzed: 03/27/20 1

Chloride 251 20.0 mg/kg 250 ND 101 80-120

Matrix Spike Dup (2013018-MSD1)**Source: P003124-01**

Prepared & Analyzed: 03/27/20 1

Chloride 252 20.0 mg/kg 250 ND 101 80-120 0.314 20

QC Summary Report**Comment:**

Calculations are based off of the raw (non-rounded) data. However, for reporting purposes all QC data is rounded to three significant figures. Therefore, hand calculated values may differ slightly.

Partial or incomplete reproduction of this report is prohibited, unless approved by Envirotech, Inc.



DJR Operating, LLC
1 Rd 3263
Aztec NM, 87410

Project Name: Jicarilla 122-2
Project Number: 17035-0129
Project Manager: Felipe Aragon

Reported:
03/30/20 12:27

Notes and Definitions

ND Analyte NOT DETECTED at or above the reporting limit

NR Not Reported

RPD Relative Percent Difference

** Methods marked with ** are non-accredited methods.


Soil data is reported on an "as received" weight basis, unless reported otherwise.

Partial or incomplete reproduction of this report is prohibited, unless approved by Envirotech, Inc.

Chain of Custody



envirotech
Analytical Laboratory



Google Earth

© 2020 Google

-  300' Radius
-  500' Radius
-  1000' Radius

Jicarilla Apache Tribal 122 2
30-039-22927
UL-P, Section 04, T25N, R04W

Surface Hydrology Map





New Mexico Office of the State Engineer Water Column/Average Depth to Water

(A CLW##### in the POD suffix indicates the POD has been replaced & no longer serves a water right file.)

(R=POD has been replaced,
O=orphaned,

C=the file is closed)

(quarters are 1=NW 2=NE 3=SW 4=SE)

(quarters are smallest to largest) (NAD83 UTM in meters)

(In feet)

POD Number	Code	Sub-basin	County	Q	Q	Q	Sec	Tws	Rng	X	Y	DepthWell	DepthWater	WaterColumn
RG 50845 POD1		MRG	SO	64	16	4	3	26	25N 04W	300247	4026989*	340	135	205

Average Depth to Water: **135 feet**

Minimum Depth: **135 feet**

Maximum Depth: **135 feet**

Record Count: 1

PLSS Search:

Section(s): 4, 5, 8, 9, 10, **Township:** 25N **Range:** 04W
3, 26

*UTM location was derived from PLSS - see Help

The data is furnished by the NMOSE/ISC and is accepted by the recipient with the expressed understanding that the OSE/ISC make no warranties, expressed or implied, concerning the accuracy, completeness, reliability, usability, or suitability for any particular purpose of the data.

6/1/20 1:16 PM

WATER COLUMN/ AVERAGE DEPTH
TO WATER

District I
1625 N. French Dr., Hobbs, NM 88240
Phone:(575) 393-6161 Fax:(575) 393-0720
District II
811 S. First St., Artesia, NM 88210
Phone:(575) 748-1283 Fax:(575) 748-9720
District III
1000 Rio Brazos Rd., Aztec, NM 87410
Phone:(505) 334-6178 Fax:(505) 334-6170
District IV
1220 S. St Francis Dr., Santa Fe, NM 87505
Phone:(505) 476-3470 Fax:(505) 476-3462

State of New Mexico
Energy, Minerals and Natural Resources
Oil Conservation Division
1220 S. St Francis Dr.
Santa Fe, NM 87505

CONDITIONS

Action 9717

CONDITIONS OF APPROVAL

Operator:			OGRID:	Action Number:	Action Type:
DJR OPERATING, LLC 1 Road 3263 Aztec, NM87410			371838	9717	C-144
OCD Reviewer	Condition				
csmith	Release Confirmed see incident #NCS1932436155 Additional C-141 maybe required.				