

Submit a Copy To Appropriate District

Office
 District I – (575) 393-6161
 1625 N. French Dr., Hobbs, NM 88240
 District II – (575) 748-1283
 811 S. First St., Artesia, NM 88210
 District III – (505) 334-6178
 1000 Rio Brazos Rd., Aztec, NM 87410
 District IV – (505) 476-3460
 1220 S. St. Francis Dr., Santa Fe, NM
 87505

State of New Mexico
 Energy, Minerals and Natural Resources

Form C-103
 Revised July 18, 2013

OIL CONSERVATION DIVISION
 1220 South St. Francis Dr.
 Santa Fe, NM 87505

WELL API NO. 30-045-32835
5. Indicate Type of Lease STATE <input checked="" type="checkbox"/> FEE <input type="checkbox"/>
6. State Oil & Gas Lease No. SL-2062
7. Lease Name or Unit Agreement Name BISTI COAL 2
8. Well Number: 1T
9. OGRID Number: 371838
10. Pool name or Wildcat: BASIN FRUITLAND COAL

SUNDRY NOTICES AND REPORTS ON WELLS (DO NOT USE THIS FORM FOR PROPOSALS TO DRILL OR TO DEEPEN OR PLUG BACK TO A DIFFERENT RESERVOIR. USE "APPLICATION FOR PERMIT" (FORM C-101) FOR SUCH PROPOSALS.)	
1. Type of Well: Oil Well <input type="checkbox"/> Gas Well <input checked="" type="checkbox"/> Other	
2. Name of Operator DJR Operating, LLC	
3. Address of Operator 1 Road 3263, Aztec, NM 87410	
4. Well Location Unit Letter <u>C</u> : <u>1160</u> feet from the <u>NORTH</u> line and <u>1405</u> feet from the <u>WEST</u> line Section <u>2</u> Township <u>25N</u> Range <u>12W</u> NMPM <u>SAN JUAN</u> County	
11. Elevation (Show whether DR, RKB, RT, GR, etc.) 6280 GL	

12. Check Appropriate Box to Indicate Nature of Notice, Report or Other Data

NOTICE OF INTENTION TO: PERFORM REMEDIAL WORK <input type="checkbox"/> PLUG AND ABANDON <input type="checkbox"/> TEMPORARILY ABANDON <input type="checkbox"/> CHANGE PLANS <input type="checkbox"/> PULL OR ALTER CASING <input type="checkbox"/> MULTIPLE COMPL <input type="checkbox"/> DOWNHOLE COMMINGLE <input type="checkbox"/> CLOSED-LOOP SYSTEM <input type="checkbox"/> OTHER: <input type="checkbox"/>		SUBSEQUENT REPORT OF: REMEDIAL WORK <input type="checkbox"/> ALTERING CASING <input type="checkbox"/> COMMENCE DRILLING OPNS. <input type="checkbox"/> P AND A <input checked="" type="checkbox"/> CASING/CEMENT JOB <input type="checkbox"/> OTHER: <input type="checkbox"/>	
---	--	---	--

13. Describe proposed or completed operations. (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work). SEE RULE 19.15.7.14 NMAC. For Multiple Completions: Attach wellbore diagram of proposed completion or recompletion.

The subject well was Plugged & Abandoned on November 17, 2020 per the attached detailed As Plugged Wellbore Diagram and P&A marker.

Spud Date: 01/03/2006

Rig Release Date:

I hereby certify that the information above is true and complete to the best of my knowledge and belief.

SIGNATURE Shaw-Marie Ford TITLE Regulatory Specialist DATE 12/28/2020

Type or print name Shaw-Marie Ford E-mail address: sford@djrlc.com PHONE: 505-716-3297

For State Use Only

APPROVED BY: Monica Kushling TITLE Deputy Oil and Gas Inspector DATE 3/25/2021

Conditions of Approval (if any):

DJR Operating, LLC P&A End of Well Report

Bisti Coal 2 1T

API # 30-045-32835

NE/NW, Unit C, Sec 2, T25N, R12W
San Juan County, NM

GL 6280'

KB N/A

Spud Date 1/3/2006

11-17-2020: Install P&A marker

SURF CSG

Hole size 12.25"

Csg Size: 8.625"

Wt: 24#

Grade: K-55

ID: 6.336"

Depth 133'

casing cap ft3/ft: 0.3575

TOC: Circ cmt
to surface

FORMATION TOPS

Nacimiento	Surface
Ojo Alamo	N/A
Kirtland	288'
Fruitland	403'
Pictured Cliffs	1219'

11-17-2020: Top off plug: Mix and pump 38 sx class G cement to top off 5 1/2" csg from 14' to surface and annulus from 50' to surface with poly pipe.

11-17-2020: Plug 3: Mix and pump balanced plug of 38 sxclass G cement from 318' to surface.

PROD CSG

Hole size 7.875"

Csg Size: 5.5"

Wt: 15.5#

Grade: J-55

ID: 4.95"

Depth 1353'

casing cap ft3/ft: 0.1336

8.625x5.5 cap ft3/ft 0.1926

TOC: Circ cmt
to surface

Cement Ret. 1150'
Fruitland Coal perms
1184-1204'

PBTD 1311'
TD 1363'

11-16-2020: Plug 2: mix and pump 99 sx class G cement from 1150' to 318'. Pull up and reverse from 318' to surface. WOC ON.
11-17-2020: Tag plug 2 at xxx. SICP = 0, BH = 0.

11-16-2020; Plug 1: Pump 10 sx class G cement through CR into Fruitland perms.

NMOCD witness by phone, no agency representative on site
All cement used was class G cement mixed at 15.8 ppg, yield 1.15
Marker coordinates Lat: 36.43424, Long: -108.085079

DJR Operating, LLC

Bisti Coal 2 1T

API # 30-045-32835

NE/NW, Unit C, Sec. 2, T25N, R12W

San Juan County, NM



District I

1625 N. French Dr., Hobbs, NM 88240
Phone:(575) 393-6161 Fax:(575) 393-0720

District II

811 S. First St., Artesia, NM 88210
Phone:(575) 748-1283 Fax:(575) 748-9720

District III

1000 Rio Brazos Rd., Aztec, NM 87410
Phone:(505) 334-6178 Fax:(505) 334-6170

District IV

1220 S. St Francis Dr., Santa Fe, NM 87505
Phone:(505) 476-3470 Fax:(505) 476-3462

State of New Mexico
Energy, Minerals and Natural Resources
Oil Conservation Division
1220 S. St Francis Dr.
Santa Fe, NM 87505

CONDITIONS

Action 13170

CONDITIONS OF APPROVAL

Operator:	DJR OPERATING, LLC	1 Road 3263	Aztec, NM87410	OGRID:	371838	Action Number:	13170	Action Type:	C-103P
-----------	--------------------	-------------	----------------	--------	--------	----------------	-------	--------------	--------

OCD Reviewer	Condition
ahvermersch	Approved for plugging of wellbore only. Liability under bond is retained pending receipt of [C-103] Sub. Release After P&A (C-103Q) found in E-permitting>Submissions>All OCD Forms