

Submit a Copy To Appropriate District
Office
District I – (575) 393-6161
1625 N. French Dr., Hobbs, NM 88240
District II – (575) 748-1283
811 S. First St., Artesia, NM 88210
District III – (505) 334-6178
1000 Rio Brazos Rd., Aztec, NM 87410
District IV – (505) 476-3460
1220 S. St. Francis Dr., Santa Fe, NM
87505

State of New Mexico
Energy, Minerals and Natural Resources

Form C-103
Revised July 18, 2013

OIL CONSERVATION DIVISION
1220 South St. Francis Dr.
Santa Fe, NM 87505

WELL API NO. 30-045-27572
5. Indicate Type of Lease STATE <input checked="" type="checkbox"/> FEE <input type="checkbox"/>
6. State Oil & Gas Lease No. LG2062
7. Lease Name or Unit Agreement Name Bisti Coal 2
8. Well Number #002
9. OGRID Number 371838
10. Pool name or Wildcat Basin Fruitland Coal

<p>SUNDRY NOTICES AND REPORTS ON WELLS (DO NOT USE THIS FORM FOR PROPOSALS TO DRILL OR TO DEEPEN OR PLUG BACK TO A DIFFERENT RESERVOIR. USE "APPLICATION FOR PERMIT" (FORM C-101) FOR SUCH PROPOSALS.)</p>	
1. Type of Well: Oil Well <input type="checkbox"/> Gas Well <input checked="" type="checkbox"/> Other <input type="checkbox"/>	
2. Name of Operator DJR Operating, LLC	
3. Address of Operator 1 Road 3263, Aztec, NM 87410	
4. Well Location Unit Letter <u>M</u> : <u>875</u> feet from the <u>South</u> line and <u>975</u> feet from the <u>West</u> line Section <u>02</u> Township <u>25N</u> Range <u>12W</u> NMPM <u>San Juan</u> County	
11. Elevation (Show whether DR, RKB, RT, GR, etc.) 6284' GL	

12. Check Appropriate Box to Indicate Nature of Notice, Report or Other Data

<p>NOTICE OF INTENTION TO:</p> <p>PERFORM REMEDIAL WORK <input type="checkbox"/> PLUG AND ABANDON <input checked="" type="checkbox"/> TEMPORARILY ABANDON <input type="checkbox"/> CHANGE PLANS <input type="checkbox"/> PULL OR ALTER CASING <input type="checkbox"/> MULTIPLE COMPL <input type="checkbox"/> DOWNHOLE COMMINGLE <input type="checkbox"/> CLOSED-LOOP SYSTEM <input type="checkbox"/> OTHER: <input type="checkbox"/></p>		<p>SUBSEQUENT REPORT OF:</p> <p>REMEDIAL WORK <input type="checkbox"/> ALTERING CASING <input type="checkbox"/> COMMENCE DRILLING OPNS. <input type="checkbox"/> P AND A <input type="checkbox"/> CASING/CEMENT JOB <input type="checkbox"/> OTHER: <input type="checkbox"/></p>	
--	--	--	--

13. Describe proposed or completed operations. (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work). SEE RULE 19.15.7.14 NMAC. For Multiple Completions: Attach wellbore diagram of proposed completion or recompletion.

The subject well was plugged and abandoned per the attached detailed wellbore diagram and marker.

Spud Date:

02/07/1990

Rig Release Date:

I hereby certify that the information above is true and complete to the best of my knowledge and belief.

SIGNATURE Shaw-Marie Ford TITLE Regulatory Specialist DATE 02/19/21

Type or print name Shaw-Marie Ford E-mail address: sford@djrlc.com PHONE: 505-716-3297

For State Use Only

APPROVED BY: Monica Kuehling TITLE Deputy Oil and Gas Inspector DATE 5/17/2021

Conditions of Approval (if any):

DJR Operating, LLC

P&A End of Well Report

Bisti Coal 2 2

API # 30-045-27572

SW/SW, Unit M, Sec 2, T25N, R12W
San Juan County, NM

GL 6284'

KB N/A

Spud Date 2/7/1990

SURF CSG

Hole size 8.75"
Csg Size: 7"
Wt: 23#
Grade: K-55
ID: 6.366"
Depth 125'
casing cap ft³/ft: 0.221
TOC: Circ cmt
to surface

FORMATION TOPS


Formation	Depth
Nacimiento	Surface
Ojo Alamo	N/A
Kirtland	N/A
Fruitland Coal	1080'
Pictured Cliffs	1144'

PROD CSG

Hole size 6.25"
Csg Size: 4.5"
Wt: 10.5#
Grade: J-55
ID: 4.052"
Depth 1254'
casing cap ft³/ft: 0.0895
7x4.5 capacity ft³/ft: 0.1106
TOC: Circ cmt
to surface

Fruitland Coal perfs
1143-70'

PBTD 1211'
TD 1255'



12-22-2020: Tag plug 3 at 4'. Cut off WH, TOC in annulus was 12'. Install P&A marker. Mix and pump 25 sx class G to top off cellar

12-21-2020: Plug 3: Mix and pump 24 sx class G cement to fill volume for fall back from tubing displacement.

12-21-2020: Plug 2: Sting out of CR from 1105' to surface, mix and place 95 sx class G cement on top of CR, TOOH.

12-21-2020: Plug 1: Mix and pump 5 sx class G cement through CR, pressured up. Sting out.

12-21-2020: Set CR at 1105'. PT casing, did not test.

All cement used was class G mixed at 15.8 ppg, yield 1.15
Regulatory representative, Monica Kuehling, NMOC by phone
GPS Coordinates: Lat: 36.42535886261612, Lng: -108.08661298826337

**DJR Operating, LLC
Bisti Coal 2 #002
API # 30-045-27572
SW/SW, Unit M, Sec. 2, T25N, R12W
San Juan County, NM**



District I
1625 N. French Dr., Hobbs, NM 88240
Phone:(575) 393-6161 Fax:(575) 393-0720
District II
811 S. First St., Artesia, NM 88210
Phone:(575) 748-1283 Fax:(575) 748-9720
District III
1000 Rio Brazos Rd., Aztec, NM 87410
Phone:(505) 334-6178 Fax:(505) 334-6170
District IV
1220 S. St Francis Dr., Santa Fe, NM 87505
Phone:(505) 476-3470 Fax:(505) 476-3462

State of New Mexico
Energy, Minerals and Natural Resources
Oil Conservation Division
1220 S. St Francis Dr.
Santa Fe, NM 87505

CONDITIONS

Action 18330

CONDITIONS OF APPROVAL

Operator:			OGRID:	Action Number:	Action Type:
DJR OPERATING, LLC 1 Road 3263 Aztec, NM87410			371838	18330	C-103P
OCD Reviewer	Condition				
ahvermersch	Approved for plugging of wellbore only. Liability under bond is retained pending Receipt of C-103Q (Subsequent Report of Well Plugging).				