

Well Name: MC 5 COM	Well Location: T24N / R8W / SEC 33 / NWNW /	County or Parish/State: SAN JUAN / NM
Well Number: 119H	Type of Well: OIL WELL	Allottee or Tribe Name:
Lease Number: NMNM119786	Unit or CA Name: MC 6 COM	Unit or CA Number: NMNM134816
US Well Number: 3004535601	Well Status: Producing Oil Well	Operator: ENDURING RESOURCES LLC

Subsequent Report

Type of Submission: Subsequent Report	Type of Action: Workover Operations
Date Sundry Submitted: 04/01/2021	Time Sundry Submitted: 01:09
Date Operation Actually Began: 01/06/2021	

Actual Procedure: Reporting delayed due to WIS/AFMSS2 transition. Enduring Resources performed a workover to repair the tubing and gas lift completion. An updated schematic is attached. EOT: 5,977' MD PACKER: 5,805' MD GLVs: #1 @ 5,762' MD #2 @ 5,005' MD Job Start: 01/06/2021 Job End: 01/08/2021 This is a resubmittal due to non approval for not including detail procedure on original submittal. The original submittal is attached to show that the detail procedure was indeed included on that subsequent sundry and to use for reference.

SR Attachments

Actual Procedure

- Sundry_Report_DENIED_WITH_PROCEDURE_ON_IT_20210401130834.pdf
- MC_5_COM_119H_UPDATED_WBD_01082021_20210401130823.pdf

Well Name: MC 5 COM	Well Location: T24N / R8W / SEC 33 / NWNW /	County or Parish/State: SAN JUAN / NM
Well Number: 119H	Type of Well: OIL WELL	Allottee or Tribe Name:
Lease Number: NMNM119786	Unit or CA Name: MC 6 COM	Unit or CA Number: NMNM134816
US Well Number: 3004535601	Well Status: Producing Oil Well	Operator: ENDURING RESOURCES LLC

Operator Certification

I certify that the foregoing is true and correct. Title 18 U.S.C. Section 1001 and Title 43 U.S.C. Section 1212, make it a crime for any person knowingly and willfully to make to any department or agency of the United States any false, fictitious or fraudulent statements or representations as to any matter within its jurisdiction. Electronic submission of Sundry Notices through this system satisfies regulations requiring a submission of Form 3160-5 or a Sundry Notice.

Operator Electronic Signature: HUNTINGTON
Signed on: APR 01, 2021 01:08 PM
Name: ENDURING RESOURCES LLC
Title: Permitting Technician
Street Address: 200 Energy Court
City: Farmington **State:** NM
Phone: (505) 636-9751
Email address: HHUNTINGTON@ENDURINGRESOURCES.COM

Field Representative

Representative Name:
Street Address:
City: **State:** **Zip:**
Phone:
Email address:

BLM Point of Contact

BLM POC Name: WILLIAM F TAMBEKOU	BLM POC Title: PETROLEUM ENGINEER
BLM POC Phone: 7192698500	BLM POC Email Address: wtambekou@blm.gov
Disposition: Accepted	Disposition Date: 04/02/2021
Signature: William Max Tambekou	




Enduring Resources IV - Production WBD

Well Name: MC 5 COM 119H

API/UWI 30-045-35601	Surface Legal Location NW/4, NW/4, Section 33 (Unit D), Twp 24...	Field Name CHACO	License # NMNM 023233	State/Province NEW MEXICO	Well Configuration Type Horizontal
Original KB Elevation (ft) 7,034.01	KB-Tubing Head Distance (ft)	Spud Date 11/19/2014 09:00	Rig Release Date 8/28/2015 22:00	PBTD (All) (ftKB) Original Hole - 13,471.3	Total Depth All (TVD) (ftKB) Original Hole - 5,493.6

Horizontal, Original Hole, 1/12/2021 10:56:43 AM



Wellbore Sections

Section Description SURFACE	Size (in) 12 1/4	Act Top (ft...) 14.0	Act Top (T...) 14.0	Act Btm (ft...) 430.0	Act Btm (T...) 430.0
Section Description INTERMEDIATE	Size (in) 8 1/2	Act Top (ft...) 430.0	Act Top (T...) 430.0	Act Btm (ft...) 6,045.0	Act Btm (T...) 5,558.8
Section Description PRODUCTION	Size (in) 6 1/8	Act Top (ft...) 6,045.0	Act Top (T...) 5,558.8	Act Btm (ft...) 13,485.0	Act Btm (T...) 5,493.6

Rod Strings

Rod Description	Run Date	String Length (ft)	Set Depth (ftKB)
Item Des	Jts	OD (in)	Len (ft)
		Top (ftKB)	Btm (ftKB)

Tubing - Production set at 5,976.6ftKB on 1/8/2021 15:00

Tubing Description		Run Date		String Length (ft)			Set Depth (ftKB)	
Tubing - Production		1/8/2021		5,962.11			5,976.6	
Item Des	Jts	Grade	Wt (lb/ft)	OD (in)	ID (in)	Len (ft)	Top (ftKB)	Btm (ftKB)
Tubing Hanger	1			6.36	2.44	0.80	14.5	15.3
Tubing	153	L-80	6.50	2 7/8	2.44	4,989.93	15.3	5,005.2
Gaslift Mandrel #2	1			4.835	2.44	4.10	5,005.2	5,009.3
Tubing	18	L-80	6.50	2 7/8	2.44	588.06	5,009.3	5,597.4
Profile Nipple (X - 2.310")	1			2 7/8	2.31	1.20	5,597.4	5,598.6
Tubing	5	L-80	6.50	2 7/8	2.44	163.25	5,598.6	5,761.8
Gaslift Mandrel #1	1			4.835	2.44	4.10	5,761.8	5,765.9
Tubing	1	L-80	6.50	2 7/8	2.44	32.64	5,765.9	5,798.6
Tubing (4' pup)	1	L-80	6.50	2 7/8	2.44	4.20	5,798.6	5,802.8
On-Off Tool w/F-Profile (2.250") Stinger	1			5.85	2.25	1.82	5,802.8	5,804.6
Packer (7" x 2 -7/8" AS1-X 7K)	1			6.36	2.44	7.50	5,804.6	5,812.1
X-Over	1	L-80	4.70	2 7/8	2.00	0.40	5,812.1	5,812.5
Tubing	4	L-80	4.70	2 3/8	1.87	130.16	5,812.5	5,942.7
Profile Nipple (XN - 1.875" w/1.791" no-go)	1			2 3/8	1.79	1.00	5,942.7	5,943.7
Tubing	1	L-80	4.70	2 3/8	1.87	32.55	5,943.7	5,976.2
Mule Shoe	1			2 3/8	2.00	0.40	5,976.2	5,976.6

SURFACE CASING, 425.5ftKB

OD (in) 9 5/8	Wt/Len (lb/ft) 36.00	String Grade J-55	Top Connection ST&C	Top (ftKB) 14.0	Set Depth (ftKB) 425.5
Item Des		Jts	Len (ft)	Top (ftKB)	Btm (ftKB)
Casing Joints		12	375.91	14.0	389.9
Float Collar		1	0.90	389.9	390.8
Casing Joints		1	33.30	390.8	424.1
Float Shoe		1	1.42	424.1	425.5

INTERMEDIATE CASING, 6,039.3ftKB

INTERMEDIATE CASING, SPECIALS					
OD (in) 7	Wt/Len (lb/ft) 26.00	String Grade P-110	Top Connection BTC	Top (ftKB) 14.5	Set Depth (ftKB) 6,039.3
Item Des		Jts	Len (ft)	Top (ftKB)	Btm (ftKB)
Landing Collar		1	1.00	14.5	15.5
Casing Joints		140	5,977.26	15.5	5,992.8
Float Collar		1	1.34	5,992.8	5,994.1
Casing Joints		1	43.55	5,994.1	6,037.7
Float Shoe		1	1.60	6,037.7	6,039.3

PROD LINER, 13,481.1ftKB


OD (in) 4 1/2	Wt/Len (lb/ft) 11.60	String Grade P-110	Top Connection LT&C	Top (ftKB) 5,852.1	Set Depth (ftKB) 13,481.1
------------------	-------------------------	-----------------------	------------------------	-----------------------	------------------------------



Enduring Resources IV - Production WBD

Well Name: MC 5 COM 119H

API/UWI 30-045-35601	Surface Legal Location NW/4, NW/4, Section 33 (Unit D), Twp 24...	Field Name CHACO	License # NMNM 023233	State/Province NEW MEXICO	Well Configuration Type Horizontal
Original KB Elevation (ft) 7,034.01	KB-Tubing Head Distance (ft)	Spud Date 11/19/2014 09:00	Rig Release Date 8/28/2015 22:00	PBTD (All) (ftKB) Original Hole - 13,471.3	Total Depth All (TVD) (ftKB) Original Hole - 5,493.6

Horizontal, Original Hole, 1/12/2021 10:56:46 AM		Item Des	Jts	Len (ft)	Top (ftKB)	Btm (ftKB)
MD (ftKB)	Vertical schematic (actual) 	Des:Tubing Hanger; OD:6.36 in; ID:2.44 in; Length:0.80 ft; Top MD:14.5 ftKB				
		Des:Gaslift Mandrel #2; OD:4.84 in; ID:2.44 in; Length:4.10 ft; Top MD:5,005.2 ftKB				
		Des:Profile Nipple (X - 2.310"); OD:2 7/8 in; ID:2.31 in; Length:1.20 ft; Top MD:5,597.4 ftKB				
		Des:Gaslift Mandrel #1; OD:4.84 in; ID:2.44 in; Length:4.10 ft; Top MD:5,761.8 ftKB				
		Des:Packer (7" x 2-7/8" AS1-X 7K); OD:6.36 in; ID:2.44 in; Length:7.50 ft; Top MD:5,804.6 ftKB				
		Des:Profile Nipple (XN - 1.875" w/1.791" no-go); OD:2 3/8 in; ID:1.79 in; Length:1.00 ft; Top MD:5,942.7 ftKB				
		Des:Tubing - Production; OD:2 7/8 in; ID:1.79 in; Length:5,962.11 ft; Top MD:14.5 ftKB				
		Des:Plug Back Total Depth; Depth MD:13,471.3 ftKB; Date:8/28/2015				
		LINER HANGER	1	26.20	5,852.1	5,878.3
		CASING JOINT(S)	18	794.26	5,878.3	6,672.5
		MARKER JOINT	1	19.42	6,672.5	6,692.0
		CASING JOINT(S)	39	1,722.56	6,692.0	8,414.5
		MARKER JOINT	1	5.08	8,414.5	8,419.6
		CASING JOINT(S)	37	1,623.25	8,419.6	10,042.9
		MARKER JOINT	1	5.32	10,042.9	10,048.2
		CASING JOINT(S)	40	1,729.29	10,048.2	11,777.5
		MARKER JOINT	1	14.74	11,777.5	11,792.2
		CASING JOINT(S)	38	1,663.78	11,792.2	13,456.0
		PUP JOINT	1	5.10	13,456.0	13,461.1
		RAPID FRAC SLEEVE	1	5.11	13,461.1	13,466.2
		PUP JOINT	1	5.12	13,466.2	13,471.3
		LANDING COLLAR	1	1.58	13,471.3	13,472.9
		CASING FLOAT COLLAR	1	1.27	13,472.9	13,474.2
		PUP JOINT	1	4.75	13,474.2	13,478.9
CASING FLOAT SHOE	1	2.15	13,478.9	13,481.1		
Cement						
Description		Cementing Start Date		Cementing End Date		
SURFACE CEMENT		11/20/2014		11/20/2014		
Comment						
245 sx (51 bbl) Type G Cmt						
Description		Cementing Start Date		Cementing End Date		
INTERMEDIATE CEMENT		8/20/2015		8/20/2015		
Comment						
Lead: 945 sx (245 bbl, 1380cf) Elastiseal						
Tail: 100 sx (23.5 bbl, 130cf) Veriset						
Cap: 200 sx (43 bbl, 236 cf) Type G						
Description		Cementing Start Date		Cementing End Date		
PROD LINER CEMENT		8/28/2015		8/28/2015		
Comment						
Tail: 755 sx (182.7 bbl, 1027cf) ExtendaCem						

District I
1625 N. French Dr., Hobbs, NM 88240
Phone:(575) 393-6161 Fax:(575) 393-0720
District II
811 S. First St., Artesia, NM 88210
Phone:(575) 748-1283 Fax:(575) 748-9720
District III
1000 Rio Brazos Rd., Aztec, NM 87410
Phone:(505) 334-6178 Fax:(505) 334-6170
District IV
1220 S. St Francis Dr., Santa Fe, NM 87505
Phone:(505) 476-3470 Fax:(505) 476-3462

State of New Mexico
Energy, Minerals and Natural Resources
Oil Conservation Division
1220 S. St Francis Dr.
Santa Fe, NM 87505

CONDITIONS

Action 23410

CONDITIONS

Operator: ENDURING RESOURCES, LLC 1050 17TH STREET, SUITE 2500 DENVER, CO 80265	OGRID: 372286
	Action Number: 23410
	Action Type: [C-103] Sub. Workover (C-103R)

CONDITIONS

Created By	Condition	Condition Date
ksimmons	None	6/2/2021