

1625 N. French Dr., Hobbs, NM 88240

State of New Mexico
Energy, Minerals & Natural Resources

Form C-104

Revised August 1, 2011

District I

811 S. First St., Artesia, NM 88210

District II

1000 Rio Brazos Rd., Aztec, NM 87410

District III

1220 S. St. Francis Dr., Santa Fe, NM 87505

Oil Conservation Division
1220 South St. Francis Dr.
Santa Fe, NM 87505

Submit one copy to appropriate District Office

☐ AMENDED REPORT**I. REQUEST FOR ALLOWABLE AND AUTHORIZATION TO TRANSPORT**

¹ Operator name and Address OXY USA INC. P.O. BOX 50250 MIDLAND, TX 79710		² OGRID Number: 16696
		³ Reason for Filing Code/ Effective Date: RT - 05/21/2021
⁴ API Number 30 - 015-47959	⁵ Pool Name CEDAR CANYON BONE SPRING	⁶ Pool Code 11520
⁷ Property Code: 329988	⁸ Property Name: TAILS CC 10-3 FEDERAL COM	⁹ Well Number: 26H

II. ¹⁰ Surface Location

Ul or lot no.	Section	Township	Range	Lot Idn	Feet from the	North/South Line	Feet from the	East/West line	County
O	10	24S	29E		400	SOUTH	1670	EAST	EDDY

¹¹ Bottom Hole Location

1625 N. French Dr., Hobbs, NM 88240

State of New Mexico
Energy, Minerals & Natural Resources

Form C-104

Revised August 1, 2011

District II

811 S. First St., Artesia, NM 88210

District III

1000 Rio Brazos Rd., Aztec, NM 87410

District IV

1220 S. St. Francis Dr., Santa Fe, NM 87505

Oil Conservation Division
1220 South St. Francis Dr.
Santa Fe, NM 87505

Submit one copy to appropriate District Office

☐ AMENDED REPORT**I. REQUEST FOR ALLOWABLE AND AUTHORIZATION TO TRANSPORT**

¹ Operator name and Address OXY USA INC. P.O. BOX 50250 MIDLAND, TX 79710		² OGRID Number: 16696
		³ Reason for Filing Code/ Effective Date: RT - 05/21/2021
⁴ API Number 30 - 015-47959	⁵ Pool Name PIERCE CROSSING BONE SPRING EAST	⁶ Pool Code 96473
⁷ Property Code: 329988	⁸ Property Name: TAILS CC 10-3 FEDERAL COM	⁹ Well Number: 26H

II. ¹⁰ Surface Location

Ul or lot no.	Section	Township	Range	Lot Idn	Feet from the	North/South Line	Feet from the	East/West line	County
O	10	24S	29E		400	SOUTH	1670	EAST	EDDY

¹¹ Bottom Hole Location

1625 N. French Dr., Hobbs, NM 88240
 Phone: (575) 393-6161 Fax: (575) 393-0720
District II
 811 S. First St., Artesia, NM 88210
 Phone: (575) 748-1283 Fax: (575) 748-9720
District III
 1000 Rio Brazos Road, Aztec, NM 87410
 Phone: (505) 334-6178 Fax: (505) 334-6170
District IV
 1220 S. St. Francis Dr., Santa Fe, NM 87505
 Phone: (505) 476-3460 Fax: (505) 476-3462

State of New Mexico
 Energy, Minerals & Natural Resources Department
OIL CONSERVATION DIVISION
 1220 South St. Francis Dr.
 Santa Fe, NM 87505

Revised August 1, 2011
 Submit one copy to appropriate
 District Office

☒ AMENDED REPORT

WELL LOCATION AND ACREAGE DEDICATION AS-DRILLED PLAT

¹ API Number 30-015-47959	² Pool Code 96473/11520	³ Pool Name 320 acres PIERCE CROSSING BONE SPRING EAST/CEDAR CANYON BONE SPRING
⁴ Property Code 329988	Property Name TAILS CC 10_3 FEDERAL COM	⁶ Well Number 26H
⁷ OGRID No. 16696	⁸ Operator Name OXY USA INC.	⁹ Elevation 2942'

¹⁰ Surface Location

UL or lot no.	Section	Township	Range	Lot Idn	Feet from the	North/South line	Feet from the	East/West line	County
O </									



OXY



Borehole:	Well:	Field:	Structure:
Tails CC 10_3 Federal Com 26H	Tails CC 10_3 Federal Com 26H	NM Eddy County (NAD 83)	Oxy Tails CC 10_3 Federal Com Pad

Gravity & Magnetic Parameters	Surface Location	NAD83 New Mexico State Plane, Eastern Zone, US Feet	Miscellaneous
Model: IFR1 MagDec: 6.876° Dip: 59.97° FS: 47705.3nT Date: 14-Mar-2021 Gravity FS: 998.471mgn (9.80665 Based)	Lat: N 32 13 33.39 Lon: W 103 58 8.98	Northing: 446122.7HUS Easting: 653949.4HUS Grid Conv: 0.1942° Scale Fact: 0.99992361	Slot: Tails CC 10_3 Federal Com 26H Plan: Oxy Tails CC 10_3 Federal Com 26H Gyro-MWD 0' to 19312MD

Critical Points							
Critical Point	MD	INCL	AZIM	TVD	VSEC	N(+)/S(-)	E(+)/W(-)
WRP	0.00	0.00	0.00	0.00	0.00	0.00	0.00
SHL	24.00	0.00	0.00	24.00	0.00	0.00	0.00
Last Gyro Survey	553.20	0.70	104.95	553.17	0.02	-0.58	4.84
First MWD Survey	632.00	0.03	92.86	631.97	-0.04	-0.71	5.32
Actual KOP	8251.00	11.42	108.				

Schlumberger

Oxy Tails CC 10_3 Federal Com 26H Gyro+MWD 0' to 19312'MD Survey Geodetic Report (Def Survey)



Report Date: April 14, 2021 - 08:59 AM
Client: OXY
Field: NM Eddy County (NAD 83)
Structure / Slot: Oxy Tails CC 10_3 Federal Com Pad / Tails CC 10_3 Federal Com 26H
Well: Tails CC 10_3 Federal Com 26H
Borehole: Tails CC 10_3 Federal Com 26H
UWI / API#: Unknown / Unzoven
Survey Name: Oxy Tails CC 10_3 Federal Com 26H Gyro+MWD 0' to 19312'MD
Survey Date: March 02, 2021
Tort / AHD / DDI / ERD Ratio: 345.033' / 11885.833 ft / 6.952 / 1.343
Coordinate Reference System: NAD83 New Mexico State Plane, Eastern Zone, US Feet
Location Lat / Long: N 32° 13' 33.39487", W 103° 58' 8.97723"
Location Grid N/E Y/X: N 446122.700 ftUS, E 653949.400 ftUS
CRS Grid Convergence Angle: 0.1942 °
Grid Scale Factor: 0.99992361
Version / Patch: 2.10.825.0

Survey / DLS Computation: Minimum Curvature / Lubinski
Vertical Section Azimuth: 7.157 ° (Grid North)
Vertical Section Origin: 0.000 ft, 0.000 ft
TVD Reference Datum: RKB
TVD Reference Elevation: 2965.500 ft above MSL
Seabed / Ground Elevation: 2941.500 ft above MSL
Magnetic Declination: 8.876 °
Total Gravity Field Strength: 998.4714mgm (9.80665 Based)
Gravity Model: GARM
Total Magnetic Field Strength: 47705.300 nT
Magnetic Dip Angle: 59.970 °
Declination Date: March 14, 2021
Magnetic Declination Model: IFR1
North Reference: Grid North
Grid Convergence Used: 0.1900 °
Total Corr Mag North->Grid: 6.6860 °
Local Coord Reference To

Comments	MD (ft)	Incl (°)	Azim Grid (°)	TVD (ft)	VSEC (ft)	NS (ft)	EW (ft)	DLS (ft/100ft)	Closure (ft)	Closure Azimuth (°)	Northing (ftUS)	Easting (ftUS)	Latitude (N/S ° ' '')	Longitude (E/W ° ' '')
Exit Target Box	9252.00	71.74	3.25	8785.67	182.30	18.39	1316.71	5.49	1316.84	89.20	446141.09	655266.01	N 32 13 33.53	W 103 57 53.65
	9347.00	76.80	1.43	8811.42	273.38	109.72	1320.43	5.64	1324.98	85.25	446232.42	655269.72	N 32 13 34.44	W 103 57 53.60
	9442.00	88.77	0.26	8823.33	366.88	203.79	1321.80	12.66	1337.42	81.24	446326.47	655271.10	N 32 13 35.37	W 103 57 53.58
	9536.00	88.05	357.64	8825.94	459.88	297.73	1320.08	2.89	1353.24	77.29	446420.41	655269.38	N 32 13 36.30	W 103 57 53.60
	9623.00	88.49	356.50	8828.57	545.49	384.57	1315.64	1.40	1370.69	73.71	446507.24	655264.93	N 32 13 37.16	W 103 57 53.65
	9717.00	9												

Intent ☐ As Drilled ☐

API #		
Operator Name:	Property Name:	Well Number

Kick Off Point (KOP)

UL	Section	Township	Range	Lot	Feet	From N/S	Feet	From E/W	County
Latitude					Longitude				NAD

First Take Point (FTP)

UL	Section	Township	Range	Lot	Feet	From N/S	Feet	From E/W	County
Latitude					Longitude				NAD

Last Take Point (LTP)

UL	Section	Township	Range	Lot	Feet	From N/S	Feet	From E/W	County
Latitude					Longitude				NAD

Is this well the defining well for the Horizontal Spacing Unit? ☐Is this well an infill well? ☐

If infill is yes please provide API if available, Operator Name and well number for Defining well for Horizontal Spacing Unit.

API #		
Operator Name:	Property Name:	Well Number

KZ 06/29/2018

Well Name: TAILS CC 10_3 FED COM	Well Location: T24S / R29E / SEC 10 / SWSE / 32.225941 / -103.969159	County or Parish/State: EDDY / NM
Well Number: 26H	Type of Well: OIL WELL	Allottee or Tribe Name:
Lease Number: NMNM081616, NMNM81616	Unit or CA Name:	Unit or CA Number:
US Well Number: 3001547959	Well Status: Drilling Well	Operator: OXY USA INCORPORATED

Subsequent Report

Type of Submission: Subsequent Report	Type of Action: Drilling Operations
Date Sundry Submitted: 04/26/2021	Time Sundry Submitted: 09:30
Date Operation Actually Began: 02/25/2021	

Actual Procedure: Spud 14-3/4" hole 02/25/21, drill to 573' 2/25/21. RIH & set 10-3/4" 45.5# J-55 BTC csg @ 563', pump 20BFW spacer then cmt w/ 605sx (145bbl) Class C w/ additives 14.8ppg 1.35 yield, full returns throughout job, circ 292sx (70bbl) cmt to surface, WOC. Pressure test casing to 1500# for 30 min, good test. 2/25/21 RD & release rig. 03/09/21 RU BOP, test @ 250# low 5000# high, test 10-3/4" casing to 2500# for 30 min, good test. RIH & drill new formation to 599', perform FIT test to EMW=20ppg, good test. 03/10/21 drill 9-7/8" hole to 8277', 03/12/21. RIH & set 7-5/8" 26.4# HCL-80 BTC csg @ 8262', pump 80bbl spacer then lead cmt w/ 455sx (208bbl) Class H w/ additives 12ppg 1.7 yield, followed by tail cmt w/ 376sx (114bbl) Class H w/ additives 13.2ppg 1.7 yield, WOC. Bradenhead squeeze 2nd stage lead cmt w/ 594sx (190bbl) Class C w/ additives 12.8ppg 2.04 yield, followed by tail cmt w/ 303sx (110bbl) Class C w/ additives 12.8ppg 2.04 yield, cmt @ surf, WOC. 3/14/21 RD & release rig. 04/06/21 RU BOP, test @ 250# low 5000# high, test 7-5/8" csg to 2400# for 30 min, good test. RIH & drill new formation to 8287', perform FIT test to EMW=12ppg, good test. 04/07/21 Drill 6-3/4" hole to 19312'M 8851'V 04/12/21. RIH & set tapered c

Well Name: TAILS CC 10_3 FED COM	Well Location: T24S / R29E / SEC 10 / SWSE / 32.225941 / -103.969159	County or Parish/State: EDDY / NM
Well Number: 26H	Type of Well: OIL WELL	Allottee or Tribe Name:
Lease Number: NMNM081616, NMNM81616	Unit or CA Name:	Unit or CA Number:
US Well Number: 3001547959	Well Status: Drilling Well	Operator: OXY USA INCORPORATED

Operator Certification

I certify that the foregoing is true and correct. Title 18 U.S.C. Section 1001 and Title 43 U.S.C. Section 1212, make it a crime for any person knowingly and willfully to make to any department or agency of the United States any false, fictitious or fraudulent statements or representations as to any matter within its jurisdiction. Electronic submission of Sundry Notices through this system satisfies regulations requiring a submission of Form 3160-5 or a Sundry Notice.

Operator Electronic Signature: JANA MENDIOLA	Signed on: APR 26, 2021 09:30 PM
Name: OXY USA INCORPORATED	
Title: Regulatory Coordinator	
Street Address: PO BOX 50250	
City: Midland	State: TX
Phone: (432) 685-5936	
Email address: Janalyn_mendiola@oxy.com	

Field Representative

Representative Name:		
Street Address:		
City:	State:	Zip:
Phone:		
Email address:		

BLM Point of Contact

BLM POC Name: Jonathon W Shepard	BLM POC Title: Petroleum Engineer
BLM POC Phone: 5752345972	BLM POC Email Address: jshepard@blm.gov
Disposition: Accepted	Disposition Date: 05/11/2021
Signature: Jonathon Shepard	

District I
1625 N. French Dr., Hobbs, NM 88240
Phone:(575) 393-6161 Fax:(575) 393-0720
District II
811 S. First St., Artesia, NM 88210
Phone:(575) 748-1283 Fax:(575) 748-9720
District III
1000 Rio Brazos Rd., Aztec, NM 87410
Phone:(505) 334-6178 Fax:(505) 334-6170
District IV
1220 S. St Francis Dr., Santa Fe, NM 87505
Phone:(505) 476-3470 Fax:(505) 476-3462

State of New Mexico
Energy, Minerals and Natural Resources
Oil Conservation Division
1220 S. St Francis Dr.
Santa Fe, NM 87505

ACKNOWLEDGMENTS

Action 29134

ACKNOWLEDGMENTS

Operator: OXY USA INC P.O. Box 4294 Houston, TX 772104294	OGRID: 16696
	Action Number: 29134
	Action Type: [C-104] Completion Packet (C-104C)

ACKNOWLEDGMENTS

☐	I hereby certify that the required Water Use Report has been, or will be, submitted for this wells completion.
☐	I hereby certify that the required FracFocus disclosure has been, or will be, submitted for this wells completion.

District I
1625 N. French Dr., Hobbs, NM 88240
Phone:(575) 393-6161 Fax:(575) 393-0720
District II
811 S. First St., Artesia, NM 88210
Phone:(575) 748-1283 Fax:(575) 748-9720
District III
1000 Rio Brazos Rd., Aztec, NM 87410
Phone:(505) 334-6178 Fax:(505) 334-6170
District IV
1220 S. St Francis Dr., Santa Fe, NM 87505
Phone:(505) 476-3470 Fax:(505) 476-3462

State of New Mexico
Energy, Minerals and Natural Resources
Oil Conservation Division
1220 S. St Francis Dr.
Santa Fe, NM 87505

CONDITIONS

Action 29134

CONDITIONS

Operator: OXY USA INC P.O. Box 4294 Houston, TX 772104294	OGRID: 16696
	Action Number: 29134
	Action Type: [C-104] Completion Packet (C-104C)

CONDITIONS

Created By	Condition	Condition Date
ksimmons	RT C-104 Expires 08/21/2021; submit completion sundry and report as available.	6/9/2021