

District I
1625 N. French Dr., Hobbs, NM 88240

District II
811 S. First St., Artesia, NM 88210

District III
1000 Rio Brazos Rd., Aztec, NM 87410

District IV
1220 S. St. Francis Dr., Santa Fe, NM 87505

State of New Mexico
Energy, Minerals & Natural Resources

Oil Conservation Division
1220 South St. Francis Dr.
Santa Fe, NM 87505

Form C-104
Revised August 1, 2011

Submit one copy to appropriate District Office

☒ AMENDED REPORT

I. REQUEST FOR ALLOWABLE AND AUTHORIZATION TO TRANSPORT

¹ Operator name and Address OXY USA INC. P.O. BOX 50250 MIDLAND, TX 79710		² OGRID Number 16696
		³ Reason for Filing Code/ Effective Date – NW- 12/25/2020
⁴ API Number 30-015-46192	⁵ Pool Name COTTON DRAW; BONE SPRING	⁶ Pool Code 13367
⁷ Property Code: 322245	⁸ Property Name: PLATINUM MDP1 34-3 FEDERAL COM	⁹ Well Number: 23H

II. ¹⁰ Surface Location

Ul or lot no.	Section	Township	Range	Lot Idn	Feet from the	North/South Line	Feet from the	East/West line	County
C	34	23S	31E		765	NORTH	2565	WEST	EDDY

¹¹ Bottom Hole Location FTP: 425' FNL 2217' FWL LTP: 184' FSL 2193' FWL

UL or lot no.	Section	Township	Range	Lot Idn	Feet from the	North/South line	Feet from the	East/West line	County
N	3	24S	31E		23	SOUTH	2190	WEST	EDDY
¹² Lse Code F	¹³ Producing Method Code : P	¹⁴ Gas Connection Date: 1/10/21	¹⁵ C-129 Permit Number	¹⁶ C-129 Effective Date	¹⁷ C-129 Expiration Date				

III. Oil and Gas Transporters

¹⁸ Transporter OGRID	¹⁹ Transporter Name and Address	²⁰ O/G/W
237722	CENTURION PIPELINE L.P.	O
151618	ENTERPRISE FIELD SERVICES LLC	G

IV. Well Completion Data


²¹ Spud Date 12/31/2019	²² Ready Date 12/25/2020	²³ TD 19849'M 9493'V	²⁴ PBTD 19787'M 9492'V	²⁵ Perforations 9707'-19688'	²⁶ DHC, MC
²⁷ Hole Size	²⁸ Casing & Tubing Size	²⁹ Depth Set	³⁰ Sacks Cement		
17-1/2"	13-3/8"	658'	830		
12-1/4"	9-5/8"	4450'	1478		
8-3/4"	7-5/8"	8852'	642		
6-3/4"	5-1/2"	19820'	1537		

V. Well Test Data

2-3/8" tbg 9705'

³¹ Date New Oil 01/11/21	³² Gas Delivery Date 01/10/21	³³ Test Date 01/25/21	³⁴ Test Length 24 hrs.	³⁵ Tbg. Pressure	³⁶ Csg. Pressure 295
³⁷ Choke Size 120/120	³⁸ Oil 1602	³⁹ Water 3879	⁴⁰ Gas 2263		⁴¹ Test Method F

⁴² I hereby certify that the rules of the Oil Conservation Division have been complied with and that the information given above is true and complete to the best of my knowledge and belief.

Signature: 

Printed name:
JANA MENDIOLA

Title:
REGULATORY SPECIALIST

E-mail Address:
janalyn_mendiola@oxy.com

Date: 03/24/2021 Phone: 432-685-5936

OIL CONSERVATION DIVISION

Approved by: KURT SIMMONS

Title: NMOCD, SANTA FE

Approval Date: 06/10/2021

Well Name: PLATINUM MDP1 34-3 FEDERAL COM	Well Location: T23S / R31E / SEC 34 / NENW / 32.2660831 / -103.7659082	County or Parish/State: EDDY / NM
Well Number: 23H	Type of Well: OIL WELL	Allottee or Tribe Name:
Lease Number: NMNM043744, NMNM43744	Unit or CA Name:	Unit or CA Number:
US Well Number: 3001546192	Well Status: Approved Application for Permit to Drill	Operator: OXY USA INCORPORATED

Subsequent Report

Type of Submission: Subsequent Report	Type of Action: Workover Operations
Date Sundry Submitted: 02/08/2021	Time Sundry Submitted: 08:21
Date Operation Actually Began: 12/04/2020	

Actual Procedure: RUPU 12/04/20, RIH & tag cmt @ 2999', drill out cmt & CBP to 3045', clean out to PBTD @ 19787'. 12/11/20 Pressure test csg to 9800# for 30 min, good test. RIH & perf @ 19688-9707' Total 1200 holes. Frac in 50 stages w/ 340365BBL produced water + 8157BBL fresh water w/ 19997390# sand, RD Schlumberger 12/20/20. Well ready to produce 12/25/20. 1/4/21 RIH with 2-3/8" tbg & gas lift set @ 9705', RD 1/4/21. Formation Tops for this completion are as follows: MD TVD Rustler 612 611 Salado (Top of Salt) 926 926 Castile (anhydrite/bottom salt) 2880 2880 Lamar/Delaware 4338 4337 Bell Canyon 4363 4362 Cherry Canyon 5281 5275 Brushy Canyon 6473 6448 Bone Spring 8221 8153 1st Bone Springs 9321 9221

Received by OCD: 3/25/2021 10:11:12 AM

Page 3 of 8

Well Name: PLATINUM MDP1 34-3 FEDERAL COM	Well Location: T23S / R31E / SEC 34 / NENW / 32.2660831 / -103.7659082	County or Parish/State: EDDY / NM
Well Number: 23H	Type of Well: OIL WELL	Allottee or Tribe Name:
Lease Number: NMNM043744, NMNM43744	Unit or CA Name:	Unit or CA Number:
US Well Number: 3001546192	Well Status: Approved Application for Permit to Drill	Operator: OXY USA INCORPORATED

Operator Certification

I certify that the foregoing is true and correct. Title 18 U.S.C. Section 1001 and Title 43 U.S.C. Section 1212, make it a crime for any person knowingly and willfully to make to any department or agency of the United States any false, fictitious or fraudulent statements or representations as to any matter within its jurisdiction. Electronic submission of Sundry Notices through this system satisfies regulations requiring a submission of Form 3160-5 or a Sundry Notice.

Operator Electronic Signature: MENDIOLA	Signed on: FEB 08, 2021 08:20 PM
Name: OXY USA INCORPORATED	
Title: Regulatory Coordinator	
Street Address: 5 GREENWAY PLAZA, SUITE 110	
City: HOUSTON	State: TX
Phone: (713) 366-5300	
Email address: NOT ENTERED	

Field Representative

Representative Name:		
Street Address:		
City:	State:	Zip:
Phone:		
Email address:		

BLM Point of Contact

BLM POC Name: Jonathon W Shepard	BLM POC Title: Petroleum Engineer
BLM POC Phone: 5752345972	BLM POC Email Address: jshepard@blm.gov
Disposition: Accepted	Disposition Date: 02/11/2021
Signature: Jonathon Shepard	

Submit To Appropriate District Office Two Copies <u>District I</u> 1625 N. French Dr., Hobbs, NM 88240 <u>District II</u> 811 S. First St., Artesia, NM 88210 <u>District III</u> 1000 Rio Brazos Rd., Aztec, NM 87410 <u>District IV</u> 1220 S. St. Francis Dr., Santa Fe, NM 87505		State of New Mexico Energy, Minerals and Natural Resources Oil Conservation Division 1220 South St. Francis Dr. Santa Fe, NM 87505			Form C-105 Revised April 3, 2017													
WELL COMPLETION OR RECOMPLETION REPORT AND LOG								1. WELL API NO. 30-015-46192										
4. Reason for filing: ☒ COMPLETION REPORT (Fill in boxes #1 through #31 for State and Fee wells only) ☐ C-144 CLOSURE ATTACHMENT (Fill in boxes #1 through #9, #15 Date Rig Released and #32 and/or #33; attach this and the plat to the C-144 closure report in accordance with 19.15.17.13.K NMAC)								2. Type of Lease ☐ STATE ☐ FEE ☒ FED/INDIAN										
								3. State Oil & Gas Lease No.										
7. Type of Completion: ☒ NEW WELL ☐ WORKOVER ☐ DEEPENING ☐ PLUGBACK ☐ DIFFERENT RESERVOIR ☐ OTHER								5. Lease Name or Unit Agreement Name PLATINUM MDP1 34-3 FEDERAL COM										
8. Name of Operator: OXY USA INC.								6. Well Number: 23H										
10. Address of Operator: P.O. BOX 50250 MIDLAND, TX 79710								11. Pool name or Wildcat COTTON DRAW BONE SPRING										
12. Location	Unit Ltr	Section	Township	Range	Lot	Feet from the	N/S Line	Feet from the	E/W Line	County								
Surface:	C	34	23S	31E		765	NORTH	2565	WEST	EDDY								
BH:	N	3	24S	31E		23	SOUTH	2190	WEST	EDDY								
13. Date Spudded 12/31/2019	14. Date T.D. Reached 03/04/2020		15. Date Rig Released 03/08/2020			16. Date Completed (Ready to Produce) 12/25/2020		17. Elevations (DF and RKB, RT, GR, etc.) 3432' GL										
18. Total Measured Depth of Well 19849'M 9493'V			19. Plug Back Measured Depth 19787'M 9492'V			20. Was Directional Survey Made? YES		21. Type Electric and Other Logs Run GAMMA RAY										
22. Producing Interval(s), of this completion - Top, Bottom, Name 9707-19688' 1 ST BONE SPRING																		
23. CASING RECORD (Report all strings set in well)																		
CASING SIZE		WEIGHT LB./FT.		DEPTH SET		HOLE SIZE		CEMENTING RECORD		AMOUNT PULLED								
13.375" J55		54.5		658'		17.5"		830sx-surf circ										
9.625" HCL80		40		4450'		12.25"		1478sx-surf circ										
7.625" HCL80		26.4		8852'		8.75"		642sx-surf circ										
5.5" P110		20		19820'		6.75"		1537sx-TOC@8352'										
24. LINER RECORD						25. TUBING RECORD												
SIZE	TOP	BOTTOM	SACKS CEMENT	SCREEN		SIZE	DEPTH SET	PACKER SET										
						2.375	9705'											
26. Perforation record (interval, size, and number) Perf @ 9707-19688' Total 1200 holes, Hole Size=0.37						27. ACID, SHOT, FRACTURE, CEMENT, SQUEEZE, ETC. <table border="1" style="width:100%; border-collapse: collapse;"> <tr> <th>DEPTH INTERVAL</th> <th>AMOUNT AND KIND MATERIAL USED</th> </tr> <tr> <td>9707-19688'</td> <td>340365BBL produced water + 8157BBL fresh water w/ 19997390# sand</td> </tr> <tr> <td> </td> <td> </td> </tr> <tr> <td> </td> <td> </td> </tr> </table>					DEPTH INTERVAL	AMOUNT AND KIND MATERIAL USED	9707-19688'	340365BBL produced water + 8157BBL fresh water w/ 19997390# sand				
DEPTH INTERVAL	AMOUNT AND KIND MATERIAL USED																	
9707-19688'	340365BBL produced water + 8157BBL fresh water w/ 19997390# sand																	
28. PRODUCTION																		
Date First Production 01/11/2021		Production Method (Flowing, gas lift, pumping - Size and type pump) Gas lift				Well Status (Prod. or Shut-in) Prod.												
Date of Test 01/25/2021	Hours Tested 24 hrs.	Choke Size 120/120	Prod'n For Test Period	Oil - Bbl 1602	Gas - MCF 2263	Water - Bbl. 3879	Gas - Oil Ratio 1413											
Flow Tubing Press.	Casing Pressure 295	Calculated 24- Hour Rate	Oil - Bbl. 1602	Gas - MCF 2263	Water - Bbl. 3879	Oil Gravity - API - (Corr.)												
29. Disposition of Gas (Sold, used for fuel, vented, etc.) SOLD								30. Test Witnessed By										
31. List Attachments WBD																		
32. If a temporary pit was used at the well, attach a plat with the location of the temporary pit.								33. Rig Release Date:										
34. If an on-site burial was used at the well, report the exact location of the on-site burial: Latitude _____ Longitude _____ NAD83																		
I hereby certify that the information shown on both sides of this form is true and complete to the best of my knowledge and belief Signature: Printed Name: <u>Jana Mendiola</u> Title: <u>Regulatory Specialist</u> Date: <u>03/25/2021</u>																		
E-mail Address: <u>janalyn_mendiola@oxy.com</u>																		

This form is to be filed with the appropriate District Office of the Division not later than 20 days after the completion of any newly-drilled or deepened well and not later than 60 days after completion of closure. When submitted as a completion report, this shall be accompanied by one copy of all electrical and radio-activity logs run on the well and a summary of all special tests conducted, including drill stem tests. All depths reported shall be measured depths. In the case of directionally drilled wells, true vertical depths shall also be reported. For multiple completions, items 11, 12 and 26-31 shall be reported for each zone.

Southeastern New Mexico		Northwestern New Mexico	
T. Rustler 612'	T. Bell Canyon 4363'	T. Ojo Alamo	T. Penn A "
T. Salado 926'	T. Strawn	T. Kirtland	T. Penn. "B"
T. Castile 2880'	T. Atoka	T. Fruitland	T. Penn. "C"
T. Delaware 4338'	T. Miss	T. Pictured Cliffs	T. Penn. "D"
T. Cherry Canyon 5281'	T. Devonian	T. Cliff House	T. Leadville
T. Brushy Canyon 6473'	T. Silurian	T. Menefee	T. Madison
T. Grayburg	T. Montoya	T. Point Lookout	T. Elbert
T. San Andres	T. Simpson	T. Mancos	T. McCracken
T. Glorieta	T. McKee	T. Gallup	T. Ignacio Otzte
T. Paddock	T. Ellenburger	Base Greenhorn	T. Granite
T. Blinebry	T. Gr. Wash	T. Dakota	
T. Tubb	T. Delaware Sand	T. Morrison	
T. Drinkard	T. Bone Springs 8221'	T. Todilto	
T. Abo	T. 1 st Bone Springs 9321'	T. Entrada	
T. Wolfcamp	T. 2 nd Bone Springs	T. Wingate	
T. Penn	T. 3 rd Bone Springs	T. Chinle	
T. Cisco (Bough C)	T.	T. Permian	

No. 1, from.....to.....

No. 2, from.....to.....

No. 3, from.....to.....


No. 4, from.....to.....

Include data on rate of water inflow and elevation to which water rose in hole.

No. 1, from.....to.....feet.....
 No. 2, from.....to.....feet.....
 No. 3, from.....to.....feet.....

From	To	Thickness In Feet	Lithology

OXY USA Inc.
Platinum MDP1 34-3 Federal Com 23H
API No. 30-015-46192



2-3/8" tbg w/ gas lift @ 9705'

Perfs @ 9707-19688'

TD- 19849'M 9493'V

District I

1625 N. French Dr., Hobbs, NM 88240
Phone:(575) 393-6161 Fax:(575) 393-0720

District II

811 S. First St., Artesia, NM 88210
Phone:(575) 748-1283 Fax:(575) 748-9720

District III

1000 Rio Brazos Rd., Aztec, NM 87410
Phone:(505) 334-6178 Fax:(505) 334-6170

District IV

1220 S. St Francis Dr., Santa Fe, NM 87505
Phone:(505) 476-3470 Fax:(505) 476-3462

State of New Mexico
Energy, Minerals and Natural Resources
Oil Conservation Division
1220 S. St Francis Dr.
Santa Fe, NM 87505

ACKNOWLEDGMENTS

Action 21939

ACKNOWLEDGMENTS

Operator: OXY USA INC P.O. Box 4294 Houston, TX 772104294	OGRID: 16696
	Action Number: 21939
	Action Type: [C-104] Completion Packet (C-104C)

ACKNOWLEDGMENTS

☐	I hereby certify that the required Water Use Report has been, or will be, submitted for this wells completion.
☐	I hereby certify that the required FracFocus disclosure has been, or will be, submitted for this wells completion.

District I

1625 N. French Dr., Hobbs, NM 88240
Phone:(575) 393-6161 Fax:(575) 393-0720

District II

811 S. First St., Artesia, NM 88210
Phone:(575) 748-1283 Fax:(575) 748-9720

District III

1000 Rio Brazos Rd., Aztec, NM 87410
Phone:(505) 334-6178 Fax:(505) 334-6170

District IV

1220 S. St Francis Dr., Santa Fe, NM 87505
Phone:(505) 476-3470 Fax:(505) 476-3462

State of New Mexico
Energy, Minerals and Natural Resources
Oil Conservation Division
1220 S. St Francis Dr.
Santa Fe, NM 87505

CONDITIONS

Action 21939

CONDITIONS

Operator: OXY USA INC P.O. Box 4294 Houston, TX 772104294	OGRID: 16696
	Action Number: 21939
	Action Type: [C-104] Completion Packet (C-104C)

CONDITIONS

Created By	Condition	Condition Date
ksimmons	None	6/10/2021