

Sundry Print Repo

U.S. Department of the Interior BUREAU OF LAND MANAGEMENT

County or Parish/State: LEA / Well Name: FEARLESS 26 FED COM Well Location: T25S / R32E / SEC 26 /

NWNE / 32.1066697 / -103.6424122

Well Number: 721H Type of Well: OIL WELL **Allottee or Tribe Name:**

Lease Number: NMNM110836 **Unit or CA Name: Unit or CA Number:**

Operator: EOG RESOURCES **US Well Number: 3002548348** Well Status: Drilling Well

INCORPORATED

Notification

Type of Submission: Notification Type of Action: Well Spud

Date Sundry Submitted: 04/13/2021 **Time Sundry Submitted:** 7:36:24 AM

Date Operation Will Begin: Time Operation Will Begin: 11:00:00 AM 03/31/2021

APD Approved Date: 12/18/2020

US Well Number 3002548348

Field Contact Name: D BACCUS **Field Contact Number:** (432) 636-3600

Rig Name: Rig Number: HP642

Conductor Hole, Rathole and/or Mousehole Spud Type:

4-1-2021 20" Conductor @ 118' **Procedure Description:**

Disposition: Accepted

Accepted Date: 05/12/2021



Sundry Print Report

U.S. Department of the Interior BUREAU OF LAND MANAGEMENT

Well Name: FEARLESS 26 FED COM Well Location: T25S / R32E / SEC 26 / County or Parish/State: LEA /

NWNE / 32.1066697 / -103.6424122

Well Number: 721H Type of Well: OIL WELL Allottee or Tribe Name:

Lease Number: NMNM110836 Unit or CA Name: Unit or CA Number:

US Well Number: 3002548348 Well Status: Drilling Well Operator: EOG RESOURCES

INCORPORATED

Notification

Type of Submission: Type of Action: Casing and Cementing

Date Sundry Submitted: Apr 13, 2021 Time Sundry Submitted: 12:28:06 PM

Date Operation will begin: Apr 8, 2021 Time Operation will begin: 11:00:00 AM

Field Contact Name: D BACCUS Field Contact Number: 4326363600

Rig Name: Rig Number: HP642

Well Casing Table:

0 71						Bottom Setting Depth MSL
SURFACE	0	0	3395	900	900	2495

Procedure Description: 4-9-2021 12 1/4" HOLE

4-9-2021 Surface Hole @ 852' MD, 852' TVD

Casing shoe @ 837' MD Ran 9-5/8" 40# J-55 LTC

Cement w/ 280 sx Class C (1.79 yld, 13.5 ppg), trail w/ 105 sx Class C (1.35 yld, 14.8 ppg)
Test casing to 1,500 psi for 30 min - OK. Circ 113 sx cement to surface Resume drilling 8 3/4"

hole

Disposition: Accepted

Accepted Date: 05/12/2021



Sundry Print Repor

U.S. Department of the Interior BUREAU OF LAND MANAGEMENT

Well Name: FEARLESS 26 FED COM Well Location: T25S / R32E / SEC 26 / County or Parish/State: LEA /

NWNE / 32.1066697 / -103.6424122

Well Number: 721H Type of Well: OIL WELL Allottee or Tribe Name:

Lease Number: NMNM110836 Unit or CA Name: Unit or CA Number:

US Well Number: 3002548348 Well Status: Drilling Well Operator: EOG RESOURCES

INCORPORATED

Notification

Type of Submission: Type of Action: Casing and Cementing

Date Sundry Submitted: Apr 20, 2021 Time Sundry Submitted: 9:01:25 AM

Date Operation will begin: Apr 13, 2021 Time Operation will begin: 11:00:00 AM

Field Contact Name: D BACCUS Field Contact Number: 4326363600

Rig Name: Rig Number: HP642

Well Casing Table:

0 71					Bottom Setting Depth TVD	Bottom Setting Depth MSL
INTERMEDIATE	0	o	3491	11100	11100	-7705

Procedure Description: 4-14-2021 8 3/4" HOLE

4-14-2021 Intermediate Hole @ 11,595' MD, 11,452' TVD

Casing shoe @ 11,580' MD, 11,537' TVD

Ran 7-5/8", 29.7#, HCP-110 FXL

Stage 1: Cement w/ 395 sx Class H (1.20 yld, 15.6 ppg)

Test casing to 2,600 psi for 30 min - Good. Did not circ cement to surface, TOC @ 7,000' by

Calc

Stage 2: Bradenhead squeeze w/ 1,000 sx Class C (1.41 yld, 14.8 ppg)

Stage 3: Top out w/ 289 sx Class C (1.36 yld, 14.8 ppg), Lines flushed w/ 5 bbls FW, TOC @ 0'

by Visual Resume drilling

Disposition: Accepted

Accepted Date: 05/11/2021



Sundry Print Report

U.S. Department of the Interior BUREAU OF LAND MANAGEMENT

Well Name: FEARLESS 26 FED COM Well Location: T25S / R32E / SEC 26 / County or Parish/State: LEA /

NWNE / 32.1066697 / -103.6424122

Well Number: 721H Type of Well: OIL WELL Allottee or Tribe Name:

Lease Number: NMNM110836 Unit or CA Name: Unit or CA Number:

US Well Number: 3002548348 Well Status: Drilling Well Operator: EOG RESOURCES

INCORPORATED

Notification

Type of Submission: Type of Action: Casing and Cementing

Date Sundry Submitted: Apr 27, 2021 Time Sundry Submitted: 9:45:30 AM

Date Operation will begin: Apr 23, 2021 Time Operation will begin: 11:00:00 AM

Field Contact Name: D BACUSS Field Contact Number: 4326363600

Rig Name: Rig Number: HP642

Well Casing Table:

String Type		Top Setting Depth TVD				Bottom Setting Depth MSL
PRODUCTION	0	0	3531	10600	10600	-7205
PRODUCTION	11100	11100	-7703	22630	12362	-8967
PRODUCTION	10600	10600	-7203	11100	11100	-7705

Procedure Description: 4-24-2021 6 3/4" HOLE

4-24-2021 Production Hole @ 22,668' MD, 12,486' TVD

Casing shoe @ 22,652' MD, 12,486' TVD

Ran 5-1/2", 20#, ICYP-110 TXP (0' - 10,964') (MJ @ 11,790' and 22,178')

Ran 5-1/2", 20#, ICYP-110 TLW-SC (10,964' - 11,632') Ran 5-1/2", 20#, ICYP-110 TXP (11,632' - 22,652')

Cement w/ 985 sx Class H (1.23 yld, 14.5ppg) Test casing to 5,000 psi for 30 min - good. Did

not circ cement to surface, TOC @ 9,618' by Calc RR 4-25-2021

Disposition: Accepted

Accepted Date: 05/10/2021

District I
1625 N. French Dr., Hobbs, NM 88240
Phone: (575) 393-6161 Fax: (575) 393-0720

District II 811 S. First St., Artesia, NM 88210 Phone:(575) 748-1283 Fax:(575) 748-9720

District III 1000 Rio Brazos Rd., Aztec, NM 87410 Phone:(505) 334-6178 Fax:(505) 334-6170

1220 S. St Francis Dr., Santa Fe, NM 87505 Phone:(505) 476-3470 Fax:(505) 476-3462

State of New Mexico Energy, Minerals and Natural Resources Oil Conservation Division 1220 S. St Francis Dr. **Santa Fe, NM 87505**

CONDITIONS

Action 31220

CONDITIONS

Operator:	OGRID:
EOG RESOURCES INC	7377
P.O. Box 2267	Action Number:
Midland, TX 79702	31220
	Action Type:
	[C-103] Sub. Drilling (C-103N)

CONDITIONS

Created By	Condition	Condition Date
plmartinez	None	6/14/2021