Submit I Copy To Appropriate District

٩	2	
×	_	Š
		٠
1	4	f
		`
7	٠,	
è	٠.	ľ
٦	ľ	7
	•	٠
•	γ	7
7		i
	ď	1
d		ċ
2	•	۰
7	•	
7	•	٩
ŧ		à
À		1
1	S	
3		q
1	`	Ċ
ì	•	Ġ
ė		á
•		١
ì	è	5
	1	4
	٠	è
1	=	
P	•	
t		١
2	2	•
¢	7	١
1	٩	
	٠	4
	Ξ	
Þ	٠	
þ	•	s
	>	Š
	8	u
	ş	
•	'n	d
	0	٥
	e	3
	õ	i
á	0000	4
ĥ	3	í

Office <u>District I</u> – (575) 393-6161		State of New Mexico		Form C-103			
		Energy, Minerals and Natural Resources		Revised July 18, 2013 WELL API NO.			
1625 N. French Dr., Hobbs, NM 88. District II – (575) 748-1283		OH CONGERNATION DIVISION		30-015-22011			
811 S. First St., Artesia, NM 88210 District III - (505) 334-6178		OIL CONSERVATION DIVISION		5. Indicate Type of Lease			
1000 Rio Brazos Rd., Aztec, NM 87	410	1220 South St. Francis Dr.			x FEI		
<u>District IV</u> – (505) 476-3460 1220 S. St. Francis Dr., Santa Fe, NI		Santa Fe, NM 87	303	6. State Oil & G		•	
87505		BO-3823-001					
SUNDRY NOTICES AND REPORTS ON WELLS			7. Lease Name of	r Unit Agre	ement Na	ame	
(DO NOT USE THIS FORM FOR PROPOSALS TO DRILL OR TO DEEPEN OR PLUG BACK TO A DIFFERENT RESERVOIR. USE "APPLICATION FOR PERMIT" (FORM C-101) FOR SUCIE PROPOSALS.)			Empire Abo Unit (309164) 8. Well Number #281A				
1. Type of Well: Oil Well X Gas Well Other			o. Well Nulliber	9. OGRID Number			
2. Name of Operator Apache Corporation				9. OGRID Numi	per		
3. Address of Operator				10. Pool name or	r Wildcat	 -	
303 Veterans Airpark Lane	e. Ste. 3000. Midland. T	X 79705		Empire: Abo (22040)		
4. Well Location							
Unit Letter A		rom the N	line and	450 feet fro	m the	E	line
Section		iship 18S Rai		NMPM	County	Eddy	
	11. Elevation (Show whether DR,	RKB, RT, GR, etc	.)			
		3660' GR		100 100		tello del	
PERFORM REMEDIAL WOR TEMPORARILY ABANDON PULL OR ALTER CASING DOWNHOLE COMMINGLE	CHANGE PLAI MULTIPLE CO	ANDON NS	REMEDIAL WOR	IILLING OPNS.	ALTERING P AND A		3 <u>C</u>
CLOSED-LOOP SYSTEM OTHER:			OTHER:				
proposed completion	ed work). SEE RULE or recompletion.		•	ompletions: Attach v	wellbore dia	gram of	
of starting any propose proposed completion 4/21/21/21/21/21/21 . 04/28/21 Spot 30 sx clarag at 4250°. 2. 04/29/21 Spot 25 sx clarag. 04/30/21 Perf at 600°. S	or recompletion. -Noi:F-OCN;Do CFBP6 ss C cmt at 6104' to 5814' ss C cmt at 3350' to 3150', qz 170 sx class C cmt from	WOC. TOC at 5830'. Spot 25 sx class C co	6/02 Spot 25 sx class C o	empletions: Attach versions at 4470' to 4270' W	vellbore dia	gram of	
of starting any propose proposed completion 4/24/24-MT-PA', 4/27/21 1. 04/28/21 Spot 30 sx class Tag at 4250'. 2. 04/29/21 Spot 25 sx class	or recompletion. -Noi:F-OCN;Do CFBP6 ss C cmt at 6104' to 5814' ss C cmt at 3350' to 3150', qz 170 sx class C cmt from	WOC. TOC at 5830'. Spot 25 sx class C co	Spot 25 sx class C on the at 2100' to 1900' off wellhead and ren	empletions: Attach verified at 4470' to 4270' WWOC. TOC at 1880'. nove. Install dry hole medical for plugging of we	wellbore diag	Liability	
of starting any propose proposed completion 4/21/21/21/21/21/21 . 04/28/21 Spot 30 sx clarag at 4250°. 2. 04/29/21 Spot 25 sx clarag. 04/30/21 Perf at 600°. Science of the starting any proposed propos	or recompletion. -Noi:F-OCN;Do CFBP6 ss C cmt at 6104' to 5814' ss C cmt at 3350' to 3150', qz 170 sx class C cmt from	WOC. TOC at 5830'. Spot 25 sx class C co	Spot 25 sx class C of the state	ompletions: Attach v cmt at 4470' to 4270' W WOC. TOC at 1880'. nove. Install dry hole m	wellbore diag OC. parker. ell bore only. cation clean t of Well Plug	Liability up & rece	eipt o ich
of starting any propose proposed completion 4/24/21-MT.P.N., 4/27/21 1. 04/28/21 Spot 30 sx cla: Tag at 4250'. 2. 04/29/21 Spot 25 sx cla: 3. 04/30/21 Perf at 600'. S. P&A complete	or recompletion. -Noi:F-OCN;Do CFBP6 ss C cmt at 6104' to 5814' ss C cmt at 3350' to 3150', qz 170 sx class C cmt from	WOC. TOC at 5830'. Spot 25 sx class C co	Spot 25 sx class C of the state	cmt at 4470' to 4270' WWOC. TOC at 1880'. nove. Install dry hole may be retained pending Lot (Subsequent Reports found at OCD Web)	wellbore diag OC. parker. ell bore only. cation clean t of Well Plug	Liability up & rece	eipt o ich
of starting any propose proposed completion 4/24/21-MT.P.W., 4/27/21. 1. 04/28/21 Spot 30 sx cla: Tag at 4250'. 2. 04/29/21 Spot 25 sx cla: 3. 04/30/21 Perf at 600'. S. P&A complete	or recompletion. -Noi:F-OCN;Do CFBP6 ss C cmt at 6104' to 5814' ss C cmt at 3350' to 3150', qz 170 sx class C cmt from	WOC. TOC at 5830'. Spot 25 sx class C con 600' to surface. Cut	Spot 25 sx class C of the state	cmt at 4470' to 4270' WWOC. TOC at 1880'. nove. Install dry hole may be retained pending Local (Subsequent Reports found at OCD Web)	wellbore diag OC. parker. ell bore only. cation clean t of Well Plug	Liability up & rece	eipt c ich
of starting any propose proposed completion 4/24/21-MT.P.W., 4/27/21 1. 04/28/21 Spot 30 sx clast Tag at 4250'. 2. 04/29/21 Spot 25 sx clast 3. 04/30/21 Perf at 600'. See P&A complete	or recompletionNoif 1000;Do CFBF6 ss C cmt at 6104' to 5814' ss C cmt at 3350' to 3150' qz 170 sx class C cmt from	WOC. TOC at 5830'. Spot 25 sx class C can 600' to surface. Cut Rig Release Date	Spot 25 sx class C of the state	cmt at 4470' to 4270' W WOC. TOC at 1880'. nove. Install dry hole m red for plugging of we retained pending Lo (Subsequent Report found at OCD Web I	wellbore diag OC. parker. ell bore only. cation clean t of Well Plug	Liability up & rece	eipt c ich
of starting any propose proposed completion 4/24/21-MT.P.W., 4/27/21 1. 04/28/21 Spot 30 sx clast Tag at 4250'. 2. 04/29/21 Spot 25 sx clast 3. 04/30/21 Perf at 600'. See P&A complete pud Date:	or recompletionNoif 1000;Do CFBF6 ss C cmt at 6104' to 5814' ss C cmt at 3350' to 3150' qz 170 sx class C cmt from	WOC. TOC at 5830'. Spot 25 sx class C can 600' to surface. Cut Rig Release Date	Spot 25 sx class C of the state	cmt at 4470' to 4270' W WOC. TOC at 1880'. nove. Install dry hole m red for plugging of we retained pending Lo (Subsequent Report found at OCD Web I	wellbore diag OC. parker. ell bore only. cation clean t of Well Plug	Liability up & rece	eipt o ich
of starting any propose proposed completion 4/24/21-MT.P.W., 4/27/21 1. 04/28/21 Spot 30 sx clast Tag at 4250'. 2. 04/29/21 Spot 25 sx clast 3. 04/30/21 Perf at 600'. See P&A complete pud Date: hereby certify that the inform	or recompletionNoif 1000;Do CFBF6 ss C cmt at 6104' to 5814' ss C cmt at 3350' to 3150' qz 170 sx class C cmt from	WOC. TOC at 5830'. Spot 25 sx class C com 600' to surface. Cut Rig Release Date complete to the bes	Spot 25 sx class C of mit at 2100' to 1900' off wellhead and ren Approvious C-103C may be www.e	cmt at 4470' to 4270' W WOC. TOC at 1880'. nove. Install dry hole m red for plugging of we retained pending Lo (Subsequent Report found at OCD Web mnrd.state.nm.us	wellbore diag	Liability up & rece gging) wh ermitting	eipt c ich
of starting any propose proposed completion 4 24 21-MT.P., 4 27 21 1. 04/28/21 Spot 30 sx clast Tag at 4250'. 2. 04/29/21 Spot 25 sx clast 3. 04/30/21 Perf at 600'. See P&A complete pud Date: hereby certify that the inform IGNATURE	ation above is true and	WOC. TOC at 5830'. Spot 25 sx class C com 600' to surface. Cut Rig Release Date complete to the bes	Spot 25 sx class C of mit at 2100' to 1900' off wellhead and ren Approvious C-103C may be www.e e: Agent Agent	cmt at 4470' to 4270' W WOC. TOC at 1880'. nove. Install dry hole m red for plugging of we retained pending Lo (Subsequent Report found at OCD Web I mnrd.state.nm.us	wellbore diag	Liability up & rece	eipt o ich
of starting any propose proposed completion 4 14 14-MT.P.W., 4 27 21 1. 04/28/21 Spot 30 sx clast Tag at 4250'. 2. 04/29/21 Spot 25 sx clast 3. 04/30/21 Perf at 600'. See P&A complete Spud Date: hereby certify that the inform IGNATURE Type or print name Or State Use Only	ation above is true and	Rig Release Date complete to the besegreen.	Spot 25 sx class C of mit at 2100' to 1900' off wellhead and ren bond is C-1030 may be www.e	cmt at 4470' to 4270' W WOC. TOC at 1880'. nove. Install dry hole m red for plugging of we retained pending Lo (Subsequent Report found at OCD Web I mnrd.state.nm.us	wellbore diagnostic di	Liability up & rece gging) wh ermitting	eipt coich (a)
of starting any propose proposed completion 4 14 14-MT.P.W., 4 27 21 1. 04/28/21 Spot 30 sx clast Tag at 4250'. 2. 04/29/21 Spot 25 sx clast 3. 04/30/21 Perf at 600'. See P&A complete Spud Date: hereby certify that the inform IGNATURE Type or print name Or State Use Only	ation above is true and	Rig Release Date complete to the besegreen.	Spot 25 sx class C of mit at 2100' to 1900' off wellhead and ren bond is C-1030 may be www.e	cmt at 4470' to 4270' W WOC. TOC at 1880'. nove. Install dry hole m red for plugging of we retained pending Lo (Subsequent Report found at OCD Web I mnrd.state.nm.us	wellbore diagnostic di	Liability up & rece gging) wh ermitting	eipt coich (a)
of starting any propose proposed completion 4 24 21-MT.P.W., 4 27 21 1. 04/28/21 Spot 30 sx clast Tag at 4250'. 2. 04/29/21 Spot 25 sx clast 3. 04/30/21 Perf at 600'. See P&A complete pud Date: hereby certify that the inform IGNATURE Type or print name Jir or State Use Only	ation above is true and	Rig Release Date complete to the besegreen.	Spot 25 sx class C of mit at 2100' to 1900' off wellhead and ren bond is C-1030 may be www.e	cmt at 4470' to 4270' W WOC. TOC at 1880'. nove. Install dry hole m red for plugging of we retained pending Lo (Subsequent Report found at OCD Web I mnrd.state.nm.us	wellbore diagnostic di	Liability up & rece gging) wh ermitting	eipt coich (a)
of starting any propose proposed completion 4/24/21-MT.24/3/12/1. 1. 04/28/21 Spot 30 sx clast Tag at 4250'. 2. 04/29/21 Spot 25 sx clast 3. 04/30/21 Perf at 600'. Start Perf at 600'. Start	ation above is true and	Rig Release Date complete to the besegreen.	Spot 25 sx class C of mit at 2100' to 1900' off wellhead and ren bond is C-1030 may be www.e	cmt at 4470' to 4270' W WOC. TOC at 1880'. nove. Install dry hole m red for plugging of we retained pending Lo (Subsequent Report found at OCD Web I mnrd.state.nm.us	wellbore diagnostic di	Liability up & rece gging) wh ermitting	eipt coich (a)

Released to Imaging: 6/15/2021 4:07:47 PM



LEASE NAME Empire Abo Unit WELL# #281A API# 30.015.22011 EDDY, NM **COUNTY**

DEPTH SX/CMT

FINAL P&A WB DIAGRAM

SURF

170 SX

5. PUH & PERF'D @ 600', SQZD 170 SX CLASS "C" CMT FROM 600' TO SURF. RDMO, CUT OFF WH, INSTALL DRY HOLE MARKER, CLEAN LOCATION, P&A COMPLETE 4-30-21.

600'

1880' 25 SX 2100'

4. PUH & SPOTTED 25 SX CLASS "C" CMT @ 2100'-1900', TAGGED CMT @ 1880'.

San Andres

3150 25 SX 3350'

3. PUH & SPOTTED 25 SX CLASS "C" CMT @ 3350'-3150'.

GLORIETA

4250' 25 SX 4470'

2. PUH & SPOTTED 25 SX CLASS "C" CMT @ 4470'-4270', TAGGED TOC @ 4250'

DVT

5830'

30 SX

6123 Perfs @ 6173'-6188'

CIBP @ 6200^t

Perfs @ 6208'-6224' CICR @ 6258' s/ 175sx Perfs @ 6272'-6292'

1. MIRU P&A RIG. DO CIBP @ 5626', RIH & TAGGED @ 6102'. CIRC MLF & SPOTTED 30 SX CLASS "C" CMT @ 6104'-5814', TAGGGED TOC @ 5830.

ABO PERFS

0 265 11" Hole 8 5/8" 24# @ 550' 530 w/ 275 sx CIRC to surf TOC @ 600' by TS 795 1060 1325 1591 1856 2121 2386 2651 2916 3181 3446 3711 3976 4241 DVT @ 4380' w/ 725 sx, TOC @ 600' by TS 4506 4772 5037 5302 5567 5832 CIBP @ 6123' w/ 35' cmt 6097 7 7/8" Hole 6362 5 1/2" 14 & 15.5# @ 6362' w/ 525 sx to DVT @ 4380' PBTD @ 6123' TD @ 6362'

District I
1625 N. French Dr., Hobbs, NM 88240
Phone: (575) 393-6161 Fax: (575) 393-0720

District II 811 S. First St., Artesia, NM 88210 Phone:(575) 748-1283 Fax:(575) 748-9720

District III 1000 Rio Brazos Rd., Aztec, NM 87410 Phone:(505) 334-6178 Fax:(505) 334-6170

1220 S. St Francis Dr., Santa Fe, NM 87505 Phone:(505) 476-3470 Fax:(505) 476-3462

State of New Mexico Energy, Minerals and Natural Resources Oil Conservation Division 1220 S. St Francis Dr. **Santa Fe, NM 87505**

CONDITIONS

Action 29083

CONDITIONS

Operator:	OGRID:
APACHE CORPORATION	873
303 Veterans Airpark Ln	Action Number:
Midland, TX 79705	29083
	Action Type:
	[C-103] Sub. Plugging (C-103P)

CONDITIONS

Created By	Condition	Condition Date
gcordero	None	6/15/2021