

Submit 1 Copy To Appropriate District Office

District I - (575) 393-6161
1625 N. French Dr., Hobbs, NM 88240
District II - (575) 748-1283
811 S. First St., Artesia, NM 88210
District III - (505) 334-6178
1000 Rio Brazos Rd., Aztec, NM 87410
District IV - (505) 476-3460
1220 S. St. Francis Dr., Santa Fe, NM 87505

State of New Mexico
Energy, Minerals and Natural Resources

OIL CONSERVATION DIVISION
1220 South St. Francis Dr.
Santa Fe, NM 87505

Form C-103
Revised July 18, 2013

WELL API NO. 30-025-10420	
5. Indicate Type of Lease STATE ☐ FEE ☒	
6. State Oil & Gas Lease No.	
7. Lease Name or Unit Agreement Name Eugene Wood	
8. Well Number #005	
9. OGRID Number 873	
10. Pool name or Wildcat Blinebry Oil & Gas	
SUNDRY NOTICES AND REPORTS ON WELLS (DO NOT USE THIS FORM FOR PROPOSALS TO DRILL OR TO DEEPEN OR PLUG BACK TO A DIFFERENT RESERVOIR. USE "APPLICATION FOR PERMIT" (FORM C-101) FOR SUCH PROPOSALS.)	
1. Type of Well: Oil Well ☒ Gas Well ☐ Other ☐	
2. Name of Operator Apache Corporation	
3. Address of Operator 303 Veterans Airpark Lane, Ste. 3000, Midland, TX 79705	
4. Well Location Unit Letter <u>B</u> : <u>589</u> feet from the <u>N</u> line and <u>2051</u> feet from the <u>E</u> line Section <u>22</u> Township <u>22S</u> Range <u>37E</u> NMPM County <u>Lea</u>	
11. Elevation (Show whether DR, RKB, RT, GR, etc.) 3365' GR	

12. Check Appropriate Box to Indicate Nature of Notice, Report or Other Data

NOTICE OF INTENTION TO:		SUBSEQUENT REPORT OF:	
PERFORM REMEDIAL WORK ☐	PLUG AND ABANDON ☐	REMEDIAL WORK ☐	ALTERING CASING ☐
TEMPORARILY ABANDON ☐	CHANGE PLANS ☐	COMMENCE DRILLING OPNS. ☐	P AND A ☒
PULL OR ALTER CASING ☐	MULTIPLE COMPL ☐	CASING/CEMENT JOB ☐	PNR ☐
DOWNHOLE COMMINGLE ☐			
CLOSED-LOOP SYSTEM ☐			
OTHER: ☐		OTHER: ☐	

13. Describe proposed or completed operations. (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work). SEE RULE 19.15.7.14 NMAC. For Multiple Completions: Attach wellbore diagram of proposed completion or recompletion.

- 5/17/21 MREN Tag CIBP @ 5400'*
- 05/17/21 Spot 50 sx class C cmt at 5400'. Did not tag any cmt inside 5 1/2 csg. Respot 50 sx class C cmt at 5400'. Tag TOC at 5385' inside 5 1/2 csg.
 - 05/18/21 Spot 50 sx class C cmt at 5385'. Tag TOC at 4955' inside 5 1/2 csg. Spot 50 sx class C cmt at 4205'. Tag TOC at 3360' inside 5 1/2 csg.
 - 05/19/21 Perf at 2797' tried to get inject rate press up drop down to 2850'. Spot 55 sx class C cmt displace cmt to 2324'. No required tag inside 5 1/2 csg. Perf at 1260'. Sqz'd 60 sx class C cmt. Tag TOC at 950' inside 5 1/2 csg.
 - 05/20/21 Perf at 300'. Circulate 110 sx class C cmt to surface inside and behind 5 1/2 csg. Cut off wellhead and remove. Install dry hole marker. P&A complete.

Spud Date:

Rig Release Date:

I hereby certify that the information above is true and complete to the best of my knowledge and belief.

SIGNATURE

Jimmy Bagley

TITLE

Agent

DATE

05/21/21

Type or print name

Jimmy Bagley

E-mail address:

sunsetwellservice@yahoo.com

PHONE:

432-561-8600

For State Use Only

APPROVED BY:

Kerry Fortner

TITLE Compliance Officer A


DATE 6/15/21

Conditions of Approval (if any):

Authorized by Nicole Roman P&A Reg. Tech to Quinn Burks SR Reclamation Foreman - Apache Corp



WELL BORE INFO.



LEASE NAME	Eugene Wood
WELL #	#005
API #	30.025.10420
COUNTY	LEA, NM

DEPTH SX/CMT

PROPOSED PROCEDURE

SURF }
300' } 110 SX

5. PUH & PERF'D @ 300', CIRC 110 SX CLASS "C" CMT FROM 300' TO SURF INSIDE & BEHIND 5 1/2" CSG. RDMO, CUT OFF WH, INSTALL DRY HOLE MARKER, CLEAN LOCATION, P&A

WATER BOARD, SURF SHOE, & SURF PLUG

950' }
1260' } 60 SX

4. PUH & PERF'D @ 1260', SQZD 60 SX CLASS "C" CMT @ 260'. TAGGED TOC @ 950'.

TOP OF SALT

2324' }
2850' } 85 SX

3. PUH & PERF'D @ 2797', PRESSURED UP, KERRY FORTNER W/OCD OK'D TO SPOT 55 SX CLASS "C" CMT @ 2850', DISPLACED TO 2324'.

INTERM SHOE, YATES, BASE OF SALT

3360' }
4205' } 85 SX

2. PUH & SPOTTED 85 SX CLASS "C" CMT @ 4205', TAGGED TOC @ 3360'.

COVER CSG LKS & SQZ PERFS

4995' }
5385' } 150 SX
5400' }
Perfs @ 5470'-5843'

1. MIRU P&A RIG, RIH W/ TBG & VERIFIED CIBP @ 5400', SPOTTED 50 SX CLASS "C" CMT @ 5400', NO TAG, RE-SPOT 50 SX, TAGGED TOC @ 5385' INSIDE 5 1/2" CSG. SPOTTED 50 SX CLASS "C" CMT @ 5385', TAGGED CMT @ 4955'.

BLINEBRY

Perfs @ 7845'-7940'
Sqzd perfs @ 8056'-8074'
Sqzd perfs @ 8088'-8105'

District I
1625 N. French Dr., Hobbs, NM 88240
Phone:(575) 393-6161 Fax:(575) 393-0720
District II
811 S. First St., Artesia, NM 88210
Phone:(575) 748-1283 Fax:(575) 748-9720
District III
1000 Rio Brazos Rd., Aztec, NM 87410
Phone:(505) 334-6178 Fax:(505) 334-6170
District IV
1220 S. St Francis Dr., Santa Fe, NM 87505
Phone:(505) 476-3470 Fax:(505) 476-3462

State of New Mexico
Energy, Minerals and Natural Resources
Oil Conservation Division
1220 S. St Francis Dr.
Santa Fe, NM 87505

CONDITIONS

Action 29774

CONDITIONS

Operator: APACHE CORPORATION 303 Veterans Airpark Ln Midland, TX 79705	OGRID: 873
	Action Number: 29774
	Action Type: [C-103] Sub. Plugging (C-103P)

CONDITIONS

Created By	Condition	Condition Date
kfortner	None	6/15/2021