

District I
1625 N. French Dr., Hobbs, NM 88240
District II
811 S. First St., Artesia, NM 88210
District III
1000 Rio Brazos Rd., Aztec, NM 87410
District IV
1220 S. St. Francis Dr., Santa Fe, NM 87505

State of New Mexico
Energy, Minerals & Natural Resources

Oil Conservation Division
1220 South St. Francis Dr.
Santa Fe, NM 87505

Submit one copy to appropriate District Office

☐ AMENDED REPORT

I. REQUEST FOR ALLOWABLE AND AUTHORIZATION TO TRANSPORT

¹ Operator name and Address		² OGRID Number	
		³ Reason for Filing Code/ Effective Date	
⁴ API Number	⁵ Pool Name		⁶ Pool Code
⁷ Property Code	⁸ Property Name		⁹ Well Number

II. ¹⁰Surface Location

UL or lot no.	Section	Township	Range	Lot Idn	Feet from the	North/South Line	Feet from the	East/West line	County
---------------	---------	----------	-------	---------	---------------	------------------	---------------	----------------	--------

¹¹ Bottom Hole Location

UL or lot no.	Section	Township	Range	Lot Idn	Feet from the	North/South line	Feet from the	East/West line	County
¹² Lse Code	¹³ Producing Method Code		¹⁴ Gas Connection Date		¹⁵ C-129 Permit Number		¹⁶ C-129 Effective Date		¹⁷ C-129 Expiration Date

III. Oil and Gas Transporters

¹⁸ Transporter OGRID	¹⁹ Transporter Name and Address	²⁰ O/G/W

IV. Well Completion Data

²¹ Spud Date	²² Ready Date	²³ TD	²⁴ PBTD	²⁵ Perforations	²⁶ DHC, MC
²⁷ Hole Size		²⁸ Casing & Tubing Size	²⁹ Depth Set		³⁰ Sacks Cement

V. Well Test Data

³¹ Date New Oil	³² Gas Delivery Date	³³ Test Date	³⁴ Test Length	³⁵ Tbg. Pressure	³⁶ Csg. Pressure
³⁷ Choke Size	³⁸ Oil	³⁹ Water	⁴⁰ Gas		⁴¹ Test Method
⁴² I hereby certify that the rules of the Oil Conservation Division have been complied with and that the information given above is true and complete to the best of my knowledge and belief. Signature: <i>alicia fulton</i>			OIL CONSERVATION DIVISION Approved by: Title: Approval Date: 		
Printed name:					
Title:					
E-mail Address:					
Date:	Phone:				

District I
1625 N. French Dr., Hobbs, NM 88240
Phone: (575) 393-6161 Fax: (575) 393-0720
District II
811 S. First St., Artesia, NM 88210
Phone: (575) 748-1283 Fax: (575) 748-9720
District III
1000 Rio Brazos Road, Aztec, NM 87410
Phone: (505) 334-6178 Fax: (505) 334-6170
District IV
1220 S. St. Francis Dr., Santa Fe, NM 87505
Phone: (505) 476-3460 Fax: (505) 476-3462

State of New Mexico
Energy, Minerals & Natural Resources Department
OIL CONSERVATION DIVISION
1220 South St. Francis Dr.
Santa Fe, NM 87505

Form C-102
Revised August 1, 2011
Submit one copy to appropriate
District Office

☒ AMENDED REPORT

WELL LOCATION AND ACREAGE DEDICATION PLAT

¹ API Number 30-015-45808	² Pool Code 96413	³ Pool Name PALMILLO BONE SPRING SOUTHWEST
⁴ Property Code 325139	⁵ Property Name PALMILLO 10 STATE	
⁷ OGRID NO. 873	⁸ Operator Name APACHE CORPORATION	⁶ Well Number 333H
		⁹ Elevation 3490'

¹⁰ Surface Location

UL or lot no.	Section	Township	Range	Lot Idn	Feet from the	North/South line	Feet From the	East/West line	County
I	10	19S	28E		2430	SOUTH	180	EAST	EDDY

¹¹ Bottom Hole Location If Different From Surface

UL or lot no.	Section	Township	Range	Lot Idn	Feet from the	North/South line	Feet from the	East/West line	County
L	10	19S	28E		2031	SOUTH	62	WEST	EDDY

¹² Dedicated Acres 160	¹³ Joint or Infill	¹⁴ Consolidation Code	¹⁵ Order No.
---	-------------------------------	----------------------------------	-------------------------

No allowable will be assigned to this completion until all interest have been consolidated or a non-standard unit has been approved by the division.

<u>GEODETIC DATA</u> NAD 83 GRID - NM EAST <u>SURFACE LOCATION (SL)</u> N 609242.6 - E 595805.3 LAT: 32.6747281° N LONG: 104.1563155° W <u>KICK OFF POINT (KOP)</u> 2053' FSL - 47' FEL N 608867.0 - E 595939.0 LAT: 32.6736950° N LONG: 104.1558831° W MD: 7151.2 - TVD: 7124.5		<u>FIRST TAKE POINT (FTP)</u> 2062' FSL - 100' FEL N 608875.6 - E 595886.5 LAT: 32.6737190° N LONG: 104.1560537° W MD: 8324.8 - TVD: 8290.3 <u>LAST TAKE POINT (LTP)</u> 2031' FSL - 100' FWL N 608788.9 - E 590904.2 LAT: 32.6735024° N LONG: 104.1722459° W MD: 13416.8 - TVD: 8548.8 <u>BOTTOM HOLE (BH)</u> N 608788.5 - E 590866.1 LAT: 32.6735015° N LONG: 104.1723699° W MD: 13455.0 - TVD: 8548.5		<u>CORNER DATA</u> NAD 83 GRID - NM EAST A: FOUND BRASS CAP "1941" N 606757.3 - E 590806.4 B: FOUND BRASS CAP "1941" N 609393.2 - E 590803.6 C: FOUND BRASS CAP "1941" N 612029.5 - E 590800.8 D: FOUND BRASS CAP "1941" N 612060.8 - E 593387.2 E: FOUND BRASS CAP "1911" N 612093.1 - E 595974.2 F: FOUND BRASS CAP "1941" N 609454.0 - E 595984.6 G: FOUND BRASS CAP "1941" N 606815.2 - E 595993.1 H: FOUND BRASS CAP "1941" N 606785.9 - E 593400.0 <u>CALCULATED POINTS</u> 1: N 608075.2 - E 590805.0 2: N 608134.6 - E 595988.8		¹⁷ OPERATOR CERTIFICATION I hereby certify that the information contained herein is true and complete to the best of my knowledge and belief, and that this organization either owns a working interest or unleased mineral interest in the land including the proposed bottom hole location or has a right to drill this well at this location pursuant to a contract with an owner of such a mineral or working interest, or to a voluntary pooling agreement or a compulsory pooling order heretofore entered by the division. Signature: <i>alicia fulton</i> Date: 6/26/2021 Printed Name: Alicia Fulton E-mail Address: alicia.fulton@apachecorp.com	
<u>10</u> 62' BH BH LTP 40 Ac. 40 Ac. 40 Ac. 40 Ac.		180'SL SL FTP KOP 2430'SL 2031'BH		¹⁸ SURVEYOR CERTIFICATION I hereby certify that the well location shown on this plat was plotted from field notes of actual surveys made by me or under my supervision, and that the same is true and correct to the best of my belief. 1-8-2019 Date of Survey Signature and Seal of Professional Surveyor: <i>Jeffrey L. Fansler</i> 10034 Certificate Number AS-DRILLED - 02/12/20 Job No.: LS18121352AD1			

5D Survey Report



5D Survey Report

Apache Corporation

Field Name: *Apache NM (Nad 83 NMEZ)*
Site Name: *Palmillo 10 State Com Pad (333,232)*
Well Name: *Palmillo 10 State Com 333H*
File number: *13931008*
Survey: *Definitive survey*

23 December 2019



5D Survey Report



Palmillo 10 State Com 333H

Field Name: Apache NM (Nad 83 NMEZ)	Map Units: US ft	Company Name: Apache Corporation
	Vertical Reference Datum (VRD): Mean Sea Level	
	Projected Coordinate System: NAD83 / New Mexico East (ftUS)	
	Comment:	

Site: Palmillo 10 State Com Pad (333,232)	Units: US ft	North Reference: Grid	Convergence Angle: 0.10
	Position:	Northing: 609242.60 US ft	Latitude: 32.674728065
		Easting: 595805.30 US ft	Longitude: -104.156315534
	Elevation above MSL: 3490.00 US ft		
	Comment: Eddy Co., New Mexico		

Slot: Palmillo 10 State Com 333H	Position (Relative to Site Centre)		
	+N/-S: 0.00 US ft	Northing: 609242.60 US ft	Latitude: 32.674728065
	+E/-W: 0.00 US ft	Easting: 595805.30 US ft	Longitude: -104.156315534
	Slot TVD Reference: Ground Elevation		
	Elevation above MSL: 3490.00 US ft		
	Comment:		

Well: Palmillo 10 State Com 333H	Type: Main well	UWI:
	File Number: 13931008	Comment:
	Closure Distance: 4960 US ft	Closure Azimuth: 264.75°
	Vertical Section: Position of Origin (Relative to Slot centre)	
	+N/-S: 0.00 US ft	+E/-W: -0.00 US ft
	Az: 264.75°	

Drill floor:	Survey Name: Definitive Survey
Rig Height (Drill Floor): 26.00 US ft	Elevation above MSL: 3516.00 US ft
Inclination: 0.00°	Azimuth: 0.00°

Survey Name: Definitive Survey

Date: 11/Sep/2019	Survey Tool: See Survey Tool Ranges below.	Comment:	Company:
--------------------------	---	-----------------	-----------------

Magnetic Model:				
Model Name: IFR	Date: 27/Dec/2019	Field Strength: 47869.5 nT	Declination: 7.35°	Dip: 60.47°

Tie Point:					
MD: 0.00 US ft	Inclination: 0.00°	Azimuth: 0.00°	TVD: 0.00 US ft	North Offset: 0.00 US ft	East Offset: -0.00 US ft

Survey Tool Ranges:

Name	Start MD(USFt)	End MD(USFt)	Source Survey
GYRO_GC_WIR+DPIPE_GYD	0.00	7947.57	Gyro
MWD+IFR1+SAG+FDIR	7947.57	13455.00	WFT MWD+IFR1+SAG+FDIR Corrected

5D Survey Report

Wellpath created using minimum curvature.

Survey Points: (Relative to Slot centre)(TVD relative to Drill Floor)										
MD (US ft)	Inc (°)	Az (°)	TVD (US ft)	VS (US ft)	N.Offset (US ft)	E.Offset (US ft)	DLS (°/100US ft)	Northing (US ft)	Easting (US ft)	Comment
0.00	0.00	0.00	0.00	-0.00	0.00	-0.00	0.00	609242.60	595805.30	
78.30	0.34	83.10	78.30	-0.23	0.03	0.23	0.43	609242.63	595805.53	
166.71	0.53	84.73	166.71	-0.90	0.10	0.90	0.22	609242.70	595806.20	
255.34	0.72	83.62	255.33	-1.87	0.20	1.86	0.21	609242.80	595807.16	
342.76	0.67	80.72	342.75	-2.93	0.34	2.91	0.07	609242.94	595808.21	
434.31	0.78	81.90	434.29	-4.09	0.51	4.06	0.12	609243.11	595809.36	
522.02	1.01	81.93	521.99	-5.45	0.71	5.41	0.26	609243.31	595810.71	
616.14	0.80	79.75	616.10	-6.94	0.94	6.88	0.23	609243.54	595812.18	
705.59	0.35	58.56	705.54	-7.80	1.19	7.73	0.55	609243.79	595813.03	
796.08	0.33	37.52	796.03	-8.23	1.54	8.12	0.14	609244.14	595813.42	
886.87	0.37	17.38	886.82	-8.52	2.03	8.37	0.14	609244.63	595813.67	
977.54	0.24	141.99	977.49	-8.73	2.16	8.57	0.60	609244.76	595813.87	
1068.12	1.33	173.25	1068.06	-8.86	0.97	8.81	1.25	609243.57	595814.11	
1158.45	2.39	168.86	1158.34	-9.09	-1.92	9.30	1.18	609240.68	595814.60	
1248.67	3.69	163.56	1248.43	-9.84	-6.55	10.49	1.47	609236.05	595815.79	
1339.30	5.00	159.58	1338.80	-11.44	-13.05	12.69	1.48	609229.55	595817.99	
1429.78	6.18	161.26	1428.85	-13.61	-21.36	15.63	1.32	609221.24	595820.93	
1520.59	7.32	161.69	1519.02	-16.06	-31.48	19.02	1.26	609211.12	595824.32	
1609.93	8.31	161.68	1607.53	-18.80	-43.01	22.83	1.11	609199.59	595828.13	
1699.91	8.63	161.11	1696.53	-21.87	-55.57	27.06	0.37	609187.03	595832.36	
1790.16	8.53	160.98	1785.77	-25.06	-68.31	31.44	0.11	609174.29	595836.74	
1880.98	8.46	160.99	1875.60	-28.25	-80.99	35.81	0.08	609161.61	595841.11	
1975.05	8.58	159.97	1968.63	-31.68	-94.13	40.47	0.21	609148.47	595845.77	
2069.57	8.81	160.15	2062.06	-35.31	-107.56	45.34	0.25	609135.04	595850.64	
2163.66	9.02	160.04	2155.01	-39.00	-121.27	50.30	0.22	609121.33	595855.60	
2257.89	9.23	160.38	2248.05	-42.75	-135.33	55.36	0.23	609107.27	595860.66	
2352.32	9.71	160.25	2341.19	-46.62	-149.96	60.60	0.51	609092.64	595865.90	
2446.54	9.63	159.79	2434.08	-50.64	-164.83	66.00	0.12	609077.77	595871.30	
2540.54	9.86	159.84	2526.72	-54.75	-179.76	71.49	0.24	609062.84	595876.79	
2634.70	9.39	161.55	2619.55	-58.57	-194.62	76.70	0.58	609047.98	595882.00	
2728.50	8.46	161.62	2712.22	-61.89	-208.43	81.30	0.99	609034.17	595886.60	
2822.58	8.46	162.25	2805.27	-64.96	-221.58	85.59	0.10	609021.02	595890.89	
2916.89	8.69	162.53	2898.53	-67.97	-234.99	89.85	0.25	609007.61	595895.15	
3010.75	9.17	162.92	2991.25	-71.00	-248.90	94.17	0.52	608993.70	595899.47	
3105.14	9.97	163.66	3084.33	-74.12	-263.93	98.68	0.86	608978.67	595903.98	
3199.27	9.59	167.11	3177.09	-76.73	-279.39	102.72	0.74	608963.21	595908.02	
3293.37	8.10	165.76	3270.07	-78.80	-293.46	106.10	1.60	608949.14	595911.40	
3387.20	7.03	161.60	3363.08	-81.14	-305.32	109.54	1.28	608937.28	595914.84	
3481.44	5.69	160.56	3456.74	-83.60	-315.20	112.92	1.43	608927.40	595918.22	
3575.30	5.23	161.38	3550.17	-85.73	-323.64	115.83	0.50	608918.96	595921.13	
3669.41	5.46	163.07	3643.87	-87.63	-331.99	118.50	0.30	608910.61	595923.80	
3763.55	4.93	162.60	3737.63	-89.39	-340.13	121.02	0.56	608902.47	595926.32	
3857.61	3.36	156.03	3831.44	-91.12	-346.51	123.35	1.74	608896.09	595928.65	
3951.77	2.93	155.74	3925.46	-92.79	-351.22	125.46	0.46	608891.38	595930.76	
4045.88	3.19	159.11	4019.43	-94.28	-355.86	127.38	0.34	608886.74	595932.68	
4139.78	2.39	160.37	4113.22	-95.47	-360.15	128.97	0.85	608882.45	595934.27	
4233.76	0.57	152.41	4207.16	-96.14	-362.41	129.84	1.94	608880.19	595935.14	
4328.04	0.20	6.20	4301.44	-96.35	-362.66	130.08	0.79	608879.94	595935.38	
4421.85	0.24	342.96	4395.25	-96.34	-362.31	130.04	0.10	608880.29	595935.34	
4515.86	0.37	323.84	4489.26	-96.14	-361.87	129.80	0.17	608880.73	595935.10	
4610.06	0.18	196.37	4583.46	-95.93	-361.77	129.58	0.53	608880.83	595934.88	
4704.50	0.47	176.70	4677.90	-95.86	-362.30	129.56	0.32	608880.30	595934.86	
4798.63	0.57	179.93	4772.03	-95.81	-363.15	129.58	0.11	608879.45	595934.88	
4892.89	0.61	183.88	4866.28	-95.69	-364.12	129.55	0.06	608878.48	595934.85	
4986.99	0.78	185.56	4960.37	-95.49	-365.26	129.45	0.18	608877.34	595934.75	
5081.41	0.17	217.03	5054.79	-95.27	-366.01	129.31	0.68	608876.59	595934.61	
5175.85	0.26	322.07	5149.23	-95.06	-365.95	129.09	0.37	608876.65	595934.39	

5D Survey Report

Survey Points: (Relative to Slot centre)(TVD relative to Drill Floor)										
MD (US ft)	Inc (°)	Az (°)	TVD (US ft)	VS (US ft)	N.Offset (US ft)	E.Offset (US ft)	DLS (°/100US ft)	Northing (US ft)	Easting (US ft)	Comment
5270.21	0.43	317.59	5243.59	-94.73	-365.52	128.72	0.18	608877.08	595934.02	
5364.01	0.19	4.61	5337.39	-94.55	-365.11	128.49	0.35	608877.49	595933.79	
5458.31	0.60	103.84	5431.68	-95.04	-365.07	128.99	0.70	608877.53	595934.29	
5552.27	0.85	109.25	5525.64	-96.14	-365.42	130.12	0.28	608877.18	595935.42	
5646.18	0.87	104.43	5619.54	-97.44	-365.83	131.47	0.08	608876.77	595936.77	
5740.21	0.92	98.61	5713.55	-98.85	-366.12	132.91	0.11	608876.48	595938.21	
5834.05	0.89	142.97	5807.38	-99.97	-366.81	134.09	0.73	608875.79	595939.39	
5927.92	1.30	171.07	5901.24	-100.42	-368.45	134.70	0.71	608874.15	595940.00	
6021.71	0.94	183.63	5995.01	-100.37	-370.26	134.81	0.46	608872.34	595940.11	
6115.70	0.54	272.04	6088.99	-99.81	-371.02	134.32	1.14	608871.58	595939.62	
6210.02	0.77	269.67	6183.31	-98.74	-371.01	133.24	0.25	608871.59	595938.54	
6304.02	0.57	210.83	6277.30	-97.83	-371.41	132.37	0.72	608871.19	595937.67	
6397.79	0.87	187.05	6371.06	-97.41	-372.52	132.05	0.45	608870.08	595937.35	
6492.00	0.09	348.22	6465.27	-97.24	-373.15	131.94	1.01	608869.45	595937.24	
6586.10	0.54	343.48	6559.37	-97.15	-372.66	131.80	0.48	608869.94	595937.10	
6680.45	0.28	43.14	6653.72	-97.24	-372.06	131.83	0.49	608870.54	595937.13	
6774.57	0.31	141.20	6747.84	-97.55	-372.09	132.15	0.47	608870.51	595937.45	
6868.61	0.96	167.56	6841.87	-97.79	-373.06	132.48	0.74	608869.54	595937.78	
6963.02	0.98	156.53	6936.27	-98.14	-374.57	132.97	0.20	608868.03	595938.27	
7056.91	0.59	133.12	7030.15	-98.71	-375.64	133.64	0.53	608866.96	595938.94	
7151.21	0.53	322.79	7124.45	-98.80	-375.63	133.73	1.18	608866.97	595939.03	
7245.50	1.25	300.47	7218.73	-97.74	-374.76	132.58	0.83	608867.84	595937.88	
7339.68	0.72	243.73	7312.89	-96.35	-374.50	131.17	1.11	608868.10	595936.47	
7433.89	0.48	170.37	7407.10	-95.83	-375.15	130.70	0.79	608867.45	595936.00	
7527.76	0.70	20.34	7500.97	-96.11	-375.00	130.97	1.22	608867.60	595936.27	
7621.84	0.59	281.39	7595.04	-95.89	-374.36	130.69	1.05	608868.24	595935.99	
7716.18	1.15	223.60	7689.37	-94.71	-374.95	129.56	1.03	608867.65	595934.86	
7810.27	0.72	356.51	7783.46	-94.02	-375.05	128.88	1.83	608867.55	595934.18	
7904.38	1.85	27.95	7877.54	-94.87	-373.12	129.55	1.37	608869.48	595934.85	
7947.57	1.79	37.70	7920.71	-95.71	-371.97	130.29	0.73	608870.63	595935.59	TieOn
8022.00	0.64	31.43	7995.12	-96.75	-370.69	131.22	1.55	608871.91	595936.52	
8117.00	1.78	263.12	8090.11	-95.59	-370.42	130.03	2.35	608872.18	595935.33	
8164.00	6.36	266.08	8136.98	-92.26	-370.68	126.71	9.75	608871.92	595932.01	
8211.00	12.93	272.17	8183.29	-84.43	-370.66	118.85	14.13	608871.94	595924.15	
8258.00	19.01	276.56	8228.46	-71.71	-369.59	105.98	13.18	608873.01	595911.28	
8306.00	23.08	276.09	8273.25	-54.83	-367.69	88.85	8.49	608874.91	595894.15	
8326.37	25.44	275.35	8291.82	-46.61	-366.86	80.52	11.67	608875.74	595885.82	Cross 100'HL 8326.37'MD
8400.00	33.98	273.49	8355.71	-10.67	-364.13	44.17	11.67	608878.47	595849.47	
8494.00	46.36	272.74	8427.40	49.21	-360.89	-16.26	13.18	608881.71	595789.04	
8541.00	52.27	270.90	8458.03	84.57	-359.78	-51.87	12.92	608882.82	595753.43	
8588.00	56.82	267.00	8485.29	122.73	-360.52	-90.12	11.80	608882.08	595715.18	
8635.00	61.95	267.12	8509.22	163.13	-362.60	-130.50	10.92	608880.00	595674.80	
8682.00	69.03	267.89	8528.70	205.82	-364.45	-173.20	15.14	608878.15	595632.10	
8729.00	76.29	268.43	8542.70	250.57	-365.88	-218.01	15.49	608876.72	595587.29	
8777.00	79.43	269.06	8552.79	297.38	-366.91	-264.92	6.67	608875.69	595540.38	
8824.00	82.84	269.74	8560.04	343.66	-367.39	-311.35	7.39	608875.21	595493.95	
8871.00	86.91	269.52	8564.23	390.29	-367.70	-358.15	8.67	608874.90	595447.15	
8897.00	88.67	269.56	8565.24	416.18	-367.91	-384.13	6.77	608874.69	595421.17	
8944.00	89.93	269.86	8565.81	463.00	-368.14	-431.12	2.76	608874.46	595374.18	
8992.00	89.93	269.86	8565.87	510.81	-368.26	-479.12	0.00	608874.34	595326.18	
9086.00	89.97	270.26	8565.95	604.41	-368.16	-573.12	0.43	608874.44	595232.18	
9180.00	90.10	270.74	8565.89	697.93	-367.34	-667.12	0.53	608875.26	595138.18	
9275.00	90.05	269.50	8565.77	792.51	-367.14	-762.12	1.31	608875.46	595043.18	
9369.00	90.98	267.79	8564.92	886.29	-369.37	-856.08	2.07	608873.23	594949.22	
9462.00	90.72	267.92	8563.54	979.14	-372.85	-949.01	0.31	608869.75	594856.29	
9557.00	90.98	267.94	8562.14	1073.98	-376.28	-1043.93	0.27	608866.32	594761.37	
9651.00	90.67	268.01	8560.78	1167.83	-379.60	-1137.87	0.34	608863.00	594667.43	
9745.00	90.91	268.24	8559.49	1261.65	-382.67	-1231.81	0.35	608859.93	594573.49	

5D Survey Report

Survey Points: (Relative to Slot centre)(TVD relative to Drill Floor)										
MD (US ft)	Inc (°)	Az (°)	TVD (US ft)	VS (US ft)	N.Offset (US ft)	E.Offset (US ft)	DLS (°/100US ft)	Northing (US ft)	Easting (US ft)	Comment
9839.00	92.48	268.46	8556.71	1355.42	-385.38	-1325.72	1.69	608857.22	594479.58	
9934.00	92.76	268.56	8552.36	1450.12	-387.85	-1420.59	0.31	608854.75	594384.71	
10027.00	94.13	268.74	8546.77	1542.74	-390.03	-1513.40	1.49	608852.57	594291.90	
10122.00	92.53	268.22	8541.26	1637.37	-392.55	-1608.20	1.77	608850.05	594197.10	
10216.00	91.13	268.41	8538.26	1731.14	-395.31	-1702.11	1.50	608847.29	594103.19	
10310.00	91.33	268.72	8536.24	1824.91	-397.67	-1796.06	0.39	608844.93	594009.24	
10404.00	91.31	269.14	8534.07	1918.63	-399.42	-1890.01	0.45	608843.18	593915.29	
10498.00	92.16	269.54	8531.23	2012.29	-400.50	-1983.96	1.00	608842.10	593821.34	
10592.00	93.09	269.85	8526.92	2105.84	-401.00	-2077.86	1.04	608841.60	593727.44	
10686.00	93.45	270.01	8521.56	2199.30	-401.12	-2171.71	0.42	608841.48	593633.59	
10780.00	93.04	269.55	8516.24	2292.79	-401.48	-2265.56	0.65	608841.12	593539.74	
10874.00	92.59	269.40	8511.62	2386.36	-402.34	-2359.44	0.50	608840.26	593445.86	
10969.00	90.14	268.84	8509.36	2481.05	-403.80	-2454.39	2.65	608838.80	593350.91	
11062.00	88.23	268.43	8510.68	2573.82	-406.01	-2547.35	2.10	608836.59	593257.95	
11156.00	88.48	268.68	8513.38	2667.57	-408.38	-2641.29	0.38	608834.22	593164.01	
11251.00	88.49	268.80	8515.89	2762.31	-410.47	-2736.23	0.13	608832.13	593069.07	
11345.00	88.25	269.03	8518.57	2856.02	-412.25	-2830.17	0.35	608830.35	592975.13	
11439.00	87.68	269.26	8521.90	2949.69	-413.65	-2924.10	0.65	608828.95	592881.20	
11526.00	89.45	268.15	8524.08	3036.45	-415.62	-3011.05	2.40	608826.98	592794.25	
11627.00	90.32	268.48	8524.28	3137.25	-418.59	-3112.00	0.92	608824.01	592693.30	
11721.00	89.34	267.92	8524.56	3231.08	-421.54	-3205.96	1.20	608821.06	592599.34	
11815.00	88.11	268.23	8526.66	3324.90	-424.70	-3299.88	1.35	608817.90	592505.42	
11910.00	88.30	268.23	8529.63	3419.67	-427.63	-3394.79	0.20	608814.97	592410.51	
12004.00	88.11	268.06	8532.58	3513.46	-430.67	-3488.69	0.27	608811.93	592316.61	
12098.00	88.06	269.36	8535.72	3607.18	-432.78	-3582.61	1.38	608809.82	592222.69	
12192.00	89.22	270.22	8537.95	3700.79	-433.13	-3676.58	1.54	608809.47	592128.72	
12286.00	89.54	270.18	8538.96	3794.36	-432.80	-3770.58	0.34	608809.80	592034.72	
12380.00	89.38	270.06	8539.85	3887.94	-432.60	-3864.57	0.21	608810.00	591940.73	
12473.00	89.87	269.65	8540.46	3980.57	-432.84	-3957.57	0.69	608809.76	591847.73	
12567.00	90.61	269.60	8540.07	4074.23	-433.45	-4051.57	0.79	608809.15	591753.73	
12661.00	89.00	269.13	8540.39	4167.92	-434.50	-4145.56	1.78	608808.10	591659.74	
12755.00	88.44	268.46	8542.49	4261.66	-436.47	-4239.51	0.93	608806.13	591565.79	
12849.00	88.83	268.50	8544.72	4355.44	-438.97	-4333.45	0.42	608803.63	591471.85	
12943.00	88.80	268.02	8546.67	4449.24	-441.82	-4427.39	0.51	608800.78	591377.91	
13037.00	88.92	268.01	8548.54	4543.07	-445.07	-4521.31	0.13	608797.53	591283.99	
13132.00	89.80	267.88	8549.60	4637.92	-448.48	-4616.24	0.94	608794.12	591189.06	
13226.00	89.59	268.96	8550.10	4731.72	-451.07	-4710.21	1.17	608791.53	591095.09	
13320.00	90.83	269.25	8549.76	4825.45	-452.54	-4804.19	1.35	608790.06	591001.11	
13392.00	90.40	269.39	8548.98	4897.21	-453.39	-4876.18	0.63	608789.21	590929.12	Last WFT SVY
13416.88	90.40	269.39	8548.81	4922.01	-453.66	-4901.06	0.00	608788.94	590904.24	Cross 100'HL 13416.88'MD
13455.00	90.40	269.39	8548.54	4960.00	-454.07	-4939.18	0.00	608788.53	590866.12	PTB

Submit a Copy To Appropriate District Office
 District I – (575) 393-6161
 1625 N. French Dr., Hobbs, NM 88240
 District II – (575) 748-1283
 811 S. First St., Artesia, NM 88210
 District III – (505) 334-6178
 1000 Rio Brazos Rd., Aztec, NM 87410
 District IV – (505) 476-3460
 1220 S. St. Francis Dr., Santa Fe, NM 87505

State of New Mexico
 Energy, Minerals and Natural Resources

Form C-103
 Revised July 18, 2013

OIL CONSERVATION DIVISION
 1220 South St. Francis Dr.
 Santa Fe, NM 87505

WELL API NO.	
5. Indicate Type of Lease STATE ☐ FEE ☐	
6. State Oil & Gas Lease No.	
7. Lease Name or Unit Agreement Name	
8. Well Number	
9. OGRID Number	
10. Pool name or Wildcat	
SUNDRY NOTICES AND REPORTS ON WELLS (DO NOT USE THIS FORM FOR PROPOSALS TO DRILL OR TO DEEPEN OR PLUG BACK TO A DIFFERENT RESERVOIR. USE "APPLICATION FOR PERMIT" (FORM C-101) FOR SUCH PROPOSALS.) 1. Type of Well: Oil Well ☐ Gas Well ☐ Other ☐ 2. Name of Operator 3. Address of Operator 4. Well Location Unit Letter _____: _____ feet from the _____ line and _____ feet from the _____ line Section _____ Township _____ Range _____ NMPM _____ County _____ 11. Elevation (Show whether DR, RKB, RT, GR, etc.)	

12. Check Appropriate Box to Indicate Nature of Notice, Report or Other Data

NOTICE OF INTENTION TO:	SUBSEQUENT REPORT OF:
PERFORM REMEDIAL WORK ☐	REMEDIAL WORK ☐
TEMPORARILY ABANDON ☐	ALTERING CASING ☐
PULL OR ALTER CASING ☐	COMMENCE DRILLING OPNS. ☐
DOWNHOLE COMMINGLE ☐	P AND A ☐
CLOSED-LOOP SYSTEM ☐	CASING/CEMENT JOB ☐
OTHER: ☐	OTHER: ☐

13. Describe proposed or completed operations. (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work). SEE RULE 19.15.7.14 NMAC. For Multiple Completions: Attach wellbore diagram of proposed completion or recompletion.

Spud Date:

Rig Release Date:

I hereby certify that the information above is true and complete to the best of my knowledge and belief.

SIGNATURE alicia fulton TITLE _____ DATE _____

Type or print name _____ E-mail address: _____ PHONE: _____

For State Use Only

APPROVED BY: _____ TITLE _____ DATE _____

Conditions of Approval (if any):

Submit To Appropriate District Office Two Copies <u>District I</u> 1625 N. French Dr., Hobbs, NM 88240 <u>District II</u> 1301 W. Grand Avenue, Artesia, NM 88210 <u>District III</u> 1000 Rio Brazos Rd., Aztec, NM 87410 <u>District IV</u> 1220 S. St. Francis Dr., Santa Fe, NM 87505		State of New Mexico Energy, Minerals and Natural Resources Oil Conservation Division 1220 South St. Francis Dr. Santa Fe, NM 87505				Form C-105 July 17, 2008				
WELL COMPLETION OR RECOMPLETION REPORT AND LOG								1. WELL API NO.		
4. Reason for filing: ☐ COMPLETION REPORT (Fill in boxes #1 through #31 for State and Fee wells only) ☐ C-144 CLOSURE ATTACHMENT (Fill in boxes #1 through #9, #15 Date Rig Released and #32 and/or #33; attach this and the plat to the C-144 closure report in accordance with 19.15.17.13.K NMAC)								2. Type of Lease ☐ STATE ☐ FEE ☐ FED/INDIAN		
								3. State Oil & Gas Lease No.		
5. Lease Name or Unit Agreement Name								6. Well Number:		
7. Type of Completion: ☐ NEW WELL ☐ WORKOVER ☐ DEEPENING ☐ PLUGBACK ☐ DIFFERENT RESERVOIR ☐ OTHER										
8. Name of Operator						9. OGRID				
10. Address of Operator						11. Pool name or Wildcat				
12. Location	Unit Ltr	Section	Township	Range	Lot	Feet from the	N/S Line	Feet from the	E/W Line	County
Surface:										
BH:										
13. Date Spudded	14. Date T.D. Reached	15. Date Rig Released			16. Date Completed (Ready to Produce)			17. Elevations (DF and RKB, RT, GR, etc.)		
18. Total Measured Depth of Well			19. Plug Back Measured Depth			20. Was Directional Survey Made?		21. Type Electric and Other Logs Run		
22. Producing Interval(s), of this completion - Top, Bottom, Name										
23. CASING RECORD (Report all strings set in well)										
CASING SIZE		WEIGHT LB./FT.		DEPTH SET		HOLE SIZE		CEMENTING RECORD		AMOUNT PULLED
24. LINER RECORD						25. TUBING RECORD				
SIZE	TOP	BOTTOM	SACKS CEMENT	SCREEN	SIZE	DEPTH SET	PACKER SET			
26. Perforation record (interval, size, and number)					27. ACID, SHOT, FRACTURE, CEMENT, SQUEEZE, ETC.					
					DEPTH INTERVAL			AMOUNT AND KIND MATERIAL USED		
28. PRODUCTION										
Date First Production		Production Method (<i>Flowing, gas lift, pumping - Size and type pump</i>)					Well Status (<i>Prod. or Shut-in</i>)			
Date of Test	Hours Tested	Choke Size	Prod'n For Test Period	Oil - Bbl	Gas - MCF	Water - Bbl.	Gas - Oil Ratio			
Flow Tubing Press.	Casing Pressure	Calculated 24-Hour Rate	Oil - Bbl.	Gas - MCF	Water - Bbl.	Oil Gravity - API - (<i>Corr.</i>)				
29. Disposition of Gas (<i>Sold, used for fuel, vented, etc.</i>)								30. Test Witnessed By		
31. List Attachments										
32. If a temporary pit was used at the well, attach a plat with the location of the temporary pit.										
33. If an on-site burial was used at the well, report the exact location of the on-site burial:										
				Latitude		Longitude		NAD 1927 1983		
<i>I hereby certify that the information shown on both sides of this form is true and complete to the best of my knowledge and belief</i>										
Signature <i>alicia fulton</i>				Printed Name		Title		Date		
E-mail Address										

This form is to be filed with the appropriate District Office of the Division not later than 20 days after the completion of any newly-drilled or deepened well and not later than 60 days after completion of closure. When submitted as a completion report, this shall be accompanied by one copy of all electrical and radio-activity logs run on the well and a summary of all special tests conducted, including drill stem tests. All depths reported shall be measured depths. In the case of directionally drilled wells, true vertical depths shall also be reported. For multiple completions, items 11, 12 and 26-31 shall be reported for each zone.

Southeastern New Mexico		Northwestern New Mexico	
T. Anhy	T. Canyon	T. Ojo Alamo	T. Penn A"
T. Salt	T. Strawn	T. Kirtland	T. Penn. "B"
B. Salt	T. Atoka	T. Fruitland	T. Penn. "C"
T. Yates	T. Miss	T. Pictured Cliffs	T. Penn. "D"
T. 7 Rivers	T. Devonian	T. Cliff House	T. Leadville
T. Queen	T. Silurian	T. Menefee	T. Madison
T. Grayburg	T. Montoya	T. Point Lookout	T. Elbert
T. San Andres	T. Simpson	T. Mancos	T. McCracken
T. Glorieta	T. McKee	T. Gallup	T. Ignacio Otzte
T. Paddock	T. Ellenburger	Base Greenhorn	T.Granite
T. Blinebry	T. Gr. Wash	T. Dakota	
T. Tubb	T. Delaware Sand	T. Morrison	
T. Drinkard	T. Bone Springs	T.Todilto	
T. Abo	T.	T. Entrada	
T. Wolfcamp	T.	T. Wingate	
T. Penn	T.	T. Chinle	
T. Cisco (Bough C)	T.	T. Permian	

No. 1, from.....to.....
No. 2, from.....to.....

No. 3, from.....to.....
No. 4, from.....to.....

Include data on rate of water inflow and elevation to which water rose in hole.

No. 1, from.....to.....feet.....
 No. 2, from.....to.....feet.....
 No. 3, from.....to.....feet.....

From	To	Thickness In Feet	Lithology

District I

1625 N. French Dr., Hobbs, NM 88240
Phone:(575) 393-6161 Fax:(575) 393-0720

District II

811 S. First St., Artesia, NM 88210
Phone:(575) 748-1283 Fax:(575) 748-9720

District III

1000 Rio Brazos Rd., Aztec, NM 87410
Phone:(505) 334-6178 Fax:(505) 334-6170

District IV

1220 S. St Francis Dr., Santa Fe, NM 87505
Phone:(505) 476-3470 Fax:(505) 476-3462

State of New Mexico
Energy, Minerals and Natural Resources
Oil Conservation Division
1220 S. St Francis Dr.
Santa Fe, NM 87505

ACKNOWLEDGMENTS

Action 33937

ACKNOWLEDGMENTS

Operator: APACHE CORPORATION 303 Veterans Airpark Ln Midland, TX 79705	OGRID: 873
	Action Number: 33937
	Action Type: [C-104] Completion Packet (C-104C)

ACKNOWLEDGMENTS

☒	I hereby certify that the required Water Use Report has been, or will be, submitted for this wells completion.
☒	I hereby certify that the required FracFocus disclosure has been, or will be, submitted for this wells completion.

District I
1625 N. French Dr., Hobbs, NM 88240
Phone:(575) 393-6161 Fax:(575) 393-0720
District II
811 S. First St., Artesia, NM 88210
Phone:(575) 748-1283 Fax:(575) 748-9720
District III
1000 Rio Brazos Rd., Aztec, NM 87410
Phone:(505) 334-6178 Fax:(505) 334-6170
District IV
1220 S. St Francis Dr., Santa Fe, NM 87505
Phone:(505) 476-3470 Fax:(505) 476-3462

State of New Mexico
Energy, Minerals and Natural Resources
Oil Conservation Division
1220 S. St Francis Dr.
Santa Fe, NM 87505

CONDITIONS

Action 33937

CONDITIONS

Operator: APACHE CORPORATION 303 Veterans Airpark Ln Midland, TX 79705	OGRID: 873
	Action Number: 33937
	Action Type: [C-104] Completion Packet (C-104C)

CONDITIONS

Created By	Condition	Condition Date
ksimmons	File all drilling, casing, and completion sundries and reports.	6/28/2021