

1625 N. French Dr., Hobbs, NM 88240

State of New Mexico
Energy, Minerals & Natural ResourcesForm C-104
Revised August 1, 2011District II

811 S. First St., Artesia, NM 88210

District III

1000 Rio Brazos Rd., Aztec, NM 87410

District IV

1220 S. St. Francis Dr., Santa Fe, NM 87505

Oil Conservation Division
1220 South St. Francis Dr.
Santa Fe, NM 87505

Submit one copy to appropriate District Office

☐ AMENDED REPORT**I. REQUEST FOR ALLOWABLE AND AUTHORIZATION TO TRANSPORT**

¹ Operator name and Address OXY USA INC. P.O. BOX 50250 MIDLAND, TX 79710		² OGRID Number: 16696
		³ Reason for Filing Code/ Effective Date: RT - 06/27/2021
⁴ API Number 30 - 025-45864	⁵ Pool Name MESA VERDE; WOLFCAMP	⁶ Pool Code 98252
⁷ Property Code: 320829	⁸ Property Name: MESA VERDE WOLFCAMP UNIT	⁹ Well Number: 14H

II. ¹⁰ Surface Location

Ul or lot no.	Section	Township	Range	Lot Idn	Feet from the	North/South Line	Feet from the	East/West line	County
L 4	18	24S	32E		400	SOUTH	1378	WEST	LEA

¹¹ Bottom Hole Location

FTP- 592' FSL 969' FEL LTP- 149' FNL 997' FEL

UL or lot no.	Section	Township	Range	Lot Idn	Feet from the	North/South line	Feet from the	East/West line	County
A	13	24S	31E		59	NORTH	997	EAST	EDDY

¹² Lse Code F	¹³ Producing Method Code : F	¹⁴ Gas Connection Date: TBD	¹⁵ C-129 Permit Number	¹⁶ C-129 Effective Date	¹⁷ C-129 Expiration Date
-----------------------------	--	--	-----------------------------------	------------------------------------	-------------------------------------

III. Oil and Gas Transporters

¹⁸ Transporter OGRID	¹⁹ Transporter Name and Address	²⁰ O/G/W
273222	GREAT LAKES PETROLEUM TRANSPORTATION, LLC	O
151618	ENTERPRISE FIELD SERVICES LLC	G

IV. Well Completion Data

²¹ Spud Date 03/19/21	²² Ready Date 06/27/2021	²³ TD 17301'M 11929'V	²⁴ PBTD 17273'M 11930'V	²⁵ Perforations 12670-17211'	²⁶ DHC, MC
²⁷ Hole Size	²⁸ Casing & Tubing Size	²⁹ Depth Set		³⁰ Sacks Cement	
14-3/4"	10-3/4"	957'		890	
9-7/8"	7-5/8"	11617'		2816	
6-3/4"	5-1/2"	17286'		485	

V. Well Test Data

³¹ Date New Oil	³² Gas Delivery Date	³³ Test Date	³⁴ Test Length	³⁵ Tbg. Pressure	³⁶ Csg. Pressure
³⁷ Choke Size	³⁸ Oil	³⁹ Water	⁴⁰ Gas		⁴¹ Test Method

⁴² I hereby certify that the rules of the Oil Conservation Division have been complied with and that the information given above is true and complete to the best of my knowledge and belief.

Signature:



Printed name: JANA MENDIOLA

Title: SR. REGULATORY ANALYST

E-mail Address:

Janalyn_mendiola@oxy.com

Date:

06/25/2021

Phone:

432-695-5936

OIL CONSERVATION DIVISION

Approved by: KURT SIMMONS

Title: NMOCD, SANTA FE

Approval Date: 06/28/2021

RT C-104 EXPIRES 09/28/2021

1625 N. French Dr., Hobbs, NM 88240
 Phone: (575) 393-6161 Fax: (575) 393-0720
District II
 811 S. First St., Artesia, NM 88210
 Phone: (575) 748-1283 Fax: (575) 748-9720
District III
 1000 Rio Brazos Road, Aztec, NM 87410
 Phone: (505) 334-6178 Fax: (505) 334-6170
District IV
 1220 S. St. Francis Dr., Santa Fe, NM 87505
 Phone: (505) 476-3460 Fax: (505) 476-3462

State of New Mexico
 Energy, Minerals & Natural Resources Department
OIL CONSERVATION DIVISION
 1220 South St. Francis Dr.
 Santa Fe, NM 87505

Revised August 1, 2011
 Submit one copy to appropriate
 District Office

☒ AMENDED REPORT

WELL LOCATION AND ACREAGE DEDICATION AS-DRILLED PLAT

¹ API Number 30-025-45864	² Pool Code 98252	³ Pool Name MESA VERDE; WOLFCAMP
⁴ Property Code 320829	Property Name MESA VERDE WC UNIT	⁶ Well Number 14H
⁷ OGRID No. 16696	⁸ Operator Name OXY USA INC.	⁹ Elevation 3573'

¹⁰ Surface Location

UL or lot no.	Section	Township	Range	Lot Idn	Feet from the	North/South line	Feet from the	East/West line	County
L 4	18	24S	32E		400	SOUTH	1378	WEST	LEA
¹¹ Bottom Hole Location If Different From Surface									
UL or lot no.	Section	Township	Range	Lot Idn	Feet from the	North/South line	Feet from the	East/West line	County
A	13	24S	31E		59	NORTH	997	EAST	EDDY
¹² Dedicated Acres 160.0	¹³ Joint or Infill	¹⁴ Consolidation Code	¹⁵ Order No.						

No allowable will be assigned to this completion until all interests have been consolidated or a non-standard unit has been approved by the division.

SHEET 1 OF 1 JOB No. R4162 REV 0 WM 6/25/2021	CORNER COORDINATES NAD 83, SPCS NM EAST A - X: 728788.41' / Y: 440702.98' B - X: 728771.04' / Y: 443341.51' C - X: 728756.04' / Y: 445980.79' D - X: 730076.19' / Y: 445988.57' E - X: 730090.30' / Y: 443347.45' F - X: 730109.14' / Y: 440709.81'	CORNER COORDINATES NAD 27, SPCS NM EAST A - X: 687604.05' / Y: 440644.21' B - X: 687586.78' / Y: 443282.68' C - X: 687571.89' / Y: 445921.90' D - X: 688892.04' / Y: 445929.68' E - X: 688906.04' / Y: 443288.62' F - X: 688924.78' / Y: 440651.04' BOTTOM HOLE LOCATION 59' FNL 997' FEL, SECTION 13 17301' MEASURED DEPTH IN FEET NAD 83, SPCS NM EAST X: 729079.35' / Y: 445923.61' LAT: 32.22446230N / LON: 103.72621236W LAST TAKE POINT 149' FNL 997' FEL, SECTION 13 17211' MEASURED DEPTH IN FEET NAD 83, SPCS NM EAST X: 729080.26' / Y: 445833.65' LAT: 32.22421501N / LON: 103.72621107W FIRST TAKE POINT 592' FSL 969' FEL, SECTION 13 12670' MEASURED DEPTH IN FEET NAD 83, SPCS NM EAST X: 729135.97' / Y: 441297.10' LAT: 32.221174429N / LON: 103.72611379W KICK OFF POINT 127' FNL 858' FEL, SECTION 24 11607' MEASURED DEPTH IN FEET NAD 83, SPCS NM EAST X: 729251.69' / Y: 440578.79' LAT: 32.20976802N / LON: 103.72575278W SURFACE HOLE LOCATION 400' FSL 1378' FWL, SECTION 18 NAD 83, SPCS NM EAST X: 731484.15' / Y: 441123.06' LAT: 32.21122919N / LON: 103.71852489W	¹⁷ OPERATOR CERTIFICATION I hereby certify that the information contained herein is true and complete to the best of my knowledge and belief, and that this organization either owns a working interest or unleased mineral interest in the land including the proposed bottom hole location or has a right to drill this well at this location pursuant to a contract with an owner of such a mineral or working interest, or to a voluntary pooling agreement or a compulsory pooling order heretofore entered by this division. 06/25/2021 Signature Date JANA MENDIOLA Printed Name janalyn_mendiola@oxy.com E-mail Address ¹⁸ SURVEYOR CERTIFICATION I hereby certify that the well surface location shown on this plat was plotted from field notes of the as-staked surveys made by me or under my supervision, and that the same is true and correct to the best of my belief. Data used for underground measurements were provided by others for reference only and does not constitute field measurements performed by R Squared Global. JUNE 25, 2021 Date of Survey Signature and Seal of Professional Surveyor Certificate Number DAVID W. MYERS 11403
--	--	---	--

Distances/areas relative to NAD 83 Combined Scale Factor: 0.9990013 Convergence Angle: 00°41'16.54001"

Horizontal Spacing Unit




OXY



Borehole:	Well:	Field:	Structure:
Mesa Verde WC Unit 14H	Mesa Verde WC Unit 14H	NM Lea County (NAD 83)	Oxy Mesa Verde WC Unit Pad

Gravity & Magnetic Parameters	Surface Location	NAD83 New Mexico State Plane, Eastern Zone, US Feet	Miscellaneous
Model: IFR1 MagDec: 6.63°	Dip: 59.874° FS: 47767.5nT	Date: 20-May-2021 Gravity FS: 998.429mgn (9.80665 Based)	Lat: N 32 12 40.43 Lon: W 103 43 6.69
		Northing: 441123.06RUS Easting: 731484.15RUS	Grid Conv: 0.3277° Scale Fact: 0.9999505
			Slot: Mesa Verde WC Unit 14H Plan: Oxy Mesa Verde WC Unit 14H Gyro-MWD 0' to 17301'MD
			TVD Ref: RKB(3598.2ft above MSL)

Critical Points							
Critical Point	MD	INCL	AZIM	TVD	VSEC	N(+)S(-)	E(+)W(-)
WRP	0.00	0.00	0.00	0.00	0.00	0.00	0.00
SHL	25.00	0.00	0.00	25.00	0.00	0.00	0.00
Last Gyro	937.00	0.10	32.76	936.99	2.86	2.14	-2.13
First MWD Survey	1003.00	0.11	359.18	1002.99	2.95	2.25	-2.10
Actual KOP	11607.00	14.15	290.38	11247.31	503.27	-544.27	-2232.46
100' FSL Crossed	12128.00	50.37	347.71	11695.50	730.95	-319.18	-2291.00
Wolfcamp Intersection	12569.13	74.84	354.61	11874.20	1107.13	76.91	-2338.85
100' FNL Crossed	17261.00	91.44	359.60	11930.48	5333.28	4760.57	-2404.70
Final MWD	17276.00	91.46	359.92	11930.10	5346.74	4775.56	-2404.76
Proj to TD	17301.00	91.46	359.92	11929.47	5369.15	4800.55	-2404.80



Schlumberger



Oxy Mesa Verde WC Unit 14H Gyro+MWD 0' to 17301'MD Survey Geodetic Report (Def Survey)

Report Date: May 13, 2021 - 11:48 AM
Client: OXY
Field: NM Lea County (NAD 83)
Structure / Slot: Oxy Mesa Verde WC Unit Pad / Mesa Verde WC Unit 14H
Well: Mesa Verde WC Unit 14H
Borehole: Mesa Verde WC Unit 14H
UWI / API#: Unknown / Unknown
Survey Name: Oxy Mesa Verde WC Unit 14H Gyro+MWD 0' to 17301'MD
Survey Date: March 22, 2021
Tort / AHD / DDI / ERD Ratio: 249.526 " / 7704.880 ft / 6.445 / 0.645
Coordinate Reference System: NAD83 New Mexico State Plane, Eastern Zone, US Feet
Location Lat / Long: N 32° 12' 40.42510", W 103° 43' 6.69960"
Location Grid N/E Y/X: N 441123.060 RUS, E 731484.150 ftUS
CRS Grid Convergence Angle: 0.3277°
Grid Scale Factor: 0.9999505
Version / Patch: 2.10.825.0

Survey / DLS Computation: Minimum Curvature / Lubinski
Vertical Section Azimuth: 333.647° (Grid North)
Vertical Section Origin: 0.000 ft, 0.000 ft
TVD Reference Datum: RKB
TVD Reference Elevation: 3598.200 ft above MSL
Seabed / Ground Elevation: 3573.200 ft above MSL
Magnetic Declination: 6.630°
Total Gravity Field Strength: 998.4287mgn (9.80665 Based)
Gravity Model: GARM
Total Magnetic Field Strength: 47767.500 nT
Magnetic Dip Angle: 59.874°
Declination Date: May 20, 2021
Magnetic Declination Model: IFR1
North Reference: Grid North
Grid Convergence Used: 0.3300°
Total Corr Mag North->Grid: 6.3000°
North: Well Head
Local Coord Referenced To: Well Head

Comments	MD (ft)	Incl (°)	Azim Grid (°)	TVD (ft)	VSEC (ft)	NS (ft)	EW (ft)	DLS (ft/100ft)	Closure (ft)	Closure Azimuth (°)	Northing (ftUS)	Easting (ftUS)	Latitude (N/S ° ' ")	Longitude (E/W ° ' ")
WRP SHL	0.00	0.00	0.00	0.00	0.00	0.00	0.00	N/A	0.00	0.00	441123.06	731484.15	N 32 12 40.43	W 103 43 6.69
	25.00	0.00	0.00	25.00	0.00	0.00	0.00	0.00	0.00	0.00	441123.06	731484.15	N 32 12 40.43	W 103 43 6.69
Last Gyro First MWD Survey	36.00	0.13	288.01	36.00	0.01	0.00	-0.01	1.18	0.01	288.01	441123.06	731484.14	N 32 12 40.43	W 103 43 6.69
	131.00	0.30	274.83	131.00	0.21	0.06	-0.36	0.19	0.37	279.12	441123.12	731483.79	N 32 12 40.43	W 103 43 6.69
	225.00	0.31	287.22	225.00	0.52	0.15	-0.85	0.07	0.86	280.27	441123.21	731483.30	N 32 12 40.43	W 103 43 6.70
	319.00	0.39	304.82	319.00	0.97	0.41	-1.36	0.14	1.42	286.91	441123.47	731482.79	N 32 12 40.43	W 103 43 6.71
	413.00	0.29	302.29	412.99	1.45	0.72	-1.82	0.11	1.96	291.64	441123.78	731482.33	N 32 12 40.43	W 103 43 6.71
	508.00	0.33	328.35	507.99	1.93	1.08	-2.17	0.15	2.42	296.56	441124.15	731481.98	N 32 12 40.44	W 103 43 6.71
	602.00	0.20	9.81	601.99	2.33	1.48	-2.28	0.24	2.72	302.90	441124.54	731481.87	N 32 12 40.44	W 103 43 6.72
	696.00	0.16	347.14	695.99	2.59	1.76	-2.28	0.09	2.88	307.72	441124.82	731481.87	N 32 12 40.44	W 103 43 6.72
	749.00	0.15	18.88	748.99	2.72	1.90	-2.28	0.16	2.97	309.90	441124.96	731481.87	N 32 12 40.44	W 103 43 6.72
	812.00	0.08	18.60	811.99	2.80	2.00	-2.24	0.11	3.01	312.14	441125.08	731481.92	N 32 12 40.45	W 103 43 6.72
	875.00	0.06	66.57	874.99	2.83	2.08	-2.19	0.09	3.02	313.48	441125.14	731481.96	N 32 12 40.45	W 103 43 6.71
	937.00	0.10	32.76	936.99	2.86	2.14	-2.13	0.10	3.02	315.05	441125.20	731482.02	N 32 12 40.45	W 103 43 6.71
	1003.00	0.11	359.18	1002.99	2.95	2.25	-2.10	0.09	3.08	316.92	441125.31	731482.05	N 32 12 40.45	W 103 43 6.71
	1096.00	0.11	61.32	1095.99	3.03	2.38	-2.02	0.12	3.12	319.61	441125.44	731482.13	N 32 12 40.45	W 103 43 6.71
	1188.00	0.09	163.06	1187.99	2.96	2.35	-1.93	0.17	3.04	320.70	441125.41	731482.22	N 32 12 40.45	W 103 43 6.71
	1280.00	0.13	224.77	1279.99	2.86	2.21	-1.98	0.13	2.97	318.16	441125.27	731482.17	N 32 12 40.45	W 103 43 6.71
	1372.00	0.09	81.33	1371.99	2.80	2.15	-1.98	0.23	2.92	317.30	441125.21	731482.17	N 32 12 40.45	W 103 43 6.71
	1463.00	0.12	209.48	1462.99	2.73	2.07	-1.96	0.21	2.85	316.67	441125.13	731482.19	N 32 12 40.45	W 103 43 6.71
	1555.00	0.08	293.22	1554.99	2.72	2.02	-2.06	0.15	2.88	314.33	441125.08	731482.09	N 32 12 40.45	W 103 43 6.71
	1646.00	0.09	219.20	1645.99	2.74	1.99	-2.17	0.11	2.94	312.50	441125.05	731481.98	N 32 12 40.44	W 103 43 6.71
	1741.00	0.13	53.14	1740.99	2.73	1.99	-2.13	0.23	2.91	313.12	441125.05	731482.02	N 32 12 40.44	W 103 43 6.71
	1837.00	0.13	184.24	1836.99	2.66	1.95	-2.05	0.25	2.83	313.57	441125.01	731482.10	N 32 12 40.44	W 103 43 6.71
	1932.00	0.11	295.81	1931.99	2.63	1.88	-2.14	0.21	2.85	311.34	441124.94	731482.01	N 32 12 40.44	W 103 43 6.71
	2026.00	0.10	330.84	2025.99	2.79	1.99	-2.26	0.07	3.01	311.40	441125.05	731481.89	N 32 12 40.44	W 103 43 6.72
	2121.00	0.13	251.79	2120.99	2.89	2.03	-2.40	0.16	3.15	310.21	441125.09	731481.75	N 32 12 40.45	W 103 43 6.72
	2215.00	0.12	64.10	2214.99	2.90	2.04	-2.42	0.27	3.16	310.19	441125.10	731481.73	N 32 12 40.45	W 103 43 6.72
	2310.00	0.12	26.42	2309.99	2.96	2.17	-2.28	0.08	3.15	313.60	441125.23	731481.87	N 32 12 40.45	W 103 43 6.72
	2405.00	0.13	40.05	2404.99	3.06	2.34	-2.17	0.03	3.19	317.24	441125.40	731481.98	N 32 12 40.45	W 103 43 6.71
	2499.00	0.13	187.27	2498.99	3.02	2.32	-2.11	0.27	3.14	317.68	441125.38	731482.04	N 32 12 40.45	W 103 43 6.71
	2594.00	0.13	96.94	2593.99	2.87	2.20	-2.02	0.19	2.99	317.46	441125.26	731482.13	N 32 12 40.45	W 103 43 6.71
	2688.00	0.08	220.47	2687.99	2.78	2.14	-1.96	0.20	2.90	317.54	441125.20	731482.19	N 32 12 40.45	W 103 43 6.71
	2783.00	0.09	281.82	2782.99	2.80	2.10	-2.07	0.09	2.95	315.41	441125.16	731482.08	N 32 12 40.45	W 103 43 6.71
	2878.00	0.10	353.65	2877.99	2.93	2.20	-2.15	0.12	3.08	315.60	441125.26	731482.00	N 32 12 40.45	W 103 43 6.71
	2972.00	0.14	179.36	2971.99	2.90	2.17	-2.16	0.26	3.06	315.06	441125.23	731481.99	N 32 12 40.45	W 103 43 6.71
	3067.00	0.11	213.49	3066.99	2.75	2.07	-2.21	0.08	2.96	311.77	441125.03	731481.94	N 32 12 40.44	W 103 43 6.72
	3162.00	0.14	16.72	3161.99	2.79	2.01	-2.23	0.26	3.00	312.05	441125.07	731481.92	N 32 12 40.45	W 103 43 6.72
	3257.00	1.29	246.05	3256.98	2.92	1.69	-3.17	1.46	3.59	298.00	441124.75	731480.98	N 32 12 40.44	W 103 43 6.73
	3352.00	3.59	256.17	3351.89	3.61	0.54	-7.04	2.45	7.06	274.40	441123.60	731477.11	N 32 12 40.43	W 103 43 6.77
	3447.00	5.22	256.13	3446.61	5.19	-1.21	-14.12	1.72	14.17	265.12	441121.85	731470.03	N 32 12 40.41	W 103 43 6.85
	3541.00	6.33	256.74	3540.13	7.29	-3.42	-23.32	1.18	23.57	261.66	441119.64	731460.83	N 32 12 40.39	W 103 43 6.96
3636.00	7.30	258.88	3634.45	10.06	-3.78	-34.34	1.06	34.82	260.44	441117.28	731449.81	N 32 12 40.37	W 103 43 7.09	
3731.00	7.94	258.12	3728.61	13.28	-8.30	-46.68	0.68	47.41	259.92	441114.76	731437.47	N 32 12 40.35	W 103 43 7.23	
3825.00	8.04	255.35	3821.70	16.24	-11.30	-59.39	0.42	60.46	259.23	441111.76	731424.76	N 32 12 40.32	W 103 43 7.38	
3919.00	8.01	246.22	3914.79	17.87	-15.60	-71.75	1.35	73.42	257.73	441107.46	731412.41	N 32 12 40.27	W 103 43 7.53	
4014.00	7.65	238.05	4008.90	17.55	-21.62	-83.17	1.23	85.93	255.43	441101.44	731400.98	N 32 12 40.22	W 103 43 7.66	
4109.00	8.33	240.97	4102.98	16.61	-28.30	-94.55	0.83	98.70	253.34	441094.76	731389.60	N 32 12 40.15	W 103 43 7.79	
4203.00	8.55	241.16	4195.00	16.45	-35.49	-107.55	1.62	113.25	251.19	441087.58	731376.61	N 32 12 40.08	W 103 43 7.94	
4298.00	11.86	240.82	4289.09	15.11	-44.17	-123.19	2.12	130.87	250.28	441078.90	731360.96	N 32 12 40.00	W 103 43 8.13	
4392.00	13.71	241.69	4380.76	14.25	-54.16	-141.44	1.98	151.45	249.05	441068.90	731342.72	N 32 12 39.90	W 103 43 8.34	
4487.00	13.38	248.19	4473.12	14.74	-63.58	-161.55	1.64	173.62	248.52	441059.48	731322.61	N 32 12 39.81	W 103 43 8.57	
4581.00	11.50	263.69	4564.94	18.81	-68.66	-180.97	4.06	193.56	249.22	441054.41	731303.19	N 32 12 39.76	W 103 43 8.80	
4676.00	10.61	276.70	4658.19	26.83	-68.68	-199.07	2.78	210.59	250.97	441054.39	731285.09	N 32 12 39.76	W 103 43 9.01	
4771.00	12.31	289.30	4751.30	38.34	-64.31	-217.31	3.18	226.64	251.32	441058.76	731266.84	N 32 12 39.80	W 103 43 9.22	
4866.00	14.84	287.65	4843.64	54.54	-57.27	-238.46	2.69	245.26	250.50	441065.79	731245.69	N 32 12 39.87	W 103 43 9.47	
4960.00	17.23	285.86	4933.98	72.26	-49.81	-263.34	2.60	268.01	259.29	441073.25	731220.82	N 32 12 39.95	W 103 43 9.76	
5054.00	19.84	283.37	5023.10	91.81	-42.32	-292.26	2.90	295.31	261.76	441080.74	731191.91	N 32 12 40.02	W 103 43 10.09	
5149.00	22.48	279.25	5111.69	112.69	-35.67	-325.88	3.19	327.82	263.75	441087.39	731158.29	N 32 12 40.09	W 103 43 10.48	
5244.00	24.85	272.50	5198.71	132.90	-31.88	-363.76	3.79	365.15	264.99	441091.18	731120.41	N 32 12 40.13	W 103 43 10.93	
5338.00	25.95	264.37	5283.65	149.72	-33.04	-400.97	3.89	405.32	265.32	441090.03	731080.20	N 32 12 40.12	W 103 43 11.39	
5433.00	25.42	257.42	5369.12	161.93	-39.52	-444.57	3.22	446.32	264.92	441083.54	731039.61	N 32 12 40.06	W 103 43 11.87	
5528.00	25.19	255.54	5455.17	170.95	-49.01	-484.04	0.88	486.52	264.22	441074.06	731000.13	N 32 12 39.97	W 103 43 12.33	
5623.00	22.38	256.05	5542.09	179.00	-58.42	-521.18	2.97	524.44	263.60	441064.65	730963.00	N 32 12 39.88	W 103 43 12.76	
5718.00	22.57	253.82	5629.88	186.11	-67.86	-556.24	0.92	560.37	263.04	441055.21	730927.94	N 32 12 39.79	W 103 43 13.17	
5750.00	22.94	251.62	5659.											

Comments	MD (ft)	Incl (°)	Azim Grid (°)	TVD (ft)	VSEC (ft)	NS (ft)	EW (ft)	DLS (ft/100ft)	Closure (ft)	Closure Azimuth (°)	Northing (ftUS)	Easting (ftUS)	Latitude (N/S ° ' ")	Longitude (E/W ° ' ")
Actual KOP	9406.00	16.48	254.13	9148.38	335.05	-415.50	-1593.55	0.33	1646.83	255.39	440707.58	729890.68	N 32 12 36.40	W 103 43 25.26
	9498.00	16.56	251.03	9236.59	339.11	-423.33	-1618.50	0.96	1672.95	255.34	440699.75	729885.73	N 32 12 36.33	W 103 43 25.56
	9593.00	17.78	250.59	9327.35	342.60	-432.55	-1644.99	1.29	1700.90	255.27	440690.53	729839.25	N 32 12 36.24	W 103 43 25.86
	9688.00	18.28	250.78	9417.69	346.21	-442.27	-1672.73	0.53	1730.22	255.19	440680.81	729811.50	N 32 12 36.14	W 103 43 26.19
	9782.00	18.62	252.00	9506.86	350.22	-451.76	-1700.93	0.55	1759.90	255.13	440671.32	729783.31	N 32 12 36.05	W 103 43 26.52
	9877.00	18.52	251.94	9596.91	354.60	-461.13	-1729.70	0.11	1780.11	255.07	440661.96	729754.54	N 32 12 35.96	W 103 43 26.85
	9972.00	18.51	252.01	9686.99	358.97	-470.46	-1758.38	0.03	1820.23	255.02	440652.62	729725.86	N 32 12 35.87	W 103 43 27.19
	10066.00	18.40	251.62	9776.16	363.19	-479.75	-1786.65	0.18	1849.94	254.97	440643.34	729697.59	N 32 12 35.78	W 103 43 27.52
	10159.00	17.48	252.17	9864.64	367.30	-488.65	-1813.88	1.01	1878.55	254.92	440634.43	729670.36	N 32 12 35.69	W 103 43 27.83
	10254.00	18.17	252.66	9955.08	371.74	-497.44	-1841.60	0.74	1907.60	254.88	440625.65	729642.64	N 32 12 35.61	W 103 43 28.16
	10349.00	17.45	252.70	10045.52	376.30	-506.09	-1869.34	0.76	1936.64	254.85	440617.00	729614.91	N 32 12 35.52	W 103 43 28.48
	10444.00	18.47	252.79	10135.89	380.93	-514.78	-1897.32	1.07	1965.91	254.82	440608.31	729586.93	N 32 12 35.44	W 103 43 28.81
	10538.00	18.41	253.91	10225.07	385.94	-523.30	-1925.80	0.38	1995.63	254.80	440599.79	729558.45	N 32 12 35.36	W 103 43 29.14
	10634.00	18.28	257.33	10316.19	392.20	-530.80	-1955.06	1.13	2025.83	254.81	440592.29	729529.20	N 32 12 35.28	W 103 43 29.48
	10728.00	18.57	256.53	10405.37	399.03	-537.52	-1983.99	0.41	2055.52	254.84	440585.57	729500.26	N 32 12 35.22	W 103 43 29.82
	10823.00	18.09	260.04	10495.55	406.56	-543.60	-2013.23	1.27	2085.33	254.89	440579.49	729471.02	N 32 12 35.16	W 103 43 30.16
	10917.00	18.77	261.36	10584.73	415.28	-548.39	-2042.56	0.85	2114.90	254.97	440574.70	729441.70	N 32 12 35.11	W 103 43 30.50
	11012.00	17.74	262.24	10674.95	424.55	-552.64	-2072.01	1.12	2144.45	255.07	440570.45	729412.24	N 32 12 35.07	W 103 43 30.84
	11107.00	17.48	265.59	10765.50	434.49	-555.69	-2100.58	1.10	2172.84	255.18	440567.40	729383.68	N 32 12 35.04	W 103 43 31.17
	11202.00	17.27	270.49	10856.17	446.19	-556.67	-2128.91	1.56	2200.48	255.35	440566.42	729355.35	N 32 12 35.04	W 103 43 31.50
	11297.00	15.19	270.78	10947.38	458.24	-556.38	-2155.46	2.19	2226.11	255.53	440566.71	729328.81	N 32 12 35.04	W 103 43 31.81
	11391.00	14.93	274.40	11038.15	470.05	-555.28	-2179.84	1.04	2249.46	255.71	440567.81	729304.42	N 32 12 35.05	W 103 43 32.10
	11486.00	14.46	280.68	11130.05	483.45	-552.15	-2203.70	1.75	2271.82	255.93	440570.94	729280.56	N 32 12 35.09	W 103 43 32.37
	11580.00	14.20	287.87	11221.13	498.56	-546.43	-2226.21	1.91	2292.29	256.21	440576.66	729258.05	N 32 12 35.14	W 103 43 32.64
	11607.00	14.15	290.38	11247.31	503.27	-544.27	-2232.46	2.28	2297.84	256.30	440578.62	729251.81	N 32 12 35.17	W 103 43 32.71
	11731.00	13.16	336.15	11368.15	528.48	-528.03	-2252.43	8.53	2313.04	256.85	440597.06	729231.54	N 32 12 35.35	W 103 43 32.94
	11825.00	21.69	358.25	11457.84	555.04	-498.80	-2257.30	11.34	2311.75	257.54	440624.29	729226.97	N 32 12 35.62	W 103 43 32.99
	11920.00	33.62	352.59	11541.85	596.03	-455.01	-2261.24	12.85	2306.57	258.62	440668.08	729223.02	N 32 12 36.05	W 103 43 33.04
	12014.00	41.59	345.87	11616.29	651.25	-398.83	-2272.24	9.52	2306.97	260.04	440724.25	729212.03	N 32 12 36.61	W 103 43 33.16
	12108.00	48.74	347.21	11682.53	716.17	-334.04	-2287.70	7.67	2311.95	261.69	440789.04	729196.57	N 32 12 37.25	W 103 43 33.34
	12128.00	50.37	347.71	11695.50	730.95	-319.18	-2291.00	8.37	2313.13	262.07	440803.90	729193.27	N 32 12 37.40	W 103 43 33.38
	12202.00	56.42	349.39	11739.61	788.32	-260.98	-2302.75	8.37	2317.49	263.53	440862.09	729181.52	N 32 12 37.97	W 103 43 33.51
12296.00	65.17	353.47	11785.45	866.31	-179.93	-2314.84	10.05	2321.82	265.56	440943.14	729169.43	N 32 12 38.77	W 103 43 33.64	
12391.00	70.28	355.05	11821.45	948.56	-92.49	-2323.60	5.59	2325.44	267.72	441030.57	729160.66	N 32 12 39.64	W 103 43 33.74	
12486.00	73.13	354.87	11851.26	1032.58	-2.65	-2331.53	3.01	2331.53	269.93	441120.41	729152.74	N 32 12 40.53	W 103 43 33.83	
12569.13	74.84	354.61	11874.20	1107.13	76.91	-2338.85	2.07	2340.12	271.88	441199.97	729145.42	N 32 12 41.32	W 103 43 33.91	
12580.00	75.06	354.58	11877.02	1116.93	87.36	-2339.84	2.07	2341.47	272.14	441210.42	729144.43	N 32 12 41.42	W 103 43 33.92	
12674.00	75.68	354.43	11900.76	1201.92	177.90	-2346.55	0.98	2355.28	273.53	441305.68	729135.72	N 32 12 42.32	W 103 43 34.01	
12769.00	80.11	357.72	11920.69	1287.74	270.53	-2354.88	5.76	2370.57	276.55	441393.58	729129.39	N 32 12 43.23	W 103 43 34.08	
12863.00	86.68	1.99	11931.50	1371.44	363.83	-2355.10	8.32	2383.04	278.78	441486.87	729129.17	N 32 12 44.16	W 103 43 34.08	
12957.00	89.96	0.92	11934.25	1454.54	457.75	-2352.71	3.67	2396.83	281.01	441580.78	729131.56	N 32 12 45.09	W 103 43 34.04	
13051.00	89.10	0.00	11935.02	1538.43	551.74	-2351.96	1.34	2415.81	283.20	441674.77	729132.31	N 32 12 46.02	W 103 43 34.03	
13146.00	89.15	359.59	11936.48	1623.69	646.73	-2352.30	0.43	2439.58	285.37	441769.75	729131.97	N 32 12 46.96	W 103 43 34.03	
13240.00	89.01	359.78	11937.98	1708.14	740.71	-2352.81	0.25	2466.66	287.48	441863.74	729131.46	N 32 12 47.89	W 103 43 34.02	
13335.00	89.86	0.51	11940.14	1793.40	835.12	-2353.12	0.90	2487.12	289.53	441958.73	729131.15	N 32 12 48.83	W 103 43 34.02	
13429.00	89.76	0.23	11939.23	1877.60	929.71	-2353.06	0.42	2530.06	291.56	442052.72	729131.22	N 32 12 49.76	W 103 43 34.02	
13617.00	90.40	359.71	11938.97	2046.11	1117.71	-2353.15	0.44	2605.11	295.41	442240.71	729131.12	N 32 12 51.62	W 103 43 34.00	
13712.00	89.76	0.15	11938.84	2131.29	1212.70	-2353.27	0.82	2647.36	297.26	442335.70	729131.00	N 32 12 52.56	W 103 43 34.00	
13807.00	89.43	359.74	11939.51	2216.45	1307.70	-2353.36	0.55	2692.28	299.06	442430.70	729130.91	N 32 12 53.50	W 103 43 33.99	
13901.00	89.80	0.53	11940.14	2300.58	1401.70	-2353.14	0.93	2738.98	300.78	442524.69	729131.13	N 32 12 54.43	W 103 43 33.99	
13995.00	89.86	0.51	11940.14	2384.43	1495.69	-2352.28	0.17	2787.54	302.45	442619.68	729131.08	N 32 12 55.36	W 103 43 33.97	
14089.00	89.67	0.48	11940.64	2468.30	1589.69	-2351.47	0.31	2838.41	304.06	442712.67	729132.80	N 32 12 56.29	W 103 43 33.95	
14184.00	89.80	359.42	11941.08	2553.46	1684.69	-2351.56	1.12	2892.75	305.62	442807.66	729132.71	N 32 12 57.23	W 103 43 33.95	
14277.00	89.62	359.15	11941.55	2637.30	1777.68	-2352.72	0.35	2948.80	307.07	442900.65	729131.55	N 32 12 58.15	W 103 43 33.96	
14372.00	89.95	358.37	11941.91	2723.32	1872.66	-2354.77	0.89	3008.62	308.49	442995.62	729129.50	N 32 12 59.09	W 103 43 33.97	
14466.00	89.80	359.05	11942.11	2808.47	1966.63	-2356.89	0.74	3069.62	309.84	443089.59	729127.38	N 32 13 0.02	W 103 43 33.99	
14561.00	90.30	358.98	11942.03	2894.31	2061.62	-2358.52	0.53	3132.55	311.16	443184.57	729125.75	N 32 13 0.96	W 103 43 34.00	
14655.00	90.15	358.08	11941.66	2979.58	2155.58	-2360.93	0.97	3196.96	312.40	443278.53	729123.34	N 32 13 1.89	W 103 43 34.03	
14750.00	90.62	358.79	11941.02	3065.83	2250.55	-2363.53	0.90	3263.62	313.60	443373.49	729120.74	N 32 13 2.83	W 103 43 34.05	
14844.00	90.58	359.02	11940.04	3150.83	2344.52	-2365.33	0.25	3330.40						

Intent ☐ As Drilled ☐

API #		
Operator Name:	Property Name:	Well Number

Kick Off Point (KOP)

UL	Section	Township	Range	Lot	Feet	From N/S	Feet	From E/W	County
Latitude					Longitude				NAD

First Take Point (FTP)

UL	Section	Township	Range	Lot	Feet	From N/S	Feet	From E/W	County
Latitude					Longitude				NAD

Last Take Point (LTP)

UL	Section	Township	Range	Lot	Feet	From N/S	Feet	From E/W	County
Latitude					Longitude				NAD

Is this well the defining well for the Horizontal Spacing Unit? ☐Is this well an infill well? ☐

If infill is yes please provide API if available, Operator Name and well number for Defining well for Horizontal Spacing Unit.

API #		
Operator Name:	Property Name:	Well Number

KZ 06/29/2018

District I
1625 N. French Dr., Hobbs, NM 88240
Phone:(575) 393-6161 Fax:(575) 393-0720
District II
811 S. First St., Artesia, NM 88210
Phone:(575) 748-1283 Fax:(575) 748-9720
District III
1000 Rio Brazos Rd., Aztec, NM 87410
Phone:(505) 334-6178 Fax:(505) 334-6170
District IV
1220 S. St Francis Dr., Santa Fe, NM 87505
Phone:(505) 476-3470 Fax:(505) 476-3462

State of New Mexico
Energy, Minerals and Natural Resources
Oil Conservation Division
1220 S. St Francis Dr.
Santa Fe, NM 87505

ACKNOWLEDGMENTS

Action 33926

ACKNOWLEDGMENTS

Operator: OXY USA INC P.O. Box 4294 Houston, TX 772104294	OGRID: 16696
	Action Number: 33926
	Action Type: [C-104] Completion Packet (C-104C)

ACKNOWLEDGMENTS

☒	I hereby certify that the required Water Use Report has been, or will be, submitted for this wells completion.
☒	I hereby certify that the required FracFocus disclosure has been, or will be, submitted for this wells completion.

District I
1625 N. French Dr., Hobbs, NM 88240
Phone:(575) 393-6161 Fax:(575) 393-0720
District II
811 S. First St., Artesia, NM 88210
Phone:(575) 748-1283 Fax:(575) 748-9720
District III
1000 Rio Brazos Rd., Aztec, NM 87410
Phone:(505) 334-6178 Fax:(505) 334-6170
District IV
1220 S. St Francis Dr., Santa Fe, NM 87505
Phone:(505) 476-3470 Fax:(505) 476-3462

State of New Mexico
Energy, Minerals and Natural Resources
Oil Conservation Division
1220 S. St Francis Dr.
Santa Fe, NM 87505

CONDITIONS

Action 33926

CONDITIONS

Operator: OXY USA INC P.O. Box 4294 Houston, TX 772104294	OGRID: 16696
	Action Number: 33926
	Action Type: [C-104] Completion Packet (C-104C)

CONDITIONS

Created By	Condition	Condition Date
ksimmons	Submit all drilling, casing, and completion sundries and reports.	6/28/2021