

District I
1625 N. French Dr., Hobbs, NM 88240State of New Mexico
Energy, Minerals & Natural ResourcesForm C-104
Revised August 1, 2011

District II

811 S. First St., Artesia, NM 88210

District III

1000 Rio Brazos Rd., Aztec, NM 87410

District IV

1220 S. St. Francis Dr., Santa Fe, NM 87505

Oil Conservation Division
1220 South St. Francis Dr.
Santa Fe, NM 87505

Submit one copy to appropriate District Office

☐ AMENDED REPORT**I. REQUEST FOR ALLOWABLE AND AUTHORIZATION TO TRANSPORT**

¹ Operator name and Address OXY USA INC. P.O. BOX 50250 MIDLAND, TX 79710		² OGRID Number: 16696
		³ Reason for Filing Code/ Effective Date: RT - 06/29/2021
⁴ API Number 30 - 025-45874	⁵ Pool Name MESA VERDE; WOLFCAMP	⁶ Pool Code 98252
⁷ Property Code: 320829	⁸ Property Name: MESA VERDE WOLFCAMP UNIT	⁹ Well Number: 12H

II. ¹⁰ Surface Location

Ul or lot no.	Section	Township	Range	Lot Idn	Feet from the	North/South Line	Feet from the	East/West line	County
L 4	18	24S	32E		365	SOUTH	1378	WEST	LEA

¹¹ Bottom Hole Location

FTP- 581' FSL 1612' FWL LTP- 155' FNL 1667' FWL

UL or lot no.	Section	Township	Range	Lot Idn	Feet from the	North/South line	Feet from the	East/West line	County
C	18	24S	32E		59	NORTH	1665	WEST	LEA
¹² Lse Code F	¹³ Producing Method Code : F		¹⁴ Gas Connection Date: TBD		¹⁵ C-129 Permit Number		¹⁶ C-129 Effective Date		¹⁷ C-129 Expiration Date

III. Oil and Gas Transporters

¹⁸ Transporter OGRID	¹⁹ Transporter Name and Address	²⁰ O/G/W
273222	GREAT LAKES PETROLEUM TRANSPORTATION, LLC	O
151618	ENTERPRISE FIELD SERVICES LLC	G

IV. Well Completion Data

²¹ Spud Date 03/18/21	²² Ready Date 06/29/2021	²³ TD 17080'M 11959'V	²⁴ PBTD 17050'M 11959'V	²⁵ Perforations 12443-16984'	²⁶ DHC, MC
²⁷ Hole Size	²⁸ Casing & Tubing Size	²⁹ Depth Set		³⁰ Sacks Cement	
14-3/4"	10-3/4"	970'		890	
9-7/8"	7-5/8"	11248'		2656	
6-3/4"	5-1/2"	17065'		500	

V. Well Test Data

³¹ Date New Oil	³² Gas Delivery Date	³³ Test Date	³⁴ Test Length	³⁵ Tbg. Pressure	³⁶ Csg. Pressure
³⁷ Choke Size	³⁸ Oil	³⁹ Water	⁴⁰ Gas		⁴¹ Test Method

⁴² I hereby certify that the rules of the Oil Conservation Division have been complied with and that the information given above is true and complete to the best of my knowledge and belief.

Signature: 

Printed name: JANA MENDIOLA

Title: SR. REGULATORY ANALYST

E-mail Address:
Janalyn_mendiola@oxy.comDate: 06/25/2021
Phone: 422-685-5936

OIL CONSERVATION DIVISION

Approved by: KURT SIMMONS

Title: NMOCD, SANTA FE

Approval Date: 06/28/2021

RT C-104 EXPIRES 09/28//2021

1625 N. French Dr., Hobbs, NM 88240
 Phone: (575) 393-6161 Fax: (575) 393-0720
District II
 811 S. First St., Artesia, NM 88210
 Phone: (575) 748-1283 Fax: (575) 748-9720
District III
 1000 Rio Brazos Road, Aztec, NM 87410
 Phone: (505) 334-6178 Fax: (505) 334-6170
District IV
 1220 S. St. Francis Dr., Santa Fe, NM 87505
 Phone: (505) 476-3460 Fax: (505) 476-3462

State of New Mexico

Form C-102

Energy, Minerals & Natural Resources Department

Revised August 1, 2011

OIL CONSERVATION DIVISION

Submit one copy to appropriate

1220 South St. Francis Dr.

District Office

Santa Fe, NM 87505

☒ AMENDED REPORT


WELL LOCATION AND ACREAGE DEDICATION AS-DRILLED PLAT

¹ API Number 30-025-45874	² Pool Code 98252	³ Pool Name MESA VERDE; WOLFCAMP
⁴ Property Code 320829	Property Name MESA VERDE WC UNIT	⁶ Well Number 12H
⁷ OGRID No. 16696	⁸ Operator Name OXY USA INC.	⁹ Elevation 3573'

¹⁰ Surface Location

UL or lot no.	Section	Township	Range	Lot Idn	Feet from the	North/South line	Feet from the	East/West line	County
L 4	18	24S	32E		365	SOUTH	1378	WEST	LEA
¹¹ Bottom Hole Location If Different From Surface									
UL or lot no.	Section	Township	Range	Lot Idn	Feet from the	North/South line	Feet from the	East/West line	County
C	18	24S	32E		59	NORTH	1665	WEST	LEA
¹² Dedicated Acres 160.0	¹³ Joint or Infill	¹⁴ Consolidation Code	¹⁵ Order No.						

No allowable will be assigned to this completion until all interests have been consolidated or a non-standard unit has been approved by the division.



Distances/areas relative to NAD 83 Combined Scale Factor: 0.99990013 Convergence Angle: 00°41'16.54001"

☐ Horizontal Spacing Unit




OXY



Borehole:	Well:	Field:	Structure:
Mesa Verde WC Unit 12H	Mesa Verde WC Unit 12H	NM Lea County (NAD 83)	Oxy Mesa Verde WC Unit Pad

Gravity & Magnetic Parameters				Surface Location				Miscellaneous			
Model:	IFR1	Dip:	59.878°	Date:	15-May-2021	Lat:	N 32 12 40.08	Northing:	441088.061US	Grid Conv:	0.3277°
MagDec:	6.63°	FS:	47770nT	Gravity FS:	998.429mgn (9.80665 Based)	Lon:	W 103 43 6.69	Easting:	731484.41US	Scale Fact:	0.9999505
								Plan: Oxy Mesa Verde WC Unit 12H Gyro+MWD 0' to 17080'MD			

Critical Points								
Critical Point	MD	INCL	AZIM	TVD	VSEC	N(+)/S(-)	E(+)/W(-)	DLS
WRP	0.00	0.00	0.00	0.00	0.00	0.00	0.00	
SHL	25.00	0.00	0.00	25.00	0.00	0.00	0.00	0.00
Last Gyro Survey	938.40	0.86	101.28	938.30	-8.97	-9.35	7.34	0.36
First MWD Survey	1098.00	0.05	348.96	1097.89	-9.08	-9.51	8.50	0.55
Actual KOP	11232.00	8.82	163.89	11186.02	-518.28	-528.48	193.43	0.88
100' FSL Crossed	11927.00	58.86	11.69	11783.94	-252.56	-263.85	222.02	7.04
Enter Target Box	11937.00	59.21	10.98	11789.08	-244.08	-255.44	223.70	7.04
Wolfcamp Intersection	12327.36	79.79	359.46	11934.10	115.13	103.66	234.68	6.88
100' FNL Crossed	17042.00	91.24	358.22	11959.55	4822.05	4815.17	258.41	0.86
Final MWD	17053.00	91.19	358.14	11959.32	4833.01	4826.16	258.06	0.86
Proj to TD	17080.00	91.19	358.14	11958.76	4859.92	4853.14	257.19	0.00



Schlumberger

Oxy Mesa Verde WC Unit 12H Gyro+MWD 0' to 17080' MD Survey Geodetic Report (Def Survey)



Report Date: May 21, 2021 - 12:04 PM
Client: OXY
Field: NM Lea County (NAD 83)
Structure / Slot: Oxy Mesa Verde WC Unit Pad / Mesa Verde WC Unit 12H
Well: Mesa Verde WC Unit 12H
Borehole: Mesa Verde WC Unit 12H
UWI / API#: Unknown / Unknown
Survey Name: Oxy Mesa Verde WC Unit 12H Gyro+MWD 0' to 17080' MD
Survey Date: March 22, 2021
Tort / AHD / DDI / ERD Ratio: 235.288' / 5979.734 ft / 6.303 / 0.499
Coordinate Reference System: NAD83 New Mexico State Plane, Eastern Zone, US Feet
Location Lat / Long: N 32° 12' 40.07874", W 103° 43' 6.68902"
Location Grid N/E Y/X: N 441088.060 ftUS, E 731484.400 ftUS
CRS Grid Convergence Angle: 0.3277 °
Grid Scale Factor: 0.9999505
Version / Patch: 2.10.825.0

Survey / DLS Computation: Minimum Curvature / Lubinski
Vertical Section Azimuth: 2.832 ° (Grid North)
Vertical Section Origin: 0.000 ft, 0.000 ft
TVD Reference Datum: RKB
TVD Reference Elevation: 3598.100 ft above MSL
Seabed / Ground Elevation: 3573.100 ft above MSL
Magnetic Declination: 6.630 °
Total Gravity Field Strength: 998.4287mgn (9.80665 Based)
Gravity Model: GARM
Total Magnetic Field Strength: 47770.000 nT
Magnetic Dip Angle: 59.878 °
Declination Date: May 15, 2021
Magnetic Declination Model: IFR1
North Reference: Grid North
Grid Convergence Used: 0.3300 °
Total Corr Mag North->Grid North: 6.3000 °
Local Coord Referenced To: Well Head

Comments	MD (ft)	Incl (°)	Azim Grid (°)	TVD (ft)	VSEC (ft)	NS (ft)	EW (ft)	DLS (ft/100ft)	Closure (ft)	Closure Azimuth (°)	Northing (ftUS)	Easting (ftUS)	Latitude (N/S ° ' ")	Longitude (E/W ° ' ")
WRP SHL	0.00	0.00	0.00	0.00	0.00	0.00	0.00	N/A	0.00	0.00	441088.06	731484.40	N 32 12 40.08	W 103 43 6.69
	25.00	0.00	0.00	25.00	0.00	0.00	0.00	0.00	0.00	0.00	441088.06	731484.40	N 32 12 40.08	W 103 43 6.69
Last Gyro Survey First MWD Survey	70.00	0.61	168.41	70.00	-0.23	-0.23	0.05	1.36	0.24	168.41	441087.83	731484.45	N 32 12 40.08	W 103 43 6.69
	100.70	1.11	171.91	100.70	-0.68	-0.69	0.12	1.64	0.70	169.90	441087.37	731484.52	N 32 12 40.07	W 103 43 6.69
	188.20	1.20	172.55	188.18	-2.42	-2.44	0.36	0.10	2.46	171.58	441085.62	731484.76	N 32 12 40.05	W 103 43 6.68
	278.30	1.12	162.86	278.26	-4.17	-4.21	0.74	0.23	4.28	170.00	441083.35	731485.14	N 32 12 40.04	W 103 43 6.68
	372.50	1.00	149.02	372.44	-5.72	-5.80	1.44	0.30	5.97	166.08	441082.26	731485.84	N 32 12 40.02	W 103 43 6.67
	466.90	0.64	147.05	466.83	-6.83	-6.95	2.15	0.38	7.27	162.82	441081.11	731486.55	N 32 12 40.01	W 103 43 6.66
	560.90	0.61	137.94	560.83	-7.61	-7.76	2.77	0.11	8.24	160.36	441080.30	731487.17	N 32 12 40.00	W 103 43 6.66
	655.30	0.70	93.36	655.22	-7.97	-8.17	3.68	0.53	8.96	155.74	441079.89	731488.08	N 32 12 40.00	W 103 43 6.65
	749.60	0.72	114.69	749.52	-8.20	-8.45	4.79	0.28	9.71	150.42	441079.61	731489.19	N 32 12 39.99	W 103 43 6.63
	843.90	0.79	111.90	843.81	-8.63	-8.94	5.94	0.08	10.73	146.41	441079.12	731490.34	N 32 12 39.99	W 103 43 6.62
	907.00	0.96	104.65	906.90	-8.88	-9.23	6.85	0.32	11.50	143.42	441078.83	731491.25	N 32 12 39.99	W 103 43 6.61
	938.40	0.86	101.28	938.30	-8.97	-9.35	7.34	0.36	11.88	141.87	441078.71	731491.74	N 32 12 39.99	W 103 43 6.60
	1098.00	0.05	348.96	1097.89	-9.08	-9.51	8.50	0.55	12.75	138.22	441078.55	731492.90	N 32 12 39.98	W 103 43 6.59
	1190.00	0.05	156.33	1189.89	-9.08	-9.51	8.51	0.11	12.76	138.19	441078.55	731492.91	N 32 12 39.98	W 103 43 6.59
	1282.00	0.06	134.29	1281.89	-9.14	-9.58	8.56	0.03	12.84	138.23	441078.48	731492.96	N 32 12 39.98	W 103 43 6.59
	1374.00	0.05	197.84	1373.89	-9.22	-9.65	8.58	0.06	12.91	138.37	441078.41	731492.98	N 32 12 39.98	W 103 43 6.59
	1465.00	0.05	18.99	1464.89	-9.22	-9.65	8.58	0.11	12.91	138.36	441078.41	731492.98	N 32 12 39.98	W 103 43 6.59
	1557.00	0.09	248.45	1556.89	-9.21	-9.64	8.53	0.14	12.87	138.51	441078.42	731492.93	N 32 12 39.98	W 103 43 6.59
	1742.00	0.09	7.69	1741.89	-9.12	-9.55	8.41	0.08	12.72	138.63	441078.51	731492.81	N 32 12 39.98	W 103 43 6.59
	1839.00	0.07	130.04	1838.89	-9.08	-9.51	8.47	0.14	12.73	138.33	441078.55	731492.86	N 32 12 39.98	W 103 43 6.59
	1934.00	0.07	91.84	1933.89	-9.12	-9.55	8.57	0.05	12.83	138.11	441078.51	731492.97	N 32 12 39.98	W 103 43 6.59
	2028.00	0.06	181.96	2027.89	-9.16	-9.60	8.62	0.10	12.91	138.07	441078.46	731493.02	N 32 12 39.98	W 103 43 6.59
	2217.00	0.05	41.92	2216.89	-9.20	-9.64	8.68	0.05	12.97	138.01	441078.42	731493.07	N 32 12 39.98	W 103 43 6.59
	2407.00	0.08	284.79	2406.89	-9.11	-9.54	8.60	0.06	12.85	137.97	441078.52	731493.00	N 32 12 39.98	W 103 43 6.59
	2501.00	0.06	2.55	2500.89	-9.04	-9.48	8.54	0.09	12.76	137.98	441078.58	731492.94	N 32 12 39.98	W 103 43 6.59
	2596.00	0.05	249.55	2595.89	-9.01	-9.44	8.50	0.10	12.71	137.99	441078.62	731492.90	N 32 12 39.98	W 103 43 6.59
	2690.00	0.07	157.20	2689.89	-9.08	-9.51	8.49	0.09	12.75	138.25	441078.55	731492.89	N 32 12 39.98	W 103 43 6.59
	2785.00	0.07	100.38	2784.89	-9.14	-9.57	8.57	0.07	12.85	138.17	441078.49	731492.97	N 32 12 39.98	W 103 43 6.59
2880.00	0.08	174.81	2879.89	-9.21	-9.65	8.63	0.10	12.95	138.19	441078.41	731493.03	N 32 12 39.98	W 103 43 6.59	
3069.00	0.07	304.73	3068.89	-9.28	-9.72	8.55	0.07	12.94	138.66	441078.34	731492.95	N 32 12 39.98	W 103 43 6.59	
3164.00	0.16	219.40	3163.89	-9.36	-9.79	8.42	0.18	12.91	139.30	441078.27	731492.82	N 32 12 39.98	W 103 43 6.59	
3259.00	0.07	213.74	3258.89	-9.51	-9.94	8.30	0.10	12.95	140.13	441078.12	731492.70	N 32 12 39.98	W 103 43 6.59	
3354.00	0.07	122.22	3353.89	-9.59	-10.02	8.32	0.11	13.02	140.30	441078.04	731492.72	N 32 12 39.98	W 103 43 6.59	
3449.00	0.08	68.84	3448.89	-9.59	-10.02	8.43	0.07	13.10	139.94	441078.04	731492.83	N 32 12 39.98	W 103 43 6.59	
3543.00	0.11	149.81	3542.89	-9.64	-10.08	8.53	0.13	13.21	139.74	441077.98	731492.93	N 32 12 39.98	W 103 43 6.59	
3638.00	0.05	189.26	3637.89	-9.76	-10.20	8.57	0.08	13.32	139.94	441077.86	731492.97	N 32 12 39.98	W 103 43 6.59	
3733.00	0.15	201.78	3732.89	-9.92	-10.35	8.52	0.11	13.41	140.55	441077.71	731492.92	N 32 12 39.98	W 103 43 6.59	
3827.00	0.09	105.76	3826.89	-10.05	-10.49	8.55	0.19	13.53	140.82	441077.57	731492.95	N 32 12 39.97	W 103 43 6.59	
3921.00	0.06	223.51	3920.89	-10.11	-10.54	8.58	0.14	13.60	140.85	441077.52	731492.98	N 32 12 39.97	W 103 43 6.59	
4016.00	0.08	115.95	4015.89	-10.17	-10.61	8.61	0.12	13.66	140.94	441077.45	731493.01	N 32 12 39.97	W 103 43 6.59	
4111.00	0.13	240.59	4110.89	-10.25	-10.69	8.57	0.20	13.70	141.27	441077.37	731492.97	N 32 12 39.97	W 103 43 6.59	
4205.00	0.07	114.90	4204.89	-10.33	-10.77	8.53	0.19	13.74	141.60	441077.29	731492.93	N 32 12 39.97	W 103 43 6.59	
4300.00	0.08	197.97	4299.89	-10.42	-10.85	8.57	0.10	13.83	141.72	441077.21	731492.97	N 32 12 39.97	W 103 43 6.59	
4394.00	0.07	183.37	4393.89	-10.54	-10.97	8.54	0.02	13.91	142.10	441077.09	731492.94	N 32 12 39.97	W 103 43 6.59	
4489.00	0.10	169.86	4488.89	-10.68	-11.11	8.55	0.04	14.02	142.42	441076.95	731492.95	N 32 12 39.97	W 103 43 6.59	
4583.00	0.23	87.78	4582.89	-10.74	-11.19	8.76	0.25	14.21	141.95	441076.87	731493.16	N 32 12 39.97	W 103 43 6.59	
4678.00	0.08	179.96	4677.89	-10.79	-11.25	8.95	0.26	14.37	141.50	441076.81	731493.35	N 32 12 39.97	W 103 43 6.59	
4773.00	0.15	109.56	4772.89	-10.89	-11.35	9.06	0.15	14.53	141.40	441076.71	731493.46	N 32 12 39.97	W 103 43 6.58	
4868.00	0.10	4.33	4867.89	-10.85	-11.31	9.19	0.21	14.57	140.92	441076.75	731493.59	N 32 12 39.97	W 103 43 6.58	
4962.00	0.04	95.71	4961.89	-10.76	-11.23	9.23	0.12	14.54	140.61	441076.83	731493.63	N 32 12 39.97	W 103 43 6.58	
5056.00	0.14	23.12	5055.89	-10.66	-11.13	9.30	0.14	14.51	140.11	441076.93	731493.70	N 32 12 39.97	W 103 43 6.58	
5151.00	0.10	265.10	5150.89	-10.56	-11.03	9.27	0.22	14.41	139.97	441077.03	731493.67	N 32 12 39.97	W 103 43 6.58	
5246.00	0.05	37.79	5245.89	-10.54	-11.01	9.21	0.15	14.35	140.08	441077.05	731493.61	N 32 12 39.97	W 103 43 6.58	
5340.00	0.05	296.21	5339.89	-10.49	-10.96	9.20	0.08	14.31	139.99	441077.03	731493.60	N 32 12 39.97	W 103 43 6.58	
5435.00	0.05	250.65	5434.89	-10.49	-10.95	9.12	0.04	14.25	140.21	441077.11	731493.52	N 32 12 39.97	W 103 43 6.58	
5530.00	0.15	209.17	5529.89	-10.61	-11.07	9.02	0.12	14.28	140.83	441076.99	731493.42	N 32 12 39.97	W 103 43 6.58	
5625.00	0.07	119.61	5624.89	-10.75	-11.21	9.01	0.17	14.38	141.21	441076.85	731493.41	N 32 12 39.97	W 103 43 6.58	
5720.00	0.03	157.48	5719.89	-10.80	-11.26	9.07	0.05	14.46	141.15	441076.80	731493.47	N 32 12 39.97	W 103 43 6.58	
5814.00	0.05	176.01	5813.89	-10.86	-11.33	9.08	0.03	14.52	141.27	441076.73	731493.48	N 32 12 39.97	W 103 43 6.58	
5908.00	0.07	272.66	5907.89	-10.90	-11.36	9.03	0.10	14.52	141.53	441076.63	731493.43	N 32 12 39.97	W 103 43 6.58	
6003.00	0.08	29.76	6002.89	-10.85	-11.30	9.00	0.13	14.45	141.46	441076.76	731493.40	N 32 12 39.97	W 103 43 6.58	
6100.00	0.10	284.85	6098.89	-10.77	-11.23	8.96	0.15	14.36	141.41	441076.83	731493.36	N 32 12 39.97	W 103 43 6.59	
6192.00	0.04	26.18	6191.89	-10.72	-11.18	8.89	0.12	14.28	141.49	441076.89	731493.29	N 32 12 39.97	W 103 43 6.59	
6287.00	0.06	90.02	6286.89	-10.69	-11.15	8.96	0.06</							

Comments	MD (ft)	Incl (°)	Azim Grid (° ' ")	TVD (ft)	VSEC (ft)	NS (ft)	EW (ft)	DLS (°/100ft)	Closure (ft)	Closure Azimuth (°)	Northing (ftUS)	Easting (ftUS)	Latitude (N/S ° ' ")	Longitude (E/W ° ' ")
Actual KOP	9881.00	8.68	160.79	9852.00	-321.53	-327.92	121.16	0.65	349.59	159.72	440760.16	731605.55	N 32 12 36.83	W 103 43 5.30
	9976.00	8.60	164.32	9945.92	-334.91	-341.53	125.44	0.56	363.83	159.83	440746.55	731609.83	N 32 12 36.69	W 103 43 5.25
	10070.00	8.26	164.81	10038.90	-348.00	-354.81	129.11	0.37	377.57	160.00	440733.27	731613.50	N 32 12 36.56	W 103 43 5.21
	10163.00	9.08	162.80	10130.84	-361.24	-368.27	133.03	0.94	391.56	160.14	440719.81	731617.42	N 32 12 36.43	W 103 43 5.17
	10258.00	9.24	156.34	10224.63	-375.11	-382.41	138.31	1.09	406.66	160.12	440705.67	731622.70	N 32 12 36.29	W 103 43 5.10
	10352.00	8.98	163.21	10317.45	-388.78	-396.35	143.45	1.19	421.51	160.10	440691.73	731627.85	N 32 12 36.15	W 103 43 5.05
	10447.00	9.54	159.31	10411.21	-402.98	-410.81	148.38	0.89	436.79	160.14	440677.27	731632.77	N 32 12 36.01	W 103 43 4.99
	10542.00	9.20	157.51	10504.94	-417.06	-425.19	154.06	0.47	452.25	160.08	440662.89	731638.46	N 32 12 35.86	W 103 43 4.92
	10638.00	9.34	157.57	10599.69	-431.05	-439.49	159.97	0.15	467.69	160.00	440648.60	731644.36	N 32 12 35.72	W 103 43 4.86
	10732.00	9.45	157.97	10692.43	-444.95	-453.69	165.78	0.14	483.03	159.93	440634.39	731650.17	N 32 12 35.58	W 103 43 4.79
	10827.00	9.39	159.21	10786.15	-459.12	-468.16	171.45	0.22	498.57	159.89	440619.92	731655.84	N 32 12 35.44	W 103 43 4.72
	10921.00	9.22	159.30	10878.91	-473.05	-482.38	176.84	0.18	513.77	159.87	440605.71	731661.23	N 32 12 35.30	W 103 43 4.66
	11016.00	9.41	158.63	10972.66	-487.11	-496.73	182.36	0.23	529.14	159.84	440591.36	731666.75	N 32 12 35.15	W 103 43 4.60
	11111.00	8.99	159.83	11066.44	-501.03	-510.93	187.75	0.49	544.33	159.82	440577.16	731672.14	N 32 12 35.01	W 103 43 4.54
	11206.00	8.60	163.48	11160.32	-514.56	-524.71	192.33	0.72	558.84	159.87	440563.38	731676.72	N 32 12 34.88	W 103 43 4.49
	11232.00	8.82	163.89	11186.02	-518.28	-528.48	193.43	0.88	562.77	159.90	440559.60	731677.82	N 32 12 34.84	W 103 43 4.47
	11351.00	3.21	12.75	111304.64	-523.65	-534.02	196.71	9.86	569.10	159.78	440554.07	731681.10	N 32 12 34.78	W 103 43 4.44
	11446.00	11.50	345.16	11398.79	-511.98	-522.25	194.87	9.24	557.42	159.54	440565.84	731679.26	N 32 12 34.90	W 103 43 4.46
	11540.00	20.75	337.77	11489.01	-487.92	-497.72	186.15	10.06	531.39	159.49	440590.37	731670.54	N 32 12 35.14	W 103 43 4.56
	11633.00	31.87	355.89	11572.37	-448.44	-457.79	178.12	14.63	491.22	158.74	440630.29	731662.51	N 32 12 35.54	W 103 43 4.65
100' FSL Crossed Enter Target Box	11728.00	37.05	15.29	11650.91	-395.40	-404.98	183.89	12.72	444.77	155.58	440683.10	731668.28	N 32 12 36.06	W 103 43 4.58
	11822.00	46.39	17.02	11721.00	-334.62	-344.99	201.36	10.01	399.45	149.73	440743.09	731685.75	N 32 12 36.65	W 103 43 4.37
	11916.00	58.48	12.48	11778.22	-261.83	-273.04	220.05	13.41	350.67	141.13	440815.04	731704.44	N 32 12 37.36	W 103 43 4.15
	11927.00	58.86	11.69	11783.94	-262.56	-263.85	222.02	7.04	344.83	139.92	440824.22	731706.41	N 32 12 37.46	W 103 43 4.12
	11937.00	59.21	10.98	11789.08	-244.08	-255.44	223.70	7.04	339.55	138.79	440832.63	731708.09	N 32 12 37.54	W 103 43 4.10
	12011.00	61.92	5.87	11825.46	-179.97	-191.72	233.10	7.04	301.82	129.44	440896.35	731717.49	N 32 12 38.17	W 103 43 3.99
	12105.00	64.68	359.26	11867.73	-96.07	-107.90	236.80	6.93	260.22	114.50	440980.17	731721.19	N 32 12 39.00	W 103 43 3.94
	12199.00	71.87	359.07	11902.51	-8.98	-20.64	235.52	7.65	236.43	95.01	441067.42	731719.91	N 32 12 39.86	W 103 43 3.95
	12293.00	77.49	0.04	11927.33	81.49	69.98	234.83	6.06	245.03	73.41	441158.03	731719.22	N 32 12 40.76	W 103 43 3.95
	12327.36	79.79	359.46	11934.10	115.13	103.66	234.68	6.88	256.55	66.17	441191.71	731719.07	N 32 12 41.09	W 103 43 3.95
Wolfcamp Intersection	12388.00	83.84	358.45	11942.73	175.00	163.86	233.58	6.88	285.21	54.98	441251.71	731717.97	N 32 12 41.68	W 103 43 3.96
	12482.00	86.30	1.76	11950.81	268.52	257.29	233.76	4.38	347.62	42.26	441345.34	731718.15	N 32 12 42.61	W 103 43 3.95
	12577.00	86.41	2.29	11956.85	363.32	352.04	237.11	0.57	424.44	33.96	441440.08	731721.50	N 32 12 43.55	W 103 43 3.91
	12671.00	87.94	2.03	11961.49	457.20	445.86	240.65	1.65	506.65	28.36	441533.89	731725.04	N 32 12 44.48	W 103 43 3.86
	12859.00	88.52	2.15	11967.29	645.09	633.64	247.50	0.32	680.26	21.34	441721.67	731731.89	N 32 12 46.33	W 103 43 3.77
	12953.00	88.17	1.56	11970.01	739.04	727.55	250.54	0.73	769.48	19.00	441815.57	731734.93	N 32 12 47.26	W 103 43 3.72
	13048.00	90.00	1.66	11971.53	834.00	822.50	253.21	1.93	860.59	17.11	441910.52	731737.60	N 32 12 48.00	W 103 43 3.69
	13142.00	90.46	1.17	11971.15	927.97	916.47	255.53	0.71	951.43	15.58	442004.46	731739.82	N 32 12 49.13	W 103 43 3.65
	13237.00	89.97	1.83	11970.79	1022.94	1011.43	258.02	0.87	1043.83	14.31	442099.44	731742.41	N 32 12 50.07	W 103 43 3.62
	13331.00	90.21	2.24	11970.64	1116.94	1105.37	261.36	0.51	1135.85	13.30	442193.38	731745.74	N 32 12 51.00	W 103 43 3.57
13426.00	90.00	359.93	11970.47	1211.88	1200.35	263.16	2.44	1228.86	12.37	442288.35	731747.54	N 32 12 51.94	W 103 43 3.55	
13515.00	90.18	0.16	11970.33	1300.78	1289.35	263.23	0.33	1315.95	11.54	442377.34	731747.61	N 32 12 52.82	W 103 43 3.54	
13610.00	90.33	0.94	11969.91	1395.70	1384.34	264.14	0.84	1409.32	10.80	442472.33	731748.52	N 32 12 53.76	W 103 43 3.52	
13704.00	90.22	0.07	11969.46	1489.62	1478.34	264.97	0.93	1501.90	10.16	442566.32	731749.35	N 32 12 54.69	W 103 43 3.51	
13798.00	90.67	359.16	11968.73	1583.47	1572.33	264.33	1.08	1594.40	9.54	442660.31	731748.72	N 32 12 55.62	W 103 43 3.51	
13893.00	90.43	1.26	11967.81	1678.36	1667.32	264.68	2.22	1688.20	9.02	442755.30	731749.07	N 32 12 56.56	W 103 43 3.50	
13987.00	90.75	0.66	11966.85	1772.31	1761.30	266.26	0.72	1781.31	8.60	442849.27	731750.64	N 32 12 57.49	W 103 43 3.47	
14082.00	90.83	359.77	11965.54	1867.20	1856.29	266.61	0.94	1875.34	8.17	442944.26	731751.00	N 32 12 58.43	W 103 43 3.46	
14176.00	89.84	359.59	11964.99	1961.05	1950.29	266.09	0.77	1968.36	7.77	443038.25	731750.48	N 32 12 59.36	W 103 43 3.46	
14270.00	90.14	358.82	11965.00	2054.86	2044.28	264.78	0.88	2061.36	7.38	443132.23	731749.17	N 32 13 0.29	W 103 43 3.47	
14364.00	89.79	1.19	11965.06	2148.74	2138.27	264.79	2.55	2154.60	7.06	443226.22	731749.18	N 32 13 1.22	W 103 43 3.46	
14459.00	89.89	0.91	11965.33	2243.70	2233.26	266.53	0.31	2249.10	6.81	443321.20	731750.92	N 32 13 2.16	W 103 43 3.44	
14552.00	91.48	1.40	11964.21	2336.65	2326.23	268.41	1.79	2341.66	6.58	443414.17	731752.79	N 32 13 3.08	W 103 43 3.41	
14647.00	89.75	356.14	11963.19	2431.36	2421.16	266.37	5.83	2435.77	6.28	443509.10	731750.76	N 32 13 4.02	W 103 43 3.43	
14741.00	89.60	0.80	11963.73	2525.06	2515.10	263.86	4.96	2528.90	5.99	443603.03	731748.25	N 32 13 4.95	W 103 43 3.45	
14836.00	90.47	0.97	11963.67	2620.01	2610.09	265.33	0.93	2623.54	5.80	443698.01	731749.71	N 32 13 5.89	W 103 43 3.43	
14930.00	89.86	0.69	11963.40	2713.95	2704.08	266.69	0.71	2717.03	5.43	443792.00	731751.08	N 32 13 6.82	W 103 43 3.40	
15025.00	89.95	0.09	11963.56	2808.86	2799.08	267.34	0.64	2811.81	5.46	443886.99	731751.72	N 32 13 7.76	W 103 43 3.39	
15119.00	91.37	359.99	11962.47	2902.74	2893.07	267.40	1.51	2905.40	5.28	443980.98	731751.79	N 32 13 8.69	W 103 43 3.38	
15214.00	89.47	0.51	11961.78	2997.64	2988.06	267.82	2.07	3000.04	5.12	444075.96	731752.20	N 32 13 9.63	W 103 43 3.37	
15308.00	89.86	1.28	11962.33	3091.58	3082.04	269.28	0.92	3093.79	4.99	444169.9.95				

Intent ☐ As Drilled ☐

API #		
Operator Name:	Property Name:	Well Number

Kick Off Point (KOP)

UL	Section	Township	Range	Lot	Feet	From N/S	Feet	From E/W	County
Latitude					Longitude				NAD

First Take Point (FTP)

UL	Section	Township	Range	Lot	Feet	From N/S	Feet	From E/W	County
Latitude					Longitude				NAD

Last Take Point (LTP)

UL	Section	Township	Range	Lot	Feet	From N/S	Feet	From E/W	County
Latitude					Longitude				NAD

Is this well the defining well for the Horizontal Spacing Unit? ☐Is this well an infill well? ☐

If infill is yes please provide API if available, Operator Name and well number for Defining well for Horizontal Spacing Unit.

API #		
Operator Name:	Property Name:	Well Number

KZ 06/29/2018

District I

1625 N. French Dr., Hobbs, NM 88240
Phone:(575) 393-6161 Fax:(575) 393-0720

District II

811 S. First St., Artesia, NM 88210
Phone:(575) 748-1283 Fax:(575) 748-9720

District III

1000 Rio Brazos Rd., Aztec, NM 87410
Phone:(505) 334-6178 Fax:(505) 334-6170

District IV

1220 S. St Francis Dr., Santa Fe, NM 87505
Phone:(505) 476-3470 Fax:(505) 476-3462

State of New Mexico
Energy, Minerals and Natural Resources
Oil Conservation Division
1220 S. St Francis Dr.
Santa Fe, NM 87505

ACKNOWLEDGMENTS

Action 33927

ACKNOWLEDGMENTS

Operator: OXY USA INC P.O. Box 4294 Houston, TX 772104294	OGRID: 16696
	Action Number: 33927
	Action Type: [C-104] Completion Packet (C-104C)

ACKNOWLEDGMENTS

☒	I hereby certify that the required Water Use Report has been, or will be, submitted for this wells completion.
☒	I hereby certify that the required FracFocus disclosure has been, or will be, submitted for this wells completion.

District I
1625 N. French Dr., Hobbs, NM 88240
Phone:(575) 393-6161 Fax:(575) 393-0720
District II
811 S. First St., Artesia, NM 88210
Phone:(575) 748-1283 Fax:(575) 748-9720
District III
1000 Rio Brazos Rd., Aztec, NM 87410
Phone:(505) 334-6178 Fax:(505) 334-6170
District IV
1220 S. St Francis Dr., Santa Fe, NM 87505
Phone:(505) 476-3470 Fax:(505) 476-3462

State of New Mexico
Energy, Minerals and Natural Resources
Oil Conservation Division
1220 S. St Francis Dr.
Santa Fe, NM 87505

CONDITIONS

Action 33927

CONDITIONS

Operator: OXY USA INC P.O. Box 4294 Houston, TX 772104294	OGRID: 16696
	Action Number: 33927
	Action Type: [C-104] Completion Packet (C-104C)

CONDITIONS

Created By	Condition	Condition Date
ksimmons	Submit all drilling, casing, and completion sundries and reports.	6/28/2021