

District I
1625 N. French Dr., Hobbs, NM 88240
District II
811 S. First St., Artesia, NM 88210
District III
1000 Rio Brazos Rd., Aztec, NM 87410
District IV
1220 S. St. Francis Dr., Santa Fe, NM 87505

Oil Conservation Division
1220 South St. Francis Dr.
Santa Fe, NM 87505

Submit one copy to appropriate District Office

☐ AMENDED REPORT

I. REQUEST FOR ALLOWABLE AND AUTHORIZATION TO TRANSPORT

¹ Operator name and Address BTA OIL PRODUCERS, LLC 104 S. PECOS MIDLAND, TX.		² OGRID Number 260297	
		³ Reason for Filing Code/ Effective Date NEW WELL	
⁴ API Number 30 – 025-46641	⁵ Pool Name JOHNSON RANCH WOLFCAMP		⁶ Pool Code 98180
⁷ Property Code 317432	⁸ Property Name VACA DRAW 9418 10 FEDERAL		⁹ Well Number 23H

II. ¹⁰ Surface Location

Ul or lot no. N	Sec 10	Township 25S	Range 33E	Lot Idn	420	SOUTH LINE	1365	WEST LINE	County LEA
--------------------	--------	-----------------	--------------	---------	-----	------------	------	-----------	------------

¹¹ Bottom Hole Location

UL or lot no C	Section 10	Township 25S	Range 33E	Lot Idn	5.3	NORTH LINE	2303.5	WEST LINE	LEA	
¹² Lse Code F	¹³ Producing Method FLOWING		¹⁴ Gas Connection			¹⁵ C-129 Permit Number		¹⁶ C-129 Effective Date		

III. Oil and Gas Transporters

¹⁸ Transporter OGRID	¹⁹ Transporter Name and Address	²⁰ O/G/W
34053	PLAINS MARKETING LP P O BOX 4648 HOUSTON, TX 77210-4648	
371058	ETC FIELD SERVICES LLC 8111 WESTCHESTER DR., STE 600 DALLAS, TX. 75225	

IV. Well Completion Data

²¹ Spud Date 7/18/2020	²² Ready Date 11/20/2020	²³ TD 17,970	²⁴ PBTD 17,935	²⁵ Perforations 13,050’-17,860’	²⁶ DHC, MC
²⁷ Hole Size		²⁸ Casing & Tubing Size	²⁹ Depth Set		³⁰ Sacks Cement
14-3/4”		10-3/4”	1213		830
8-3/4”		7-5/8”	12376		1930
6-3/4”		5-1/2”-5”	17960		1390

V. Well Test Data

³¹ Date New Oil 11/20/2020	³² Gas Delivery Date 11/20/2020	³³ Test Date 12/10/2020	³⁴ Test Length 24	³⁵ Tbg. Pressure 400	³⁶ Csg. Pressure
³⁷ Choke Size 64/64	³⁸ Oil 997	³⁹ Water 3266	⁴⁰ Gas 2993		⁴¹ Test Method flowing
⁴² I hereby certify that the rules of the Oil Conservation Division have been complied with and that the information given above is true and complete to the best of my knowledge and belief. Signature: <i>Katy Reddell</i>			OIL CONSERVATION DIVISION Approved by: KURT SIMMONS		
Printed name: KATY REDDELL			Title: NMOCD, SANTA FE		
Title: REGULATORY ANALYST			Approval Date: 06/15/2021		
E-mail Address: kreddell@btaoil.com 12/15/2020 432-682-3753					

Date:	Phone:	
-------	--------	--

DISTRICT I
1625 N. French Dr., Hobbs, NM 88240
Phone: (575) 393-6161 Fax: (575) 393-0720

DISTRICT II
811 S. First St., Artesia, NM 88210
Phone: (575) 748-1283 Fax: (575) 748-9720

DISTRICT III
1000 Rio Brazos Road, Aztec, NM 87410
Phone: (505) 334-6178 Fax: (505) 334-6170

DISTRICT IV
1220 S. St. Francis Dr., Santa Fe, NM 87505
Phone: (505) 476-3460 Fax: (505) 476-3462

State of New Mexico
Energy, Minerals & Natural Resources Department
OIL CONSERVATION DIVISION
1220 South St. Francis Dr.
Santa Fe, New Mexico 87505


Form C-102
Revised August 1, 2011
Submit one copy to appropriate
District Office

☐ AMENDED REPORT

WELL LOCATION AND ACREAGE DEDICATION PLAT

API Number 30-025-46641		Pool Code 98180		Pool Name JOHNSON RANCH WOLFCAMP					
Property Code 317432		Property Name VACA DRAW 9418 10 FEDERAL						Well Number 23H	
OGRID No. 260297		Operator Name BTA OIL PRODUCERS, LLC						Elevation 3388'	
Surface Location									
UL or lot No. N	Section 10	Township 25-S	Range 33-E	Lot Idn	Feet from the 420	North/South line SOUTH	Feet from the 1365	East/West line WEST	County LEA
As-Drilled Bottom Hole Location If Different From Surface									
UL or lot No. C	Section 10	Township 25-S	Range 33-E	Lot Idn	Feet from the 5.3	North/South line NORTH	Feet from the 2303.5	East/West line WEST	County LEA
Penetration Point Location									
UL or lot No. N	Section 10	Township 25-S	Range 33-E	Lot Idn	Feet from the 34.7	North/South line SOUTH	Feet from the 2188.2	East/West line WEST	County LEA
Dedicated Acres 160		Joint or Infill		Consolidation Code		Order No.			

NO ALLOWABLE WILL BE ASSIGNED TO THIS COMPLETION UNTIL ALL INTERESTS HAVE BEEN CONSOLIDATED OR A NON-STANDARD UNIT HAS BEEN APPROVED BY THE DIVISION



OPERATOR CERTIFICATION

I hereby certify that the information herein is true and complete to the best of my knowledge and belief, and that this organization either owns a working interest or unleased mineral interest in the land including the proposed bottom hole location or has a right to drill this well at this location pursuant to a contract with an owner of such mineral or working interest, or to a voluntary pooling agreement or a compulsory pooling order heretofore entered by the division.

Katy Reddell 3/18/21
Signature Date

KATY REDDELL 3/18/21
Printed Name

kreddell@btaoil.com
E-mail Address

SURVEYOR CERTIFICATION


I hereby certify that the well location shown on this plat was plotted from field notes of actual surveys made by me or under my supervision, and that the same is true and correct to the best of my belief.

Date of Survey
Signature of Professional Surveyor

Gary G. Eidson 02/18/2021

Certificate Number Gary G. Eidson 12641
Ronald J. Eidson 3239

ACK REL. W.O.:18110532 JWSC W.O.: 21.13.0072



BTA Oil Producers, LLC

Lea County, NM (NAD 83)

Sec 10, T25-S, R33-E

Vaca Draw 9418 10 Fed #23H

Wellbore #1

Design: Wellbore #1

Survey Report - Geographic

14 August, 2020





QES
Survey Report - Geographic



Company:	BTA Oil Producers, LLC	Local Co-ordinate Reference:	Well Vaca Draw 9418 10 Fed #23H
Project:	Lea County, NM (NAD 83)	TVD Reference:	RKB @ 3413.0usft (Patterson #566)
Site:	Sec 10, T25-S, R33-E	MD Reference:	RKB @ 3413.0usft (Patterson #566)
Well:	Vaca Draw 9418 10 Fed #23H	North Reference:	Grid
Wellbore:	Wellbore #1	Survey Calculation Method:	Minimum Curvature
Design:	Wellbore #1	Database:	EDM 5000.1 Single User Db

Project	Lea County, NM (NAD 83)		
Map System:	US State Plane 1983	System Datum:	Mean Sea Level
Geo Datum:	North American Datum 1983		
Map Zone:	New Mexico Eastern Zone		

Site	Sec 10, T25-S, R33-E		
Site Position:		Northing:	414,940.60 usft
From:	Map	Easting:	779,261.40 usft
Position Uncertainty:	0.0 usft	Slot Radius:	13-3/16 "
		Latitude:	32° 8' 18.299 N
		Longitude:	103° 33' 52.777 W
		Grid Convergence:	0.41 °

Well	Vaca Draw 9418 10 Fed #23H		
Well Position	+N/-S	0.0 usft	Northing: 415,141.70 usft
	+E/-W	0.0 usft	Easting: 779,350.50 usft
Position Uncertainty	0.0 usft	Wellhead Elevation:	usft
		Latitude:	32° 8' 20.283 N
		Longitude:	103° 33' 51.724 W
		Ground Level:	3,388.0 usft

Wellbore	Wellbore #1		
Magnetics	Model Name	Sample Date	Declination (°)
	HDGM2020	7/24/2020	6.52
			Dip Angle (°) 59.73
			Field Strength (nT) 47,691.00000000

Design	Wellbore #1		
Audit Notes:			
Version:	1.0	Phase:	ACTUAL
		Tie On Depth:	0.0
Vertical Section:	Depth From (TVD) (usft)	+N/-S (usft)	+E/-W (usft)
	0.0	0.0	0.0
			Direction (°) 10.75

Survey Program	Date	8/14/2020		
From (usft)	To (usft)	Survey (Wellbore)	Tool Name	Description
124.0	17,970.0	QES MWD Surveys (Wellbore #1)	MWD	OWSG MWD - Standard

Survey									
Measured Depth (usft)	Inclination (°)	Azimuth (°)	Vertical Depth (usft)	+N/-S (usft)	+E/-W (usft)	Map Northing (usft)	Map Easting (usft)	Latitude	Longitude
0.0	0.00	0.00	0.0	0.0	0.0	415,141.70	779,350.50	32° 8' 20.283 N	103° 33' 51.724 W
124.0	1.00	344.80	124.0	1.0	-0.3	415,142.74	779,350.21	32° 8' 20.293 N	103° 33' 51.728 W
First MWD Survey @ 124.0' MD / 124.0' TVD									
222.0	1.00	339.50	222.0	2.7	-0.8	415,144.37	779,349.69	32° 8' 20.309 N	103° 33' 51.734 W
340.0	0.70	309.50	340.0	4.1	-1.7	415,145.79	779,348.77	32° 8' 20.323 N	103° 33' 51.744 W
467.0	0.90	292.60	467.0	5.0	-3.2	415,146.67	779,347.25	32° 8' 20.332 N	103° 33' 51.762 W
581.0	1.10	287.20	580.9	5.6	-5.1	415,147.34	779,345.38	32° 8' 20.339 N	103° 33' 51.784 W
707.0	1.20	285.20	706.9	6.3	-7.5	415,148.04	779,342.95	32° 8' 20.346 N	103° 33' 51.812 W
800.0	1.30	276.10	799.9	6.7	-9.5	415,148.41	779,340.96	32° 8' 20.350 N	103° 33' 51.835 W
893.0	1.40	267.50	892.9	6.8	-11.7	415,148.47	779,338.78	32° 8' 20.351 N	103° 33' 51.860 W
987.0	1.40	258.60	986.8	6.5	-14.0	415,148.19	779,336.51	32° 8' 20.348 N	103° 33' 51.887 W
1,081.0	1.40	263.80	1,080.8	6.1	-16.3	415,147.84	779,334.24	32° 8' 20.345 N	103° 33' 51.913 W



QES

Survey Report - Geographic



Company:	BTA Oil Producers, LLC	Local Co-ordinate Reference:	Well Vaca Draw 9418 10 Fed #23H
Project:	Lea County, NM (NAD 83)	TVD Reference:	RKB @ 3413.0usft (Patterson #566)
Site:	Sec 10, T25-S, R33-E	MD Reference:	RKB @ 3413.0usft (Patterson #566)
Well:	Vaca Draw 9418 10 Fed #23H	North Reference:	Grid
Wellbore:	Wellbore #1	Survey Calculation Method:	Minimum Curvature
Design:	Wellbore #1	Database:	EDM 5000.1 Single User Db

Survey									
Measured Depth (usft)	Inclination (°)	Azimuth (°)	Vertical Depth (usft)	+N/-S (usft)	+E/-W (usft)	Map Northing (usft)	Map Easting (usft)	Latitude	Longitude
1,187.0	1.60	270.00	1,186.8	6.0	-19.0	415,147.70	779,331.47	32° 8' 20.344 N	103° 33' 51.945 W
1,245.0	1.90	266.40	1,244.7	5.9	-20.8	415,147.64	779,329.70	32° 8' 20.343 N	103° 33' 51.966 W
1,338.0	1.30	173.40	1,337.7	4.8	-22.2	415,146.50	779,328.29	32° 8' 20.332 N	103° 33' 51.982 W
1,431.0	1.50	145.90	1,430.7	2.7	-21.4	415,144.44	779,329.09	32° 8' 20.311 N	103° 33' 51.973 W
1,525.0	1.60	146.80	1,524.7	0.6	-20.0	415,142.32	779,330.50	32° 8' 20.290 N	103° 33' 51.957 W
1,618.0	1.70	146.40	1,617.6	-1.6	-18.5	415,140.09	779,331.97	32° 8' 20.268 N	103° 33' 51.940 W
1,711.0	3.90	126.90	1,710.5	-4.7	-15.2	415,137.04	779,335.27	32° 8' 20.238 N	103° 33' 51.902 W
1,804.0	4.30	128.30	1,803.3	-8.7	-10.0	415,132.98	779,340.53	32° 8' 20.197 N	103° 33' 51.841 W
1,897.0	6.30	121.90	1,895.9	-13.6	-2.9	415,128.12	779,347.60	32° 8' 20.149 N	103° 33' 51.759 W
1,990.0	6.70	119.80	1,988.3	-19.0	6.1	415,122.73	779,356.64	32° 8' 20.095 N	103° 33' 51.655 W
2,084.0	6.50	122.70	2,081.6	-24.6	15.4	415,117.13	779,365.88	32° 8' 20.039 N	103° 33' 51.548 W
2,177.0	8.00	116.20	2,173.9	-30.3	25.6	415,111.43	779,376.11	32° 8' 19.981 N	103° 33' 51.429 W
2,270.0	8.40	112.00	2,265.9	-35.7	37.7	415,106.03	779,388.22	32° 8' 19.927 N	103° 33' 51.289 W
2,364.0	8.10	112.00	2,359.0	-40.7	50.2	415,100.97	779,400.72	32° 8' 19.876 N	103° 33' 51.144 W
2,457.0	7.90	110.00	2,451.1	-45.4	62.3	415,096.33	779,412.80	32° 8' 19.830 N	103° 33' 51.004 W
2,550.0	8.00	105.60	2,543.2	-49.3	74.5	415,092.41	779,425.04	32° 8' 19.790 N	103° 33' 50.862 W
2,643.0	7.70	113.30	2,635.3	-53.5	86.5	415,088.20	779,437.00	32° 8' 19.747 N	103° 33' 50.723 W
2,737.0	7.60	112.40	2,728.5	-58.4	98.0	415,083.34	779,448.53	32° 8' 19.698 N	103° 33' 50.589 W
2,830.0	7.60	111.20	2,820.7	-62.9	109.5	415,078.78	779,459.95	32° 8' 19.652 N	103° 33' 50.457 W
2,923.0	7.60	109.30	2,912.8	-67.2	121.0	415,074.52	779,471.49	32° 8' 19.610 N	103° 33' 50.323 W
3,017.0	7.30	106.00	3,006.0	-70.9	132.6	415,070.82	779,483.10	32° 8' 19.572 N	103° 33' 50.188 W
3,110.0	8.10	109.60	3,098.2	-74.7	144.4	415,066.99	779,494.95	32° 8' 19.533 N	103° 33' 50.051 W
3,203.0	8.40	105.00	3,190.2	-78.7	157.2	415,063.04	779,507.68	32° 8' 19.493 N	103° 33' 49.903 W
3,297.0	9.80	104.20	3,283.1	-82.4	171.6	415,059.30	779,522.07	32° 8' 19.455 N	103° 33' 49.736 W
3,390.0	10.60	120.60	3,374.6	-88.7	186.6	415,053.00	779,537.11	32° 8' 19.392 N	103° 33' 49.562 W
3,483.0	10.40	125.10	3,466.1	-97.9	200.8	415,043.82	779,551.34	32° 8' 19.300 N	103° 33' 49.397 W
3,576.0	8.70	117.90	3,557.8	-106.0	213.9	415,035.70	779,564.42	32° 8' 19.219 N	103° 33' 49.245 W
3,670.0	8.70	116.10	3,650.7	-112.5	226.6	415,029.25	779,577.09	32° 8' 19.154 N	103° 33' 49.099 W
3,763.0	8.20	115.70	3,742.7	-118.4	238.9	415,023.27	779,589.38	32° 8' 19.094 N	103° 33' 48.956 W
3,856.0	8.00	115.70	3,834.7	-124.1	250.7	415,017.59	779,601.19	32° 8' 19.037 N	103° 33' 48.819 W
3,950.0	7.80	114.60	3,927.9	-129.6	262.4	415,012.10	779,612.88	32° 8' 18.982 N	103° 33' 48.684 W
4,043.0	7.30	116.00	4,020.0	-134.8	273.4	415,006.88	779,623.93	32° 8' 18.929 N	103° 33' 48.556 W
4,136.0	6.30	118.90	4,112.4	-139.9	283.2	415,001.83	779,633.71	32° 8' 18.879 N	103° 33' 48.442 W
4,229.0	5.50	115.20	4,204.9	-144.2	291.7	414,997.46	779,642.21	32° 8' 18.835 N	103° 33' 48.344 W
4,323.0	7.70	109.70	4,298.3	-148.3	301.7	414,993.42	779,652.22	32° 8' 18.794 N	103° 33' 48.228 W
4,416.0	9.20	111.10	4,390.3	-153.1	314.5	414,988.64	779,665.02	32° 8' 18.746 N	103° 33' 48.079 W
4,509.0	8.40	113.20	4,482.2	-158.4	327.7	414,983.29	779,678.20	32° 8' 18.692 N	103° 33' 47.927 W
4,603.0	9.10	114.50	4,575.1	-164.2	340.8	414,977.50	779,691.27	32° 8' 18.634 N	103° 33' 47.775 W
4,696.0	9.90	118.70	4,666.8	-171.1	354.5	414,970.62	779,704.98	32° 8' 18.565 N	103° 33' 47.616 W
4,789.0	10.50	123.40	4,758.3	-179.6	368.6	414,962.11	779,719.07	32° 8' 18.480 N	103° 33' 47.453 W
4,883.0	7.60	116.80	4,851.1	-187.1	381.3	414,954.59	779,731.77	32° 8' 18.404 N	103° 33' 47.306 W
4,976.0	6.70	115.20	4,943.4	-192.2	391.7	414,949.51	779,742.17	32° 8' 18.353 N	103° 33' 47.185 W
5,069.0	6.00	115.20	5,035.9	-196.6	401.0	414,945.13	779,751.47	32° 8' 18.309 N	103° 33' 47.078 W
5,162.0	6.00	114.90	5,128.3	-200.7	409.8	414,941.01	779,760.28	32° 8' 18.268 N	103° 33' 46.975 W
5,256.0	6.10	114.70	5,221.8	-204.8	418.8	414,936.86	779,769.28	32° 8' 18.226 N	103° 33' 46.871 W
5,349.0	5.90	111.80	5,314.3	-208.7	427.7	414,933.02	779,778.20	32° 8' 18.188 N	103° 33' 46.768 W
5,442.0	6.10	109.60	5,406.8	-212.1	436.8	414,929.59	779,787.30	32° 8' 18.153 N	103° 33' 46.662 W
5,535.0	6.00	107.10	5,499.3	-215.2	446.1	414,926.50	779,796.60	32° 8' 18.122 N	103° 33' 46.554 W
5,629.0	5.80	105.50	5,592.8	-217.9	455.4	414,923.79	779,805.87	32° 8' 18.094 N	103° 33' 46.447 W
5,722.0	7.30	99.60	5,685.2	-220.2	465.7	414,921.54	779,816.22	32° 8' 18.071 N	103° 33' 46.326 W
5,815.0	9.50	106.00	5,777.2	-223.3	478.9	414,918.44	779,829.43	32° 8' 18.040 N	103° 33' 46.173 W
5,908.0	9.70	108.30	5,868.9	-227.8	493.7	414,913.87	779,844.24	32° 8' 17.993 N	103° 33' 46.001 W
6,002.0	8.90	111.40	5,961.6	-233.0	508.0	414,908.73	779,858.53	32° 8' 17.942 N	103° 33' 45.835 W
6,095.0	8.90	114.10	6,053.5	-238.5	521.3	414,903.16	779,871.80	32° 8' 17.886 N	103° 33' 45.682 W
6,188.0	8.70	112.50	6,145.4	-244.2	534.4	414,897.54	779,884.86	32° 8' 17.829 N	103° 33' 45.530 W



QES

Survey Report - Geographic



Company:	BTA Oil Producers, LLC	Local Co-ordinate Reference:	Well Vaca Draw 9418 10 Fed #23H
Project:	Lea County, NM (NAD 83)	TVD Reference:	RKB @ 3413.0usft (Patterson #566)
Site:	Sec 10, T25-S, R33-E	MD Reference:	RKB @ 3413.0usft (Patterson #566)
Well:	Vaca Draw 9418 10 Fed #23H	North Reference:	Grid
Wellbore:	Wellbore #1	Survey Calculation Method:	Minimum Curvature
Design:	Wellbore #1	Database:	EDM 5000.1 Single User Db

Survey									
Measured Depth (usft)	Inclination (°)	Azimuth (°)	Vertical Depth (usft)	+N/-S (usft)	+E/-W (usft)	Map Northing (usft)	Map Easting (usft)	Latitude	Longitude
6,281.0	9.00	117.60	6,237.3	-250.2	547.3	414,891.47	779,897.81	32° 8' 17.768 N	103° 33' 45.380 W
6,375.0	9.10	119.80	6,330.1	-257.3	560.3	414,884.37	779,910.77	32° 8' 17.697 N	103° 33' 45.230 W
6,468.0	8.80	119.30	6,422.0	-264.5	572.9	414,877.24	779,923.36	32° 8' 17.625 N	103° 33' 45.084 W
6,561.0	8.80	118.80	6,513.9	-271.4	585.3	414,870.33	779,935.80	32° 8' 17.556 N	103° 33' 44.940 W
6,655.0	9.10	118.50	6,606.8	-278.4	598.1	414,863.32	779,948.63	32° 8' 17.486 N	103° 33' 44.791 W
6,748.0	8.90	117.70	6,698.6	-285.2	611.0	414,856.46	779,961.46	32° 8' 17.417 N	103° 33' 44.643 W
6,841.0	9.10	116.20	6,790.5	-291.8	623.9	414,849.87	779,974.43	32° 8' 17.351 N	103° 33' 44.493 W
6,934.0	8.80	115.70	6,882.4	-298.2	636.9	414,843.54	779,987.44	32° 8' 17.287 N	103° 33' 44.342 W
7,028.0	8.60	115.40	6,975.3	-304.3	649.8	414,837.41	780,000.27	32° 8' 17.226 N	103° 33' 44.193 W
7,121.0	8.00	115.60	7,067.3	-310.1	661.9	414,831.63	780,012.39	32° 8' 17.168 N	103° 33' 44.053 W
7,214.0	7.60	113.60	7,159.4	-315.3	673.4	414,826.37	780,023.86	32° 8' 17.115 N	103° 33' 43.920 W
7,307.0	7.50	114.10	7,251.6	-320.3	684.5	414,821.43	780,035.03	32° 8' 17.065 N	103° 33' 43.790 W
7,401.0	7.30	113.90	7,344.8	-325.2	695.6	414,816.51	780,046.09	32° 8' 17.016 N	103° 33' 43.662 W
7,494.0	7.00	113.20	7,437.1	-329.8	706.2	414,811.88	780,056.71	32° 8' 16.969 N	103° 33' 43.539 W
7,587.0	6.80	111.50	7,529.5	-334.1	716.5	414,807.63	780,067.04	32° 8' 16.926 N	103° 33' 43.419 W
7,680.0	6.50	111.70	7,621.8	-338.0	726.6	414,803.67	780,077.05	32° 8' 16.886 N	103° 33' 43.303 W
7,773.0	6.20	112.20	7,714.3	-341.9	736.1	414,799.82	780,086.59	32° 8' 16.848 N	103° 33' 43.192 W
7,866.0	5.40	112.40	7,806.8	-345.4	744.8	414,796.26	780,095.29	32° 8' 16.812 N	103° 33' 43.091 W
7,960.0	5.10	115.00	7,900.4	-348.9	752.7	414,792.80	780,103.16	32° 8' 16.777 N	103° 33' 43.000 W
8,053.0	3.60	113.20	7,993.1	-351.8	759.1	414,789.91	780,109.59	32° 8' 16.748 N	103° 33' 42.926 W
8,146.0	3.40	110.60	8,085.9	-353.9	764.4	414,787.79	780,114.86	32° 8' 16.727 N	103° 33' 42.865 W
8,237.0	3.20	113.10	8,176.8	-355.9	769.2	414,785.84	780,119.72	32° 8' 16.707 N	103° 33' 42.808 W
8,330.0	3.00	118.90	8,269.7	-358.1	773.7	414,783.65	780,124.24	32° 8' 16.685 N	103° 33' 42.756 W
8,423.0	2.10	127.00	8,362.6	-360.3	777.2	414,781.44	780,127.73	32° 8' 16.663 N	103° 33' 42.715 W
8,517.0	2.00	128.80	8,456.5	-362.3	779.9	414,779.38	780,130.38	32° 8' 16.642 N	103° 33' 42.685 W
8,610.0	1.50	89.30	8,549.5	-363.3	782.4	414,778.38	780,132.87	32° 8' 16.632 N	103° 33' 42.656 W
8,704.0	1.40	89.00	8,643.4	-363.3	784.7	414,778.41	780,135.24	32° 8' 16.632 N	103° 33' 42.628 W
8,797.0	1.30	95.00	8,736.4	-363.4	786.9	414,778.34	780,137.43	32° 8' 16.632 N	103° 33' 42.603 W
8,890.0	1.10	97.30	8,829.4	-363.6	788.9	414,778.14	780,139.37	32° 8' 16.629 N	103° 33' 42.580 W
8,984.0	1.00	98.70	8,923.4	-363.8	790.6	414,777.90	780,141.07	32° 8' 16.627 N	103° 33' 42.561 W
9,077.0	1.10	104.50	9,016.4	-364.1	792.2	414,777.55	780,142.74	32° 8' 16.623 N	103° 33' 42.541 W
9,170.0	0.80	108.90	9,109.3	-364.6	793.7	414,777.12	780,144.22	32° 8' 16.619 N	103° 33' 42.524 W
9,264.0	0.80	120.70	9,203.3	-365.1	794.9	414,776.57	780,145.40	32° 8' 16.614 N	103° 33' 42.510 W
9,357.0	0.50	151.70	9,296.3	-365.8	795.7	414,775.88	780,146.15	32° 8' 16.607 N	103° 33' 42.502 W
9,450.0	1.20	122.40	9,389.3	-366.7	796.7	414,775.00	780,147.17	32° 8' 16.598 N	103° 33' 42.490 W
9,543.0	1.30	133.60	9,482.3	-367.9	798.3	414,773.75	780,148.75	32° 8' 16.585 N	103° 33' 42.472 W
9,636.0	1.00	155.10	9,575.3	-369.4	799.4	414,772.29	780,149.86	32° 8' 16.571 N	103° 33' 42.459 W
9,730.0	1.50	118.20	9,669.3	-370.7	800.8	414,770.96	780,151.29	32° 8' 16.558 N	103° 33' 42.442 W
9,823.0	3.10	133.90	9,762.2	-373.1	803.7	414,768.64	780,154.17	32° 8' 16.534 N	103° 33' 42.409 W
9,916.0	2.40	138.80	9,855.1	-376.3	806.8	414,765.44	780,157.27	32° 8' 16.502 N	103° 33' 42.373 W
10,009.0	2.90	121.70	9,948.0	-379.0	810.1	414,762.73	780,160.55	32° 8' 16.476 N	103° 33' 42.335 W
10,103.0	0.90	106.20	10,041.9	-380.4	812.8	414,761.28	780,163.29	32° 8' 16.461 N	103° 33' 42.304 W
10,197.0	0.60	43.50	10,135.9	-380.3	813.8	414,761.43	780,164.33	32° 8' 16.462 N	103° 33' 42.291 W
10,290.0	0.40	98.20	10,228.9	-380.0	814.5	414,761.74	780,164.99	32° 8' 16.465 N	103° 33' 42.284 W
10,383.0	0.40	77.00	10,321.9	-379.9	815.1	414,761.76	780,165.63	32° 8' 16.466 N	103° 33' 42.276 W
10,477.0	0.80	12.40	10,415.9	-379.2	815.6	414,762.48	780,166.09	32° 8' 16.473 N	103° 33' 42.271 W
10,570.0	0.60	64.70	10,508.9	-378.4	816.2	414,763.32	780,166.67	32° 8' 16.481 N	103° 33' 42.264 W
10,663.0	0.50	113.70	10,601.9	-378.3	817.0	414,763.37	780,167.48	32° 8' 16.481 N	103° 33' 42.255 W
10,756.0	0.80	130.60	10,694.9	-378.9	817.8	414,762.78	780,168.34	32° 8' 16.475 N	103° 33' 42.245 W
10,848.0	0.80	142.10	10,786.9	-379.8	818.7	414,761.85	780,169.23	32° 8' 16.466 N	103° 33' 42.234 W
10,941.0	0.90	141.80	10,879.9	-380.9	819.6	414,760.77	780,170.08	32° 8' 16.455 N	103° 33' 42.225 W
11,034.0	0.80	123.00	10,972.9	-381.9	820.6	414,759.84	780,171.07	32° 8' 16.446 N	103° 33' 42.213 W
11,126.0	0.20	185.10	11,064.8	-382.4	821.1	414,759.33	780,171.60	32° 8' 16.441 N	103° 33' 42.207 W
11,219.0	0.30	172.60	11,157.8	-382.8	821.1	414,758.93	780,171.61	32° 8' 16.437 N	103° 33' 42.207 W
11,313.0	0.40	192.90	11,251.8	-383.3	821.1	414,758.36	780,171.57	32° 8' 16.431 N	103° 33' 42.207 W



QES

Survey Report - Geographic



Company:	BTA Oil Producers, LLC	Local Co-ordinate Reference:	Well Vaca Draw 9418 10 Fed #23H
Project:	Lea County, NM (NAD 83)	TVD Reference:	RKB @ 3413.0usft (Patterson #566)
Site:	Sec 10, T25-S, R33-E	MD Reference:	RKB @ 3413.0usft (Patterson #566)
Well:	Vaca Draw 9418 10 Fed #23H	North Reference:	Grid
Wellbore:	Wellbore #1	Survey Calculation Method:	Minimum Curvature
Design:	Wellbore #1	Database:	EDM 5000.1 Single User Db

Survey										
Measured Depth (usft)	Inclination (°)	Azimuth (°)	Vertical Depth (usft)	+N/-S (usft)	+E/-W (usft)	Map Northing (usft)	Map Easting (usft)	Latitude	Longitude	
11,406.0	1.10	239.60	11,344.8	-384.1	820.2	414,757.60	780,170.73	32° 8' 16.424 N	103° 33' 42.217 W	
11,499.0	0.90	246.30	11,437.8	-384.8	818.8	414,756.85	780,169.29	32° 8' 16.417 N	103° 33' 42.234 W	
11,593.0	0.50	257.70	11,531.8	-385.2	817.7	414,756.47	780,168.22	32° 8' 16.413 N	103° 33' 42.247 W	
11,686.0	0.20	162.20	11,624.8	-385.5	817.4	414,756.23	780,167.87	32° 8' 16.411 N	103° 33' 42.251 W	
11,779.0	0.70	65.50	11,717.8	-385.4	817.9	414,756.31	780,168.43	32° 8' 16.411 N	103° 33' 42.244 W	
11,873.0	1.40	57.70	11,811.8	-384.5	819.4	414,757.16	780,169.93	32° 8' 16.420 N	103° 33' 42.227 W	
11,966.0	1.10	59.30	11,904.8	-383.5	821.2	414,758.22	780,171.66	32° 8' 16.430 N	103° 33' 42.206 W	
12,059.0	0.60	62.30	11,997.8	-382.8	822.4	414,758.90	780,172.85	32° 8' 16.437 N	103° 33' 42.192 W	
12,153.0	0.80	69.00	12,091.8	-382.3	823.4	414,759.37	780,173.90	32° 8' 16.441 N	103° 33' 42.180 W	
12,246.0	0.40	74.40	12,184.8	-382.0	824.3	414,759.69	780,174.82	32° 8' 16.444 N	103° 33' 42.170 W	
12,328.0	0.70	107.80	12,266.7	-382.1	825.1	414,759.61	780,175.57	32° 8' 16.444 N	103° 33' 42.161 W	
12,395.0	0.40	85.00	12,333.7	-382.2	825.7	414,759.51	780,176.20	32° 8' 16.442 N	103° 33' 42.154 W	
12,464.0	2.90	16.40	12,402.7	-380.5	826.4	414,761.20	780,176.93	32° 8' 16.459 N	103° 33' 42.145 W	
12,559.0	17.70	6.30	12,495.9	-363.7	828.7	414,777.96	780,179.21	32° 8' 16.625 N	103° 33' 42.117 W	
12,654.0	31.70	7.60	12,582.0	-324.5	833.6	414,817.25	780,184.12	32° 8' 17.013 N	103° 33' 42.057 W	
12,749.0	37.30	15.10	12,660.3	-271.9	844.4	414,869.84	780,194.93	32° 8' 17.533 N	103° 33' 41.927 W	
12,843.0	41.10	12.90	12,733.2	-214.2	858.8	414,927.48	780,209.25	32° 8' 18.102 N	103° 33' 41.755 W	
12,875.0	46.80	9.60	12,756.2	-192.4	863.1	414,949.26	780,213.55	32° 8' 18.317 N	103° 33' 41.703 W	
12,907.0	52.70	6.10	12,776.9	-168.3	866.4	414,973.44	780,216.85	32° 8' 18.557 N	103° 33' 41.663 W	
12,938.0	57.80	4.00	12,794.5	-142.9	868.6	414,998.80	780,219.08	32° 8' 18.807 N	103° 33' 41.635 W	
13,002.0	66.62	4.70	12,824.3	-86.5	872.9	415,055.20	780,223.38	32° 8' 19.365 N	103° 33' 41.580 W	
330' PA Crossed @ 13002.0' MD / 12824.3' TVD										
13,033.0	70.90	5.00	12,835.6	-57.7	875.3	415,083.98	780,225.82	32° 8' 19.650 N	103° 33' 41.549 W	
13,128.0	84.90	11.90	12,855.4	33.9	889.1	415,175.56	780,239.58	32° 8' 20.555 N	103° 33' 41.382 W	
13,222.0	84.90	10.20	12,863.8	125.7	907.0	415,267.44	780,257.52	32° 8' 21.463 N	103° 33' 41.165 W	
13,249.0	85.20	10.00	12,866.1	152.2	911.7	415,293.93	780,262.24	32° 8' 21.725 N	103° 33' 41.108 W	
13,344.0	85.60	10.60	12,873.7	245.4	928.7	415,387.09	780,279.17	32° 8' 22.645 N	103° 33' 40.904 W	
13,439.0	88.90	6.80	12,878.3	339.2	943.0	415,480.86	780,293.51	32° 8' 23.572 N	103° 33' 40.729 W	
13,534.0	90.60	359.50	12,878.7	434.0	948.2	415,575.65	780,298.73	32° 8' 24.510 N	103° 33' 40.661 W	
13,628.0	92.10	0.30	12,876.5	527.9	948.1	415,669.62	780,298.56	32° 8' 25.440 N	103° 33' 40.655 W	
13,723.0	91.30	0.00	12,873.7	622.9	948.3	415,764.58	780,298.81	32° 8' 26.379 N	103° 33' 40.644 W	
13,818.0	92.90	1.90	12,870.2	717.8	949.9	415,859.49	780,300.39	32° 8' 27.318 N	103° 33' 40.618 W	
13,912.0	94.30	2.80	12,864.3	811.5	953.7	415,953.23	780,304.23	32° 8' 28.246 N	103° 33' 40.565 W	
14,007.0	93.20	0.10	12,858.1	906.3	956.1	416,047.98	780,306.63	32° 8' 29.183 N	103° 33' 40.529 W	
14,103.0	91.00	359.00	12,854.6	1,002.2	955.4	416,143.91	780,305.88	32° 8' 30.132 N	103° 33' 40.530 W	
14,198.0	90.60	359.30	12,853.2	1,097.2	954.0	416,238.89	780,304.47	32° 8' 31.072 N	103° 33' 40.538 W	
14,293.0	89.70	359.40	12,853.0	1,192.2	952.9	416,333.88	780,303.39	32° 8' 32.012 N	103° 33' 40.543 W	
14,388.0	90.40	0.00	12,852.9	1,287.2	952.4	416,428.88	780,302.89	32° 8' 32.952 N	103° 33' 40.541 W	
14,483.0	92.00	0.70	12,850.9	1,382.2	953.0	416,523.85	780,303.47	32° 8' 33.892 N	103° 33' 40.526 W	
14,578.0	90.40	0.30	12,848.9	1,477.1	953.8	416,618.82	780,304.30	32° 8' 34.832 N	103° 33' 40.509 W	
14,673.0	89.80	358.50	12,848.8	1,572.1	952.8	416,713.81	780,303.31	32° 8' 35.772 N	103° 33' 40.512 W	
14,768.0	90.80	358.30	12,848.3	1,667.1	950.2	416,808.77	780,300.65	32° 8' 36.712 N	103° 33' 40.535 W	
14,862.0	91.80	358.30	12,846.1	1,761.0	947.4	416,902.71	780,297.86	32° 8' 37.641 N	103° 33' 40.560 W	
14,957.0	93.80	358.00	12,841.5	1,855.8	944.3	416,997.54	780,294.80	32° 8' 38.580 N	103° 33' 40.588 W	
15,052.0	89.60	358.90	12,838.7	1,950.7	941.7	417,092.44	780,292.23	32° 8' 39.519 N	103° 33' 40.610 W	
15,147.0	89.50	358.00	12,839.4	2,045.7	939.2	417,187.40	780,289.67	32° 8' 40.459 N	103° 33' 40.632 W	
15,241.0	89.90	358.60	12,839.9	2,139.7	936.4	417,281.36	780,286.88	32° 8' 41.389 N	103° 33' 40.656 W	
15,336.0	90.20	358.40	12,839.8	2,234.6	933.9	417,376.33	780,284.39	32° 8' 42.329 N	103° 33' 40.677 W	
15,431.0	87.00	357.90	12,842.2	2,329.5	930.8	417,471.24	780,281.32	32° 8' 43.268 N	103° 33' 40.705 W	
15,526.0	88.60	358.30	12,845.8	2,424.4	927.7	417,566.11	780,278.18	32° 8' 44.207 N	103° 33' 40.734 W	
15,621.0	89.80	358.10	12,847.1	2,519.4	924.7	417,661.05	780,275.19	32° 8' 45.147 N	103° 33' 40.760 W	
15,714.0	93.20	358.60	12,844.7	2,612.3	922.0	417,753.97	780,272.52	32° 8' 46.067 N	103° 33' 40.784 W	
15,809.0	92.10	1.00	12,840.3	2,707.2	921.7	417,848.86	780,272.19	32° 8' 47.006 N	103° 33' 40.780 W	
15,903.0	89.30	2.20	12,839.2	2,801.1	924.3	417,942.80	780,274.81	32° 8' 47.935 N	103° 33' 40.741 W	
15,998.0	89.90	3.60	12,839.8	2,896.0	929.1	418,037.68	780,279.62	32° 8' 48.874 N	103° 33' 40.677 W	



QES

Survey Report - Geographic



Company:	BTA Oil Producers, LLC	Local Co-ordinate Reference:	Well Vaca Draw 9418 10 Fed #23H
Project:	Lea County, NM (NAD 83)	TVD Reference:	RKB @ 3413.0usft (Patterson #566)
Site:	Sec 10, T25-S, R33-E	MD Reference:	RKB @ 3413.0usft (Patterson #566)
Well:	Vaca Draw 9418 10 Fed #23H	North Reference:	Grid
Wellbore:	Wellbore #1	Survey Calculation Method:	Minimum Curvature
Design:	Wellbore #1	Database:	EDM 5000.1 Single User Db

Survey									
Measured Depth (usft)	Inclination (°)	Azimuth (°)	Vertical Depth (usft)	+N/-S (usft)	+E/-W (usft)	Map Northing (usft)	Map Easting (usft)	Latitude	Longitude
16,093.0	88.50	0.60	12,841.1	2,990.9	932.6	418,132.59	780,283.10	32° 8' 49.813 N	103° 33' 40.629 W
16,187.0	88.50	359.80	12,843.6	3,084.9	932.9	418,226.56	780,283.43	32° 8' 50.742 N	103° 33' 40.617 W
16,282.0	88.80	359.30	12,845.8	3,179.8	932.2	418,321.53	780,282.68	32° 8' 51.682 N	103° 33' 40.618 W
16,377.0	86.70	356.90	12,849.6	3,274.7	929.0	418,416.39	780,279.53	32° 8' 52.621 N	103° 33' 40.647 W
16,472.0	89.00	356.60	12,853.1	3,369.5	923.7	418,511.16	780,274.15	32° 8' 53.559 N	103° 33' 40.702 W
16,566.0	88.90	358.90	12,854.9	3,463.4	920.0	418,605.07	780,270.46	32° 8' 54.489 N	103° 33' 40.737 W
16,661.0	88.20	359.40	12,857.3	3,558.3	918.6	418,700.03	780,269.05	32° 8' 55.428 N	103° 33' 40.745 W
16,756.0	90.30	359.60	12,858.5	3,653.3	917.7	418,795.01	780,268.23	32° 8' 56.368 N	103° 33' 40.747 W
16,850.0	89.40	357.90	12,858.8	3,747.3	915.7	418,888.98	780,266.17	32° 8' 57.298 N	103° 33' 40.763 W
16,945.0	90.90	357.10	12,858.5	3,842.2	911.5	418,983.89	780,262.03	32° 8' 58.238 N	103° 33' 40.803 W
17,041.0	91.60	355.20	12,856.4	3,937.9	905.1	419,079.64	780,255.59	32° 8' 59.186 N	103° 33' 40.870 W
17,072.0	89.50	351.50	12,856.1	3,968.7	901.5	419,110.43	780,252.00	32° 8' 59.491 N	103° 33' 40.909 W
17,104.0	91.50	352.80	12,855.8	4,000.4	897.1	419,142.12	780,247.63	32° 8' 59.805 N	103° 33' 40.957 W
17,136.0	91.10	353.90	12,855.1	4,032.2	893.4	419,173.90	780,243.92	32° 9' 0.119 N	103° 33' 40.998 W
17,168.0	92.00	354.80	12,854.2	4,064.0	890.3	419,205.73	780,240.77	32° 9' 0.435 N	103° 33' 41.032 W
17,200.0	89.80	356.80	12,853.7	4,095.9	887.9	419,237.64	780,238.43	32° 9' 0.750 N	103° 33' 41.056 W
17,231.0	90.60	358.30	12,853.6	4,126.9	886.6	419,268.61	780,237.11	32° 9' 1.057 N	103° 33' 41.069 W
17,325.0	87.70	358.80	12,855.0	4,220.9	884.2	419,362.56	780,234.73	32° 9' 1.987 N	103° 33' 41.089 W
17,357.0	88.40	2.20	12,856.1	4,252.8	884.5	419,394.53	780,235.01	32° 9' 2.303 N	103° 33' 41.083 W
17,420.0	89.80	6.20	12,857.1	4,315.6	889.1	419,457.34	780,239.62	32° 9' 2.924 N	103° 33' 41.024 W
17,515.0	91.30	5.10	12,856.2	4,410.2	898.5	419,551.87	780,248.97	32° 9' 3.859 N	103° 33' 40.908 W
17,610.0	88.70	1.60	12,856.2	4,505.0	904.0	419,646.69	780,254.52	32° 9' 4.797 N	103° 33' 40.835 W
17,644.1	88.56	0.18	12,857.0	4,539.1	904.6	419,680.77	780,255.05	32° 9' 5.134 N	103° 33' 40.826 W
330' PA Crossed @ 17644.1' MD / 12857.0' TVD									
17,706.0	88.30	357.60	12,858.7	4,600.9	903.4	419,742.63	780,253.85	32° 9' 5.746 N	103° 33' 40.835 W
17,801.0	91.60	3.60	12,858.8	4,695.9	904.3	419,837.57	780,254.85	32° 9' 6.686 N	103° 33' 40.815 W
17,896.0	92.00	0.70	12,855.8	4,790.7	907.9	419,932.45	780,258.41	32° 9' 7.624 N	103° 33' 40.766 W
17,914.0	91.50	0.50	12,855.3	4,808.7	908.1	419,950.44	780,258.60	32° 9' 7.802 N	103° 33' 40.762 W
17,970.0	91.50	0.50	12,853.8	4,864.7	908.6	420,006.41	780,259.09	32° 9' 8.356 N	103° 33' 40.752 W
TD @ 17970.0' MD / 12853.8' TVD									

Design Annotations				
Measured Depth (usft)	Vertical Depth (usft)	Local Coordinates		Comment
		+N/-S (usft)	+E/-W (usft)	
124.0	124.0	1.0	-0.3	First MWD Survey @ 124.0' MD / 124.0' TVD
13,002.0	12,824.3	-86.5	872.9	330' PA Crossed @ 13002.0' MD / 12824.3' TVD
17,644.1	12,857.0	4,539.1	904.6	330' PA Crossed @ 17644.1' MD / 12857.0' TVD
17,970.0	12,853.8	4,864.7	908.6	TD @ 17970.0' MD / 12853.8' TVD

Checked By: _____ Approved By: _____ Date: _____

Form 3160-5
(June 2015)UNITED STATES
DEPARTMENT OF THE INTERIOR
BUREAU OF LAND MANAGEMENTFORM APPROVED
OMB NO. 1004-0137
Expires: January 31, 2018**SUNDRY NOTICES AND REPORTS ON WELLS**
Do not use this form for proposals to drill or to re-enter an
abandoned well. Use form 3160-3 (APD) for such proposals.5. Lease Serial No.
NMNM97153

6. If Indian, Allottee or Tribe Name

7. If Unit or CA/Agreement, Name and/or No.

SUBMIT IN TRIPLICATE - Other instructions on page 2

1. Type of Well

☒ Oil Well ☐ Gas Well ☐ Other

8. Well Name and No.

VACA DRAW 9418 10 FEDERAL 23H

2. Name of Operator

BTA OIL PRODUCERS

Contact: KATY REDDELL

E-Mail: kreddell@btaoil.com

9. API Well No.

30-025-46641-00-X1

3a. Address

104 SOUTH PECOS STREET
MIDLAND, TX 79701

3b. Phone No. (include area code)

Ph: 432-682-3753 Ext: 139

10. Field and Pool or Exploratory Area

JOHNSON RANCH
WOLFCAMP

4. Location of Well (Footage, Sec., T., R., M., or Survey Description)

Sec 10 T25S R33E SESW 420FSL 1365FWL
32.138966 N Lat, 103.564369 W Lon

11. County or Parish, State

LEA COUNTY, NM

12. CHECK THE APPROPRIATE BOX(ES) TO INDICATE NATURE OF NOTICE, REPORT, OR OTHER DATA

TYPE OF SUBMISSION	TYPE OF ACTION			
☐ Notice of Intent	☐ Acidize	☐ Deepen	☐ Production (Start/Resume)	☐ Water Shut-Off
☒ Subsequent Report	☐ Alter Casing	☐ Hydraulic Fracturing	☐ Reclamation	☐ Well Integrity
☐ Final Abandonment Notice	☐ Casing Repair	☐ New Construction	☐ Recomplete	☒ Other
	☐ Change Plans	☐ Plug and Abandon	☐ Temporarily Abandon	Hydraulic Fracture
	☐ Convert to Injection	☐ Plug Back	☐ Water Disposal	

13. Describe Proposed or Completed Operation: Clearly state all pertinent details, including estimated starting date of any proposed work and approximate duration thereof. If the proposal is to deepen directionally or recomplate horizontally, give subsurface locations and measured and true vertical depths of all pertinent markers and zones. Attach the Bond under which the work will be performed or provide the Bond No. on file with BLM/BIA. Required subsequent reports must be filed within 30 days following completion of the involved operations. If the operation results in a multiple completion or recomplate in a new interval, a Form 3160-4 must be filed once testing has been completed. Final Abandonment Notices must be filed only after all requirements, including reclamation, have been completed and the operator has determined that the site is ready for final inspection.

TD: 17,970' REACHED ON 8/15/2020

PBSD: 17,935'

11/9/2020: PERFORATE AND FRAC: 13,050' - 17,860' WITH 243,427 BBLS OF TOTAL FLUID. 11,513,817 #S
100 MESH SAND.

11/12/2020 DRILL OUT COMPLETE.

11/20/2020: START FLOWING BACK AND TESTING.

14. I hereby certify that the foregoing is true and correct.

Electronic Submission #540494 verified by the BLM Well Information System
For BTA OIL PRODUCERS, sent to the Hobbs
Committed to AFMSS for processing by PRISCILLA PEREZ on 12/11/2020 (21PP0833SE)

Name (Printed/Typed) KATY REDDELL

Title REGULATORY ANALYST

Signature (Electronic Submission)

Date 12/11/2020

THIS SPACE FOR FEDERAL OR STATE OFFICE USEApproved By **ACCEPTED**JONATHON SHEPARD
Title PETROELUM ENGINEER

Date 12/30/2020

Conditions of approval, if any, are attached. Approval of this notice does not warrant or certify that the applicant holds legal or equitable title to those rights in the subject lease which would entitle the applicant to conduct operations thereon.

Office Hobbs

Title 18 U.S.C. Section 1001 and Title 43 U.S.C. Section 1212, make it a crime for any person knowingly and willfully to make to any department or agency of the United States any false, fictitious or fraudulent statements or representations as to any matter within its jurisdiction.

(Instructions on page 2)

**** BLM REVISED ** BLM REVISED ** BLM REVISED ** BLM REVISED ** BLM REVISED ****

Revisions to Operator-Submitted EC Data for Sundry Notice #540494

	Operator Submitted	BLM Revised (AFMSS)
Sundry Type:	HF NOI	HF SR
Lease:	NMNM97153	NMNM97153
Agreement:		
Operator:	BTA OIL PRODUCERS, LLC 104 S. PECOS MIDLAND, TX 79701 Ph: 432-682-3753	BTA OIL PRODUCERS 104 SOUTH PECOS STREET MIDLAND, TX 79701 Ph: 432.682.3753 Fx: 432.683.0325
Admin Contact:	KATY REDDELL REGULATORY ANALYST E-Mail: kredell@btaoil.com Ph: 432-682-3753	KATY REDDELL REGULATORY ANALYST E-Mail: kredell@btaoil.com Ph: 432-682-3753 Ext: 139
Tech Contact:	KATY REDDELL REGULATORY ANALYST E-Mail: kredell@btaoil.com Ph: 432-682-3753	KATY REDDELL REGULATORY ANALYST E-Mail: kredell@btaoil.com Ph: 432-682-3753 Ext: 139
Location:		
State:	NM	NM
County:	LEA	LEA
Field/Pool:	JOHNSON RANCH WOLFCAMP	JOHNSON RANCH WOLFCAMP
Well/Facility:	VACA DRAW 9418 10 FEDERAL 23H Sec 10 T25S R33E SESW 420FSL 1365FWL 32.138966 N Lat, 103.564369 W Lon	VACA DRAW 9418 10 FEDERAL 23H Sec 10 T25S R33E SESW 420FSL 1365FWL 32.138966 N Lat, 103.564369 W Lon

Submit To Appropriate District Office Two Copies <u>District I</u> 1625 N. French Dr., Hobbs, NM 88240 <u>District II</u> 811 S. First St., Artesia, NM 88210 <u>District III</u> 1000 Rio Brazos Rd., Aztec, NM 87410 <u>District IV</u> 1220 S. St. Francis Dr., Santa Fe, NM 87505		State of New Mexico Energy, Minerals and Natural Resources Oil Conservation Division 1220 South St. Francis Dr. Santa Fe, NM 87505				Form C-105 Revised April 3, 2017				
WELL COMPLETION OR RECOMPLETION REPORT AND LOG										
4. Reason for filing: ☒ COMPLETION REPORT (Fill in boxes #1 through #31 for State and Fee wells only) ☐ C-144 CLOSURE ATTACHMENT (Fill in boxes #1 through #9, #15 Date Rig Released and #32 and/or #33; attach this and the plat to the C-144 closure report in accordance with 19.15.17.13.K NMAC)						5. Lease Name or Unit Agreement Name VACA DRAW 9418 10 FEDERAL 6. Well Number: 23H				
7. Type of Completion: ☒ NEW WELL ☐ WORKOVER ☐ DEEPENING ☐ PLUGBACK ☐ DIFFERENT RESERVOIR ☐ OTHER										
8. Name of Operator BTA OIL PRODUCERS, LLC						9. OGRID 260297				
10. Address of Operator 104 S. PECOS; MIDLAND, TX. 79701						11. Pool name or Wildcat JOHNSON RANCH WOLFCAMP				
12. Location	Unit Ltr	Section	Township	Range	Lot	Feet from the	N/S Line	Feet from the	E/W Line	County
Surface:	N	10	25S	33E		420	S	1365	W	LEA
BH:	C	10	25S	33E		5.3	N	2303.5	W	LEA
13. Date Spudded 7/18/2020	14. Date T.D. Reached 8/15/2020		15. Date Rig Released 8/16/2020		16. Date Completed (Ready to Produce) 11/10/2020			17. Elevations (DF and RKB, RT, GR, etc.) 3388 GR		
18. Total Measured Depth of Well 17,970			19. Plug Back Measured Depth 17,935		20. Was Directional Survey Made? YES			21. Type Electric and Other Logs Run MWD		
22. Producing Interval(s), of this completion - Top, Bottom, Name 13,050 – 17,860 WOLFCAMP										
23. CASING RECORD (Report all strings set in well)										
CASING SIZE		WEIGHT LB./FT.		DEPTH SET		HOLE SIZE		CEMENTING RECORD		AMOUNT PULLED
10 3/4		40.5		1,212		14 3/4		830		
7 5/8		29.7		12,338		9 7/8		585		
7 5/8		29.7		12,338		8 3/4		1240		
5 1/2		18		12,178		6 3/4				
5		20		17,960		6 3/4		1395		
24. LINER RECORD						25. TUBING RECORD				
SIZE	TOP	BOTTOM	SACKS CEMENT	SCREEN	SIZE	DEPTH SET	PACKER SET			
26. Perforation record (interval, size, and number) 13,050 – 17,860 WOLFCAMP; 0.42 SIZE HOLE 1,080 HOLES						27. ACID, SHOT, FRACTURE, CEMENT, SQUEEZE, ETC.				
						DEPTH INTERVAL		AMOUNT AND KIND MATERIAL USED		
						17,860		243,427 BBLS OF TOTAL FLUID. 11,513,817 #S		
								100 MESH SAND.		
28. PRODUCTION										
Date First Production 11/20/2020		Production Method (Flowing, gas lift, pumping - Size and type pump) FLOWS FROM WELL				Well Status (Prod. or Shut-in) PRODUCING				
Date of Test 12/10/2020	Hours Tested 24	Choke Size 64/64	Prod'n For Test Period	Oil - Bbl 997	Gas - MCF 2993	Water - Bbl. 3266	Gas - Oil Ratio			
Flow Tubing Press. 400	Casing Pressure	Calculated 24-Hour Rate	Oil - Bbl. 997	Gas - MCF 2993	Water - Bbl. 3266	Oil Gravity - API - (Corr.)				
29. Disposition of Gas (Sold, used for fuel, vented, etc.) SOLD								30. Test Witnessed By		
31. List Attachments										
32. If a temporary pit was used at the well, attach a plat with the location of the temporary pit.								33. Rig Release Date:		
34. If an on-site burial was used at the well, report the exact location of the on-site burial:										
Latitude _____ Longitude _____ NAD83										

I hereby certify that the information shown on both sides of this form is true and complete to the best of my knowledge and belief

Signature *Katy Reddell* Name KATY REDDELL Title REGULATORY ANALYST Date: 11/25/2020

E-mail Address kreddell@btaoil.com

INSTRUCTIONS

This form is to be filed with the appropriate District Office of the Division not later than 20 days after the completion of any newly-drilled or deepened well and not later than 60 days after completion of closure. When submitted as a completion report, this shall be accompanied by one copy of all electrical and radio-activity logs run on the well and a summary of all special tests conducted, including drill stem tests. All depths reported shall be measured depths. In the case of directionally drilled wells, true vertical depths shall also be reported. For multiple completions, items 11, 12 and 26-31 shall be reported for each zone.

INDICATE FORMATION TOPS IN CONFORMANCE WITH GEOGRAPHICAL SECTION OF STATE

Southeastern New Mexico		Northwestern New Mexico	
T. Anhy_____	T. Canyon_5263	T. Ojo Alamo_____	T. Penn A"_____
T. Salt_3026	T. Strawn_____	T. Kirtland_____	T. Penn. "B"_____
B. Salt_4856	T. Atoka_____	T. Fruitland_____	T. Penn. "C"_____
T. Yates_____	T. Miss_____	T. Pictured Cliffs_____	T. Penn. "D"_____
T. 7 Rivers_____	T. Devonian_____	T. Cliff House_____	T. Leadville_____
T. Queen_____	T. Silurian_____	T. Menefee_____	T. Madison_____
T. Grayburg_____	T. Montoya_____	T. Point Lookout_____	T. Elbert_____
T. San Andres_____	T. Simpson_____	T. Mancos_____	T. McCracken_____
T. Glorieta_____	T. McKee_____	T. Gallup_____	T. Ignacio Otzte_____
T. Paddock_____	T. Ellenburger_____	Base Greenhorn_____	T. Granite_____
T. Blinebry_____	T. Gr. Wash_____	T. Dakota_____	
T. Tubb_____	T. Delaware Sand_5017	T. Morrison_____	
T. Drinkard_____	T. Bone Springs_9215	T. Todilto_____	
T. Abo_____	T. _____	T. Entrada_____	
T. Wolfcamp_12344	T. _____	T. Wingate_____	
T. Penn_____	T. _____	T. Chinle_____	
T. Cisco (Bough C)_____	T. _____	T. Permian_____	

OIL OR GAS SANDS OR ZONES

No. 1, from.....to.....
 No. 2, from.....to.....
 No. 3, from.....to.....
 No. 4, from.....to.....

IMPORTANT WATER SANDS


Include data on rate of water inflow and elevation to which water rose in hole.

No. 1, from.....to.....feet.....
 No. 2, from.....to.....feet.....
 No. 3, from.....to.....feet.....

LITHOLOGY RECORD (Attach additional sheet if necessary)

From	To	Thickness In Feet	Lithology	From	To	Thickness In Feet	Lithology
------	----	----------------------	-----------	------	----	----------------------	-----------

--	--	--	--	--	--	--	--	--



District I
1625 N. French Dr., Hobbs, NM 88240
Phone:(575) 393-6161 Fax:(575) 393-0720
District II
811 S. First St., Artesia, NM 88210
Phone:(575) 748-1283 Fax:(575) 748-9720
District III
1000 Rio Brazos Rd., Aztec, NM 87410
Phone:(505) 334-6178 Fax:(505) 334-6170
District IV
1220 S. St Francis Dr., Santa Fe, NM 87505
Phone:(505) 476-3470 Fax:(505) 476-3462

State of New Mexico
Energy, Minerals and Natural Resources
Oil Conservation Division
1220 S. St Francis Dr.
Santa Fe, NM 87505

ACKNOWLEDGMENTS

Action 21272

ACKNOWLEDGMENTS

Operator: BTA OIL PRODUCERS, LLC 104 S Pecos Midland, TX 79701	OGRID: 260297
	Action Number: 21272
	Action Type: [C-104] Completion Packet (C-104C)

ACKNOWLEDGMENTS

☐	I hereby certify that the required Water Use Report has been, or will be, submitted for this wells completion.
☐	I hereby certify that the required FracFocus disclosure has been, or will be, submitted for this wells completion.

District I

1625 N. French Dr., Hobbs, NM 88240
Phone:(575) 393-6161 Fax:(575) 393-0720

District II

811 S. First St., Artesia, NM 88210
Phone:(575) 748-1283 Fax:(575) 748-9720

District III

1000 Rio Brazos Rd., Aztec, NM 87410
Phone:(505) 334-6178 Fax:(505) 334-6170

District IV

1220 S. St Francis Dr., Santa Fe, NM 87505
Phone:(505) 476-3470 Fax:(505) 476-3462

State of New Mexico
Energy, Minerals and Natural Resources
Oil Conservation Division
1220 S. St Francis Dr.
Santa Fe, NM 87505

CONDITIONS

Action 21272

CONDITIONS

Operator: BTA OIL PRODUCERS, LLC 104 S Pecos Midland, TX 79701	OGRID: 260297
	Action Number: 21272
	Action Type: [C-104] Completion Packet (C-104C)

CONDITIONS

Created By	Condition	Condition Date
ksimmons	None	6/15/2021