

District I
1625 N. French Dr., Hobbs, NM 88240
District II
811 S. First St., Artesia, NM 88210
District III
1000 Rio Brazos Rd., Aztec, NM 87410
District IV
1220 S. St. Francis Dr., Santa Fe, NM 87505

Oil Conservation Division
1220 South St. Francis Dr.
Santa Fe, NM 87505

Submit one copy to appropriate District Office

☐ AMENDED REPORT

I. REQUEST FOR ALLOWABLE AND AUTHORIZATION TO TRANSPORT

¹ Operator name and Address D.W.R. Oil Properties, Inc. P.O. Box 657 Merkel, TX 79536			² OGRID Number 328643			
			³ Reason for Filing Code/ Effective Date NW			
⁴ API Number 30 – 005-64344		⁵ Pool Name Race Track; San Andres, East			⁶ Pool Code 97273	
⁷ Property Code 328903		⁸ Property Name Carnoustie			⁹ Well Number 5H	

II. ¹⁰ Surface Location

Ul or lot no.	Section	Township	Range	Lot Idn	Feet from the	North/South Line	Feet from the	East/West line	County
C	19	10S	29E		100	N	1320	W	Chaves

¹¹ Bottom Hole Location

Ul or lot no.	Section	Township	Range	Lot Idn	Feet from the	North/South Line	Feet from the	East/West line	County
4	19	10S	29E		21	South	1311	West	Chaves
¹² Lse Code P	¹³ Producing Method Code P		¹⁴ Gas Connection Date		¹⁵ C-129 Permit Number		¹⁶ C-129 Effective Date		¹⁷ C-129 Expiration Date

III. Oil and Gas Transporters

¹⁸ Transporter OGRID	¹⁹ Transporter Name and Address	²⁰ O/G/W
243484	Transoil Marketing, Inc.	O
278421	Holly Transportation, LLC	G

IV. Well Completion Data

²¹ Spud Date 3/3/20	²² Ready Date 10/20/20	²³ TD 7754‘	²⁴ PBTD 7692‘	²⁵ Perforations 3400-7636‘	²⁶ DHC, MC
²⁷ Hole Size		²⁸ Casing & Tubing Size		²⁹ Depth Set	
12 1/4”		9 5/8”		1162’	
8 3/4”		5 1/2” & 7”		7738’	

V. Well Test Data

³¹ Date New Oil 10/25/2020	³² Gas Delivery Date	³³ Test Date 10/28/2020	³⁴ Test Length 24	³⁵ Tbg. Pressure 120	³⁶ Csg. Pressure
³⁷ Choke Size	³⁸ Oil 30	³⁹ Water 11	⁴⁰ Gas 900		⁴¹ Test Method P

⁴² I hereby certify that the rules of the Oil Conservation Division have been complied with and that the information given above is true and complete to the best of my knowledge and belief. Signature: <i>Melanie Wilson</i> Printed name: Melanie Wilson Title: Regulatory Analyst E-mail Address: Mjp1692@gmail.com Date: 01/08/2021	Phone: 575-914-1461	OIL CONSERVATION DIVISION	
		Approved by: KURT SIMMONS	
	Title: NMOCD, SANTA FE		
	Approval Date: 07/08/2021		

DISTRICT I
1625 N. FRENCH DR., HOBBS, NM 88240
Phone: (575) 393-6161 Fax: (575) 393-0720

DISTRICT II
511 S. FIRST ST., ARTESIA, NM 88210
Phone: (575) 748-1283 Fax: (575) 748-9720

DISTRICT III
1000 RIO BRAZOS RD., AZTEC, NM 87410
Phone: (505) 334-6178 Fax: (505) 334-6170

DISTRICT IV
1220 S. ST. FRANCIS DR., SANTA FE, NM 87505
Phone: (505) 478-3460 Fax: (505) 478-3462

State of New Mexico
Energy, Minerals & Natural Resources Department
OIL CONSERVATION DIVISION
1220 SOUTH ST. FRANCIS DR.
Santa Fe, New Mexico 87505

Form C-102
Revised August 1, 2011
Submit one copy to appropriate
District Office

☒ AMENDED REPORT
As Drilled

WELL LOCATION AND ACREAGE DEDICATION PLAT

API Number 30-005-64344	Pool Code 97273	Pool Name Race Track; San Andres, East
Property Code 328903	Property Name CARNOUSTIE	Well Number 5H
OGRID No. 328643	Operator Name INVITO OPERATING, LLC	Elevation 3881.5'

Surface Location

UL or lot No.	Section	Township	Range	Lot Idn	Feet from the	North/South line	Feet from the	East/West line	County
C	19	10-S	29-E		100	NORTH	1320	WEST	CHAVES

Bottom Hole Location If Different From Surface

UL or lot No.	Section	Township	Range	Lot Idn	Feet from the	North/South line	Feet from the	East/West line	County
4	19	10-S	29-E		21	SOUTH	1311	WEST	CHAVES

Dedicated Acres 318.42	Joint or Infill	Consolidation Code	Order No.
----------------------------------	-----------------	--------------------	-----------

NO ALLOWABLE WILL BE ASSIGNED TO THIS COMPLETION UNTIL ALL INTERESTS HAVE BEEN CONSOLIDATED
OR A NON-STANDARD UNIT HAS BEEN APPROVED BY THE DIVISION

	NAD 83 NME <u>SURFACE LOCATION</u> Y=887226.9 N X=634021.0 E LAT.=33.438532° N LONG.=104.029504° W	OPERATOR CERTIFICATION <i>I hereby certify that the information herein is true and complete to the best of my knowledge and belief, and that this organization either owns a working interest or unleased mineral interest in the land including the proposed bottom hole location or has a right to drill this well at this location pursuant to a contract with an owner of such mineral or working interest, or to a voluntary pooling agreement or a compulsory pooling order heretofore entered by the division.</i> <i>Melanie Wilson</i> 12/23/2020 Signature Date Melanie Wilson Printed Name mjp1692@gmail.com E-mail Address SURVEYOR CERTIFICATION <i>I hereby certify that the well location shown on this plat was plotted from field notes of actual surveys made by me or under my supervision, and that the same is true and correct to the best of my belief.</i> OCT. 16, 2019/ Date of Survey/Date of Geographic Survey Signature & Seal of Professional Surveyor <i>Chad Harcrow</i> 12/21/20 Certificate No. CHAD HARCROW 17777 W.O.#20-1732 DRAWN BY: WN
	<i>SURFACE INFO AND BOREPATH SHOWN HEREON IS BASED ON DIRECTIONAL SURVEY REPORT PROVIDED BY INVITO OPERATING, LLC FOR THE CARNOUSTIE #5H SUPPLIED TO HARCROW SURVEYING, LLC ON DECEMBER 18, 2020</i>	
	NAD 83 NME <u>BOTTOM HOLE LOCATION</u> Y=882074.8 N X=634000.7 E LAT.=33.424373° N LONG.=104.029620° W	

D.W.R. Oil Properties, Inc.
Carnoustie 005H
30-005-64344

Measured depth (ft)	Incl angle (deg)	Azimuth angle (deg)	Course length (ft)	TVD depth (ft)	Vertical section (ft)	Displ 魄 (ft)	Displ G (ft)	Total displ (ft)	At Azim (deg)	DLS (deg/ 100ft)	Y (ft)	X (ft)
0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	887226.94	634020.98
111.00	0.09	172.11	111.00	111.00	0.09	-0.09	0.01	0.09	172.11	0.08	887226.85	634020.99
207.00	0.44	118.32	96.00	207.00	0.34	-0.34	0.35	0.48	134.08	0.41	887226.60	634021.32
299.00	0.09	147.76	92.00	299.00	0.56	-0.56	0.70	0.90	129.04	0.40	887226.37	634021.67
392.00	0.44	89.05	93.00	392.00	0.62	-0.62	1.09	1.26	119.60	0.43	887226.32	634022.07
484.00	0.31	135.99	92.00	483.99	0.79	-0.79	1.62	1.80	116.12	0.35	887226.14	634022.59
575.00	0.31	132.12	91.00	574.99	1.13	-1.14	1.97	2.28	119.94	0.02	887225.80	634022.95
667.00	0.35	136.78	92.00	666.99	1.50	-1.51	2.35	2.79	122.69	0.05	887225.43	634023.32
759.00	0.66	120.96	92.00	758.99	1.98	-1.98	3.00	3.59	123.52	0.37	887224.95	634023.97
851.00	0.53	101.53	92.00	850.98	2.33	-2.34	3.87	4.52	121.20	0.26	887224.60	634024.84
943.00	0.75	126.67	92.00	942.98	2.78	-2.79	4.77	5.52	120.31	0.38	887224.15	634025.74
1035.00	0.70	130.80	92.00	1034.97	3.50	-3.51	5.68	6.68	121.76	0.08	887223.42	634026.65
1095.00	0.75	133.09	60.00	1094.97	4.01	-4.02	6.24	7.42	122.80	0.10	887222.92	634027.22
1189.00	0.75	107.95	94.00	1188.96	4.62	-4.63	7.27	8.62	122.48	0.35	887225.33	634028.25
1282.00	0.84	107.25	93.00	1281.95	5.00	-5.02	8.50	9.88	120.56	0.10	887221.92	634029.48
1377.00	1.19	78.24	95.00	1376.93	5.00	-5.03	10.14	11.31	116.38	0.64	887221.91	634031.11
1471.00	1.36	32.19	94.00	1470.91	3.86	-3.88	11.69	12.31	108.38	1.07	887223.05	634032.66
1565.00	1.89	7.49	94.00	1564.88	1.37	-1.40	12.48	12.56	96.41	0.92	887225.53	634033.46
1659.00	2.33	5.56	94.00	1658.81	-2.06	2.04	12.87	13.03	81.01	0.47	887228.97	634033.84
1754.00	1.85	5.82	95.00	1753.75	-5.51	5.48	13.21	14.30	67.46	0.51	887232.42	634034.19
1848.00	1.67	0.46	94.00	1847.70	-8.39	8.36	13.38	15.78	57.99	0.26	887235.30	634034.35
1942.00	1.63	354.66	94.00	1941.67	-11.09	11.06	13.26	17.27	50.17	0.18	887238.00	634034.24
2037.00	1.85	355.01	95.00	2036.62	-13.97	13.94	13.00	19.06	43.02	0.23	887240.87	634033.98
2131.00	1.76	347.19	94.00	2130.58	-16.88	16.86	12.55	21.02	36.67	0.28	887243.79	634033.53
2226.00	0.48	265.27	95.00	2225.56	-18.27	18.25	11.83	21.75	32.96	1.85	887245.18	634032.81
2273.00	4.84	180.19	47.00	2272.50	-16.27	16.25	11.63	19.98	35.60	10.26	887243.18	634032.60
2320.00	9.89	182.66	47.00	2319.10	-10.25	10.23	11.43	15.34	48.19	10.76	887237.16	634032.41
2367.00	13.45	184.15	47.00	2365.12	-0.76	0.74	10.85	10.88	86.10	7.60	887227.68	634031.83
2415.00	16.92	182.74	48.00	2411.44	11.79	-11.81	10.11	15.55	139.42	7.27	887215.13	634031.09
2462.00	21.05	182.13	47.00	2455.87	27.06	-27.08	9.47	28.69	160.72	8.80	887199.86	634030.45
2509.00	25.41	181.95	47.00	2499.05	45.58	-45.60	8.82	46.45	169.06	9.28	887181.33	634029.79
2604.00	34.99	183.97	95.00	2581.06	93.24	-93.26	6.23	93.47	176.18	10.14	887133.68	634027.21
2699.00	46.29	183.71	95.00	2653.03	154.89	-154.89	2.11	154.91	179.22	11.90	887072.04	634023.08
2793.00	56.40	183.36	94.00	2711.67	228.07	-228.07	-2.40	228.08	180.60	10.76	886998.87	634018.58
2888.00	56.79	183.09	95.00	2763.98	307.26	-307.25	-6.86	307.32	181.28	0.47	886919.69	634014.12
2983.00	66.46	180.63	95.00	2809.08	390.70	-390.68	-9.48	390.80	181.39	10.43	886836.25	634011.49
3077.00	74.51	178.00	94.00	2840.46	479.21	-479.19	-8.38	479.27	181.00	8.96	886747.74	634012.60
3171.00	83.03	178.17	94.00	2858.75	571.27	-571.26	-5.30	571.28	180.53	9.07	886655.68	634015.68
3266.00	87.91	177.65	95.00	2866.25	665.87	-665.87	-1.85	665.87	180.16	5.17	886561.07	634019.13
3361.00	88.48	179.40	95.00	2869.24	760.78	-760.79	0.60	760.79	179.95	1.94	886466.15	634021.57
3456.00	89.14	179.32	95.00	2871.21	855.75	-855.76	1.66	855.76	179.89	0.70	886371.18	634022.64
3550.00	87.96	179.23	94.00	2873.59	949.71	-949.72	2.85	949.73	179.83	1.26	886277.22	634023.82
3644.00	88.22	179.32	94.00	2876.72	1043.65	-1043.66	4.04	1043.67	179.78	0.29	886188.28	634025.01
3739.00	88.48	178.88	95.00	2879.46	1138.59	-1138.61	5.53	1138.62	179.72	0.54	886088.33	634026.50
3834.00	90.24	179.23	95.00	2880.52	1233.57	-1233.59	7.10	1233.61	179.67	1.89	885993.35	634028.07
3929.00	91.03	179.40	95.00	2879.47	1328.55	-1328.57	8.23	1328.60	179.65	0.85	885898.36	634029.21
4023.00	91.69	179.40	94.00	2877.24	1422.52	-1422.54	9.22	1422.57	179.63	0.70	885804.40	634030.19
4117.00	92.04	179.32	94.00	2874.18	1516.46	-1516.49	10.26	1516.52	179.61	0.38	885710.45	634031.24
4211.00	90.59	180.90	94.00	2872.02	1610.43	-1610.46	10.08	1610.49	179.64	2.28	885616.48	634031.06
4305.00	89.10	181.25	94.00	2872.27	1704.41	-1704.44	8.32	1704.46	179.72	1.63	885522.50	634029.30
4400.00	89.54	180.55	95.00	2873.40	1799.40	-1799.42	6.83	1799.43	179.78	0.87	885427.52	634027.80
4495.00	88.88	181.69	95.00	2874.71	1894.37	-1894.39	4.97	1894.39	179.85	1.39	885332.55	634025.95
4587.00	90.51	181.95	92.00	2875.20	1986.33	-1986.34	2.05	1986.34	179.94	1.79	885240.60	634023.03
4679.00	89.01	180.72	92.00	2875.59	2078.30	-2078.31	-0.09	2078.31	180.00	2.11	885148.63	634020.88
4772.00	89.41	180.11	93.00	2876.87	2171.29	-2171.29	-0.77	2171.29	180.02	0.78	885055.64	634020.21
4864.00	90.55	180.46	92.00	2876.90	2263.29	-2263.29	-1.22	2263.29	180.03	1.30	884963.65	634019.75
4955.00	91.30	180.63	91.00	2875.43	2354.27	-2354.27	-2.09	2354.28	180.05	0.85	884872.66	634018.89
5047.00	90.42	180.81	92.00	2874.05	2446.26	-2446.26	-3.25	2446.26	180.08	0.98	884780.68	634017.73
5139.00	91.21	180.99	92.00	2872.74	2538.24	-2538.23	-4.69	2538.24	180.11	0.88	884688.70	634016.28
5231.00	90.24	180.90	92.00	2871.58	2630.22	-2630.21	-6.21	2630.22	180.14	1.06	884596.72	634014.77
5325.00	90.90	181.07	94.00	2870.64	2724.21	-2724.19	-7.82	2724.21	180.16	0.73	884502.74	634013.15
5417.00	90.07	181.25	92.00	2869.86	2816.19	-2816.17	-9.69	2816.19	180.20	0.92	884410.77	634011.29
5509.00	91.03	181.69	92.00	2868.98	2908.16	-2908.14	-12.05	2908.16	180.24	1.15	884318.80	634008.93
5602.00	89.63	181.43	93.00	2868.45	3001.12	-3001.10	-14.58	3001.13	180.28	1.53	884225.84	634006.40
5693.00	90.55	181.51	91.00	2868.30	3092.10	-3092.07	-16.91	3092.11	180.31	1.01	884134.87	634004.06
5785.00	89.76	180.63	92.00	2868.05	3184.08	-3184.05	-18.63	3184.10	180.34	1.29	884042.89	634002.35
5877.00	88.04	180.19	92.00	2869.82	3276.06	-3276.03	-19.29	3276.08	180.34	1.93	883950.91	634001.69
5969.00	88.44	180.46	92.00	2872.64	3368.02	-3367.98	-19.81	3368.04	180.34	0.52	883858.96	634001.17

3137.57


D.W.R. Oil Properties, Inc.
Carnoustie 005H
30-005-64344

6061.00	89.32	180.81	92.00	2874.44	3459.99	-3459.96	-20.83	3460.02	180.34	1.03	883766.98	634000.15
6152.00	89.98	181.07	91.00	2875.00	3550.98	-3550.94	-22.32	3551.01	180.36	0.78	883676.00	633998.65
6245.00	89.41	181.07	93.00	2875.49	3643.97	-3643.92	-24.06	3644.00	180.38	0.61	883583.01	633996.92
6339.00	89.98	181.34	94.00	2875.99	3737.95	-3737.90	-26.04	3737.99	180.40	0.67	883489.04	633994.94
6383.00	90.11	181.34	44.00	2875.96	3781.94	-3781.89	-27.06	3781.99	180.41	0.30	883445.05	633993.91
6477.00	90.20	180.37	94.00	2875.71	3875.93	-3875.88	-28.47	3875.98	180.42	1.04	883351.06	633992.51
6570.00	89.01	179.14	93.00	2876.35	3968.92	-3968.87	-28.07	3968.97	180.41	1.84	883258.07	633992.91
6662.00	87.65	177.82	92.00	2879.03	4060.84	-4060.79	-25.63	4060.88	180.36	2.06	883166.14	633995.34
6754.00	89.01	177.82	92.00	2881.71	4152.73	-4152.69	-22.13	4152.75	180.31	1.48	883074.25	633998.84
6845.00	90.86	178.17	91.00	2881.81	4243.66	-4243.63	-18.95	4243.67	180.26	2.07	882983.31	634002.03
6937.00	89.36	179.23	92.00	2881.64	4335.63	-4335.60	-16.86	4335.63	180.22	2.00	882891.34	634004.11
7039.00	87.96	180.37	102.00	2884.02	4437.59	-4437.57	-16.51	4437.60	180.21	1.77	882789.37	634004.47
7130.00	89.54	181.34	91.00	2886.01	4528.56	-4528.53	-17.86	4528.57	180.23	2.04	882698.41	634003.11
7222.00	88.66	180.19	92.00	2887.45	4620.54	-4620.51	-19.09	4620.55	180.24	1.57	882606.43	634001.88
7314.00	90.02	180.63	92.00	2888.51	4712.53	-4712.50	-19.75	4712.54	180.24	1.55	882514.44	634001.23
7406.00	92.00	180.90	92.00	2886.89	4804.51	-4804.47	-20.98	4804.52	180.25	2.17	882422.47	634000.00
7498.00	90.90	179.76	92.00	2884.56	4896.47	-4896.44	-21.51	4896.48	180.25	1.72	882330.50	633999.47
7590.00	91.87	179.58	92.00	2882.34	4988.44	-4988.41	-20.98	4988.45	180.24	1.07	882238.53	634000.00
7682.00	93.58	179.76	92.00	2877.96	5080.33	-5080.30	-20.45	5080.34	180.23	1.87	882146.64	634000.53
7689.00	93.71	179.84	7.00	2877.52	5087.32	-5087.28	-20.42	5087.32	180.23	2.18	882139.65	634000.55
7754.00	93.71	179.84	65.00	2873.31	5152.18	-5152.15	-20.24	5152.19	180.23	0.00	882074.79	634000.73

11.90





INVITO OPERATING, LLC

Project: Chaves County, NM
Site: Carnoustie 5H
Well: 5H
Wellbore: Lateral
Design: Lateral
Rig: United Rig 52
Job: M20090





Azimuths to Grid North
True North: -0.17°
Magnetic North: 7.05°

Magnetic Field
Strength: 48359.7nT
Dip Angle: 60.97°
Date: 10/30/2019
Model: HDGM



Name	TVD	+N/-S	+E/-W	Northing	Easting	Latitude	Longitude
Carnoustie 5H SL	0.00	0.00	0.00	887226.94	634020.97	33.43853	-104.02950
Carnoustie 5H 100' HL Heel ~2370°MD	2368.16	0.01	10.80	887226.94	634031.77	33.43853	-104.02947
Carnoustie 5H BHL	2873.31	-5152.15	-20.24	882074.79	634000.73	33.42437	-104.02962
Carnoustie 5H 100' HL Toe ~7675	2878.38	-5073.56	-20.48	882153.38	634000.50	33.42459	-104.02962

100' Hard Line Crossings
~2370°MD at Toe
~7675°MD at Heel



Submit To Appropriate District Office Two Copies <u>District I</u> 1625 N. French Dr., Hobbs, NM 88240 <u>District II</u> 811 S. First St., Artesia, NM 88210 <u>District III</u> 1000 Rio Brazos Rd., Aztec, NM 87410 <u>District IV</u> 1220 S. St. Francis Dr., Santa Fe, NM 87505		State of New Mexico Energy, Minerals and Natural Resources Oil Conservation Division 1220 South St. Francis Dr. Santa Fe, NM 87505			Form C-105 Revised April 3, 2017					
WELL COMPLETION OR RECOMPLETION REPORT AND LOG								1. WELL API NO. 30-005-64344		
4. Reason for filing: ☒ COMPLETION REPORT (Fill in boxes #1 through #31 for State and Fee wells only) ☐ C-144 CLOSURE ATTACHMENT (Fill in boxes #1 through #9, #15 Date Rig Released and #32 and/or #33; attach this and the plat to the C-144 closure report in accordance with 19.15.17.13.K NMAC)								2. Type of Lease ☐ STATE ☒ FEE ☐ FED/INDIAN		
								3. State Oil & Gas Lease No.		
5. Lease Name or Unit Agreement Name Carnoustie								6. Well Number: 005H		
7. Type of Completion: ☒ NEW WELL ☐ WORKOVER ☐ DEEPENING ☐ PLUGBACK ☐ DIFFERENT RESERVOIR ☐ OTHER										
8. Name of Operator D.W.R. Oil Properties, Inc.						9. OGRID 328643				
10. Address of Operator PO Box 657, Merkel, TX 79536						11. Pool name or Wildcat 97273 Race Track; San Andres, East				
12. Location	Unit Ltr	Section	Township	Range	Lot	Feet from the	N/S Line	Feet from the	E/W Line	County
Surface:	C	19	10S	29E		100	North	1320	West	Chaves
BH:	M	19	10S	29E	4	21	South	1311	West	Chaves
13. Date Spudded 03/03/2020	14. Date T.D. Reached 03/12/2020		15. Date Rig Released 03/13/2020			16. Date Completed (Ready to Produce) 10/20/2020		17. Elevations (DF and RKB, RT, GR, etc.) 3881 GR		
18. Total Measured Depth of Well 7754'			19. Plug Back Measured Depth 7692'			20. Was Directional Survey Made? Yes		21. Type Electric and Other Logs Run None		
22. Producing Interval(s), of this completion - Top, Bottom, Name 3400-7636' San Andres										
23. CASING RECORD (Report all strings set in well)										
CASING SIZE		WEIGHT LB./FT.		DEPTH SET		HOLE SIZE		CEMENTING RECORD		AMOUNT PULLED
9.625		36		1162		12.25		435 sx Class C		
7		32		2875		8.75				
5.5		2333		7738		8.75		630 sx Class H		
24. LINER RECORD						25. TUBING RECORD				
SIZE	TOP	BOTTOM	SACKS CEMENT	SCREEN		SIZE	DEPTH SET		PACKER SET	
						2 7/8"	2830'			
26. Perforation record (interval, size, and number) 3400-7636' (507 holes)						27. ACID, SHOT, FRACTURE, CEMENT, SQUEEZE, ETC.				
						DEPTH INTERVAL		AMOUNT AND KIND MATERIAL USED		
						3400-7636'		Acdz w/23901 gal 15% HCL; Frac		
								w/3,468,260# sand		
28. PRODUCTION										
Date First Production 10/25/2020		Production Method (<i>Flowing, gas lift, pumping - Size and type pump</i>) Pumping				Well Status (<i>Prod. or Shut-in</i>) Producing				
Date of Test 10/28/2020	Hours Tested 24	Choke Size	Prod'n For Test Period	Oil - Bbl 30	Gas - MCF 40	Water - Bbl. 900	Gas - Oil Ratio			
Flow Tubing Press.	Casing Pressure	Calculated 24-Hour Rate	Oil - Bbl. 30	Gas - MCF 40	Water - Bbl. 900	Oil Gravity - API - (<i>Corr.</i>)				
29. Disposition of Gas (<i>Sold, used for fuel, vented, etc.</i>) Sold								30. Test Witnessed By Derrell Riggan		
31. List Attachments Directional Survey , As-Drilled C-102										
32. If a temporary pit was used at the well, attach a plat with the location of the temporary pit.								33. Rig Release Date: 03/13/2020		
34. If an on-site burial was used at the well, report the exact location of the on-site burial: Latitude _____ Longitude _____ NAD83										
I hereby certify that the information shown on both sides of this form is true and complete to the best of my knowledge and belief Printed Signature <i>Melanie Wilson</i> Name Melanie Wilson Title Agent Date 12/23/2020 E-mail Address mjp1692@gmail.com										

This form is to be filed with the appropriate District Office of the Division not later than 20 days after the completion of any newly-drilled or deepened well and not later than 60 days after completion of closure. When submitted as a completion report, this shall be accompanied by one copy of all electrical and radio-activity logs run on the well and a summary of all special tests conducted, including drill stem tests. All depths reported shall be measured depths. In the case of directionally drilled wells, true vertical depths shall also be reported. For multiple completions, items 11, 12 and 26-31 shall be reported for each zone.

Southeastern New Mexico		Northwestern New Mexico	
T. Anhy	T. Canyon	T. Ojo Alamo	T. Penn A"
T. Salt	T. Strawn	T. Kirtland	T. Penn. "B"
B. Salt 540'	T. Atoka	T. Fruitland	T. Penn. "C"
T. Yates 1005'	T. Miss	T. Pictured Cliffs	T. Penn. "D"
T. 7 Rivers	T. Devonian	T. Cliff House	T. Leadville
T. Queen	T. Silurian	T. Menefee	T. Madison
T. Grayburg	T. Montoya	T. Point Lookout	T. Elbert
T. San Andres 2200'	T. Simpson	T. Mancos	T. McCracken
T. Glorieta	T. McKee	T. Gallup	T. Ignacio Otzte
T. Paddock	T. Ellenburger	Base Greenhorn	T. Granite
T. Blinebry	T. Gr. Wash	T. Dakota	
T. Tubb	T. Delaware Sand	T. Morrison	
T. Drinkard	T. Bone Springs	T. Todilto	
T. Abo	T.	T. Entrada	
T. Wolfcamp	T.	T. Wingate	
T. Penn	T.	T. Chinle	
T. Cisco (Bough C)	T.	T. Permian	

No. 1, from.....to.....
No. 2, from.....to.....
No. 3, from.....to.....
No. 4, from.....to.....

Include data on rate of water inflow and elevation to which water rose in hole.

No. 1, from.....to.....feet.....
 No. 2, from.....to.....feet.....
 No. 3, from.....to.....feet.....

From	To	Thickness In Feet	Lithology

From To Thickness In Feet Lithology

District I

1625 N. French Dr., Hobbs, NM 88240
Phone:(575) 393-6161 Fax:(575) 393-0720

District II

811 S. First St., Artesia, NM 88210
Phone:(575) 748-1283 Fax:(575) 748-9720

District III

1000 Rio Brazos Rd., Aztec, NM 87410
Phone:(505) 334-6178 Fax:(505) 334-6170

District IV

1220 S. St Francis Dr., Santa Fe, NM 87505
Phone:(505) 476-3470 Fax:(505) 476-3462

State of New Mexico
Energy, Minerals and Natural Resources
Oil Conservation Division
1220 S. St Francis Dr.
Santa Fe, NM 87505

ACKNOWLEDGMENTS

Action 23075

ACKNOWLEDGMENTS

Operator: D.W.R. OIL PROPERTIES, INC. PO BOX 657 MERKEL, TX 79536	OGRID: 328643
	Action Number: 23075
	Action Type: [C-104] Completion Packet (C-104C)

ACKNOWLEDGMENTS

☐	I hereby certify that the required Water Use Report has been, or will be, submitted for this wells completion.
☐	I hereby certify that the required FracFocus disclosure has been, or will be, submitted for this wells completion.

District I
1625 N. French Dr., Hobbs, NM 88240
Phone:(575) 393-6161 Fax:(575) 393-0720
District II
811 S. First St., Artesia, NM 88210
Phone:(575) 748-1283 Fax:(575) 748-9720
District III
1000 Rio Brazos Rd., Aztec, NM 87410
Phone:(505) 334-6178 Fax:(505) 334-6170
District IV
1220 S. St Francis Dr., Santa Fe, NM 87505
Phone:(505) 476-3470 Fax:(505) 476-3462

State of New Mexico
Energy, Minerals and Natural Resources
Oil Conservation Division
1220 S. St Francis Dr.
Santa Fe, NM 87505

CONDITIONS

Action 23075

CONDITIONS

Operator: D.W.R. OIL PROPERTIES, INC. PO BOX 657 MERKEL, TX 79536	OGRID: 328643
	Action Number: 23075
	Action Type: [C-104] Completion Packet (C-104C)

CONDITIONS

Created By	Condition	Condition Date
ksimmons	Submit all drilling, casing, and completion sundries.	7/8/2021