

District I
1625 N. French Dr., Hobbs, NM 88240
District II
811 S. First St., Artesia, NM 88210
District III
1000 Rio Brazos Rd., Aztec, NM 87410
District IV
1220 S. St. Francis Dr., Santa Fe, NM 87505

State of New Mexico
Energy, Minerals & Natural Resources

Oil Conservation Division
1220 South St. Francis Dr.
Santa Fe, NM 87505

Form C-104
Revised August 1, 2011

Submit one copy to appropriate District Office

☐ AMENDED REPORT

I. REQUEST FOR ALLOWABLE AND AUTHORIZATION TO TRANSPORT

¹ Operator name and Address Devon Energy Production Company, L.P. 333 West Sheridan, Oklahoma City, OK 73102		² OGRID Number 6137
		³ Reason for Filing Code/ Effective Date NW / 6/10/21
⁴ API Number 30-015-47290	⁵ Pool Name James Ranch; Bone Spring, East	⁶ Pool Code 96919
⁷ Property Code 328888	⁸ Property Name Galapagos 14-26 Fed Com	⁹ Well Number 213H

II. ¹⁰ Surface Location

UL or lot no.	Section	Township	Range	Lot Idn	Feet from the	North/South line	Feet from the	East/West line	County
B	14	23S	31E		250	North	2551	East	Lea

¹¹ Bottom Hole Location

UL or lot no.	Section	Township	Range	Lot Idn	Feet from the	North/South line	Feet from the	East/West line	County
N	26	23S	31E		106	South	2498	West	Lea
¹² Lse Code F	¹³ Producing Method Code F	¹⁴ Gas Connection Date 6/10/21	¹⁵ C-129 Permit Number	¹⁶ C-129 Effective Date	¹⁷ C-129 Expiration Date				


III. Oil and Gas Transporters

¹⁸ Transporter OGRID	¹⁹ Transporter Name and Address	²⁰ O/G/W
036785	DCP Midstream P.O. Box 50020 Midland, TX 79710-0020	Gas
320009	EnLink Midstream Operating, LP 2501 Cedar Springs Road, Suite 100, Dallas, TX 75201	Oil

IV. Well Completion Data

²¹ Spud Date 12/1/20	²² Ready Date 6/10/21	²³ TD 25545	²⁴ PBTD 25542	²⁵ Perforations 10323 - 25532	²⁶ DHC, MC
²⁷ Hole Size	²⁸ Casing & Tubing Size	²⁹ Depth Set	³⁰ Sacks Cement		
17.5	13.375	841	650 sx CIC; Circ 241 sx		
12.25	10.75	4404	690 sx CIC; Circ 229 sx		
9.875	8.625	8462	690 sx cmt; Circ 137 sx		
7.875	5.5	25545	2470 sx CIH; Circ 104 sx		

V. Well Test Data

³¹ Date New Oil 7/13/21	³² Gas Delivery Date 7/13/21	³³ Test Date 7/13/21	³⁴ Test Length 24 hrs	³⁵ Tbg. Pressure psi	³⁶ Csg. Pressure psi
³⁷ Choke Size	³⁸ Oil 2586 bbl	³⁹ Water 4862 bbl	⁴⁰ Gas 3030 mcf		⁴¹ Test Method
⁴² I hereby certify that the rules of the Oil Conservation Division have been complied with and that the information given above is true and complete to the best of my knowledge and belief. Signature: 			OIL CONSERVATION DIVISION		
Printed name: Rebecca Deal			Approved by: KURT SIMMONS		
Title: Regulatory Specialist			Title: NM OCD, SANTA FE		
E-mail Address: rebecca.deal@dmv.com			Approval Date: 07/15/2021		
Date: 7/15/2021		Phone: 405-552-7848			

District I
1625 N. French Dr., Hobbs, NM 88240
Phone: (575) 393-6161 Fax: (575) 393-0720
District II
811 S. First St., Artesia, NM 88210
Phone: (575) 748-1283 Fax: (575) 748-9720
District III
1000 Rio Brazos Road, Aztec, NM 87410
Phone: (505) 334-6178 Fax: (505) 334-6170
District IV
1220 S. St. Francis Dr., Santa Fe, NM 87505
Phone: (505) 476-3460 Fax: (505) 476-3462

State of New Mexico
Energy, Minerals & Natural Resources Department
OIL CONSERVATION DIVISION
1220 South St. Francis Dr.
Santa Fe, NM 87505

Form C-102
Revised August 1, 2011
Submit one copy to appropriate
District Office
☒ AMENDED REPORT

WELL LOCATION AND ACREAGE DEDICATION PLAT

¹ API Number 30-015-47290	² Pool Code 96919	³ Pool Name JAMES RANCH; BONE SPRING, EAST
⁴ Property Code 32888	⁵ Property Name GALAPAGOS 14-26 FED COM	⁶ Well Number 213H
⁷ OGRID No. 6137	⁸ Operator Name DEVON ENERGY PRODUCTION COMPANY, L.P.	⁹ Elevation 3473.5

¹⁰ Surface Location

UL or lot no.	Section	Township	Range	Lot Idn	Feet from the	North/South line	Feet from the	East/West line	County
B	14	23 S	31 E		250	NORTH	2551	EAST	EDDY

¹¹ Bottom Hole Location If Different From Surface

UL or lot no.	Section	Township	Range	Lot Idn	Feet from the	North/South line	Feet from the	East/West line	County
N	26	23 S	31 E		106	SOUTH	2498	WEST	EDDY

¹² Dedicated Acres 960	¹³ Joint or Infill	¹⁴ Consolidation Code	¹⁵ Order No.
---	-------------------------------	----------------------------------	-------------------------

No allowable will be assigned to this completion until all interests have been consolidated or a non-standard unit has been approved by the division.

NW CORNER SEC. 14 LAT. = 32.3117463°N LONG. = 103.7571237°W NMSP EAST (FT) N = 477624.13 E = 719349.92 W/4 CORNER SEC. 14 LAT. = 32.3044903°N LONG. = 103.7571229°W NMSP EAST (FT) N = 474984.45 E = 719364.35 SECTION CORNER LAT. = 32.2972317°N LONG. = 103.7571232°W NMSP EAST (FT) N = 472343.83 E = 719378.44 W/4 CORNER SEC. 23 LAT. = 32.2899722°N LONG. = 103.7571228°W NMSP EAST (FT) N = 468702.87 E = 719392.74 SECTION CORNER LAT. = 32.2827133°N LONG. = 103.7571238°W NMSP EAST (FT) N = 467062.12 E = 719406.62 W/4 CORNER SEC. 26 LAT. = 32.2754499°N LONG. = 103.7571222°W NMSP EAST (FT) N = 464419.78 E = 719421.33 SW CORNER SEC. 26 LAT. = 32.2681917°N LONG. = 103.7571229°W NMSP EAST (FT) N = 461779.31 E = 719435.27		N89°51'18"E 2639.71 FT KOP FTP N/4 CORNER SEC. 14 LAT. = 32.3117253°N LONG. = 103.7485813°W NMSP EAST (FT) N = 477630.81 E = 721989.05 GALAPAGOS 14-26 FED COM 213H ELEV. = 3473.5' LAT. = 32.3110374°N (NAD83) LONG. = 103.7482838°W NMSP EAST (FT) N = 477381.05 E = 722082.31 KICK OFF POINT 139' FNL, 2462' FWL LAT. = 32.3113437°N LONG. = 103.7491549°W N89°49'03"E QUARTER CORNER LAT. = 32.2972155°N LONG. = 103.7485820°W NMSP EAST (FT) N = 472352.23 E = 722017.61 SECTION CORNER LAT. = 32.2826901°N LONG. = 103.7400438°W NMSP EAST (FT) N = 467082.47 E = 724685.09 SE CORNER SEC. 26 LAT. = 32.2681719°N LONG. = 103.7400493°W NMSP EAST (FT) N = 461800.87 E = 724712.60		NE CORNER SEC. 14 LAT. = 32.3116999°N LONG. = 103.7400280°W NMSP EAST (FT) N = 477636.10 E = 724631.57 E/4 CORNER SEC. 14 LAT. = 32.3044481°N LONG. = 103.7400341°W NMSP EAST (FT) N = 474997.91 E = 724644.28 SECTION CORNER LAT. = 32.2971988°N LONG. = 103.7400387°W NMSP EAST (FT) N = 472360.64 E = 724657.46 E/4 CORNER SEC. 23 LAT. = 32.2899466°N LONG. = 103.7400405°W NMSP EAST (FT) N = 468722.36 E = 724671.49 SECTION CORNER LAT. = 32.2826901°N LONG. = 103.7400438°W NMSP EAST (FT) N = 467082.47 E = 724685.09 E/4 CORNER SEC. 26 LAT. = 32.2754311°N LONG. = 103.7400448°W NMSP EAST (FT) N = 464441.71 E = 724699.37	
--	--	---	--	--	--

AS-DRILLED

SEC. 23

QUARTER CORNER
LAT. = 32.2826980°N
LONG. = 103.7485777°W
NMSP EAST (FT)
N = 467070.86
E = 722047.76

LAST TAKE POINT
119' FSL, 2497' FWL
LAT. = 32.2685093°N
LONG. = 103.7490469°W

BOTTOM OF HOLE
LAT. = 32.2684739°N
LONG. = 103.7490437°W
NMSP EAST (FT)
N = 461895.46
E = 721931.91

LTP
BOTTOM OF HOLE
2498'

S/4 CORNER SEC. 26
LAT. = 32.2681719°N
LONG. = 103.7400493°W
NMSP EAST (FT)
N = 461800.87
E = 724712.60

S89°40'57"W 2639.26 FT

S89°45'57"W 2639.26 FT

S00°18'18"E 2643.10 FT

S00°18'18"E 2643.10 FT

¹⁷ OPERATOR CERTIFICATION

I hereby certify that the information contained herein is true and complete to the best of my knowledge and belief, and that this organization either owns a working interest or unleased mineral interest in the land including the proposed bottom hole location or has a right to drill this well at this location pursuant to a contract with an owner of such a mineral or working interest, or to a voluntary pooling agreement or a compulsory pooling order heretofore entered by the division.

Rebecca Deal **7/13/2021**
Signature Date

Rebecca Deal, Regulatory Specialist

Printed Name

rebecca.deal@dmv.com

E-mail Address

¹⁸ SURVEYOR CERTIFICATION

I hereby certify that the well location shown on this plat was plotted from field notes of actual surveys made by me or under my supervision, and that the same is true and correct to the best of my belief.

JUNE 17, 2021

Date of Survey

Signature and Seal of Professional Surveyor:

Certificate Number: 12797
SURVEY NO. 7897A



Intent ☐ As Drilled ☒

API # 30-015-47290		
Operator Name: DEVON ENERGY PRODUCTION COMPANY, L.P.	Property Name: GALAPAGOS 14-26 FED COM	Well Number 213H

Kick Off Point (KOP)

UL	Section	Township	Range	Lot	Feet	From N/S	Feet	From E/W	County
C	14	23S	31E		139	NORTH	2462	WEST	EDDY
Latitude 32.3113437					Longitude 103.7491549				NAD 83

First Take Point (FTP)

UL	Section	Township	Range	Lot	Feet	From N/S	Feet	From E/W	County
C	14	23S	31E		536	NORTH	2459	WEST	EDDY
Latitude 32.3102524					Longitude 103.7491675				NAD 83

Last Take Point (LTP)

UL	Section	Township	Range	Lot	Feet	From N/S	Feet	From E/W	County
N	26	23S	31E		119	SOUTH	2497	WEST	EDDY
Latitude 32.2685093					Longitude 103.7490469				NAD 83

Is this well the defining well for the Horizontal Spacing Unit?

☐ N

Is this well an infill well?

☐ Y

If infill is yes please provide API if available, Operator Name and well number for Defining well for Horizontal Spacing Unit.

API #		
Operator Name: DEVON ENERGY PRODUCTION COMPANY, L.P.	Property Name: GALAPAGOS 14-26 FED COM	Well Number 212H

KZ 06/29/2018



Well Name: GALAPAGOS 14-26 FED COM 213H

Sub-Division DELAWARE BASIN NORTH		Region DELAWARE NORTH		Field Name TODD CENTRAL			County EDDY		State/Province NM			
Surface Legal Location 14-23S-31E		API/UWI 3001547290		Latitude (°) 32° 18' 39.614" N		Longitude (°) 103° 44' 53.683" W		Orig KB Elevation (ft) 3,504.00		Ground Elevation (ft) 3,474.00		KB - GL (ft) 30.00
Wellbores												
Wellbore Name OH		Parent Wellbore			SAP Well ID				Vertical Section Direction (°) 179.69			
Kick Offs & Key Depths												
Date 12/14/2020				Type CURVE					Top Depth (ftKB) 9,669.7			
Date 12/16/2020				Type CURVE					Top Depth (ftKB) 9,619.0			
Actual Deviation Survey COMPOSITE OH, Proposed? No				Definitive? No		Proposed? No		Proposed Deviation Survey COMPOSITE WELL PLAN - OH, Proposed? Yes				
Deviation Survey												
Date 11/30/2020		Description COMPOSITE OH										
MD Tie In (ftKB) 0.00		TVD Tie In (ftKB) 0.00		Inclination Tie In (°) 0.00		Azimuth Tie In (°) 0.00		NSTie In (ft) 0.00		EWTie In (ft) 0.00		
Survey Data												
Date	MD (ftKB)	Incl (°)	Azm (°)	TVD (ftKB)	VS (ft)	N/S (ft)	E/W (ft)	DLS (°/100ft)	Survey Tool	Survey Company		
12/1/2020	178.00	0.26	359.86	178.00	-0.40	0.40	0.00	0.15	MWD	WELLBENDERS DIRECTIO...		
12/1/2020	272.00	0.26	18.05	272.00	-0.82	0.82	0.06	0.09	MWD	WELLBENDERS DIRECTIO...		
12/1/2020	367.00	0.26	3.29	367.00	-1.24	1.24	0.14	0.07	MWD	WELLBENDERS DIRECTIO...		
12/1/2020	461.00	0.35	356.96	461.00	-1.74	1.74	0.14	0.10	MWD	WELLBENDERS DIRECTIO...		
12/1/2020	555.00	0.31	17.26	554.99	-2.27	2.27	0.20	0.13	MWD	WELLBENDERS DIRECTIO...		
12/1/2020	650.00	0.40	3.02	649.99	-2.84	2.85	0.29	0.13	MWD	WELLBENDERS DIRECTIO...		
12/1/2020	744.00	0.48	351.51	743.99	-3.56	3.56	0.25	0.13	MWD	WELLBENDERS DIRECTIO...		
12/4/2020	892.00	0.48	21.39	891.99	-4.75	4.75	0.39	0.17	MWD	WELLBENDERS DIRECTIO...		
12/4/2020	986.00	0.66	343.69	985.98	-5.64	5.64	0.38	0.43	MWD	WELLBENDERS DIRECTIO...		
12/4/2020	1,081.00	0.66	8.65	1,080.97	-6.70	6.71	0.31	0.30	MWD	WELLBENDERS DIRECTIO...		
12/4/2020	1,176.00	1.05	8.65	1,175.96	-8.10	8.11	0.52	0.41	MWD	WELLBENDERS DIRECTIO...		
12/4/2020	1,270.00	0.97	359.68	1,269.95	-9.75	9.75	0.65	0.19	MWD	WELLBENDERS DIRECTIO...		
12/4/2020	1,365.00	0.97	331.56	1,364.94	-11.26	11.27	0.26	0.50	MWD	WELLBENDERS DIRECTIO...		
12/4/2020	1,460.00	0.88	344.39	1,459.92	-12.68	12.68	-0.32	0.24	MWD	WELLBENDERS DIRECTIO...		
12/4/2020	1,555.00	0.48	316.70	1,554.92	-13.67	13.67	-0.79	0.53	MWD	WELLBENDERS DIRECTIO...		
12/4/2020	1,650.00	0.40	342.28	1,649.91	-14.28	14.27	-1.16	0.22	MWD	WELLBENDERS DIRECTIO...		
12/4/2020	1,745.00	0.57	326.55	1,744.91	-14.99	14.98	-1.52	0.23	MWD	WELLBENDERS DIRECTIO...		
12/4/2020	1,840.00	0.40	342.46	1,839.91	-15.70	15.69	-1.88	0.23	MWD	WELLBENDERS DIRECTIO...		
12/4/2020	1,935.00	0.40	281.37	1,934.91	-16.09	16.07	-2.31	0.43	MWD	WELLBENDERS DIRECTIO...		
12/4/2020	2,031.00	1.19	294.03	2,030.90	-16.57	16.55	-3.55	0.84	MWD	WELLBENDERS DIRECTIO...		
12/4/2020	2,125.00	2.20	286.73	2,124.85	-17.50	17.46	-6.17	1.10	MWD	WELLBENDERS DIRECTIO...		
12/4/2020	2,220.00	2.90	289.11	2,219.76	-18.83	18.78	-10.19	0.75	MWD	WELLBENDERS DIRECTIO...		
12/4/2020	2,315.00	3.82	294.03	2,314.59	-20.93	20.85	-15.35	1.01	MWD	WELLBENDERS DIRECTIO...		
12/4/2020	2,411.00	4.31	293.76	2,410.35	-23.72	23.61	-21.57	0.51	MWD	WELLBENDERS DIRECTIO...		
12/4/2020	2,506.00	4.84	291.22	2,505.05	-26.65	26.50	-28.57	0.60	MWD	WELLBENDERS DIRECTIO...		
12/4/2020	2,601.00	4.44	292.27	2,599.74	-29.53	29.34	-35.71	0.43	MWD	WELLBENDERS DIRECTIO...		
12/4/2020	2,697.00	4.88	292.36	2,695.42	-32.53	32.30	-42.93	0.46	MWD	WELLBENDERS DIRECTIO...		
12/4/2020	2,792.00	5.10	289.55	2,790.06	-35.52	35.25	-50.64	0.35	MWD	WELLBENDERS DIRECTIO...		
12/4/2020	2,887.00	4.75	287.70	2,884.71	-38.18	37.86	-58.37	0.40	MWD	WELLBENDERS DIRECTIO...		
12/5/2020	2,982.00	4.09	289.63	2,979.43	-40.55	40.19	-65.31	0.71	MWD	WELLBENDERS DIRECTIO...		
12/5/2020	3,078.00	5.10	282.87	3,075.12	-42.69	42.29	-72.69	1.19	MWD	WELLBENDERS DIRECTIO...		
12/5/2020	3,173.00	5.89	274.87	3,169.68	-44.09	43.65	-81.66	1.16	MWD	WELLBENDERS DIRECTIO...		
12/5/2020	3,268.00	5.49	271.97	3,264.21	-44.71	44.22	-91.06	0.52	MWD	WELLBENDERS DIRECTIO...		
12/5/2020	3,364.00	4.88	263.71	3,359.82	-44.47	43.93	-99.71	1.00	MWD	WELLBENDERS DIRECTIO...		
12/5/2020	3,459.00	5.05	276.54	3,454.47	-44.55	43.96	-107.88	1.18	MWD	WELLBENDERS DIRECTIO...		
12/5/2020	3,553.00	5.32	297.02	3,548.09	-47.04	46.41	-115.88	1.98	MWD	WELLBENDERS DIRECTIO...		
12/5/2020	3,648.00	4.18	305.37	3,642.77	-51.08	50.42	-122.62	1.40	MWD	WELLBENDERS DIRECTIO...		
12/5/2020	3,743.00	3.91	292.01	3,737.53	-54.33	53.64	-128.45	1.03	MWD	WELLBENDERS DIRECTIO...		
12/5/2020	3,838.00	4.35	286.65	3,832.28	-56.61	55.88	-134.90	0.62	MWD	WELLBENDERS DIRECTIO...		
12/5/2020	3,933.00	3.34	286.82	3,927.07	-58.48	57.72	-141.00	1.06	MWD	WELLBENDERS DIRECTIO...		
12/5/2020	4,028.00	2.24	266.69	4,021.96	-59.20	58.41	-145.51	1.53	MWD	WELLBENDERS DIRECTIO...		
12/5/2020	4,123.00	2.68	271.88	4,116.87	-59.18	58.38	-149.58	0.52	MWD	WELLBENDERS DIRECTIO...		
12/5/2020	4,218.00	3.47	276.98	4,211.73	-59.63	58.80	-154.65	0.88	MWD	WELLBENDERS DIRECTIO...		
12/5/2020	4,313.00	3.25	277.94	4,306.57	-60.39	59.52	-160.17	0.24	MWD	WELLBENDERS DIRECTIO...		
12/9/2020	4,502.00	3.69	285.94	4,495.22	-62.86	61.93	-171.33	0.35	MWD	WELLBENDERS DIRECTIO...		
12/9/2020	4,597.00	4.62	292.27	4,589.97	-65.18	64.22	-177.81	1.09	MWD	WELLBENDERS DIRECTIO...		
12/9/2020	4,692.00	5.63	298.16	4,684.59	-68.87	67.87	-185.46	1.20	MWD	WELLBENDERS DIRECTIO...		
12/9/2020	4,787.00	6.33	302.03	4,779.08	-73.89	72.85	-194.01	0.85	MWD	WELLBENDERS DIRECTIO...		
12/9/2020	4,883.00	6.11	300.80	4,874.51	-79.37	78.27	-202.88	0.27	MWD	WELLBENDERS DIRECTIO...		
12/9/2020	4,978.00	6.15	301.32	4,968.97	-84.65	83.50	-211.57	0.07	MWD	WELLBENDERS DIRECTIO...		
12/9/2020	5,073.00	6.15	299.48	5,063.42	-89.84	88.65	-220.35	0.21	MWD	WELLBENDERS DIRECTIO...		
12/9/2020	5,168.00	6.11	299.13	5,157.88	-94.86	93.62	-229.19	0.06	MWD	WELLBENDERS DIRECTIO...		
12/9/2020	5,264.00	6.07	298.16	5,253.34	-99.79	98.50	-238.13	0.12	MWD	WELLBENDERS DIRECTIO...		
12/9/2020	5,359.00	5.85	297.90	5,347.82	-104.47	103.14	-246.84	0.23	MWD	WELLBENDERS DIRECTIO...		
12/9/2020	5,454.00	5.01	298.51	5,442.39	-108.76	107.38	-254.76	0.89	MWD	WELLBENDERS DIRECTIO...		
12/9/2020	5,549.00	3.52	302.64	5,537.13	-112.34	110.93	-260.86	1.60	MWD	WELLBENDERS DIRECTIO...		
12/9/2020	5,644.00	3.12	303.78	5,631.97	-115.38	113.95	-265.47	0.43	MWD	WELLBENDERS DIRECTIO...		
12/9/2020	5,740.00	2.55	299.30	5,727.85	-117.90	116.44	-269.50	0.64	MWD	WELLBENDERS DIRECTIO...		
12/9/2020	5,834.00	1.36	297.10	5,821.80	-119.45	117.97	-272.32	1.27	MWD	WELLBENDERS DIRECTIO...		
12/9/2020	5,930.00	0.66	294.12	5,917.78	-120.20	118.72	-273.84	0.73	MWD	WELLBENDERS DIRECTIO...		
12/9/2020	6,025.00	0.66	276.89	6,012.77	-120.49	119.01	-274.88	0.21	MWD	WELLBENDERS DIRECTIO...		



Well Name: GALAPAGOS 14-26 FED COM 213H

Sub-Division DELAWARE BASIN NORTH	Region DELAWARE NORTH	Field Name TODD CENTRAL		County EDDY	State/Province NM	
Surface Legal Location 14-23S-31E	API/UWI 3001547290	Latitude (°) 32° 18' 39.614" N	Longitude (°) 103° 44' 53.683" W	Orig KB Elevation (ft) 3,504.00	Ground Elevation (ft) 3,474.00	KB - GL (ft) 30.00

Survey Data										
Date	MD (ftKB)	Incl (°)	Azm (°)	TVD (ftKB)	VS (ft)	N/S (ft)	E/W (ft)	DLS (°/100ft)	Survey Tool	Survey Company
12/9/2020	6,120.00	0.79	275.48	6,107.77	-120.63	119.14	-276.08	0.14	MWD	WELLBENDERS DIRECTIO...
12/9/2020	6,216.00	0.75	282.07	6,203.76	-120.83	119.33	-277.35	0.10	MWD	WELLBENDERS DIRECTIO...
12/9/2020	6,311.00	0.70	256.59	6,298.75	-120.83	119.33	-278.52	0.34	MWD	WELLBENDERS DIRECTIO...
12/9/2020	6,406.00	0.70	260.19	6,393.74	-120.60	119.09	-279.66	0.05	MWD	WELLBENDERS DIRECTIO...
12/9/2020	6,501.00	0.70	247.27	6,488.74	-120.29	118.77	-280.77	0.17	MWD	WELLBENDERS DIRECTIO...
12/9/2020	6,597.00	0.62	228.81	6,584.73	-119.72	118.20	-281.70	0.24	MWD	WELLBENDERS DIRECTIO...
12/9/2020	6,691.00	0.48	70.08	6,678.73	-119.52	118.00	-281.71	1.15	MWD	WELLBENDERS DIRECTIO...
12/9/2020	6,786.00	0.92	86.08	6,773.72	-119.70	118.19	-280.57	0.50	MWD	WELLBENDERS DIRECTIO...
12/9/2020	6,882.00	0.79	78.61	6,869.71	-119.88	118.37	-279.16	0.18	MWD	WELLBENDERS DIRECTIO...
12/9/2020	6,977.00	0.66	97.86	6,964.70	-119.93	118.43	-277.97	0.29	MWD	WELLBENDERS DIRECTIO...
12/9/2020	7,072.00	0.57	101.46	7,059.70	-119.75	118.26	-276.97	0.10	MWD	WELLBENDERS DIRECTIO...
12/9/2020	7,168.00	0.84	105.24	7,155.69	-119.47	117.98	-275.82	0.29	MWD	WELLBENDERS DIRECTIO...
12/9/2020	7,263.00	0.97	101.72	7,250.68	-119.11	117.63	-274.36	0.15	MWD	WELLBENDERS DIRECTIO...
12/9/2020	7,358.00	0.97	97.59	7,345.66	-118.84	117.36	-272.78	0.07	MWD	WELLBENDERS DIRECTIO...
12/10/2...	7,453.00	0.66	109.72	7,440.65	-118.54	117.07	-271.47	0.37	MWD	WELLBENDERS DIRECTIO...
12/10/2...	7,548.00	0.66	103.39	7,535.65	-118.22	116.76	-270.42	0.08	MWD	WELLBENDERS DIRECTIO...
12/10/2...	7,643.00	0.75	109.99	7,630.64	-117.88	116.42	-269.30	0.13	MWD	WELLBENDERS DIRECTIO...
12/10/2...	7,738.00	0.57	94.87	7,725.63	-117.62	116.17	-268.25	0.26	MWD	WELLBENDERS DIRECTIO...
12/10/2...	7,833.00	0.75	102.07	7,820.63	-117.44	116.00	-267.17	0.21	MWD	WELLBENDERS DIRECTIO...
12/10/2...	7,928.00	0.62	132.92	7,915.62	-116.96	115.52	-266.18	0.41	MWD	WELLBENDERS DIRECTIO...
12/10/2...	8,023.00	0.66	141.98	8,010.62	-116.17	114.74	-265.47	0.11	MWD	WELLBENDERS DIRECTIO...
12/10/2...	8,119.00	0.75	138.90	8,106.61	-115.26	113.83	-264.72	0.10	MWD	WELLBENDERS DIRECTIO...
12/10/2...	8,214.00	0.66	146.02	8,201.60	-114.33	112.91	-264.00	0.13	MWD	WELLBENDERS DIRECTIO...
12/10/2...	8,310.00	0.62	147.16	8,297.60	-113.43	112.01	-263.41	0.04	MWD	WELLBENDERS DIRECTIO...
12/10/2...	8,405.00	0.79	145.40	8,392.59	-112.46	111.04	-262.76	0.18	MWD	WELLBENDERS DIRECTIO...
12/16/2...	8,509.00	0.92	162.81	8,496.58	-111.07	109.65	-262.11	0.28	MWD	WELLBENDERS DIRECTIO...
12/16/2...	8,604.00	1.14	164.39	8,591.56	-109.43	108.01	-261.63	0.23	MWD	WELLBENDERS DIRECTIO...
12/16/2...	8,699.00	0.09	77.64	8,686.56	-108.53	107.12	-261.30	1.20	MWD	WELLBENDERS DIRECTIO...
12/16/2...	8,794.00	0.84	309.94	8,781.55	-109.00	107.58	-261.76	0.95	MWD	WELLBENDERS DIRECTIO...
12/16/2...	8,889.00	2.37	330.15	8,876.51	-111.16	109.73	-263.27	1.69	MWD	WELLBENDERS DIRECTIO...
12/16/2...	8,984.00	2.33	271.62	8,971.45	-112.93	111.49	-266.18	2.42	MWD	WELLBENDERS DIRECTIO...
12/16/2...	9,079.00	0.92	249.56	9,066.41	-112.73	111.28	-268.83	1.60	MWD	WELLBENDERS DIRECTIO...
12/16/2...	9,174.00	2.64	204.29	9,161.36	-110.48	109.02	-270.44	2.21	MWD	WELLBENDERS DIRECTIO...
12/16/2...	9,269.00	1.85	201.65	9,256.29	-107.07	105.60	-271.91	0.84	MWD	WELLBENDERS DIRECTIO...
12/16/2...	9,365.00	1.71	202.53	9,352.24	-104.31	102.84	-273.03	0.15	MWD	WELLBENDERS DIRECTIO...
12/16/2...	9,460.00	2.24	219.94	9,447.18	-101.59	100.10	-274.76	0.84	MWD	WELLBENDERS DIRECTIO...
12/16/2...	9,554.00	2.15	216.86	9,541.11	-98.78	97.28	-277.00	0.16	MWD	WELLBENDERS DIRECTIO...
12/16/2...	9,650.00	6.37	184.16	9,636.84	-92.03	90.53	-278.47	4.90	MWD	WELLBENDERS DIRECTIO...
12/16/2...	9,745.00	17.67	181.97	9,729.61	-72.31	70.80	-279.35	11.90	MWD	WELLBENDERS DIRECTIO...
12/17/2...	9,839.00	24.44	180.03	9,817.28	-38.57	37.05	-279.85	7.24	MWD	WELLBENDERS DIRECTIO...
12/17/2...	9,928.00	27.21	183.20	9,897.39	0.16	-1.68	-280.99	3.48	MWD	WELLBENDERS DIRECTIO...
12/18/2...	10,030.00	35.87	178.54	9,984.25	53.42	-54.95	-281.54	8.81	MWD	WELLBENDERS DIRECTIO...
12/18/2...	10,124.00	48.70	178.98	10,053.65	116.53	-118.05	-280.20	13.65	MWD	WELLBENDERS DIRECTIO...
12/18/2...	10,220.00	57.71	177.49	10,111.09	193.30	-194.80	-277.78	9.47	MWD	WELLBENDERS DIRECTIO...
12/18/2...	10,315.00	69.36	174.85	10,153.36	278.02	-279.49	-272.01	12.51	MWD	WELLBENDERS DIRECTIO...
12/18/2...	10,410.00	76.75	177.31	10,181.03	368.64	-370.09	-265.84	8.16	MWD	WELLBENDERS DIRECTIO...
12/18/2...	10,505.00	81.67	180.39	10,198.81	461.91	-463.35	-263.99	6.08	MWD	WELLBENDERS DIRECTIO...
12/18/2...	10,601.00	89.58	180.74	10,206.13	557.55	-558.99	-264.93	8.25	MWD	WELLBENDERS DIRECTIO...
12/18/2...	10,697.00	89.45	180.65	10,206.94	653.53	-654.98	-266.09	0.16	MWD	WELLBENDERS DIRECTIO...
12/18/2...	10,791.00	89.14	179.59	10,208.10	747.52	-748.97	-266.29	1.17	MWD	WELLBENDERS DIRECTIO...
12/18/2...	10,887.00	89.01	178.89	10,209.65	843.50	-844.95	-265.02	0.74	MWD	WELLBENDERS DIRECTIO...
12/18/2...	10,982.00	89.05	177.84	10,211.26	938.46	-939.89	-262.31	1.11	MWD	WELLBENDERS DIRECTIO...
12/18/2...	11,077.00	89.36	178.72	10,212.58	1,033.42	-1,034.84	-259.46	0.98	MWD	WELLBENDERS DIRECTIO...
12/18/2...	11,172.00	90.46	177.92	10,212.73	1,128.39	-1,129.80	-256.67	1.43	MWD	WELLBENDERS DIRECTIO...
12/18/2...	11,267.00	90.73	178.63	10,211.74	1,223.36	-1,224.75	-253.81	0.80	MWD	WELLBENDERS DIRECTIO...
12/18/2...	11,363.00	90.95	177.75	10,210.33	1,319.31	-1,320.69	-250.78	0.94	MWD	WELLBENDERS DIRECTIO...
12/18/2...	11,458.00	89.32	177.84	10,210.11	1,414.26	-1,415.62	-247.13	1.72	MWD	WELLBENDERS DIRECTIO...
12/18/2...	11,553.00	89.45	179.86	10,211.13	1,509.24	-1,510.59	-245.22	2.13	MWD	WELLBENDERS DIRECTIO...
12/19/2...	11,647.00	89.27	181.97	10,212.18	1,603.20	-1,604.56	-246.72	2.25	MWD	WELLBENDERS DIRECTIO...
12/19/2...	11,742.00	89.01	179.59	10,213.61	1,698.17	-1,699.54	-248.01	2.52	MWD	WELLBENDERS DIRECTIO...
12/19/2...	11,838.00	87.74	179.68	10,216.33	1,794.13	-1,795.49	-247.40	1.33	MWD	WELLBENDERS DIRECTIO...
12/19/2...	11,933.00	89.01	179.07	10,219.02	1,889.09	-1,890.45	-246.37	1.48	MWD	WELLBENDERS DIRECTIO...
12/19/2...	12,029.00	87.78	178.80	10,221.71	1,985.04	-1,986.39	-244.58	1.31	MWD	WELLBENDERS DIRECTIO...
12/19/2...	12,124.00	88.13	179.42	10,225.10	2,079.97	-2,081.32	-243.11	0.75	MWD	WELLBENDERS DIRECTIO...
12/19/2...	12,219.00	89.63	180.30	10,226.96	2,174.95	-2,176.30	-242.88	1.83	MWD	WELLBENDERS DIRECTIO...
12/19/2...	12,314.00	89.54	178.89	10,227.65	2,269.95	-2,271.29	-242.20	1.49	MWD	WELLBENDERS DIRECTIO...
12/19/2...	12,409.00	88.79	178.45	10,229.03	2,364.92	-2,366.25	-240.00	0.92	MWD	WELLBENDERS DIRECTIO...
12/19/2...	12,504.00	90.07	179.42	10,229.97	2,459.90	-2,461.23	-238.23	1.69	MWD	WELLBENDERS DIRECTIO...
12/19/2...	12,599.00	90.07	178.54	10,229.86	2,554.90	-2,556.21	-236.54	0.93	MWD	WELLBENDERS DIRECTIO...
12/19/2...	12,694.00	90.81	177.66	10,229.13	2,649.85	-2,651.16	-233.39	1.21	MWD	WELLBENDERS DIRECTIO...
12/19/2...	12,790.00	89.49	178.28	10,228.88	2,745.81	-2,747.09	-229.99	1.52	MWD	WELLBENDERS DIRECTIO...
12/19/2...	12,884.00	89.71	177.57	10,229.53	2,839.76	-2,841.03	-226.59	0.79	MWD	WELLBENDERS DIRECTIO...
12/19/2...	12,979.00	90.33	180.03	10,229.50	2,934.74	-2,936.00	-224.60	2.67	MWD	WELLBENDERS DIRECTIO...



Well Name: GALAPAGOS 14-26 FED COM 213H

Sub-Division DELAWARE BASIN NORTH	Region DELAWARE NORTH	Field Name TODD CENTRAL		County EDDY	State/Province NM	
Surface Legal Location 14-23S-31E	API/UWI 3001547290	Latitude (°) 32° 18' 39.614" N	Longitude (°) 103° 44' 53.683" W	Orig KB Elevation (ft) 3,504.00	Ground Elevation (ft) 3,474.00	KB - GL (ft) 30.00

Survey Data										
Date	MD (ftKB)	Incl (°)	Azm (°)	TVD (ftKB)	VS (ft)	N/S (ft)	E/W (ft)	DLS (°/100ft)	Survey Tool	Survey Company
12/19/2...	13,074.00	91.25	181.35	10,228.19	3,029.71	-3,030.98	-225.74	1.69	MWD	WELLBENDERS DIRECTIO...
12/19/2...	13,169.00	92.09	179.77	10,225.42	3,124.66	-3,125.93	-226.67	1.88	MWD	WELLBENDERS DIRECTIO...
12/19/2...	13,264.00	89.67	180.82	10,223.96	3,219.63	-3,220.91	-227.16	2.78	MWD	WELLBENDERS DIRECTIO...
12/19/2...	13,359.00	89.41	178.98	10,224.73	3,314.63	-3,315.90	-227.00	1.96	MWD	WELLBENDERS DIRECTIO...
12/19/2...	13,454.00	89.49	181.09	10,225.64	3,409.62	-3,410.89	-227.05	2.22	MWD	WELLBENDERS DIRECTIO...
12/20/2...	13,549.00	89.19	180.39	10,226.73	3,504.59	-3,505.88	-228.28	0.80	MWD	WELLBENDERS DIRECTIO...
12/20/2...	13,643.00	88.00	178.45	10,229.04	3,598.56	-3,599.84	-227.33	2.42	MWD	WELLBENDERS DIRECTIO...
12/20/2...	13,738.00	87.21	180.03	10,233.01	3,693.47	-3,694.74	-226.07	1.86	MWD	WELLBENDERS DIRECTIO...
12/20/2...	13,834.00	91.82	180.03	10,233.82	3,789.44	-3,790.72	-226.12	4.80	MWD	WELLBENDERS DIRECTIO...
12/20/2...	13,929.00	91.87	178.98	10,230.76	3,884.39	-3,885.66	-225.30	1.11	MWD	WELLBENDERS DIRECTIO...
12/20/2...	14,023.00	92.13	177.92	10,227.48	3,978.30	-3,979.57	-222.76	1.16	MWD	WELLBENDERS DIRECTIO...
12/20/2...	14,118.00	91.30	179.77	10,224.64	4,073.25	-4,074.50	-220.85	2.13	MWD	WELLBENDERS DIRECTIO...
12/20/2...	14,213.00	90.81	178.80	10,222.89	4,168.23	-4,169.48	-219.66	1.14	MWD	WELLBENDERS DIRECTIO...
12/20/2...	14,308.00	90.68	180.91	10,221.65	4,263.21	-4,264.46	-219.42	2.23	MWD	WELLBENDERS DIRECTIO...
12/20/2...	14,403.00	91.52	180.47	10,219.83	4,358.18	-4,359.44	-220.56	1.00	MWD	WELLBENDERS DIRECTIO...
12/20/2...	14,498.00	92.31	179.15	10,216.65	4,453.12	-4,454.38	-220.25	1.62	MWD	WELLBENDERS DIRECTIO...
12/20/2...	14,593.00	91.08	179.42	10,213.84	4,548.08	-4,549.33	-219.06	1.33	MWD	WELLBENDERS DIRECTIO...
12/20/2...	14,689.00	90.20	178.19	10,212.77	4,644.06	-4,645.30	-217.06	1.58	MWD	WELLBENDERS DIRECTIO...
12/20/2...	14,783.00	89.71	176.87	10,212.85	4,737.99	-4,739.21	-213.01	1.50	MWD	WELLBENDERS DIRECTIO...
12/20/2...	14,879.00	89.98	179.33	10,213.11	4,833.94	-4,835.15	-209.83	2.58	MWD	WELLBENDERS DIRECTIO...
12/20/2...	14,974.00	90.73	181.00	10,212.52	4,928.93	-4,930.14	-210.10	1.93	MWD	WELLBENDERS DIRECTIO...
12/20/2...	15,069.00	90.20	180.74	10,211.75	5,023.91	-5,025.13	-211.54	0.62	MWD	WELLBENDERS DIRECTIO...
12/20/2...	15,164.00	88.84	180.30	10,212.54	5,118.90	-5,120.12	-212.41	1.50	MWD	WELLBENDERS DIRECTIO...
12/21/2...	15,259.00	87.69	179.77	10,215.42	5,213.85	-5,215.07	-212.47	1.33	MWD	WELLBENDERS DIRECTIO...
12/21/2...	15,354.00	89.63	180.82	10,217.64	5,308.81	-5,310.04	-212.95	2.32	MWD	WELLBENDERS DIRECTIO...
12/21/2...	15,450.00	89.49	180.65	10,218.38	5,404.79	-5,406.03	-214.19	0.23	MWD	WELLBENDERS DIRECTIO...
12/21/2...	15,545.00	89.23	180.21	10,219.44	5,499.78	-5,501.02	-214.90	0.54	MWD	WELLBENDERS DIRECTIO...
12/21/2...	15,639.00	88.18	179.59	10,221.56	5,593.75	-5,595.00	-214.73	1.30	MWD	WELLBENDERS DIRECTIO...
12/21/2...	15,734.00	91.16	179.24	10,222.11	5,688.74	-5,689.98	-213.76	3.16	MWD	WELLBENDERS DIRECTIO...
12/21/2...	15,828.00	91.87	178.89	10,219.62	5,782.70	-5,783.93	-212.23	0.84	MWD	WELLBENDERS DIRECTIO...
12/21/2...	15,923.00	92.26	177.75	10,216.20	5,877.61	-5,878.83	-209.45	1.27	MWD	WELLBENDERS DIRECTIO...
12/21/2...	16,018.00	91.30	179.95	10,213.25	5,972.55	-5,973.76	-207.54	2.53	MWD	WELLBENDERS DIRECTIO...
12/21/2...	16,113.00	91.38	177.75	10,211.03	6,067.50	-6,068.70	-205.64	2.32	MWD	WELLBENDERS DIRECTIO...
12/21/2...	16,208.00	90.20	178.98	10,209.72	6,162.47	-6,163.65	-202.93	1.79	MWD	WELLBENDERS DIRECTIO...
12/21/2...	16,303.00	89.58	181.62	10,209.90	6,257.45	-6,258.64	-203.42	2.85	MWD	WELLBENDERS DIRECTIO...
12/21/2...	16,398.00	90.46	181.44	10,209.87	6,352.40	-6,353.61	-205.96	0.95	MWD	WELLBENDERS DIRECTIO...
12/21/2...	16,493.00	89.45	179.33	10,209.94	6,447.39	-6,448.60	-206.60	2.46	MWD	WELLBENDERS DIRECTIO...
12/21/2...	16,588.00	89.10	180.12	10,211.14	6,542.38	-6,543.59	-206.14	0.91	MWD	WELLBENDERS DIRECTIO...
12/21/2...	16,683.00	89.76	179.15	10,212.09	6,637.37	-6,638.58	-205.54	1.23	MWD	WELLBENDERS DIRECTIO...
12/22/2...	16,778.00	88.97	181.53	10,213.14	6,732.35	-6,733.57	-206.10	2.64	MWD	WELLBENDERS DIRECTIO...
12/22/2...	16,873.00	88.57	180.74	10,215.18	6,827.30	-6,828.52	-207.98	0.93	MWD	WELLBENDERS DIRECTIO...
12/22/2...	16,967.00	87.69	178.89	10,218.25	6,921.24	-6,922.47	-207.68	2.18	MWD	WELLBENDERS DIRECTIO...
12/22/2...	17,062.00	88.92	179.07	10,221.06	7,016.19	-7,017.41	-205.99	1.31	MWD	WELLBENDERS DIRECTIO...
12/22/2...	17,157.00	89.89	178.72	10,222.05	7,111.18	-7,112.39	-204.16	1.09	MWD	WELLBENDERS DIRECTIO...
12/22/2...	17,252.00	90.20	181.35	10,221.97	7,206.17	-7,207.38	-204.22	2.79	MWD	WELLBENDERS DIRECTIO...
12/22/2...	17,348.00	91.34	180.82	10,220.68	7,302.13	-7,303.35	-206.03	1.31	MWD	WELLBENDERS DIRECTIO...
12/23/2...	17,402.00	89.41	182.58	10,220.33	7,356.09	-7,357.32	-207.64	4.84	MWD	WELLBENDERS DIRECTIO...
12/23/2...	17,497.00	88.53	181.97	10,222.04	7,450.98	-7,452.23	-211.41	1.13	MWD	WELLBENDERS DIRECTIO...
12/23/2...	17,592.00	88.88	181.79	10,224.18	7,545.88	-7,547.15	-214.52	0.41	MWD	WELLBENDERS DIRECTIO...
12/23/2...	17,687.00	88.40	181.09	10,226.44	7,640.81	-7,642.10	-216.91	0.89	MWD	WELLBENDERS DIRECTIO...
12/24/2...	17,781.00	89.10	179.07	10,228.49	7,734.78	-7,736.07	-217.04	2.27	MWD	WELLBENDERS DIRECTIO...
12/24/2...	17,876.00	90.55	179.15	10,228.78	7,829.77	-7,831.05	-215.56	1.53	MWD	WELLBENDERS DIRECTIO...
12/24/2...	17,970.00	89.45	177.92	10,228.78	7,923.75	-7,925.02	-213.16	1.76	MWD	WELLBENDERS DIRECTIO...
12/24/2...	18,065.00	91.12	177.31	10,228.31	8,018.68	-8,019.93	-209.21	1.87	MWD	WELLBENDERS DIRECTIO...
12/24/2...	18,159.00	90.73	175.82	10,226.79	8,112.53	-8,113.75	-203.58	1.64	MWD	WELLBENDERS DIRECTIO...
12/24/2...	18,254.00	92.04	176.61	10,224.49	8,207.32	-8,208.51	-197.31	1.61	MWD	WELLBENDERS DIRECTIO...
12/24/2...	18,349.00	90.68	175.82	10,222.24	8,302.12	-8,303.27	-191.04	1.66	MWD	WELLBENDERS DIRECTIO...
12/24/2...	18,444.00	91.60	177.84	10,220.35	8,396.98	-8,398.10	-185.79	2.34	MWD	WELLBENDERS DIRECTIO...
12/24/2...	18,539.00	93.36	180.12	10,216.24	8,491.87	-8,492.99	-184.09	3.03	MWD	WELLBENDERS DIRECTIO...
12/24/2...	18,633.00	93.67	180.82	10,210.47	8,585.68	-8,586.81	-184.86	0.81	MWD	WELLBENDERS DIRECTIO...
12/24/2...	18,729.00	94.02	180.74	10,204.03	8,681.45	-8,682.58	-186.17	0.37	MWD	WELLBENDERS DIRECTIO...
12/24/2...	18,824.00	91.56	182.23	10,199.41	8,776.28	-8,777.43	-188.63	3.03	MWD	WELLBENDERS DIRECTIO...
12/24/2...	18,919.00	88.57	182.58	10,199.30	8,871.16	-8,872.33	-192.61	3.17	MWD	WELLBENDERS DIRECTIO...
12/24/2...	19,015.00	88.79	182.14	10,201.51	8,967.03	-8,968.23	-196.57	0.51	MWD	WELLBENDERS DIRECTIO...
12/24/2...	19,109.00	88.31	181.26	10,203.89	9,060.94	-9,062.15	-199.35	1.07	MWD	WELLBENDERS DIRECTIO...
12/24/2...	19,204.00	87.60	180.12	10,207.28	9,155.87	-9,157.09	-200.50	1.41	MWD	WELLBENDERS DIRECTIO...
12/24/2...	19,300.00	88.97	180.56	10,210.16	9,251.81	-9,253.04	-201.07	1.50	MWD	WELLBENDERS DIRECTIO...
12/24/2...	19,394.00	88.88	178.54	10,211.92	9,345.79	-9,347.01	-200.33	2.15	MWD	WELLBENDERS DIRECTIO...
12/24/2...	19,490.00	90.33	179.07	10,212.58	9,441.78	-9,442.99	-198.33	1.61	MWD	WELLBENDERS DIRECTIO...
12/24/2...	19,584.00	92.04	181.88	10,210.64	9,535.73	-9,536.95	-199.11	3.50	MWD	WELLBENDERS DIRECTIO...
12/25/2...	19,680.00	92.48	181.44	10,206.85	9,631.60	-9,632.84	-201.88	0.65	MWD	WELLBENDERS DIRECTIO...
12/25/2...	19,776.00	91.47	183.02	10,203.54	9,727.45	-9,728.70	-205.62	1.95	MWD	WELLBENDERS DIRECTIO...
12/25/2...	19,870.00	92.48	183.81	10,200.30	9,821.19	-9,822.48	-211.21	1.36	MWD	WELLBENDERS DIRECTIO...

Submit 1 Copy To Appropriate District Office
 District I – (575) 393-6161
 1625 N. French Dr., Hobbs, NM 88240
 District II – (575) 748-1283
 811 S. First St., Artesia, NM 88210
 District III – (505) 334-6178
 1000 Rio Brazos Rd., Aztec, NM 87410
 District IV – (505) 476-3460
 1220 S. St. Francis Dr., Santa Fe, NM 87505

State of New Mexico
 Energy, Minerals and Natural Resources

OIL CONSERVATION DIVISION
 1220 South St. Francis Dr.
 Santa Fe, NM 87505

Form C-103
 Revised August 1, 2011

WELL API NO.	30-015-47290
5. Indicate Type of Lease STATE ☐ FEE ☐	
6. State Oil & Gas Lease No.	
7. Lease Name or Unit Agreement Name	Galapagos 14-26 Fed Com
8. Well Number	213H
9. OGRID Number	6137
10. Pool name or Wildcat	James Ranch; Bone Spring, East

SUNDRY NOTICES AND REPORTS ON WELLS (DO NOT USE THIS FORM FOR PROPOSALS TO DRILL OR TO DEEPEN OR PLUG BACK TO A DIFFERENT RESERVOIR. USE "APPLICATION FOR PERMIT" (FORM C-101) FOR SUCH PROPOSALS.) 1. Type of Well: Oil Well ☒ Gas Well ☐ Other ☐ 2. Name of Operator Devon Energy Production Company, L.P. 3. Address of Operator 333 West Sheridan, Oklahoma City, OK 73102 4. Well Location Unit Letter <u>B</u> : <u>250</u> feet from the <u>North</u> line and <u>2551</u> feet from the <u>East</u> line Section <u>14</u> Township <u>23S</u> Range <u>31E</u> NMPM County <u>Lea</u> 11. Elevation (Show whether DR, RKB, RT, GR, etc.) GL: 3473.5'	
---	--

12. Check Appropriate Box to Indicate Nature of Notice, Report or Other Data

NOTICE OF INTENTION TO: PERFORM REMEDIAL WORK ☐ PLUG AND ABANDON ☐ TEMPORARILY ABANDON ☐ CHANGE PLANS ☐ PULL OR ALTER CASING ☐ MULTIPLE COMPL ☐ DOWNHOLE COMMINGLE ☐ OTHER: ☐	SUBSEQUENT REPORT OF: REMEDIAL WORK ☐ ALTERING CASING ☐ COMMENCE DRILLING OPNS. ☐ P AND A ☐ CASING/CEMENT JOB ☐ OTHER: Completion ☒
---	---

13. Describe proposed or completed operations. (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work). SEE RULE 19.15.7.14 NMAC. For Multiple Completions: Attach wellbore diagram of proposed completion or recompletion.

3/23/2021 - 6/10/2021: MIRU WL & PT. TIH & ran CBL, found TOC @ SURF'. PT csg for 30min, OK. TIH w/pump through frac plug and guns. Perf Bone Spring, 10,323'-25,532'. Frac totals 30,141,430# prop, 121 bbl acid. ND frac, MIRU PU, NU BOP, DO plugs & CO to PBTD 25,542'. CHC, FWB, ND BOP. Tubing to be run at later date. TOP.

I hereby certify that the information above is true and complete to the best of my knowledge and belief.

SIGNATURE Rebecca Deal TITLE Regulatory Analyst DATE 7/15/2021

Type or print name Rebecca Deal E-mail address: Rebecca.Deal@dmn.com PHONE: 405-228-8429
For State Use Only

APPROVED BY: _____ TITLE _____ DATE _____
 Conditions of Approval (if any): _____

Submit To Appropriate District Office Two Copies District I 1625 N. French Dr., Hobbs, NM 88240 District II 811 S. First St., Artesia, NM 88210 District III 1000 Rio Brazos Rd., Aztec, NM 87410 District IV 1220 S. St. Francis Dr., Santa Fe, NM 87505		State of New Mexico Energy, Minerals and Natural Resources Oil Conservation Division 1220 South St. Francis Dr. Santa Fe, NM 87505				Form C-105 Revised August 1, 2011					
		1. WELL API NO.		30-015-47290							
		2. Type of Lease		☐ STATE ☐ FEE ☒ FED/INDIAN							
		3. State Oil & Gas Lease No.									
WELL COMPLETION OR RECOMPLETION REPORT AND LOG											
4. Reason for filing:						5. Lease Name or Unit Agreement Name					
☒ COMPLETION REPORT (Fill in boxes #1 through #31 for State and Fee wells only) ☐ C-144 CLOSURE ATTACHMENT (Fill in boxes #1 through #9, #15 Date Rig Released and #32 and/or #33; attach this and the plat to the C-144 closure report in accordance with 19.15.17.13.K NMAC)						Galapagos 14-26 Fed Com					
7. Type of Completion:						6. Well Number:					
☒ NEW WELL ☐ WORKOVER ☐ DEEPENING ☐ PLUGBACK ☐ DIFFERENT RESERVOIR ☐ OTHER						213H					
8. Name of Operator						9. OGRID					
Devon Energy Production Company, L.P.						6137					
10. Address of Operator						11. Pool name or Wildcat					
333 West Sheridan Avenue, Oklahoma City, OK 73102						James Ranch; Bone Spring, East					
12. Location	Unit Ltr	Section	Township	Range	Lot	Feet from the	N/S Line	Feet from the	E/W Line	County	
Surface:	B	14	23S	31E		250	North	2551	East	Lea	
BH:	N	26	23S	31E		106	South	2498	West	Lea	
13. Date Spudded	14. Date T.D. Reached	15. Date Rig Released		16. Date Completed (Ready to Produce)		17. Elevations (DF and RKB, RT, GR, etc.)		3473.5' GL			
12/1/20	12/29/20	1/1/21		6/10/21							
18. Total Measured Depth of Well			19. Plug Back Measured Depth		20. Was Directional Survey Made?		21. Type Electric and Other Logs Run				
25545 MD, 10230 TVD			25542		Yes		CBL				
22. Producing Interval(s), of this completion - Top, Bottom, Name											
10323-25532, Bone Spring, East											
23. CASING RECORD (Report all strings set in well)											
CASING SIZE	WEIGHT LB./FT.		DEPTH SET		HOLE SIZE		CEMENTING RECORD		AMOUNT PULLED		
13.375	54.5		841		17.5		650 sx CIC; circ 241 sx				
10.75	45.5		4404		12.25		690 sx CIC; circ 229 sx				
8.625	32		8462		9.875		690 sx cmt; circ 137 sx				
5.5	20		25545		7.875		2470 sx CH; circ 104 sx		TOC @ 3038		
24. LINER RECORD										25. TUBING RECORD	
SIZE	TOP	BOTTOM	SACKS CEMENT	SCREEN		SIZE	DEPTH SET		PACKER SET		
26. Perforation record (interval, size, and number)					27. ACID, SHOT, FRACTURE, CEMENT, SQUEEZE, ETC.						
10323 - 25532, total 1804 holes					DEPTH INTERVAL		AMOUNT AND KIND MATERIAL USED				
					10323-25532		Acidize and frac in 61 stages. See detailed summary attached.				
28. PRODUCTION											
Date First Production		Production Method (Flowing, gas lift, pumping - Size and type pump)				Well Status (Prod. or Shut-in)					
6/10/21		Flowing				Producing					
Date of Test	Hours Tested	Choke Size	Prod'n For Test Period	Oil - Bbl	Gas - MCF	Water - Bbl.	Gas - Oil Ratio				
7/13/21	24			2586	3030	4862	1171.694				
Flow Tubing Press.	Casing Pressure	Calculated 24-Hour Rate	Oil - Bbl.	Gas - MCF	Water - Bbl.	Oil Gravity - API - (Corr.)					
psi	psi										
29. Disposition of Gas (Sold, used for fuel, vented, etc.)							30. Test Witnessed By				
Sold											
31. List Attachments											
Directional Survey, Logs											
32. If a temporary pit was used at the well, attach a plat with the location of the temporary pit.											
33. If an on-site burial was used at the well, report the exact location of the on-site burial:											
Latitude			Longitude			NAD 1927 1983					
I hereby certify that the information shown on both sides of this form is true and complete to the best of my knowledge and belief											
Signature	Printed Name			Title		Regulatory Analyst		Date		7/15/2021	
E-mail Address	Rebecca.Deal@dmn.com										

This form is to be filed with the appropriate District Office of the Division not later than 20 days after the completion of any newly-drilled or deepened well and not later than 60 days after completion of closure. When submitted as a completion report, this shall be accompanied by one copy of all electrical and radio-activity logs run on the well and a summary of all special tests conducted, including drill stem tests. All depths reported shall be measured depths. In the case of directionally drilled wells, true vertical depths shall also be reported. For multiple completions, items 11, 12 and 26-31 shall be reported for each zone.

[illegible]

No. 1, from.....	N/A	to.....	N/A	No. 3, from.....	N/A	to.....	N/A
No. 2, from.....	N/A	to.....	N/A	No. 4, from.....	N/A	to.....	N/A

Include data on rate of water inflow and elevation to which water rose in hole.

No. 1, from.....to.....feet.....
 No. 2, from.....to.....feet.....
 No. 3, from.....to.....feet.....

From	To	Thickness In Feet	Lithology

District I

1625 N. French Dr., Hobbs, NM 88240
Phone:(575) 393-6161 Fax:(575) 393-0720

District II

811 S. First St., Artesia, NM 88210
Phone:(575) 748-1283 Fax:(575) 748-9720

District III

1000 Rio Brazos Rd., Aztec, NM 87410
Phone:(505) 334-6178 Fax:(505) 334-6170

District IV

1220 S. St Francis Dr., Santa Fe, NM 87505
Phone:(505) 476-3470 Fax:(505) 476-3462

State of New Mexico
Energy, Minerals and Natural Resources
Oil Conservation Division
1220 S. St Francis Dr.
Santa Fe, NM 87505

ACKNOWLEDGMENTS

Action 36567

ACKNOWLEDGMENTS

Operator: DEVON ENERGY PRODUCTION COMPANY, LP 333 West Sheridan Ave. Oklahoma City, OK 73102	OGRID: 6137
	Action Number: 36567
	Action Type: [C-104] Completion Packet (C-104C)

ACKNOWLEDGMENTS

☒	I hereby certify that the required Water Use Report has been, or will be, submitted for this wells completion.
☒	I hereby certify that the required FracFocus disclosure has been, or will be, submitted for this wells completion.

District I

1625 N. French Dr., Hobbs, NM 88240
Phone:(575) 393-6161 Fax:(575) 393-0720

District II

811 S. First St., Artesia, NM 88210
Phone:(575) 748-1283 Fax:(575) 748-9720

District III

1000 Rio Brazos Rd., Aztec, NM 87410
Phone:(505) 334-6178 Fax:(505) 334-6170

District IV

1220 S. St Francis Dr., Santa Fe, NM 87505
Phone:(505) 476-3470 Fax:(505) 476-3462

State of New Mexico
Energy, Minerals and Natural Resources
Oil Conservation Division
1220 S. St Francis Dr.
Santa Fe, NM 87505

CONDITIONS

Action 36567

CONDITIONS

Operator: DEVON ENERGY PRODUCTION COMPANY, LP 333 West Sheridan Ave. Oklahoma City, OK 73102	OGRID: 6137
	Action Number: 36567
	Action Type: [C-104] Completion Packet (C-104C)

CONDITIONS

Created By	Condition	Condition Date
ksimmons	None	7/15/2021