

1625 N. French Dr., Hobbs, NM 88240

District II

811 S. First St., Artesia, NM 88210

District III

1000 Rio Brazos Rd., Aztec, NM 87410

District IV

1220 S. St. Francis Dr., Santa Fe, NM 87505

State of New Mexico
Energy, Minerals & Natural Resources

Form C-104

Revised August 1, 2011

Oil Conservation Division

1220 South St. Francis Dr.

Santa Fe, NM 87505

Submit one copy to appropriate District Office

☐ AMENDED REPORT

I. REQUEST FOR ALLOWABLE AND AUTHORIZATION TO TRANSPORT

¹ Operator name and Address XTO Energy, Inc. 6401 HOLIDAY HILL ROAD BLDG 5 MIDLAND, TX 79707		² OGRID Number 373075
		³ Reason for Filing Code/ Effective Date NW
⁴ API Number 30 - 015-47514	⁵ Pool Name LOS MEDANOS: WOLFMPCCAMP	⁶ Pool Code 96597
⁷ Property Code 328259	⁸ Property Name JAMES RANCH UNIT DI 1A ENNIS	⁹ Well Number 115H

II. ¹⁰ Surface Location

UI or lot no.	Section	Township	Range	Lot Idn	Feet from the	North/South Line	Feet from the	East/West line	County
G	21	22S	30E		1608	North	2655	East	EDDY

¹¹ Bottom Hole Location

UL or lot no.	Section	Township	Range	Lot Idn	Feet from the	North/South line	Feet from the	East/West line	County
N	23	22S	30E		351	South	2628	West	Eddy
¹² Lse Code F	¹³ Producing Method Code F	¹⁴ Gas Connection Date	¹⁵ C-129 Permit Number	¹⁶ C-129 Effective Date	¹⁷ C-129 Expiration Date				

III. Oil and Gas Transporters

¹⁸ Transporter OGRID	¹⁹ Transporter Name and Address	²⁰ O/G/W
373075	XTO Permian Operating, LLC 6401 Holiday Hill Rd, bldg 5 Midland, TX 79707	O/G/W

IV. Well Completion Data

²¹ Spud Date 10/9/2020	²² Ready Date 03/12/2021	²³ TD 22110 MD 10971 TVD	²⁴ PBD 22102 MD 10971 TVD	²⁵ Perforations 12147 - 21998	²⁶ DHC, MC
²⁷ Hole Size	²⁸ Casing & Tubing Size	²⁹ Depth Set	³⁰ Sacks Cement		
20.0	16.0	550	2918		
14.75	11.75	3400	1760		
10.625	8.625	10828	3035		
7.875	5.5 2.875	22105 10922	2215		

V. Well Test Data

³¹ Date New Oil 3/13/2021	³² Gas Delivery Date 3/13/2021	³³ Test Date 4/1/2021	³⁴ Test Length 24 hrs	³⁵ Tbg. Pressure 451	³⁶ Csg. Pressure 224
³⁷ Choke Size	³⁸ Oil 1739	³⁹ Water 5009	⁴⁰ Gas 3706		⁴¹ Test Method Flowing

⁴² I hereby certify that the rules of the Oil Conservation Division have been complied with and that the information given above is true and complete to the best of my knowledge and belief.

Signature: *Cassie Evans*

Printed name: Cassie Evans

Title: Regulatory Analyst

E-mail Address: cassie.evans@exxonmobil.com

Date: 04/21/21

Phone: 432.215.3671

OIL CONSERVATION DIVISION

Approved by: KURT SIMMONS

Title: NMOC, SANTA FE

Approval Date: 07/19/2021

District I

1625 N. French Dr., Hobbs, NM 88240
Phone: (575) 393-6161 Fax: (575) 393-0720

District II

811 S. First St., Artesia, NM 88210
Phone: (575) 748-1283 Fax: (575) 748-9720

District III

1000 Rio Brazos Road, Aztec, NM 87410
Phone: (505) 334-6178 Fax: (505) 334-6170

District IV

1220 S. St. Francis Dr., Santa Fe, NM 87505
Phone: (505) 476-3460 Fax: (505) 476-3462

State of New Mexico
Energy, Minerals & Natural Resources Department
OIL CONSERVATION DIVISION
1220 South St. Francis Dr.
Santa Fe, NM 87505

Form C-102

Revised August 1, 2011

Submit one copy to appropriate

District Office

☒ AMENDED REPORT

WELL LOCATION AND ACREAGE DEDICATION PLAT

AS-DRILLED PLAT

¹ API Number 30-015-47514	² Pool Code 96597	³ Pool Name LOS MEDANOS; WOLFCAMP (GAS)
⁴ Property Code 328259	⁵ Property Name JAMES RANCH UNIT DI 1A ENNIS	⁶ Well Number 115H
⁷ OGRID No. 373075	⁸ Operator Name XTO PERMIAN OPERATING, LLC.	⁹ Elevation 3,160'

¹⁰ Surface Location

UL or lot no.	Section	Township	Range	Lot Idn	Feet from the	North/South line	Feet from the	East/West line	County
G	21	22S	30E		1,608	NORTH	2,655	EAST	EDDY

¹¹ Bottom Hole Location If Different From Surface

UL or lot no.	Section	Township	Range	Lot Idn	Feet from the	North/South line	Feet from the	East/West line	County
N	23	22S	30E		351	SOUTH	2,628	WEST	EDDY

¹² Dedicated Acres 360	¹³ Joint or Infill	¹⁴ Consolidation Code	¹⁵ Order No.
--------------------------------------	-------------------------------	----------------------------------	-------------------------

No allowable will be assigned to this completion until all interests have been consolidated or a non-standard unit has been approved by the division. NOTE: AS-DRILLED BOTTOM HOLE PLOTTED FROM DATA FURNISHED BY XTO ENERGY.

¹⁶				¹⁷ OPERATOR CERTIFICATION I hereby certify that the information contained herein is true and complete to the best of my knowledge and belief, and that this organization either owns a working interest or unleased mineral interest in the land including the proposed bottom hole location or has a right to drill this well at this location pursuant to a contract with an owner of such a mineral or working interest, or to a voluntary pooling agreement or a compulsory pooling order heretofore entered by the division. Signature: <u>Cassie Evans</u> Date: <u>05/09/21</u> Printed Name: <u>Cassie Evans</u> E-mail Address: <u>cassie.evans@exxonmobil.com</u>	
¹⁸ SURVEYOR CERTIFICATION I hereby certify that the well location shown on this plat was plotted from field notes of actual surveys made by me or under my supervision, and that the same is true and correct to the best of my belief. Date of Survey: <u>4-19-2021</u> Signature and Seal of Professional Surveyor: MARK DILLON HARP 23786 Certificate Number: <u>JC</u> 2020091349					

Intent ☐ As Drilled ☐

API #		
Operator Name:	Property Name:	Well Number

Kick Off Point (KOP)

UL	Section	Township	Range	Lot	Feet	From N/S	Feet	From E/W	County
Latitude					Longitude				NAD

First Take Point (FTP)

UL	Section	Township	Range	Lot	Feet	From N/S	Feet	From E/W	County
Latitude					Longitude				NAD

Last Take Point (LTP)

UL	Section	Township	Range	Lot	Feet	From N/S	Feet	From E/W	County
Latitude					Longitude				NAD

Is this well the defining well for the Horizontal Spacing Unit? ☐Is this well an infill well? ☐

If infill is yes please provide API if available, Operator Name and well number for Defining well for Horizontal Spacing Unit.

API #		
Operator Name:	Property Name:	Well Number

KZ 06/29/2018



Directional Survey Report

Company Name: XTO PERMIAN OPERATING, LLC.

State/Prov: NM

Survey Company: Legacy Directional

Proposed Azimuth: 107.48°

Well Name: JAMES RANCH UNIT DI IA ENNIS 115H

County: EDDY

Job Number: HU200099

Declination: 6.788°

Field: LOS MEDANOS; WOLFCAMP

Location: SEC 21 / T 22S / R 30E

Latitude: 32° 22' 49.48" N

North Reference: GRID

Rig ID: NABORS X50

API/UWI: 30-015-45611

Longitude: 103° 53' 7.937" W

KB: 3192.99 FT

Svy	Depth	Inc	Azm	TVD	NS	EW	VS	DLS	CL	CD	CA	Temp
Tie-In	0	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	107.48	0
1	205	1.13	15.09	204.99	1.95	0.53	-0.08	0.55	205.00	2.02	15.09	87.7
2	300	1.14	11.30	299.97	3.78	0.96	-0.23	0.08	95.00	3.90	14.17	87.7
3	404	0.98	336.21	403.95	5.61	0.80	-0.92	0.63	104.00	5.67	8.11	87.7
4	475	0.84	308.83	474.94	6.49	0.15	-1.81	0.64	71.00	6.49	1.31	80.4
PTB	550	0.84	308.83	549.93	7.18	-0.71	-2.83	0.00	75.00	7.22	354.35	80.4



MWD SURVEY CERTIFICATION
Legacy Directional Drilling, LLC.

State of NEW MEXICO

County of EDDY

I, Brandon Cox certify that; I am employed by Legacy Directional Drilling, LLC.;

that I did on the day(s) of June 24, 2020 through June 25, 2020 conduct or supervise

the taking of a MWD survey from a depth of 205 Feet to a depth of 550 Feet;

that the data is true, correct, complete and within the limitations of the tool set forth by

Legacy Directional Drilling, LLC.; that I am authorized and qualified to make this report; that this survey was

conducted at the request of XTO PERMIAN OPERATING, LLC. for the

JAMES RANCH UNIT DI IA ENNIS 115H Well, A.P.I No. 30-015-45611 in

Los Medanos; Wolfcamp Field and that I have reviewed this report and find that it conforms

to the principles and procedures set forth by Legacy Directional Drilling, LLC.

Brandon Cox

 Surveyor's Signature

MWD Field Operator

 Title

James B Enoch

 Supervisor's Signature

James B Enoch

 Printed Name

MWD Manager

 Title



Legacy Directional Drilling, LLC. MWD Survey Data Certification

OPERATOR:	XTO PERMIAN OPERATING, LLC.	JOB NUMBER:	HU200099
-----------	-----------------------------	-------------	----------

WELL NAME:	JAMES RANCH UNIT DI IA ENNIS 115H	COUNTY & STATE:	EDDY Co., NM
------------	-----------------------------------	-----------------	--------------

FIELD:	LOS MEDANOS; WOLFCAMP	API NUMBER:	30-015-45611
--------	-----------------------	-------------	--------------

TIE-IN DATA							
DEPTH (FT)	INC (°)	AZM (°)	TVD (FT)	N/S (FT)	E/W (FT)	PROPOSED DIRECTION	DATA SOURCE
0	0	0	0	0	0	107.48	Surface

FIRST SURVEY			
DATE	DEPTH (FT)	INC (°)	AZM (°)
24-Jun-2020	205	1.13	15.09

SURVEY INSTRUMENT TYPE:	Legacy MWD
TOTAL CORRECTION USED:	6.788
NORTH REFERENCE:	GRID

LAST SURVEY			
DATE	DEPTH (FT)	INC (°)	AZM (°)
25-Jun-2020	475	0.84	308.83

TO THE BEST OF MY KNOWLEDGE I CERTIFY THIS SURVEY DATA TO BE
TRUE AND CORRECT

PROJECTION TO TD			
DATE	DEPTH (FT)	INC (°)	AZM (°)
25-Jun-2020	550	0.84	308.83

Brandon Cox

Print Name

MWD OPERATOR(S) PERFORMING SURVEYS:

BRANDON COX

Brandon Cox

Signature

July 2, 2020

Today's Date



Directional Survey Report

Company Name: XTO PERMIAN OPERATING, LLC.

State/Prov: NM

Survey Company: Legacy Directional

Proposed Azimuth: 89.89°

Well Name: JAMES RANCH UNIT DI 1A ENNIS 115Y

County: EDDY

Job Number: HU200130

Declination: 6.754°

Field: LOS MEDANOS; WOLFCAMP

Location: SEC 21 / T22S / R30E

Latitude: 32° 22' 49.483" N

North Reference: GRID

Rig ID: NABORS X50

API/UWI: 30-015-47514

Longitude: 103° 53' 8.286" W

KB: 3192.99 FT

Svy	Depth	Inc	Azm	TVD	NS	EW	VS	DLS	CL	CD	CA	Temp
Tie-In	0	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	89.89	0
1	157	1.61	264.27	156.98	-0.22	-2.19	-2.20	1.03	157.00	2.21	264.27	80.4
2	218	2.01	259.91	217.95	-0.49	-4.10	-4.10	0.69	61.00	4.13	263.14	80.4
3	309	2.14	256.80	308.89	-1.16	-7.33	-7.33	0.19	91.00	7.42	261.00	87.7
4	401	2.31	255.84	400.82	-2.01	-10.80	-10.80	0.19	92.00	10.98	259.47	87.7
5	492	1.30	245.45	491.77	-2.88	-13.51	-13.52	1.16	91.00	13.82	257.95	87.7
6	614	1.07	154.92	613.76	-4.49	-14.29	-14.30	1.39	122.00	14.98	252.55	87.7
7	706	1.30	159.69	705.74	-6.25	-13.56	-13.57	0.27	92.00	14.93	245.27	95.0
8	797	1.38	156.01	796.71	-8.22	-12.76	-12.77	0.13	91.00	15.18	237.22	95.0
9	887	0.91	180.54	886.69	-9.92	-12.33	-12.34	0.74	90.00	15.82	231.17	95.0
10	979	1.09	206.09	978.68	-11.44	-12.72	-12.74	0.52	92.00	17.10	228.03	95.0
11	1070	1.21	234.22	1069.66	-12.78	-13.88	-13.90	0.63	91.00	18.86	227.36	102.3
12	1160	1.67	247.83	1159.63	-13.83	-15.86	-15.89	0.63	90.00	21.04	228.92	102.3
13	1251	2.15	262.10	1250.58	-14.56	-18.78	-18.81	0.74	91.00	23.77	232.21	102.3
14	1341	2.84	271.32	1340.50	-14.74	-22.68	-22.71	0.88	90.00	27.05	236.98	109.6
15	1434	3.05	274.14	1433.38	-14.51	-27.45	-27.48	0.27	93.00	31.05	242.14	109.6
16	1529	3.25	271.16	1528.23	-14.27	-32.67	-32.69	0.27	95.00	35.65	246.40	109.6
17	1624	3.31	270.67	1623.08	-14.19	-38.10	-38.13	0.07	95.00	40.66	249.58	109.6
18	1717	3.23	284.45	1715.93	-13.50	-43.32	-43.35	0.85	93.00	45.38	252.69	116.9
19	1809	3.64	286.61	1807.76	-12.02	-48.63	-48.65	0.47	92.00	50.10	256.12	116.9
20	1904	2.67	300.18	1902.62	-10.05	-53.43	-53.45	1.28	95.00	54.37	259.35	116.9
21	1998	2.10	326.14	1996.54	-7.52	-56.29	-56.30	1.28	94.00	56.79	262.39	116.9
22	2092	2.17	323.02	2090.47	-4.66	-58.32	-58.33	0.14	94.00	58.50	265.43	124.1
23	2187	1.62	325.63	2185.42	-2.12	-60.16	-60.16	0.59	95.00	60.19	267.98	124.1
24	2281	1.92	328.21	2279.38	0.32	-61.74	-61.74	0.33	94.00	61.74	270.29	124.1
25	2375	1.73	354.13	2373.33	3.07	-62.71	-62.71	0.89	94.00	62.79	272.80	124.1
26	2469	1.10	16.88	2467.30	5.34	-62.59	-62.58	0.89	94.00	62.82	274.88	124.1
27	2564	0.92	51.99	2562.29	6.68	-61.73	-61.72	0.67	95.00	62.09	276.18	124.1
28	2658	1.31	69.67	2656.27	7.52	-60.13	-60.11	0.55	94.00	60.60	277.13	124.1
29	2752	1.64	105.55	2750.24	7.53	-57.82	-57.81	1.02	94.00	58.31	277.42	124.1
30	2847	1.60	102.37	2845.20	6.89	-55.22	-55.20	0.10	95.00	55.65	277.11	116.9
31	2941	2.20	101.95	2939.15	6.23	-52.17	-52.16	0.64	94.00	52.54	276.81	109.6
32	3035	2.60	106.40	3033.07	5.26	-48.36	-48.35	0.47	94.00	48.64	276.20	116.9

Svy	Depth	Inc	Azm	TVD	NS	EW	VS	DLS	CL	CD	CA	Temp
33	3129	2.47	109.81	3126.98	3.97	-44.41	-44.40	0.21	94.00	44.59	275.10	116.9
34	3224	2.07	114.94	3221.90	2.55	-40.93	-40.92	0.47	95.00	41.01	273.56	116.9
35	3317	2.59	118.52	3314.82	0.84	-37.56	-37.56	0.58	93.00	37.57	271.28	124.1
36	3414	2.69	114.11	3411.72	-1.14	-33.56	-33.56	0.23	97.00	33.57	268.06	95.0
37	3509	2.89	135.56	3506.61	-3.76	-29.84	-29.85	1.11	95.00	30.08	262.82	102.3
38	3603	3.52	160.61	3600.47	-8.17	-27.23	-27.24	1.62	94.00	28.43	253.29	102.3
39	3697	3.97	175.53	3694.27	-14.14	-26.01	-26.04	1.14	94.00	29.61	241.48	102.3
40	3791	4.34	192.81	3788.03	-20.85	-26.55	-26.59	1.38	94.00	33.76	231.85	109.6
41	3885	4.53	196.19	3881.74	-27.88	-28.37	-28.43	0.34	94.00	39.78	225.50	109.6
42	3979	5.19	195.11	3975.41	-35.55	-30.52	-30.58	0.71	94.00	46.85	220.64	109.6
43	4074	6.94	192.26	4069.87	-45.31	-32.86	-32.94	1.87	95.00	55.97	215.95	109.6
44	4168	7.66	191.64	4163.11	-57.00	-35.33	-35.43	0.77	94.00	67.06	211.79	109.6
45	4262	8.56	192.26	4256.17	-69.97	-38.07	-38.21	0.96	94.00	79.66	208.55	109.6
46	4356	9.55	194.44	4348.99	-84.36	-41.50	-41.67	1.11	94.00	94.02	206.20	109.6
47	4449	10.56	193.89	4440.57	-100.10	-45.47	-45.67	1.09	93.00	109.95	204.43	109.6
48	4543	11.98	192.78	4532.75	-117.98	-49.70	-49.93	1.53	94.00	128.02	202.84	116.9
49	4637	12.21	192.23	4624.66	-137.21	-53.96	-54.23	0.27	94.00	147.44	201.47	116.9
50	4731	13.37	192.97	4716.33	-157.51	-58.51	-58.81	1.25	94.00	168.03	200.38	116.9
51	4825	14.90	193.52	4807.48	-179.86	-63.77	-64.12	1.63	94.00	190.83	199.52	116.9
52	4919	15.83	193.03	4898.12	-204.10	-69.49	-69.88	1.00	94.00	215.60	198.80	116.9
53	5012	17.72	190.79	4987.16	-230.36	-75.00	-75.44	2.15	93.00	242.26	198.03	116.9
54	5107	18.64	187.15	5077.42	-259.63	-79.60	-80.10	1.54	95.00	271.56	197.04	124.1
55	5201	19.61	182.81	5166.23	-290.29	-82.24	-82.80	1.83	94.00	301.72	195.82	124.1
56	5295	19.97	182.94	5254.68	-322.08	-83.84	-84.46	0.39	94.00	332.81	194.59	124.1
57	5390	21.21	183.57	5343.61	-355.43	-85.74	-86.42	1.33	95.00	365.63	193.56	124.1
58	5485	22.88	184.17	5431.66	-391.00	-88.15	-88.90	1.77	95.00	400.82	192.70	124.1
59	5579	23.94	184.23	5517.93	-428.25	-90.89	-91.71	1.13	94.00	437.79	191.98	124.1
60	5673	25.14	184.12	5603.43	-467.19	-93.73	-94.63	1.28	94.00	476.50	191.34	124.1
61	5767	26.12	183.69	5688.18	-507.75	-96.50	-97.47	1.06	94.00	516.84	190.76	124.1
62	5861	26.66	183.21	5772.39	-549.46	-99.01	-100.06	0.62	94.00	558.31	190.21	124.1
63	5956	27.65	184.01	5856.91	-592.73	-101.74	-102.88	1.11	95.00	601.40	189.74	124.1
64	6050	27.98	182.60	5940.05	-636.51	-104.27	-105.49	0.78	94.00	645.00	189.30	124.1
65	6145	28.08	180.69	6023.91	-681.13	-105.55	-106.86	0.95	95.00	689.26	188.81	131.4
66	6239	28.38	180.45	6106.73	-725.60	-105.99	-107.38	0.34	94.00	733.30	188.31	131.4
67	6334	28.92	179.02	6190.10	-771.14	-105.78	-107.26	0.92	95.00	778.36	187.81	131.4
68	6428	29.39	176.89	6272.19	-816.90	-104.14	-105.70	1.21	94.00	823.51	187.26	131.4
69	6522	30.15	177.41	6353.79	-863.51	-101.82	-103.47	0.85	94.00	869.49	186.72	131.4
70	6616	29.72	177.37	6435.25	-910.37	-99.68	-101.43	0.46	94.00	915.81	186.25	131.4

Svy	Depth	Inc	Azm	TVD	NS	EW	VS	DLS	CL	CD	CA	Temp
71	6709	28.93	178.98	6516.33	-955.89	-98.22	-100.06	1.20	93.00	960.93	185.87	131.4
72	6803	29.65	179.79	6598.31	-1001.88	-97.73	-99.66	0.87	94.00	1006.63	185.57	131.4
73	6897	30.63	179.89	6679.60	-1049.07	-97.60	-99.62	1.04	94.00	1053.60	185.32	131.4
74	6991	31.03	180.16	6760.32	-1097.25	-97.62	-99.73	0.45	94.00	1101.58	185.08	131.4
75	7085	29.43	179.40	6841.54	-1144.57	-97.45	-99.65	1.75	94.00	1148.71	184.87	131.4
76	7180	29.29	179.29	6924.33	-1191.15	-96.92	-99.20	0.16	95.00	1195.08	184.65	131.4
77	7274	28.81	179.51	7006.51	-1236.79	-96.44	-98.81	0.52	94.00	1240.54	184.46	131.4
78	7368	28.19	179.61	7089.12	-1281.64	-96.09	-98.55	0.66	94.00	1285.24	184.29	131.4
79	7462	27.63	179.55	7172.18	-1325.64	-95.77	-98.32	0.60	94.00	1329.09	184.13	131.4
80	7557	26.45	179.68	7256.80	-1368.82	-95.48	-98.11	1.24	95.00	1372.15	183.99	131.4
81	7651	26.60	179.56	7340.90	-1410.80	-95.20	-97.91	0.17	94.00	1414.01	183.86	131.4
82	7746	26.00	179.54	7426.07	-1452.89	-94.87	-97.66	0.63	95.00	1455.99	183.74	138.7
83	7839	25.96	179.22	7509.67	-1493.63	-94.43	-97.30	0.16	93.00	1496.61	183.62	138.7
84	7934	25.87	177.38	7595.12	-1535.12	-93.20	-96.15	0.85	95.00	1537.95	183.47	138.7
85	8028	26.44	177.69	7679.49	-1576.52	-91.42	-94.45	0.62	94.00	1579.17	183.32	138.7
86	8122	25.19	175.44	7764.11	-1617.38	-88.98	-92.09	1.69	94.00	1619.82	183.15	138.7
87	8216	28.43	176.54	7848.00	-1659.66	-86.04	-89.23	3.49	94.00	1661.89	182.97	138.7
88	8310	28.18	177.90	7930.76	-1704.18	-83.88	-87.15	0.74	94.00	1706.24	182.82	138.7
89	8405	28.96	177.52	8014.19	-1749.57	-82.06	-85.42	0.84	95.00	1751.50	182.69	138.7
90	8498	28.40	176.70	8095.78	-1794.15	-79.81	-83.26	0.74	93.00	1795.92	182.55	138.7
91	8593	27.95	176.32	8179.52	-1838.92	-77.08	-80.62	0.51	95.00	1840.54	182.40	138.7
92	8688	29.80	177.28	8262.71	-1884.72	-74.54	-78.15	2.01	95.00	1886.20	182.26	146.0
93	8782	27.49	176.03	8345.20	-1929.70	-71.92	-75.63	2.54	94.00	1931.04	182.13	138.7
94	8876	29.29	176.86	8427.89	-1974.31	-69.16	-72.95	1.96	94.00	1975.52	182.01	138.7
95	8970	31.15	177.93	8509.11	-2021.57	-67.03	-70.91	2.06	94.00	2022.68	181.90	146.0
96	9063	30.61	177.96	8588.93	-2069.27	-65.31	-69.29	0.58	93.00	2070.30	181.81	146.0
97	9158	29.15	177.26	8671.30	-2116.55	-63.35	-67.41	1.58	95.00	2117.50	181.71	146.0
98	9253	30.70	177.41	8753.63	-2163.89	-61.14	-65.30	1.63	95.00	2164.76	181.62	146.0
99	9347	28.80	176.65	8835.24	-2210.47	-58.74	-62.98	2.06	94.00	2211.25	181.52	146.0
100	9442	29.51	176.84	8918.20	-2256.68	-56.11	-60.44	0.75	95.00	2257.38	181.42	146.0
101	9536	28.40	177.12	9000.45	-2302.12	-53.71	-58.13	1.19	94.00	2302.75	181.34	146.0
102	9630	28.48	176.51	9083.11	-2346.82	-51.22	-55.73	0.32	94.00	2347.38	181.25	146.0
103	9724	29.10	178.11	9165.49	-2392.04	-49.10	-53.70	1.05	94.00	2392.54	181.18	146.0
104	9818	29.47	179.98	9247.48	-2438.01	-48.34	-53.02	1.05	94.00	2438.49	181.14	153.3
105	9913	28.47	181.16	9330.59	-2484.01	-48.79	-53.56	1.21	95.00	2484.49	181.13	153.3
106	10007	26.83	182.93	9413.85	-2527.60	-50.33	-55.18	1.95	94.00	2528.11	181.14	153.3
107	10101	28.25	184.32	9497.20	-2570.97	-53.09	-58.03	1.66	94.00	2571.52	181.18	153.3
108	10195	28.57	184.74	9579.88	-2615.56	-56.62	-61.65	0.40	94.00	2616.17	181.24	153.3

Svy	Depth	Inc	Azm	TVD	NS	EW	VS	DLS	CL	CD	CA	Temp
109	10290	27.67	185.74	9663.67	-2660.14	-60.71	-65.81	1.07	95.00	2660.84	181.31	153.3
110	10384	25.19	186.35	9747.83	-2701.75	-65.10	-70.29	2.65	94.00	2702.53	181.38	153.3
111	10478	24.86	186.43	9833.01	-2741.27	-69.53	-74.79	0.35	94.00	2742.15	181.45	153.3
112	10572	27.56	183.91	9917.34	-2782.60	-73.23	-78.57	3.11	94.00	2783.57	181.51	153.3
113	10666	28.05	183.42	10000.49	-2826.36	-76.03	-81.45	0.58	94.00	2827.38	181.54	153.3
114	10758	27.17	183.79	10082.01	-2868.91	-78.71	-84.21	0.97	92.00	2869.99	181.57	153.3
115	10850	25.38	185.73	10164.50	-2909.50	-82.06	-87.65	2.16	92.00	2910.65	181.62	131.4
116	10902	24.27	183.73	10211.70	-2931.25	-83.87	-89.50	2.68	52.00	2932.45	181.64	138.7
117	10996	28.33	176.00	10295.97	-2972.81	-83.57	-89.28	5.64	94.00	2973.98	181.61	146.0
118	11091	40.22	165.22	10374.41	-3025.19	-74.13	-79.94	14.01	95.00	3026.09	181.40	153.3
119	11138	49.27	160.09	10407.77	-3056.68	-64.17	-70.04	20.72	47.00	3057.35	181.20	153.3
120	11186	52.04	158.62	10438.19	-3091.41	-51.08	-57.01	6.24	48.00	3091.83	180.95	160.6
121	11233	52.25	159.36	10467.04	-3126.05	-37.77	-43.77	1.32	47.00	3126.28	180.69	160.6
122	11280	51.18	155.12	10496.17	-3160.06	-23.52	-29.58	7.44	47.00	3160.14	180.43	160.6
123	11327	53.20	149.26	10524.99	-3192.86	-6.18	-12.31	10.74	47.00	3192.87	180.11	160.6
124	11374	55.78	140.00	10552.33	-3223.97	15.96	9.77	16.94	47.00	3224.01	179.72	160.6
125	11421	56.51	130.47	10578.55	-3251.62	43.41	37.16	16.90	47.00	3251.91	179.24	160.6
126	11469	55.06	127.13	10605.55	-3276.49	74.33	68.03	6.50	48.00	3277.34	178.70	160.6
127	11516	55.56	122.70	10632.31	-3298.60	106.00	99.67	7.82	47.00	3300.30	178.16	167.9
128	11562	56.58	117.77	10657.99	-3317.80	138.97	132.60	9.16	46.00	3320.71	177.60	167.9
129	11609	59.78	111.77	10682.79	-3334.49	175.21	168.81	12.80	47.00	3339.09	176.99	167.9
130	11657	60.35	105.22	10706.76	-3347.66	214.63	208.20	11.88	48.00	3354.54	176.33	167.9
131	11704	61.53	96.95	10729.62	-3355.54	254.90	248.46	15.58	47.00	3365.20	175.66	167.9
132	11752	65.75	91.69	10750.94	-3358.74	297.76	291.31	13.18	48.00	3371.91	174.93	167.9
133	11799	65.99	91.45	10770.15	-3359.91	340.64	334.18	0.69	47.00	3377.14	174.21	167.9
134	11846	68.08	90.03	10788.49	-3360.47	383.90	377.45	5.25	47.00	3382.33	173.48	167.9
135	11893	72.25	88.18	10804.44	-3359.77	428.10	421.65	9.61	47.00	3386.93	172.74	175.1
136	11940	74.30	87.03	10817.96	-3357.88	473.07	466.62	4.95	47.00	3391.04	171.98	175.1
137	11987	76.55	86.71	10829.79	-3355.40	518.48	512.04	4.83	47.00	3395.22	171.22	175.1
138	12035	79.08	86.74	10839.92	-3352.72	565.32	558.88	5.27	48.00	3400.05	170.43	175.1
139	12082	83.03	86.95	10847.23	-3350.17	611.67	605.24	8.42	47.00	3405.55	169.65	175.1
140	12130	85.82	86.29	10851.89	-3347.35	659.35	652.93	5.97	48.00	3411.67	168.86	175.1
141	12225	85.82	85.60	10858.81	-3340.65	753.86	747.45	0.72	95.00	3424.65	167.28	175.1
142	12319	85.87	85.16	10865.62	-3333.10	847.31	840.91	0.47	94.00	3439.11	165.74	175.1
143	12412	88.26	89.56	10870.39	-3328.82	940.06	933.67	5.38	93.00	3459.02	164.23	160.6
144	12506	88.35	90.60	10873.17	-3328.96	1034.02	1027.63	1.11	94.00	3485.85	162.74	167.9
145	12600	89.16	90.88	10875.21	-3330.17	1127.99	1121.59	0.91	94.00	3516.02	161.29	167.9
146	12694	89.33	90.72	10876.45	-3331.48	1221.97	1215.57	0.25	94.00	3548.52	159.86	167.9

Svy	Depth	Inc	Azm	TVD	NS	EW	VS	DLS	CL	CD	CA	Temp
147	12789	90.64	91.24	10876.47	-3333.11	1316.95	1310.55	1.48	95.00	3583.85	158.44	175.1
148	12883	90.48	91.82	10875.55	-3335.62	1410.92	1404.51	0.64	94.00	3621.74	157.07	175.1
149	12977	90.20	91.68	10875.00	-3338.49	1504.87	1498.46	0.33	94.00	3661.98	155.74	175.1
150	13071	90.64	92.56	10874.31	-3341.96	1598.80	1592.38	1.05	94.00	3704.71	154.43	175.1
151	13166	88.60	88.69	10874.94	-3343.00	1693.77	1687.35	4.60	95.00	3747.60	153.13	175.1
152	13260	88.18	87.06	10877.58	-3339.52	1787.67	1781.25	1.79	94.00	3787.89	151.84	182.4
153	13355	88.63	86.86	10880.22	-3334.48	1882.50	1876.09	0.52	95.00	3829.17	150.55	182.4
154	13449	88.96	87.55	10882.20	-3329.90	1976.36	1969.97	0.81	94.00	3872.24	149.31	182.4
155	13544	88.09	87.54	10884.65	-3325.83	2071.24	2064.85	0.92	95.00	3918.06	148.09	182.4
156	13638	88.35	88.47	10887.57	-3322.56	2165.14	2158.76	1.03	94.00	3965.76	146.91	182.4
157	13732	89.33	90.07	10889.47	-3321.36	2259.11	2252.73	2.00	94.00	4016.84	145.78	182.4
158	13826	88.57	89.12	10891.19	-3320.70	2353.09	2346.71	1.29	94.00	4069.90	144.68	182.4
159	13921	89.30	90.60	10892.96	-3320.47	2448.07	2441.69	1.74	95.00	4125.35	143.60	182.4
160	14015	89.69	91.21	10893.79	-3321.95	2542.05	2535.67	0.77	94.00	4182.99	142.58	182.4
161	14109	88.57	89.97	10895.21	-3322.92	2636.03	2629.65	1.78	94.00	4241.52	141.58	189.7
162	14203	89.94	91.14	10896.44	-3323.83	2730.02	2723.63	1.92	94.00	4301.26	140.60	182.4
163	14297	91.37	92.17	10895.36	-3326.54	2823.97	2817.58	1.87	94.00	4363.56	139.67	189.7
164	14391	90.50	91.00	10893.83	-3329.14	2917.92	2911.52	1.55	94.00	4426.90	138.77	189.7
165	14485	90.78	91.80	10892.78	-3331.44	3011.88	3005.48	0.90	94.00	4491.09	137.88	189.7
166	14580	89.83	90.61	10892.27	-3333.44	3106.86	3100.45	1.60	95.00	4556.79	137.01	189.7
167	14674	89.24	90.01	10893.03	-3333.95	3200.85	3194.45	0.90	94.00	4621.76	136.17	189.7
168	14769	88.32	88.66	10895.06	-3332.84	3295.82	3289.42	1.72	95.00	4687.25	135.32	189.7
169	14863	89.19	90.22	10897.10	-3331.93	3389.79	3383.39	1.90	94.00	4753.15	134.51	189.7
170	14958	88.85	90.20	10898.72	-3332.27	3484.78	3478.37	0.36	95.00	4821.59	133.72	189.7
171	15051	88.85	90.11	10900.59	-3332.53	3577.76	3571.35	0.10	93.00	4889.38	132.97	189.7
172	15145	88.40	89.23	10902.85	-3331.98	3671.73	3665.32	1.05	94.00	4958.19	132.22	189.7
173	15240	86.97	87.73	10906.68	-3329.47	3766.61	3760.21	2.18	95.00	5027.20	131.47	189.7
174	15335	87.56	89.30	10911.22	-3327.01	3861.47	3855.07	1.76	95.00	5097.05	130.75	189.7
175	15429	89.16	91.32	10913.91	-3327.52	3955.42	3949.02	2.74	94.00	5168.92	130.07	189.7
176	15524	89.69	90.99	10914.86	-3329.43	4050.40	4044.00	0.66	95.00	5243.17	129.42	189.7
177	15618	89.78	88.59	10915.30	-3329.09	4144.39	4137.99	2.55	94.00	5315.90	128.77	189.7
178	15713	89.50	89.67	10915.89	-3327.64	4239.37	4232.98	1.17	95.00	5389.39	128.13	189.7
179	15808	89.80	90.27	10916.47	-3327.60	4334.37	4327.97	0.71	95.00	5464.40	127.51	189.7
180	15902	91.37	91.23	10915.51	-3328.83	4428.35	4421.95	1.96	94.00	5539.98	126.93	189.7
181	15995	90.53	90.07	10913.97	-3329.88	4521.33	4514.93	1.54	93.00	5615.21	126.37	197.0
182	16089	89.52	89.26	10913.93	-3329.33	4615.33	4608.93	1.38	94.00	5690.84	125.81	197.0
183	16184	89.66	90.19	10914.61	-3328.87	4710.32	4703.92	0.99	95.00	5767.89	125.25	197.0
184	16277	88.60	90.42	10916.02	-3329.37	4803.31	4796.91	1.17	93.00	5844.36	124.73	197.0

Svy	Depth	Inc	Azm	TVD	NS	EW	VS	DLS	CL	CD	CA	Temp
185	16371	89.36	91.45	10917.70	-3330.90	4897.28	4890.88	1.36	94.00	5922.69	124.22	197.0
186	16466	90.34	92.21	10917.94	-3333.94	4992.23	4985.82	1.31	95.00	6003.12	123.74	197.0
187	16560	89.83	90.97	10917.80	-3336.55	5086.19	5079.78	1.43	94.00	6082.92	123.26	197.0
188	16656	88.77	90.59	10918.98	-3337.85	5182.17	5175.76	1.17	96.00	6164.10	122.79	197.0
189	16750	90.56	90.88	10919.53	-3339.06	5276.16	5269.74	1.93	94.00	6243.97	122.33	197.0
190	16845	90.36	90.74	10918.76	-3340.40	5371.15	5364.73	0.26	95.00	6325.15	121.88	197.0
191	16940	90.22	90.87	10918.28	-3341.74	5466.14	5459.71	0.20	95.00	6406.70	121.44	204.3
192	17033	87.73	88.25	10919.95	-3341.02	5559.10	5552.68	3.89	93.00	6485.84	121.01	204.3
193	17127	88.40	88.50	10923.12	-3338.36	5653.01	5646.59	0.76	94.00	6565.15	120.56	197.0
194	17222	89.72	89.74	10924.68	-3336.90	5747.98	5741.57	1.91	95.00	6646.37	120.14	204.3
195	17315	88.85	89.97	10925.84	-3336.66	5840.98	5834.56	0.97	93.00	6726.84	119.74	197.0
196	17410	89.13	89.25	10927.51	-3336.02	5935.96	5929.54	0.81	95.00	6809.16	119.34	204.3
197	17504	91.04	91.67	10927.38	-3336.77	6029.94	6023.53	3.28	94.00	6891.61	118.96	197.0
198	17599	92.83	92.66	10924.17	-3340.36	6124.82	6118.39	2.15	95.00	6976.49	118.61	204.3
199	17693	86.75	88.20	10924.51	-3341.06	6218.75	6212.32	8.02	94.00	7059.43	118.25	197.0
200	17788	87.67	89.39	10929.14	-3339.07	6313.61	6307.19	1.58	95.00	7142.20	117.87	197.0
201	17883	91.43	95.20	10929.88	-3342.87	6408.47	6402.04	7.28	95.00	7227.95	117.55	204.3
202	17978	89.61	94.26	10929.02	-3350.70	6503.14	6496.70	2.16	95.00	7315.60	117.26	204.3
203	18072	94.57	93.56	10925.59	-3357.11	6596.83	6590.37	5.33	94.00	7401.91	116.97	197.0
204	18167	94.40	90.09	10918.16	-3360.12	6691.48	6685.01	3.65	95.00	7487.74	116.66	204.3
205	18261	92.80	88.32	10912.26	-3358.82	6785.27	6778.81	2.54	94.00	7571.10	116.34	204.3
206	18356	90.22	86.79	10909.76	-3354.77	6880.14	6873.69	3.16	95.00	7654.47	115.99	204.3
207	18450	90.39	86.64	10909.26	-3349.38	6973.99	6967.54	0.24	94.00	7736.59	115.65	204.3
208	18544	88.40	86.18	10910.25	-3343.50	7067.79	7061.36	2.17	94.00	7818.74	115.32	204.3
209	18638	87.48	86.04	10913.63	-3337.13	7161.52	7155.10	0.99	94.00	7900.87	114.98	204.3
210	18733	88.88	87.40	10916.65	-3331.69	7256.31	7249.90	2.05	95.00	7984.62	114.66	204.3
211	18827	89.66	87.42	10917.84	-3327.45	7350.20	7343.80	0.83	94.00	8068.29	114.36	204.3
212	18922	86.64	89.53	10920.91	-3324.92	7445.10	7438.71	3.88	95.00	8153.81	114.07	204.3
213	19017	86.05	91.95	10926.97	-3326.14	7539.89	7533.49	2.62	95.00	8240.95	113.80	197.0
214	19111	86.53	91.96	10933.05	-3329.34	7633.64	7627.24	0.51	94.00	8328.09	113.56	197.0
215	19206	88.74	90.58	10936.97	-3331.44	7728.53	7722.12	2.74	95.00	8415.98	113.32	197.0
216	19300	90.34	89.33	10937.72	-3331.37	7822.52	7816.11	2.16	94.00	8502.35	113.07	204.3
217	19395	89.44	88.45	10937.91	-3329.53	7917.50	7911.10	1.32	95.00	8589.10	112.81	197.0
218	19490	90.84	88.44	10937.67	-3326.95	8012.46	8006.06	1.47	95.00	8675.73	112.55	204.3
219	19584	90.20	88.26	10936.82	-3324.25	8106.42	8100.02	0.71	94.00	8761.55	112.30	204.3
220	19678	89.66	87.66	10936.94	-3320.90	8200.36	8193.97	0.86	94.00	8847.28	112.05	204.3
221	19772	88.99	87.43	10938.04	-3316.87	8294.27	8287.88	0.75	94.00	8932.89	111.80	204.3
222	19867	88.91	88.41	10939.78	-3313.43	8389.19	8382.81	1.03	95.00	9019.83	111.55	204.3

Svy	Depth	Inc	Azm	TVD	NS	EW	VS	DLS	CL	CD	CA	Temp
223	19961	88.24	88.52	10942.12	-3310.91	8483.12	8476.75	0.72	94.00	9106.35	111.32	204.3
224	20056	89.86	90.05	10943.70	-3309.72	8578.10	8571.73	2.35	95.00	9194.46	111.10	204.3
225	20150	90.48	89.58	10943.42	-3309.42	8672.10	8665.73	0.83	94.00	9282.11	110.89	204.3
226	20245	90.14	89.91	10942.90	-3309.00	8767.09	8760.72	0.50	95.00	9370.77	110.68	204.3
227	20339	90.14	90.12	10942.67	-3309.02	8861.09	8854.72	0.22	94.00	9458.78	110.48	204.3
228	20433	89.55	89.40	10942.93	-3308.63	8955.09	8948.72	0.99	94.00	9546.76	110.28	204.3
229	20528	89.02	89.74	10944.11	-3307.92	9050.08	9043.71	0.66	95.00	9635.68	110.08	204.3
230	20622	87.98	91.07	10946.57	-3308.58	9144.04	9137.67	1.80	94.00	9724.21	109.89	204.3
231	20717	88.94	92.23	10949.13	-3311.31	9238.97	9232.59	1.58	95.00	9814.44	109.72	204.3
232	20811	90.03	91.05	10949.97	-3314.00	9332.92	9326.54	1.71	94.00	9903.84	109.55	204.3
233	20906	89.80	90.37	10950.11	-3315.18	9427.91	9421.53	0.76	95.00	9993.80	109.37	204.3
234	21000	88.99	90.15	10951.11	-3315.61	9521.91	9515.52	0.89	94.00	10082.66	109.20	211.6
235	21095	88.29	89.85	10953.36	-3315.61	9616.88	9610.50	0.80	95.00	10172.39	109.02	204.3
236	21189	88.57	89.83	10955.94	-3315.35	9710.84	9704.46	0.30	94.00	10261.19	108.85	211.6
237	21283	89.16	90.45	10957.80	-3315.58	9804.82	9798.44	0.91	94.00	10350.25	108.68	204.3
238	21378	89.47	90.14	10958.93	-3316.06	9899.81	9893.43	0.46	95.00	10440.43	108.52	211.6
239	21472	88.38	89.09	10960.70	-3315.43	9993.79	9987.41	1.61	94.00	10529.39	108.35	204.3
240	21567	90.22	90.12	10961.86	-3314.78	10088.78	10082.40	2.22	95.00	10619.38	108.19	211.6
241	21662	90.45	89.59	10961.30	-3314.54	10183.78	10177.39	0.61	95.00	10709.60	108.03	211.6
242	21756	89.47	88.84	10961.37	-3313.25	10277.77	10271.39	1.31	94.00	10798.62	107.87	211.6
243	21851	88.54	88.33	10963.02	-3310.90	10372.72	10366.35	1.12	95.00	10888.32	107.70	211.6
244	21945	87.53	87.74	10966.24	-3307.68	10466.61	10460.24	1.24	94.00	10976.82	107.54	211.6
245	22038	86.16	86.45	10971.36	-3302.98	10559.34	10552.98	2.02	93.00	11063.88	107.37	204.3
PTB	22110	86.16	86.45	10976.18	-3298.53	10631.05	10624.70	0.00	72.00	11131.02	107.24	204.3

Submit To Appropriate District Office Two Copies <u>District I</u> 1625 N. French Dr., Hobbs, NM 88240 <u>District II</u> 811 S. First St., Artesia, NM 88210 <u>District III</u> 1000 Rio Brazos Rd., Aztec, NM 87410 <u>District IV</u> 1220 S. St. Francis Dr., Santa Fe, NM 87505		State of New Mexico Energy, Minerals and Natural Resources Oil Conservation Division 1220 South St. Francis Dr. Santa Fe, NM 87505				Form C-105 Revised April 3, 2017				
WELL COMPLETION OR RECOMPLETION REPORT AND LOG								1. WELL API NO. 30-015-47514		
4. Reason for filing: ☒ COMPLETION REPORT (Fill in boxes #1 through #31 for State and Fee wells only) ☐ C-144 CLOSURE ATTACHMENT (Fill in boxes #1 through #9, #15 Date Rig Released and #32 and/or #33; attach this and the plat to the C-144 closure report in accordance with 19.15.17.13.K NMAC)								5. Lease Name or Unit Agreement Name JAMES RANCH UNIT DI 1A ENNIS		
								6. Well Number: 115H		
7. Type of Completion: ☒ NEW WELL ☐ WORKOVER ☐ DEEPENING ☐ PLUGBACK ☐ DIFFERENT RESERVOIR ☐ OTHER										
8. Name of Operator XTO PERMIAN OPERATING LLC.						9. OGRID 373075				
10. Address of Operator 6401 HOLIDAY HILL RD BLDG #5, MIDLAND TX 79707						11. Pool name or Wildcat LOS MEDANOS; WOLFCAMP (GAS)				
12. Location	Unit Ltr	Section	Township	Range	Lot	Feet from the	N/S Line	Feet from the	E/W Line	County
Surface:	G	21	22S	30E		1608	North	2655	East	Eddy
BH:	N	23	22S	30E		351	South	2628	West	Eddy
13. Date Spudded 10/9/2020	14. Date T.D. Reached 11/4/2020		15. Date Rig Released 11/11/2020		16. Date Completed (Ready to Produce) 3/12/2021			17. Elevations (DF and RKB, RT, GR, etc.) 3160' GL		
18. Total Measured Depth of Well 22,110			19. Plug Back Measured Depth 22,102		20. Was Directional Survey Made? Yes			21. Type Electric and Other Logs Run CBL		
22. Producing Interval(s), of this completion - Top, Bottom, Name 12,147 - 21,998 LOS MEDANOS; WOLFCAMP (GAS)										
23. CASING RECORD (Report all strings set in well)										
CASING SIZE		WEIGHT LB./FT.		DEPTH SET		HOLE SIZE		CEMENTING RECORD		AMOUNT PULLED
16.0"		75.0		550'		20"		2918		
11 3/4"		54.0		3,400'		14 3/4"		1760		
8 5/8"		32.0		10,828'		10 5/8"		3035		
5 1/2"		23.0		22,105		7 7/8"		2215		
24. LINER RECORD										
SIZE	TOP	BOTTOM	SACKS CEMENT	SCREEN		25. TUBING RECORD				
						SIZE		DEPTH SET		PACKER SET
						2 7/8"		10,938		10,922
26. Perforation record (interval, size, and number) 12,147 - 21,998 2spf, 1550 Total Shots 111 stages						27. ACID, SHOT, FRACTURE, CEMENT, SQUEEZE, ETC.				
						DEPTH INTERVAL		AMOUNT AND KIND MATERIAL USED		
						12,147 - 21,998		568,085 bbl fluid + 25,315,526 lbs proppant		
28. PRODUCTION										
Date First Production 3/13/2021		Production Method (<i>Flowing, gas lift, pumping - Size and type pump</i>) Flowing				Well Status (<i>Prod. or Shut-in</i>) Producing				
Date of Test 4/1/2021	Hours Tested 24	Choke Size	Prod'n For Test Period	Oil - Bbl 1739	Gas - MCF 3706	Water - Bbl. 5009	Gas - Oil Ratio 2131			
Flow Tubing Press. 451	Casing Pressure 224	Calculated 24-Hour Rate	Oil - Bbl. 1739	Gas - MCF 3706	Water - Bbl. 5009	Oil Gravity - API - (<i>Corr.</i>)				
29. Disposition of Gas (<i>Sold, used for fuel, vented, etc.</i>) Sold								30. Test Witnessed By		
31. List Attachments C-104 NW, C-102 & Supplement , Directional Survey (Log uploaded to NMOCD)										
32. If a temporary pit was used at the well, attach a plat with the location of the temporary pit.								33. Rig Release Date:		
34. If an on-site burial was used at the well, report the exact location of the on-site burial: Latitude Longitude NAD83										
I hereby certify that the information shown on both sides of this form is true and complete to the best of my knowledge and belief										
Signature			Printed Name Cassie Evans		Title Regulatory Analyst			Date 04/21/21		
E-mail Address cassie.evans@exxonmobil.com										

This form is to be filed with the appropriate District Office of the Division not later than 20 days after the completion of any newly-drilled or deepened well and not later than 60 days after completion of closure. When submitted as a completion report, this shall be accompanied by one copy of all electrical and radio-activity logs run on the well and a summary of all special tests conducted, including drill stem tests. All depths reported shall be measured depths. In the case of directionally drilled wells, true vertical depths shall also be reported. For multiple completions, items 11, 12 and 26-31 shall be reported for each zone.

Southeastern New Mexico		Northwestern New Mexico	
T. Anhy	T. Canyon	T. Ojo Alamo	T. Penn A"
T. Salt 438'	T. Strawn	T. Kirtland	T. Penn. "B"
B. Salt 3124'	T. Atoka	T. Fruitland	T. Penn. "C"
T. Yates	T. Miss	T. Pictured Cliffs	T. Penn. "D"
T. 7 Rivers	T. Devonian	T. Cliff House	T. Leadville
T. Queen	T. Silurian	T. Menefee	T. Madison
T. Grayburg	T. Montoya	T. Point Lookout	T. Elbert
T. San Andres	T. Simpson	T. Mancos	T. McCracken
T. Glorieta	T. McKee	T. Gallup	T. Ignacio Otzte
T. Paddock	T. Ellenburger	Base Greenhorn	T. Granite
T. Blinebry	T. Gr. Wash	T. Dakota	
T. Tubb	T. Delaware Sand 3,342'	T. Morrison	
T. Drinkard	T. Bone Springs 7,019'	T. Todilto	
T. Abo	T. Rustler 239'	T. Entrada	
T. Wolfcamp 10,383'	T.	T. Wingate	
T. Penn	T.	T. Chinle	
T. Cisco (Bough C)	T.	T. Permian	

No. 1, from.....to.....
No. 2, from.....to.....
No. 3, from.....to.....
No. 4, from.....to.....

Include data on rate of water inflow and elevation to which water rose in hole.

No. 1, from.....to.....feet.....
 No. 2, from.....to.....feet.....
 No. 3, from.....to.....feet.....

From	To	Thickness In Feet	Lithology

District I

1625 N. French Dr., Hobbs, NM 88240
Phone:(575) 393-6161 Fax:(575) 393-0720

District II

811 S. First St., Artesia, NM 88210
Phone:(575) 748-1283 Fax:(575) 748-9720

District III

1000 Rio Brazos Rd., Aztec, NM 87410
Phone:(505) 334-6178 Fax:(505) 334-6170

District IV

1220 S. St Francis Dr., Santa Fe, NM 87505
Phone:(505) 476-3470 Fax:(505) 476-3462

State of New Mexico
Energy, Minerals and Natural Resources
Oil Conservation Division
1220 S. St Francis Dr.
Santa Fe, NM 87505

ACKNOWLEDGMENTS

Action 27466

ACKNOWLEDGMENTS

Operator: XTO PERMIAN OPERATING LLC. 6401 HOLIDAY HILL ROAD MIDLAND, TX 79707	OGRID: 373075
	Action Number: 27466
	Action Type: [C-104] Completion Packet (C-104C)

ACKNOWLEDGMENTS

☐	I hereby certify that the required Water Use Report has been, or will be, submitted for this wells completion.
☐	I hereby certify that the required FracFocus disclosure has been, or will be, submitted for this wells completion.

District I
1625 N. French Dr., Hobbs, NM 88240
Phone:(575) 393-6161 Fax:(575) 393-0720
District II
811 S. First St., Artesia, NM 88210
Phone:(575) 748-1283 Fax:(575) 748-9720
District III
1000 Rio Brazos Rd., Aztec, NM 87410
Phone:(505) 334-6178 Fax:(505) 334-6170
District IV
1220 S. St Francis Dr., Santa Fe, NM 87505
Phone:(505) 476-3470 Fax:(505) 476-3462

State of New Mexico
Energy, Minerals and Natural Resources
Oil Conservation Division
1220 S. St Francis Dr.
Santa Fe, NM 87505

CONDITIONS

Action 27466

CONDITIONS

Operator: XTO PERMIAN OPERATING LLC. 6401 HOLIDAY HILL ROAD MIDLAND, TX 79707	OGRID: 373075
	Action Number: 27466
	Action Type: [C-104] Completion Packet (C-104C)

CONDITIONS

Created By	Condition	Condition Date
ksimmons	None	7/19/2021