

1625 N. French Dr., Hobbs, NM 88240

District II

811 S. First St., Artesia, NM 88210

District III

1000 Rio Brazos Rd., Aztec, NM 87410

District IV

1220 S. St. Francis Dr., Santa Fe, NM 87505

State of New Mexico
Energy, Minerals & Natural ResourcesForm C-104
Revised August 1, 2011Oil Conservation Division
1220 South St. Francis Dr.
Santa Fe, NM 87505

Submit one copy to appropriate District Office

☐ AMENDED REPORT**I. REQUEST FOR ALLOWABLE AND AUTHORIZATION TO TRANSPORT**

¹ Operator name and Address XTO Energy, Inc. 6401 HOLIDAY HILL ROAD BLDG 5 MIDLAND, TX 79707		² OGRID Number 373075
		³ Reason for Filing Code/ Effective Date NW
⁴ API Number 30 - 015-45617	⁵ Pool Name LOS MEDANOS: WOLFMP CAMP	⁶ Pool Code 96597
⁷ Property Code 328259	⁸ Property Name JAMES RANCH UNIT DI 1A ENNIS	⁹ Well Number 114H

II. ¹⁰ Surface Location

UL or lot no.	Section	Township	Range	Lot Idn	Feet from the	North/South Line	Feet from the	East/West line	County
G	21	22S	30E		1608	North	2575	West	EDDY

¹¹ Bottom Hole Location

UL or lot no.	Section	Township	Range	Lot Idn	Feet from the	North/South line	Feet from the	East/West line	County
N	23	22S	30E		1004	South	2647	West	Eddy
¹² Lse Code F	¹³ Producing Method Code F	¹⁴ Gas Connection Date	¹⁵ C-129 Permit Number		¹⁶ C-129 Effective Date		¹⁷ C-129 Expiration Date		

III. Oil and Gas Transporters

¹⁸ Transporter OGRID	¹⁹ Transporter Name and Address	²⁰ O/G/W
373075	XTO Permian Operating, LLC 6401 Holiday Hill Rd, bldg 5 Midland, TX 79707	O/G/W

IV. Well Completion Data

²¹ Spud Date 7/4/2020	²² Ready Date 3/14/2020	²³ TD 21186 MD 10733 TVD	²⁴ PBDT 21160 MD 10733 TVD	²⁵ Perforations 11646 - 21054	²⁶ DHC, MC
²⁷ Hole Size	²⁸ Casing & Tubing Size	²⁹ Depth Set		³⁰ Sacks Cement	
20.0	16.0	546		855	
14.75	11.75	3413		1775	
10.625	8.625	10438		3750	
7.875	5.5 2.875	21162 10674		2005	

V. Well Test Data

³¹ Date New Oil 3/15/2021	³² Gas Delivery Date 3/18/2021	³³ Test Date 3/18/2021	³⁴ Test Length 24 hrs	³⁵ Tbg. Pressure 782	³⁶ Csg. Pressure 639
³⁷ Choke Size	³⁸ Oil 1999	³⁹ Water 4262	⁴⁰ Gas 3939		⁴¹ Test Method Flowing
⁴² I hereby certify that the rules of the Oil Conservation Division have been complied with and that the information given above is true and complete to the best of my knowledge and belief. Signature: <i>Cassie Evans</i>			OIL CONSERVATION DIVISION		
Printed name: Cassie Evans			Approved by: KURT SIMMONS		
Title: Regulatory Analyst			Title: NMOCD, SANTA FE		
E-mail Address: cassie.evans@exxonmobil.com			Approval Date: 07/20/2021		
Date: 04/20/21		Phone: 432.215.3671			

District I

1625 N. French Dr., Hobbs, NM 88240
Phone: (575) 393-6161 Fax: (575) 393-0720

District II

811 S. First St., Artesia, NM 88210
Phone: (575) 748-1283 Fax: (575) 748-9720

District III

1000 Rio Brazos Road, Aztec, NM 87410
Phone: (505) 334-6178 Fax: (505) 334-6170

District IV

1220 S. St. Francis Dr., Santa Fe, NM 87505
Phone: (505) 476-3460 Fax: (505) 476-3462

State of New Mexico
Energy, Minerals & Natural Resources Department
OIL CONSERVATION DIVISION
1220 South St. Francis Dr.
Santa Fe, NM 87505

Form C-102

Revised August 1, 2011

Submit one copy to appropriate

District Office

☒ AMENDED REPORT

WELL LOCATION AND ACREAGE DEDICATION PLAT

AS-DRILLED PLAT

¹ API Number 30-015-45617	² Pool Code 96597	³ Pool Name LOS MEDANOS; WOLFCAMP (GAS)
⁴ Property Code 328259	⁵ Property Name JAMES RANCH UNIT DI 1A ENNIS	⁶ Well Number 904H
⁷ OGRID No. 373075	⁸ Operator Name XTO PERMIAN OPERATING, LLC.	⁹ Elevation 3,160'

¹⁰ Surface Location

UL or lot no.	Section	Township	Range	Lot Idn	Feet from the	North/South line	Feet from the	East/West line	County
G	21	22S	30E		1,608	NORTH	2,575	EAST	EDDY

¹¹ Bottom Hole Location If Different From Surface

UL or lot no.	Section	Township	Range	Lot Idn	Feet from the	North/South line	Feet from the	East/West line	County
N	23	22S	30E		1,004	SOUTH	2,647	WEST	EDDY

¹² Dedicated Acres 320	¹³ Joint or Infill	¹⁴ Consolidation Code	¹⁵ Order No.
--------------------------------------	-------------------------------	----------------------------------	-------------------------

No allowable will be assigned to this completion until all interests have been consolidated or a non-standard unit has been approved by the division. NOTE: AS-DRILLED BOTTOM HOLE PLOTTED FROM DATA FURNISHED BY XTO ENERGY.

¹⁶				¹⁷ OPERATOR CERTIFICATION I hereby certify that the information contained herein is true and complete to the best of my knowledge and belief, and that this organization either owns a working interest or unleased mineral interest in the land including the proposed bottom hole location or has a right to drill this well at this location pursuant to a contract with an owner of such a mineral or working interest, or to a voluntary pooling agreement or a compulsory pooling order heretofore entered by the division. Signature: <u>Cassie Evans</u> Date: <u>04/20/21</u> Printed Name: <u>Cassie Evans</u> E-mail Address: <u>cassie.evans@exxonmobil.com</u>	
¹⁸ SURVEYOR CERTIFICATION I hereby certify that the well location shown on this plat was plotted from field notes of actual surveys made by me or under my supervision, and that the same is true and correct to the best of my belief. Date of Survey: <u>4-19-2021</u> Signature and Seal of Professional Surveyor:				Certificate Number: <u>MARK DILLON HARP 23786</u> JC 2020030722	

Intent ☐ As Drilled ☒

API # 30-015-45617		
Operator Name: XTO PERMIAN OPERATING, LLC.	Property Name: JAMES RANCH UNIT DI 1A ENNIS	Well Number 904H

Kick Off Point (KOP)

UL	Section	Township	Range	Lot	Feet	From N/S	Feet	From E/W	County
O	21	22S	30E		990	FSL	2,235	FEL	EDDY
Latitude 32.373167					Longitude 103.884840				NAD 83

First Take Point (FTP)

UL	Section	Township	Range	Lot	Feet	From N/S	Feet	From E/W	County
O	21	22S	30E		987	FSL	1,548	FEL	EDDY
Latitude 32.373153					Longitude 103.882616				NAD 83

Last Take Point (LTP)

UL	Section	Township	Range	Lot	Feet	From N/S	Feet	From E/W	County
N	23	22S	30E		996	FSL	2,515	FEL	EDDY
Latitude 32.373113					Longitude 103.852159				NAD 83

Is this well the defining well for the Horizontal Spacing Unit? ☐Is this well an infill well? ☐

If infill is yes please provide API if available, Operator Name and well number for Defining well for Horizontal Spacing Unit.

API #		
Operator Name:	Property Name:	Well Number

KZ 06/29/2018



MWD SURVEY CERTIFICATION
Legacy Directional Drilling, LLC.

State of NEW MEXICO

County of Eddy

I, Brandon Cox certify that; I am employed by Legacy Directional Drilling, LLC.;
that I did on the day(s) of July 4, 2020 through September 2, 2020 conduct or supervise
the taking of a MWD survey from a depth of 157 Feet to a depth of 21186 Feet;
that the data is true, correct, complete and within the limitations of the tool set forth by
Legacy Directional Drilling, LLC.; that I am authorized and qualified to make this report; that this survey was
conducted at the request of XTO PERMIAN OPERATING, LLC for the
James Ranch Unit DI 1A Ennis 904H Well, A.P.I No. 30-015-45617 in
Los Medanos; Wolfcamp Field and that I have reviewed this report and find that it conforms
to the principles and procedures set forth by Legacy Directional Drilling, LLC.

A total of 238 surveys were recorded by Legacy Directional, LLC. These surveys were subject
to modification(s) by MagVar at the request of XTO PERMIAN OPERATING, LLC
utilizing MSA software and/or process(es) for the purpose of increasing accuracy.
Minimum curvature calculations include recorded surveys, as well as, additional (interpolated) surveys.
Additional (interpolated) surveys, and/or modifications to Legacy Directional recorded surveys are a result
of the survey correction algorithms.

Brandon Cox

Surveyor's Signature

MWD Field Operator

Title

James B Enoch

Supervisor's Signature

James B Enoch

Printed Name

MWD Manager

Title



Legacy Directional Drilling, LLC. MWD Survey Data Certification

OPERATOR:	XTO PERMIAN OPERATING, LLC	JOB NUMBER:	HU200103
-----------	----------------------------	-------------	----------

WELL NAME:	JAMES RANCH UNIT DI 1A ENNIS 904H	COUNTY & STATE:	EDDY Co., NM
------------	-----------------------------------	-----------------	--------------

FIELD:	LOS MEDANOS; WOLFCAMP	API NUMBER:	30-015-45617
--------	-----------------------	-------------	--------------

TIE-IN DATA							
DEPTH (FT)	INC (°)	AZM (°)	TVD (FT)	N/S (FT)	E/W (FT)	PROPOSED DIRECTION	DATA SOURCE
0	0	0	0	0	0	89.89	Surface

FIRST SURVEY			
DATE	DEPTH (FT)	INC (°)	AZM (°)
04-Jul-2020	157	1.16	325.96

SURVEY INSTRUMENT TYPE:	Legacy MWD
TOTAL CORRECTION USED:	6.785
NORTH REFERENCE:	GRID

LAST SURVEY			
DATE	DEPTH (FT)	INC (°)	AZM (°)
02-Sep-2020	21111	87.89	86.33

TO THE BEST OF MY KNOWLEDGE I CERTIFY THIS SURVEY DATA TO
BE TRUE AND CORRECT

PROJECTION TO TD			
DATE	DEPTH (FT)	INC (°)	AZM (°)
02-Sep-2020	21186	87.89	86.33

Brandon Cox

Print Name

MWD OPERATOR(S) PERFORMING SURVEYS:

BRANDON COX

MANUEL SILIEZAR

KEVIN LUCAS

Brandon Cox

Signature

September 4, 2020

Today's Date



Directional Survey Report

Company Name: XTO PERMIAN OPERATING, LLC
 Well Name: JAMES RANCH UNIT DI 1A ENNIS 904H
 Field: LOS MEDANOS; WOLFCAMP
 Rig ID: NABORS X50

State/Prov: NM
 County: Eddy
 Location: SEC 21 / T 22S / R 30E
 API/UWI: 30-015-45617

Survey Company: Legacy Directional
 Job Number: HU200103
 Latitude: 32° 22' 49.48" N
 Longitude: 103° 53' 7.584" W

Proposed Azimuth: 89.89°
 Declination: 6.785°
 North Reference: GRID
 KB: 3192.99 FT

Svy	Depth	Inc	Azm	TVD	NS	EW	VS	DLS	CL	CD	CA	Temp
Tie-In	0	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	89.89	0
1	157	1.16	325.96	156.99	1.32	-0.89	-0.89	0.74	157.00	1.59	325.96	95.0
2	218	1.27	320.82	217.98	2.35	-1.66	-1.66	0.25	61.00	2.88	324.76	102.3
3	310	1.24	322.84	309.95	3.94	-2.91	-2.90	0.06	92.00	4.89	323.55	102.3
4	401	1.53	322.92	400.93	5.69	-4.23	-4.22	0.32	91.00	7.09	323.34	102.3
5	488	1.57	327.97	487.90	7.63	-5.57	-5.55	0.16	87.00	9.44	323.87	95.0
6	583	1.19	335.72	582.87	9.63	-6.66	-6.64	0.44	95.00	11.71	325.32	95.0
7	613	1.13	331.85	612.86	10.17	-6.93	-6.91	0.33	30.00	12.31	325.74	95.0
8	704	0.45	314.34	703.85	11.22	-7.61	-7.59	0.78	91.00	13.55	325.84	95.0
9	797	0.08	311.67	796.85	11.51	-7.92	-7.90	0.40	93.00	13.97	325.48	102.3
10	890	0.64	141.22	889.85	11.15	-7.64	-7.62	0.77	93.00	13.52	325.58	102.3
11	980	0.97	147.81	979.84	10.12	-6.92	-6.90	0.38	90.00	12.26	325.62	102.3
12	1071	1.09	151.22	1070.83	8.71	-6.09	-6.08	0.15	91.00	10.63	325.00	102.3
13	1162	1.15	151.82	1161.81	7.14	-5.25	-5.23	0.07	91.00	8.86	323.69	109.6
14	1255	1.15	151.64	1254.79	5.50	-4.36	-4.35	0.00	93.00	7.02	321.56	109.6
15	1346	1.11	153.42	1345.77	3.91	-3.53	-3.53	0.06	91.00	5.27	317.85	109.6
16	1439	0.97	146.40	1438.76	2.44	-2.70	-2.69	0.20	93.00	3.64	312.20	109.6
17	1534	0.71	145.99	1533.75	1.29	-1.92	-1.92	0.27	95.00	2.31	303.80	109.6
18	1628	0.96	149.44	1627.74	0.13	-1.20	-1.20	0.27	94.00	1.20	276.01	109.6
19	1722	1.07	157.94	1721.72	-1.37	-0.47	-0.47	0.20	94.00	1.44	198.83	109.6
20	1814	0.95	159.92	1813.71	-2.88	0.12	0.11	0.14	92.00	2.88	177.64	109.6
21	1909	0.82	166.95	1908.70	-4.28	0.54	0.53	0.18	95.00	4.31	172.77	109.6
22	2003	0.94	166.15	2002.68	-5.68	0.88	0.87	0.13	94.00	5.75	171.21	109.6
23	2097	0.99	170.18	2096.67	-7.23	1.20	1.19	0.09	94.00	7.33	170.56	109.6
24	2191	1.11	167.35	2190.66	-8.92	1.54	1.52	0.14	94.00	9.05	170.21	116.9
25	2286	0.92	166.61	2285.64	-10.56	1.92	1.90	0.20	95.00	10.73	169.71	116.9
26	2380	1.01	174.51	2379.63	-12.12	2.17	2.15	0.17	94.00	12.31	169.84	116.9
27	2474	1.11	176.55	2473.61	-13.85	2.31	2.28	0.11	94.00	14.04	170.55	124.1
28	2568	1.01	176.71	2567.60	-15.59	2.41	2.38	0.11	94.00	15.77	171.22	124.1
29	2663	0.99	172.58	2662.58	-17.24	2.56	2.53	0.08	95.00	17.43	171.54	124.1
30	2757	1.35	163.72	2756.56	-19.11	2.98	2.94	0.43	94.00	19.34	171.14	124.1
31	2852	1.50	156.95	2851.53	-21.33	3.78	3.74	0.24	95.00	21.66	169.95	124.1
32	2946	1.18	153.84	2945.51	-23.33	4.69	4.64	0.35	94.00	23.79	168.64	124.1

Svy	Depth	Inc	Azm	TVD	NS	EW	VS	DLS	CL	CD	CA	Temp
33	3040	1.41	153.96	3039.48	-25.23	5.62	5.57	0.24	94.00	25.85	167.44	124.1
34	3134	1.63	152.96	3133.45	-27.46	6.74	6.68	0.24	94.00	28.28	166.22	124.1
35	3228	1.49	150.14	3227.41	-29.71	7.95	7.90	0.17	94.00	30.76	165.02	124.1
36	3322	1.23	147.20	3321.39	-31.62	9.11	9.05	0.29	94.00	32.91	163.93	124.1
37	3341	1.13	144.99	3340.38	-31.95	9.33	9.26	0.58	19.00	33.28	163.73	124.1
38	3450	1.48	147.79	3449.35	-34.02	10.69	10.63	0.33	109.00	35.66	162.55	95.0
39	3512	1.59	153.92	3511.33	-35.47	11.50	11.43	0.32	62.00	37.29	162.04	95.0
40	3607	3.88	169.71	3606.22	-39.82	12.65	12.58	2.52	95.00	41.78	162.37	102.3
41	3701	5.52	177.28	3699.90	-47.46	13.43	13.34	1.86	94.00	49.33	164.20	102.3
42	3795	7.10	178.78	3793.33	-57.79	13.77	13.66	1.69	94.00	59.40	166.59	102.3
43	3889	8.45	176.66	3886.46	-70.49	14.30	14.16	1.47	94.00	71.92	168.53	102.3
44	3983	10.05	173.35	3979.24	-85.53	15.65	15.49	1.79	94.00	86.95	169.63	109.6
45	4077	11.72	173.89	4071.54	-103.17	17.62	17.42	1.78	94.00	104.67	170.31	109.6
46	4172	13.23	173.52	4164.30	-123.57	19.87	19.63	1.59	95.00	125.16	170.86	109.6
47	4266	14.67	172.94	4255.52	-146.07	22.55	22.27	1.54	94.00	147.80	171.22	116.9
48	4360	15.98	170.90	4346.18	-170.66	26.06	25.73	1.51	94.00	172.64	171.32	116.9
49	4454	17.26	172.68	4436.25	-197.27	29.88	29.50	1.47	94.00	199.52	171.39	116.9
50	4547	18.72	172.76	4524.70	-225.76	33.52	33.09	1.57	93.00	228.24	171.55	116.9
51	4641	20.29	172.06	4613.30	-256.87	37.67	37.18	1.69	94.00	259.62	171.66	116.9
52	4735	21.63	172.24	4701.08	-290.18	42.26	41.71	1.43	94.00	293.24	171.71	116.9
53	4829	23.25	172.56	4787.96	-325.74	47.01	46.38	1.73	94.00	329.12	171.79	116.9
54	4923	24.20	172.09	4874.02	-363.22	52.06	51.36	1.03	94.00	366.94	171.84	116.9
55	5017	25.50	171.26	4959.31	-402.31	57.79	57.01	1.43	94.00	406.44	171.83	116.9
56	5110	26.19	171.07	5043.01	-442.37	64.01	63.16	0.75	93.00	446.98	171.77	116.9
57	5205	26.99	171.08	5127.96	-484.38	70.61	69.68	0.84	95.00	489.50	171.71	116.9
58	5299	27.86	171.32	5211.40	-527.16	77.23	76.22	0.93	94.00	532.79	171.67	124.1
59	5394	28.56	171.73	5295.11	-571.58	83.85	82.75	0.76	95.00	577.70	171.65	124.1
60	5488	30.01	171.87	5377.10	-617.09	90.41	89.22	1.54	94.00	623.67	171.67	124.1
61	5583	31.15	171.66	5458.88	-664.92	97.33	96.05	1.21	95.00	672.00	171.67	124.1
62	5677	31.01	170.63	5539.39	-712.86	104.80	103.43	0.58	94.00	720.53	171.64	124.1
63	5772	31.68	169.92	5620.52	-761.57	113.15	111.69	0.81	95.00	769.93	171.55	124.1
64	5866	30.65	168.67	5700.96	-809.37	122.18	120.62	1.29	94.00	818.54	171.42	124.1
65	5959	29.06	168.82	5781.61	-854.77	131.21	129.57	1.71	93.00	864.78	171.27	124.1
66	6054	29.27	170.06	5864.57	-900.28	139.70	137.97	0.67	95.00	911.06	171.18	124.1
67	6148	28.66	171.90	5946.81	-945.23	146.84	145.02	1.15	94.00	956.57	171.17	124.1
68	6243	28.29	173.30	6030.32	-990.15	152.67	150.77	0.80	95.00	1001.85	171.23	131.4
69	6337	27.64	175.52	6113.35	-1034.01	156.98	154.99	1.31	94.00	1045.86	171.37	131.4
70	6432	27.99	175.37	6197.37	-1078.20	160.50	158.43	0.38	95.00	1090.08	171.53	131.4

Svy	Depth	Inc	Azm	TVD	NS	EW	VS	DLS	CL	CD	CA	Temp
71	6526	28.80	175.29	6280.06	-1122.75	164.14	161.98	0.86	94.00	1134.69	171.68	131.4
72	6620	29.39	175.89	6362.20	-1168.32	167.65	165.41	0.70	94.00	1180.29	171.83	131.4
73	6714	29.64	176.30	6444.00	-1214.52	170.80	168.47	0.34	94.00	1226.48	171.99	131.4
74	6807	30.15	176.66	6524.62	-1260.79	173.65	171.23	0.58	93.00	1272.69	172.16	138.7
75	6901	30.85	176.01	6605.62	-1308.40	176.70	174.19	0.82	94.00	1320.28	172.31	138.7
76	6995	31.42	173.62	6686.08	-1356.79	181.10	178.49	1.45	94.00	1368.83	172.40	138.7
77	7089	31.37	174.03	6766.32	-1405.48	186.37	183.67	0.23	94.00	1417.78	172.45	138.7
78	7183	30.14	173.68	6847.10	-1453.27	191.51	188.72	1.32	94.00	1465.83	172.49	138.7
79	7278	30.09	174.84	6929.27	-1500.69	196.28	193.40	0.61	95.00	1513.47	172.55	138.7
80	7372	30.38	176.02	7010.49	-1547.87	200.05	197.07	0.70	94.00	1560.75	172.64	146.0
81	7466	30.08	175.19	7091.70	-1595.06	203.67	200.61	0.55	94.00	1608.01	172.72	146.0
82	7560	29.67	172.93	7173.22	-1641.62	208.51	205.36	1.27	94.00	1654.81	172.76	146.0
83	7655	29.25	172.94	7255.93	-1687.99	214.26	211.02	0.44	95.00	1701.54	172.77	146.0
84	7749	28.69	173.98	7338.17	-1733.22	219.45	216.12	0.80	94.00	1747.06	172.78	146.0
85	7844	27.70	173.87	7421.90	-1777.86	224.20	220.78	1.04	95.00	1791.94	172.81	146.0
86	7937	26.98	171.83	7504.51	-1820.23	229.50	226.01	1.27	93.00	1834.64	172.81	146.0
87	8032	24.99	170.88	7589.90	-1861.38	235.75	232.17	2.14	95.00	1876.25	172.78	153.3
88	8126	23.64	170.92	7675.56	-1899.60	241.87	238.22	1.44	94.00	1914.93	172.74	146.0
89	8220	23.55	171.39	7761.70	-1936.77	247.65	243.93	0.22	94.00	1952.54	172.71	153.3
90	8314	24.79	173.74	7847.46	-1974.93	252.61	248.82	1.67	94.00	1991.02	172.71	153.3
91	8408	23.08	174.70	7933.38	-2012.87	256.46	252.60	1.87	94.00	2029.14	172.74	146.0
92	8503	25.62	176.27	8019.92	-2051.91	259.52	255.58	2.76	95.00	2068.26	172.79	146.0
93	8597	26.75	175.46	8104.27	-2093.28	262.52	258.50	1.26	94.00	2109.68	172.85	146.0
94	8692	27.28	176.18	8188.91	-2136.32	265.66	261.56	0.66	95.00	2152.77	172.91	153.3
95	8786	26.30	175.35	8272.82	-2178.57	268.78	264.60	1.12	94.00	2195.09	172.97	146.0
96	8880	25.41	174.64	8357.41	-2219.41	272.36	268.10	1.00	94.00	2236.05	173.00	146.0
97	8974	28.29	174.25	8441.26	-2261.66	276.47	272.13	3.07	94.00	2278.49	173.03	146.0
98	9068	29.59	174.47	8523.52	-2306.92	280.94	276.51	1.39	94.00	2323.97	173.06	146.0
99	9162	28.13	175.69	8605.85	-2352.12	284.84	280.33	1.67	94.00	2369.31	173.10	146.0
100	9256	26.66	174.80	8689.30	-2395.22	288.42	283.82	1.62	94.00	2412.52	173.13	146.0
101	9351	25.64	171.92	8774.58	-2436.80	293.24	288.56	1.71	95.00	2454.38	173.14	153.3
102	9446	22.54	171.38	8861.30	-2475.16	298.86	294.11	3.27	95.00	2493.14	173.12	153.3
103	9540	19.94	168.74	8948.91	-2508.70	304.69	299.87	2.95	94.00	2527.14	173.08	153.3
104	9635	18.75	166.71	9038.54	-2539.45	311.37	306.49	1.44	95.00	2558.47	173.01	153.3
105	9728	16.83	169.50	9127.09	-2567.24	317.26	312.33	2.26	93.00	2586.77	172.96	153.3
106	9822	15.87	170.41	9217.29	-2593.29	321.88	316.90	1.06	94.00	2613.19	172.92	146.0
107	9916	14.48	168.20	9308.01	-2617.47	326.42	321.40	1.60	94.00	2637.74	172.89	153.3
108	10011	10.39	169.11	9400.76	-2637.52	330.47	325.41	4.31	95.00	2658.14	172.86	153.3

Svy	Depth	Inc	Azm	TVD	NS	EW	VS	DLS	CL	CD	CA	Temp
109	10105	8.99	166.65	9493.42	-2652.99	333.77	328.67	1.55	94.00	2673.90	172.83	153.3
110	10200	6.55	164.24	9587.54	-2665.42	336.95	331.84	2.59	95.00	2686.64	172.80	153.3
111	10294	4.62	160.48	9681.09	-2674.15	339.67	334.54	2.09	94.00	2695.64	172.76	153.3
112	10336	2.34	144.69	9723.01	-2676.45	340.74	335.60	5.84	42.00	2698.05	172.74	153.3
113	10459	1.59	94.45	9845.95	-2678.63	343.89	338.75	1.46	123.00	2700.61	172.68	146.0
114	10522	1.40	93.23	9908.93	-2678.74	345.53	340.39	0.31	63.00	2700.93	172.65	160.6
115	10615	1.02	78.42	10001.91	-2678.64	347.47	342.33	0.53	93.00	2701.08	172.61	167.9
116	10663	4.49	88.11	10049.84	-2678.49	349.77	344.63	7.27	48.00	2701.23	172.56	167.9
117	10710	11.73	92.64	10096.34	-2678.65	356.39	351.25	15.45	47.00	2702.25	172.42	167.9
118	10757	19.36	93.75	10141.59	-2679.38	368.96	363.81	16.25	47.00	2704.66	172.16	175.1
119	10804	24.86	93.56	10185.12	-2680.50	386.60	381.46	11.70	47.00	2708.24	171.79	175.1
120	10851	26.18	89.19	10227.53	-2680.97	406.83	401.69	4.89	47.00	2711.66	171.37	175.1
121	10899	29.01	86.56	10270.07	-2680.12	429.04	423.90	6.42	48.00	2714.25	170.91	175.1
122	10946	33.90	88.45	10310.15	-2679.08	453.54	448.39	10.61	47.00	2717.20	170.39	175.1
123	10994	36.24	90.66	10349.44	-2678.89	481.11	475.97	5.55	48.00	2721.74	169.82	175.1
124	11041	40.79	92.86	10386.20	-2679.81	510.35	505.21	10.11	47.00	2727.98	169.22	175.1
125	11089	44.72	93.27	10421.44	-2681.56	542.88	537.74	8.21	48.00	2735.96	168.56	175.1
126	11136	47.66	91.58	10453.98	-2682.98	576.77	571.61	6.77	47.00	2744.27	167.87	175.1
127	11183	50.16	91.64	10484.86	-2683.98	612.17	607.02	5.32	47.00	2752.90	167.15	175.1
128	11230	54.07	91.55	10513.72	-2685.01	649.24	644.09	8.32	47.00	2762.39	166.41	175.1
129	11278	57.94	90.02	10540.55	-2685.54	689.03	683.87	8.48	48.00	2772.52	165.61	175.1
130	11325	60.65	88.89	10564.55	-2685.15	729.43	724.28	6.13	47.00	2782.46	164.80	153.3
131	11372	63.45	88.47	10586.58	-2684.19	770.93	765.78	6.01	47.00	2792.71	163.98	160.6
132	11419	68.89	88.40	10605.56	-2683.02	813.90	808.74	11.58	47.00	2803.75	163.12	160.6
133	11466	74.92	89.62	10620.15	-2682.26	858.54	853.39	13.06	47.00	2816.31	162.25	167.9
134	11513	78.14	89.79	10631.10	-2682.02	904.24	899.09	6.86	47.00	2830.35	161.37	167.9
135	11560	80.82	89.69	10639.68	-2681.81	950.45	945.30	5.71	47.00	2845.25	160.49	167.9
136	11607	83.62	89.47	10646.04	-2681.47	997.01	991.86	5.98	47.00	2860.82	159.60	175.1
137	11655	88.18	89.16	10649.47	-2680.90	1044.87	1039.72	9.52	48.00	2877.32	158.71	175.1
138	11749	91.37	88.62	10649.84	-2679.08	1138.84	1133.69	3.44	94.00	2911.08	156.97	175.1
139	11843	92.58	88.74	10646.60	-2676.91	1232.76	1227.62	1.29	94.00	2947.12	155.27	182.4
140	11938	90.28	89.49	10644.23	-2675.44	1327.71	1322.57	2.55	95.00	2986.77	153.61	182.4
141	12033	90.28	90.05	10643.77	-2675.06	1422.71	1417.57	0.59	95.00	3029.86	151.99	182.4
142	12127	88.18	90.21	10645.03	-2675.28	1516.69	1511.55	2.24	94.00	3075.30	150.45	189.7
143	12222	86.35	89.62	10649.56	-2675.14	1611.58	1606.44	2.02	95.00	3123.07	148.93	189.7
144	12317	87.23	89.49	10654.88	-2674.40	1706.43	1701.29	0.94	95.00	3172.43	147.46	189.7
145	12411	88.15	89.67	10658.67	-2673.71	1800.35	1795.21	1.00	94.00	3223.35	146.05	189.7
146	12505	89.05	89.39	10660.97	-2672.94	1894.32	1889.18	1.00	94.00	3276.13	144.67	189.7

Svy	Depth	Inc	Azm	TVD	NS	EW	VS	DLS	CL	CD	CA	Temp
147	12600	90.20	89.51	10661.59	-2672.03	1989.31	1984.17	1.22	95.00	3331.23	143.33	197.0
148	12694	91.29	89.48	10660.37	-2671.20	2083.29	2078.16	1.16	94.00	3387.54	142.05	197.0
149	12788	92.55	89.51	10657.22	-2670.37	2177.24	2172.11	1.34	94.00	3445.47	140.81	197.0
150	12883	90.84	90.23	10654.41	-2670.16	2272.19	2267.06	1.95	95.00	3506.08	139.60	197.0
151	12977	90.17	90.58	10653.58	-2670.82	2366.18	2361.05	0.80	94.00	3568.21	138.46	189.7
152	13070	89.22	90.14	10654.07	-2671.41	2459.18	2454.05	1.13	93.00	3630.97	137.37	197.0
153	13165	89.86	90.32	10654.84	-2671.79	2554.17	2549.04	0.70	95.00	3696.25	136.29	197.0
154	13259	90.48	90.52	10654.56	-2672.48	2648.17	2643.04	0.69	94.00	3762.31	135.26	197.0
155	13354	87.81	90.46	10655.98	-2673.29	2743.15	2738.01	2.81	95.00	3830.32	134.26	197.0
156	13448	88.60	90.51	10658.92	-2674.08	2837.10	2831.96	0.84	94.00	3898.70	133.31	197.0
157	13543	89.05	90.44	10660.87	-2674.87	2932.08	2926.93	0.48	95.00	3968.88	132.37	197.0
158	13638	90.00	90.52	10661.66	-2675.67	3027.07	3021.92	1.00	95.00	4040.09	131.47	204.3
159	13732	90.59	90.33	10661.17	-2676.36	3121.06	3115.92	0.66	94.00	4111.44	130.61	204.3
160	13825	90.22	89.91	10660.51	-2676.56	3214.06	3208.92	0.60	93.00	4182.60	129.79	204.3
161	13920	89.72	89.39	10660.56	-2675.98	3309.06	3303.91	0.76	95.00	4255.67	128.96	197.0
162	14014	90.03	88.83	10660.77	-2674.52	3403.05	3397.90	0.68	94.00	4328.25	128.16	197.0
163	14109	88.37	87.96	10662.10	-2671.86	3497.99	3492.86	1.97	95.00	4401.68	127.37	197.0
164	14202	88.93	87.56	10664.29	-2668.22	3590.90	3585.77	0.74	93.00	4473.70	126.61	197.0
165	14297	89.55	87.20	10665.55	-2663.88	3685.79	3680.67	0.75	95.00	4547.67	125.86	204.3
166	14391	89.52	86.99	10666.31	-2659.12	3779.67	3774.55	0.23	94.00	4621.34	125.13	197.0
167	14485	88.35	87.90	10668.06	-2654.93	3873.55	3868.45	1.58	94.00	4696.07	124.43	204.3
168	14579	88.60	89.20	10670.56	-2652.55	3967.49	3962.39	1.41	94.00	4772.52	123.77	197.0
169	14673	87.98	90.98	10673.36	-2652.70	4061.44	4056.34	2.00	94.00	4850.99	123.15	204.3
170	14768	88.74	91.08	10676.08	-2654.41	4156.39	4151.28	0.81	95.00	4931.67	122.56	204.3
171	14863	90.00	91.11	10677.13	-2656.22	4251.36	4246.25	1.33	95.00	5012.94	122.00	204.3
172	14957	90.95	90.64	10676.35	-2657.66	4345.35	4340.24	1.13	94.00	5093.64	121.45	204.3
173	15051	91.57	90.63	10674.28	-2658.70	4439.32	4434.20	0.66	94.00	5174.57	120.92	197.0
174	15145	88.46	91.45	10674.26	-2660.40	4533.29	4528.17	3.42	94.00	5256.28	120.41	204.3
175	15240	89.47	91.71	10675.97	-2663.02	4628.24	4623.11	1.10	95.00	5339.69	119.92	204.3
176	15334	89.83	91.18	10676.55	-2665.39	4722.20	4717.08	0.68	94.00	5422.50	119.44	204.3
177	15429	90.78	91.28	10676.04	-2667.43	4817.18	4812.05	1.01	95.00	5506.40	118.97	204.3
178	15523	90.81	90.76	10674.74	-2669.10	4911.16	4906.02	0.55	94.00	5589.59	118.52	204.3
179	15618	89.78	90.11	10674.25	-2669.83	5006.15	5001.01	1.28	95.00	5673.58	118.07	204.3
180	15712	89.38	89.60	10674.94	-2669.59	5100.15	5095.01	0.69	94.00	5756.58	117.63	204.3
181	15807	89.50	89.29	10675.86	-2668.67	5195.14	5190.00	0.35	95.00	5840.48	117.19	204.3
182	15883	90.36	88.78	10675.96	-2667.39	5271.13	5265.99	1.32	76.00	5907.60	116.84	160.6
183	15978	87.98	88.69	10677.33	-2665.29	5366.09	5360.96	2.51	95.00	5991.55	116.41	175.1
184	16073	87.28	88.62	10681.26	-2663.06	5460.98	5455.85	0.74	95.00	6075.70	116.00	175.1

Svy	Depth	Inc	Azm	TVD	NS	EW	VS	DLS	CL	CD	CA	Temp
185	16167	87.59	88.32	10685.47	-2660.56	5554.85	5549.73	0.46	94.00	6159.13	115.59	182.4
186	16262	86.91	87.49	10690.03	-2657.09	5649.68	5644.56	1.13	95.00	6243.31	115.19	182.4
187	16356	88.79	88.10	10693.55	-2653.47	5743.53	5738.43	2.10	94.00	6326.86	114.80	189.7
188	16449	89.10	88.98	10695.27	-2651.10	5836.49	5831.39	1.00	93.00	6410.38	114.43	189.7
189	16543	88.71	89.10	10697.06	-2649.53	5930.46	5925.36	0.43	94.00	6495.41	114.07	189.7
190	16638	90.03	89.96	10698.11	-2648.75	6025.45	6020.35	1.66	95.00	6581.94	113.73	189.7
191	16732	91.88	92.25	10696.54	-2650.56	6119.40	6114.30	3.13	94.00	6668.78	113.42	197.0
192	16825	91.38	91.59	10693.89	-2653.68	6212.31	6207.21	0.89	93.00	6755.36	113.13	197.0
193	16920	90.37	90.18	10692.44	-2655.14	6307.29	6302.18	1.83	95.00	6843.37	112.83	197.0
194	17015	91.07	89.76	10691.25	-2655.09	6402.28	6397.17	0.86	95.00	6931.00	112.52	197.0
195	17110	90.56	90.06	10689.90	-2654.95	6497.27	6492.16	0.62	95.00	7018.78	112.23	197.0
196	17205	90.76	89.00	10688.80	-2654.17	6592.26	6587.15	1.14	95.00	7106.51	111.93	197.0
197	17299	90.25	88.36	10687.98	-2652.00	6686.23	6681.13	0.87	94.00	7192.97	111.64	197.0
198	17394	89.44	88.72	10688.23	-2649.58	6781.20	6776.10	0.93	95.00	7280.45	111.34	197.0
199	17488	89.35	89.22	10689.23	-2647.89	6875.18	6870.08	0.54	94.00	7367.45	111.06	197.0
200	17582	89.89	90.76	10689.85	-2647.87	6969.17	6964.07	1.74	94.00	7455.24	110.80	197.0
201	17676	89.64	91.08	10690.23	-2649.38	7063.16	7058.06	0.43	94.00	7543.70	110.56	197.0
202	17769	89.58	90.71	10690.87	-2650.84	7156.14	7151.04	0.40	93.00	7631.34	110.33	204.3
203	17864	89.78	90.01	10691.40	-2651.43	7251.14	7246.04	0.77	95.00	7720.70	110.09	204.3
204	17958	90.56	89.60	10691.12	-2651.11	7345.14	7340.04	0.94	94.00	7808.93	109.85	204.3
205	18053	89.78	90.72	10690.84	-2651.38	7440.14	7435.03	1.44	95.00	7898.44	109.61	204.3
206	18147	88.34	90.74	10692.38	-2652.58	7534.11	7529.01	1.53	94.00	7987.43	109.40	204.3
207	18242	88.35	90.86	10695.12	-2653.90	7629.06	7623.95	0.13	95.00	8077.49	109.18	197.0
208	18337	88.23	90.71	10697.96	-2655.20	7724.01	7718.90	0.20	95.00	8167.65	108.97	204.3
209	18432	88.06	90.65	10701.03	-2656.33	7818.96	7813.84	0.19	95.00	8257.85	108.76	197.0
210	18526	89.83	92.03	10702.76	-2658.53	7912.91	7907.79	2.39	94.00	8347.57	108.57	204.3
211	18621	90.06	92.23	10702.85	-2662.06	8007.84	8002.72	0.32	95.00	8438.73	108.39	204.3
212	18715	90.20	91.97	10702.64	-2665.50	8101.78	8096.65	0.31	94.00	8528.99	108.21	204.3
213	18810	90.06	92.33	10702.43	-2669.07	8196.71	8191.57	0.41	95.00	8620.32	108.04	204.3
214	18904	89.66	92.09	10702.66	-2672.69	8290.64	8285.49	0.50	94.00	8710.80	107.87	204.3
215	18998	88.96	92.01	10703.79	-2676.05	8384.57	8379.42	0.75	94.00	8801.27	107.70	204.3
216	19093	88.82	92.37	10705.63	-2679.68	8479.49	8474.33	0.41	95.00	8892.83	107.54	204.3
217	19187	89.21	90.52	10707.24	-2682.05	8573.44	8568.27	2.01	94.00	8983.17	107.37	204.3
218	19281	89.19	89.17	10708.56	-2681.80	8667.43	8662.26	1.44	94.00	9072.83	107.19	204.3
219	19376	88.57	88.00	10710.41	-2679.45	8762.38	8757.22	1.39	95.00	9162.90	107.00	204.3
220	19471	88.40	88.04	10712.93	-2676.17	8857.29	8852.13	0.18	95.00	9252.75	106.81	204.3
221	19565	87.84	87.85	10716.01	-2672.80	8951.18	8946.03	0.63	94.00	9341.70	106.63	204.3
222	19660	88.93	89.60	10718.69	-2670.69	9046.11	9040.97	2.17	95.00	9432.11	106.45	204.3

Svy	Depth	Inc	Azm	TVD	NS	EW	VS	DLS	CL	CD	CA	Temp
223	19754	88.46	89.27	10720.83	-2669.76	9140.08	9134.94	0.61	94.00	9522.01	106.28	211.6
224	19849	88.63	89.23	10723.24	-2668.52	9235.04	9229.90	0.18	95.00	9612.86	106.12	204.3
225	19944	89.41	90.09	10724.86	-2667.96	9330.02	9324.88	1.22	95.00	9703.99	105.96	204.3
226	20038	90.17	90.63	10725.21	-2668.55	9424.02	9418.88	0.99	94.00	9794.56	105.81	204.3
227	20133	91.04	91.37	10724.21	-2670.21	9519.00	9513.86	1.20	95.00	9886.42	105.67	204.3
228	20226	91.99	91.19	10721.75	-2672.28	9611.94	9606.79	1.04	93.00	9976.50	105.54	204.3
229	20321	91.60	90.95	10718.77	-2674.06	9706.88	9701.73	0.48	95.00	10068.47	105.40	189.7
230	20416	92.08	89.88	10715.72	-2674.74	9801.83	9796.67	1.23	95.00	10160.22	105.26	197.0
231	20510	91.18	89.56	10713.05	-2674.28	9895.79	9890.63	1.02	94.00	10250.77	105.12	204.3
232	20604	89.38	89.16	10712.59	-2673.23	9989.77	9984.62	1.96	94.00	10341.27	104.98	204.3
233	20699	88.04	88.43	10714.73	-2671.24	10084.73	10079.58	1.61	95.00	10432.51	104.84	204.3
234	20794	87.59	87.70	10718.35	-2668.03	10179.60	10174.46	0.90	95.00	10523.44	104.69	204.3
235	20887	86.89	87.29	10722.83	-2663.97	10272.41	10267.27	0.87	93.00	10612.21	104.54	204.3
236	20982	87.17	86.43	10727.75	-2658.78	10367.13	10362.01	0.95	95.00	10702.64	104.38	211.6
237	21076	87.25	86.18	10732.32	-2652.73	10460.83	10455.72	0.28	94.00	10791.94	104.23	204.3
238	21111	87.89	86.33	10733.81	-2650.44	10495.72	10490.61	1.88	35.00	10825.20	104.17	204.3
PTB	21186	87.89	86.33	10736.57	-2645.64	10570.52	10565.42	0.00	75.00	10896.57	104.05	204.3

Submit To Appropriate District Office Two Copies <u>District I</u> 1625 N. French Dr., Hobbs, NM 88240 <u>District II</u> 811 S. First St., Artesia, NM 88210 <u>District III</u> 1000 Rio Brazos Rd., Aztec, NM 87410 <u>District IV</u> 1220 S. St. Francis Dr., Santa Fe, NM 87505		State of New Mexico Energy, Minerals and Natural Resources Oil Conservation Division 1220 South St. Francis Dr. Santa Fe, NM 87505				Form C-105 Revised April 3, 2017				
WELL COMPLETION OR RECOMPLETION REPORT AND LOG								1. WELL API NO. 30-015-45615		
4. Reason for filing: ☒ COMPLETION REPORT (Fill in boxes #1 through #31 for State and Fee wells only) ☐ C-144 CLOSURE ATTACHMENT (Fill in boxes #1 through #9, #15 Date Rig Released and #32 and/or #33; attach this and the plat to the C-144 closure report in accordance with 19.15.17.13.K NMAC)								5. Lease Name or Unit Agreement Name JAMES RANCH UNIT D1 1A ENNIS		
								6. Well Number: 114H		
7. Type of Completion: ☒ NEW WELL ☐ WORKOVER ☐ DEEPENING ☐ PLUGBACK ☐ DIFFERENT RESERVOIR ☐ OTHER										
8. Name of Operator XTO PERMIAN OPERATING LLC.						9. OGRID 373075				
10. Address of Operator 6401 HOLIDAY HILL RD BLDG #5, MIDLAND TX 79707						11. Pool name or Wildcat LOS MEDANOS; WOLFCAMP (GAS)				
12. Location	Unit Ltr	Section	Township	Range	Lot	Feet from the	N/S Line	Feet from the	E/W Line	County
Surface:	G	21	22S	30E		1608	North	2635	East	Eddy
BH:	N	23	22S	30E		1004	South	2647	West	Eddy
13. Date Spudded 7/4/2020	14. Date T.D. Reached 9/2/2020		15. Date Rig Released 9/8/2020		16. Date Completed (Ready to Produce) 3/14/2021			17. Elevations (DF and RKB, RT, GR, etc.) 3160' GL		
18. Total Measured Depth of Well 21,186			19. Plug Back Measured Depth 21,160		20. Was Directional Survey Made? Yes			21. Type Electric and Other Logs Run CBL		
22. Producing Interval(s), of this completion - Top, Bottom, Name 11,646 - 21,054 LOS MEDANOS; WOLFCAMP (GAS)										
23. CASING RECORD (Report all strings set in well)										
CASING SIZE		WEIGHT LB./FT.		DEPTH SET		HOLE SIZE		CEMENTING RECORD		AMOUNT PULLED
16.0"		75.0		546'		20"		855		
11 3/4"		54.0		3,413'		14 3/4"		1775		
8 5/8"		32.0		10,438'		10 5/8"		3750		
5 1/2"		20.0		21,162		7 7/8"		2005		
24. LINER RECORD						25. TUBING RECORD				
SIZE	TOP	BOTTOM	SACKS CEMENT	SCREEN		SIZE	DEPTH SET	PACKER SET		
						2 7/8"	10,689	10,674		
26. Perforation record (interval, size, and number) 11,646 - 21,054 4spf, 1248 Total Shots 78 stages						27. ACID, SHOT, FRACTURE, CEMENT, SQUEEZE, ETC.				
						DEPTH INTERVAL		AMOUNT AND KIND MATERIAL USED		
						11,646 - 21,054		540,322 bbl fluid + 24,594,716 lbs proppant		
28. PRODUCTION										
Date First Production 3/15/2021		Production Method (<i>Flowing, gas lift, pumping - Size and type pump</i>) Flowing				Well Status (<i>Prod. or Shut-in</i>) Producing				
Date of Test 3/18/2021	Hours Tested 24	Choke Size	Prod'n For Test Period	Oil - Bbl 1999	Gas - MCF 3939	Water - Bbl. 4262	Gas - Oil Ratio 1970			
Flow Tubing Press. 782	Casing Pressure 639	Calculated 24-Hour Rate	Oil - Bbl. 1999	Gas - MCF 3939	Water - Bbl. 4262	Oil Gravity - API - (<i>Corr.</i>)				
29. Disposition of Gas (<i>Sold, used for fuel, vented, etc.</i>) Sold								30. Test Witnessed By		
31. List Attachments C-104 NW, C-102 & Supplement , Directional Survey (Log uploaded to NMOCD)										
32. If a temporary pit was used at the well, attach a plat with the location of the temporary pit.								33. Rig Release Date:		
34. If an on-site burial was used at the well, report the exact location of the on-site burial:										
Latitude				Longitude				NAD83		
I hereby certify that the information shown on both sides of this form is true and complete to the best of my knowledge and belief										
Signature		Printed Name		Title		Date				
Cassie Evans		Cassie Evans		Regulatory Analyst		04/20/21				
E-mail Address		cassie.evans@exxonmobil.com								

This form is to be filed with the appropriate District Office of the Division not later than 20 days after the completion of any newly-drilled or deepened well and not later than 60 days after completion of closure. When submitted as a completion report, this shall be accompanied by one copy of all electrical and radio-activity logs run on the well and a summary of all special tests conducted, including drill stem tests. All depths reported shall be measured depths. In the case of directionally drilled wells, true vertical depths shall also be reported. For multiple completions, items 11, 12 and 26-31 shall be reported for each zone.

Southeastern New Mexico		Northwestern New Mexico	
T. Anhy	T. Canyon	T. Ojo Alamo	T. Penn A"
T. Salt 438'	T. Strawn	T. Kirtland	T. Penn. "B"
B. Salt 3124'	T. Atoka	T. Fruitland	T. Penn. "C"
T. Yates	T. Miss	T. Pictured Cliffs	T. Penn. "D"
T. 7 Rivers	T. Devonian	T. Cliff House	T. Leadville
T. Queen	T. Silurian	T. Menefee	T. Madison
T. Grayburg	T. Montoya	T. Point Lookout	T. Elbert
T. San Andres	T. Simpson	T. Mancos	T. McCracken
T. Glorieta	T. McKee	T. Gallup	T. Ignacio Otzte
T. Paddock	T. Ellenburger	Base Greenhorn	T. Granite
T. Blinebry	T. Gr. Wash	T. Dakota	
T. Tubb	T. Delaware Sand 3,342'	T. Morrison	
T. Drinkard	T. Bone Springs 7,019'	T. Todilto	
T. Abo	T. Rustler 239'	T. Entrada	
T. Wolfcamp 10,383'	T.	T. Wingate	
T. Penn	T.	T. Chinle	
T. Cisco (Bough C)	T.	T. Permian	

No. 1, from.....to.....
No. 2, from.....to.....
No. 3, from.....to.....
No. 4, from.....to.....

Include data on rate of water inflow and elevation to which water rose in hole.

No. 1, from.....to.....feet.....
 No. 2, from.....to.....feet.....
 No. 3, from.....to.....feet.....

[illegible]

District I
1625 N. French Dr., Hobbs, NM 88240
Phone:(575) 393-6161 Fax:(575) 393-0720
District II
811 S. First St., Artesia, NM 88210
Phone:(575) 748-1283 Fax:(575) 748-9720
District III
1000 Rio Brazos Rd., Aztec, NM 87410
Phone:(505) 334-6178 Fax:(505) 334-6170
District IV
1220 S. St Francis Dr., Santa Fe, NM 87505
Phone:(505) 476-3470 Fax:(505) 476-3462

State of New Mexico
Energy, Minerals and Natural Resources
Oil Conservation Division
1220 S. St Francis Dr.
Santa Fe, NM 87505

ACKNOWLEDGMENTS

Action 27469

ACKNOWLEDGMENTS

Operator: XTO PERMIAN OPERATING LLC. 6401 HOLIDAY HILL ROAD MIDLAND, TX 79707	OGRID: 373075
	Action Number: 27469
	Action Type: [C-104] Completion Packet (C-104C)

ACKNOWLEDGMENTS

☐	I hereby certify that the required Water Use Report has been, or will be, submitted for this wells completion.
☐	I hereby certify that the required FracFocus disclosure has been, or will be, submitted for this wells completion.

District I
1625 N. French Dr., Hobbs, NM 88240
Phone:(575) 393-6161 Fax:(575) 393-0720

District II
811 S. First St., Artesia, NM 88210
Phone:(575) 748-1283 Fax:(575) 748-9720

District III
1000 Rio Brazos Rd., Aztec, NM 87410
Phone:(505) 334-6178 Fax:(505) 334-6170

District IV
1220 S. St Francis Dr., Santa Fe, NM 87505
Phone:(505) 476-3470 Fax:(505) 476-3462

State of New Mexico
Energy, Minerals and Natural Resources
Oil Conservation Division
1220 S. St Francis Dr.
Santa Fe, NM 87505

CONDITIONS

Action 27469

CONDITIONS

Operator: XTO PERMIAN OPERATING LLC. 6401 HOLIDAY HILL ROAD MIDLAND, TX 79707	OGRID: 373075
	Action Number: 27469
	Action Type: [C-104] Completion Packet (C-104C)

CONDITIONS

Created By	Condition	Condition Date
ksimmons	None	7/20/2021