

<b>Well Name:</b> WHIRLING WIND 11 FED COM	<b>Well Location:</b> T26S / R33E / SEC 11 / SWSE / 32.0540099 / -103.5391653	<b>County or Parish/State:</b> LEA / NM
<b>Well Number:</b> 742H	<b>Type of Well:</b> OIL WELL	<b>Allottee or Tribe Name:</b>
<b>Lease Number:</b> NMNM122621	<b>Unit or CA Name:</b>	<b>Unit or CA Number:</b>
<b>US Well Number:</b> 300254451400X1	<b>Well Status:</b> Drilling Well	<b>Operator:</b> EOG RESOURCES INCORPORATED

**Notification**

<b>Type of Submission:</b>	Notification	<b>Type of Action:</b>	Casing and Cementing
<b>Date Sundry Submitted:</b>	Mar 10, 2021	<b>Time Sundry Submitted:</b>	8:37:47 AM
<b>Date Operation will begin:</b>	Mar 5, 2021	<b>Time Operation will begin:</b>	11:00:00 AM
<b>Field Contact Name:</b>	CC ASKEY	<b>Field Contact Number:</b>	4326363600
<b>Rig Name:</b>		<b>Rig Number:</b>	hp245

**Well Casing Table:**

String Type	Top Setting Depth MD	Top Setting Depth TVD	Top Setting Depth MSL	Bottom Setting Depth MD	Bottom Setting Depth TVD	Bottom Setting Depth MSL
SURFACE	0	0	3355	925	925	2430

**Procedure Description:** 3-6-2021 14 3/4" HOLE  
 3-6-2021 Surface Hole @ 1,094' MD, 1,093' TVD  
 Casing shoe @ 1,089' MD  
 Ran 10-3/4" 40.5# J-55 LTC 0' - 1,004'  
 Ran 10-3/4" 40.5# HCK-55 LTC 1,004' - 1,089'  
 Cement w/ 360 sx Class C (1.79 yld, 13.5 ppg), followed by 105 sx Class C (1.35 yld, 14.8 ppg)  
 Test casing to 1,500 psi for 30 min - Good. Circ 43 sx cement to surface.

**Disposition:** Accepted

**Accepted Date:** 06/11/2021

<b>Well Name:</b> WHIRLING WIND 11 FED COM	<b>Well Location:</b> T26S / R33E / SEC 11 / SWSE / 32.0540099 / -103.5391653	<b>County or Parish/State:</b> LEA / NM
<b>Well Number:</b> 742H	<b>Type of Well:</b> OIL WELL	<b>Allottee or Tribe Name:</b>
<b>Lease Number:</b> NMNM122621	<b>Unit or CA Name:</b>	<b>Unit or CA Number:</b>
<b>US Well Number:</b> 300254451400X1	<b>Well Status:</b> Drilling Well	<b>Operator:</b> EOG RESOURCES INCORPORATED

**Notification**

<b>Type of Submission:</b>	Notification	<b>Type of Action:</b>	Casing and Cementing
<b>Date Sundry Submitted:</b>	Mar 30, 2021	<b>Time Sundry Submitted:</b>	9:50:44 AM
<b>Date Operation will begin:</b>	Mar 24, 2021	<b>Time Operation will begin:</b>	11:00:00 AM
<b>Field Contact Name:</b>	C CASKEY	<b>Field Contact Number:</b>	4326363600
<b>Rig Name:</b>		<b>Rig Number:</b>	HP245

**Well Casing Table:**

String Type	Top Setting Depth MD	Top Setting Depth TVD	Top Setting Depth MSL	Bottom Setting Depth MD	Bottom Setting Depth TVD	Bottom Setting Depth MSL
INTERMEDIATE	0	0	3355	1000	1000	2355

**Procedure Description:** 3-25-2021 9 7/8" HOLE  
 3-25-2021 Intermediate Hole @ 12,028' MD, 11,817' TVD  
 Casing shoe @ 12,013' MD  
 Ran 7-5/8", 29.7#, ICYP-110 MO-FXL  
 Stage 1: Cement w/ 435 sx Class H (1.20 yld, 15.6 ppg)  
 Test casing to 2,600 psi for 30 min. Did not circ cement to surface, TOC @ 6,995' by Calc  
 Stage 2: Bradenhead squeeze w/ 1,000 sx Class C (1.41 yld, 14.8 ppg)  
 Stage 3: Top out w/ 21 sx Class C (1.36 yld, 14.8 ppg), Lines flushed w/ 4 bbls FW, TOC @ 76' by Echometer Resume drilling 7 7/8" hole

**Disposition:** Accepted

**Accepted Date:** 05/18/2021

<b>Well Name:</b> WHIRLING WIND 11 FED COM	<b>Well Location:</b> T26S / R33E / SEC 11 / SWSE / 32.0540099 / -103.5391653	<b>County or Parish/State:</b> LEA / NM
<b>Well Number:</b> 742H	<b>Type of Well:</b> OIL WELL	<b>Allottee or Tribe Name:</b>
<b>Lease Number:</b> NMNM122621	<b>Unit or CA Name:</b>	<b>Unit or CA Number:</b>
<b>US Well Number:</b> 300254451400X1	<b>Well Status:</b> Drilling Well	<b>Operator:</b> EOG RESOURCES INCORPORATED

**Notification**

<b>Type of Submission:</b>	Notification	<b>Type of Action:</b>	Casing and Cementing
<b>Date Sundry Submitted:</b>	Apr 6, 2021	<b>Time Sundry Submitted:</b>	1:04:02 PM
<b>Date Operation will begin:</b>	Mar 31, 2021	<b>Time Operation will begin:</b>	11:00:00 AM
<b>Field Contact Name:</b>	C CASKEY	<b>Field Contact Number:</b>	4326363600
<b>Rig Name:</b>		<b>Rig Number:</b>	HP245

**Well Casing Table:**

String Type	Top Setting Depth MD	Top Setting Depth TVD	Top Setting Depth MSL	Bottom Setting Depth MD	Bottom Setting Depth TVD	Bottom Setting Depth MSL
PRODUCTION	0	0	3355	10900	10900	-7545

**Procedure Description:** 4-1-2021 7 7/8" HOLE  
 4-1-2021 Production Hole @ 21,280' MD, 13,039' TVD  
 Casing shoe @ 21,255' MD, 13,039' TVD  
 Ran 5.5", 20.0#, ECP-110 DWC 0' - 11,523' (MJ @ 12,682' and 20,765')  
 Ran 5.5", 20.0#, ICYP-110 TLW-SC 11,523' - 12,096'  
 Ran 5.5", 20.0#, ECP-110 DWC 12,096' - 21,255'  
 Cement w/ 830 sx Class H (1.23 yld, 14.5 ppg)  
 Did not test casing .Did not circ cement to surface, TOC @ 10,554' by CBL. RR 4-2-2021

**Disposition:** Accepted

**Accepted Date:** 05/12/2021

<b>Well Name:</b> WHIRLING WIND 11 FED COM	<b>Well Location:</b> T26S / R33E / SEC 11 / SWSE / 32.0540099 / -103.5391653	<b>County or Parish/State:</b> LEA / NM
<b>Well Number:</b> 742H	<b>Type of Well:</b> OIL WELL	<b>Allottee or Tribe Name:</b>
<b>Lease Number:</b> NMNM122621	<b>Unit or CA Name:</b>	<b>Unit or CA Number:</b>
<b>US Well Number:</b> 300254451400X1	<b>Well Status:</b> Drilling Well	<b>Operator:</b> EOG RESOURCES INCORPORATED

**Notification**

<b>Type of Submission:</b>	Notification	<b>Type of Action:</b>	Well Spud
<b>Date Sundry Submitted:</b>	03/09/2021	<b>Time Sundry Submitted:</b>	9:13:03 AM
<b>Date Operation Will Begin:</b>	02/18/2021	<b>Time Operation Will Begin:</b>	11:00:00 AM
<b>APD Approved Date:</b>	02/09/2018		
<b>US Well Number</b>	3002544514		
<b>Field Contact Name:</b>	C CASKEY	<b>Field Contact Number:</b>	(432) 636-3600
<b>Rig Name:</b>		<b>Rig Number:</b>	HP245
<b>Spud Type:</b>	Conductor Hole, Rathole and/or Mousehole		
<b>Procedure Description:</b>	2-19-2021 20" CONDUCTOR @ 114'		
<b>Disposition:</b>	Accepted		
<b>Accepted Date:</b>	06/11/2021		

**District I**  
 1625 N. French Dr., Hobbs, NM 88240  
 Phone:(575) 393-6161 Fax:(575) 393-0720

**District II**  
 811 S. First St., Artesia, NM 88210  
 Phone:(575) 748-1283 Fax:(575) 748-9720

**District III**  
 1000 Rio Brazos Rd., Aztec, NM 87410  
 Phone:(505) 334-6178 Fax:(505) 334-6170

**District IV**  
 1220 S. St Francis Dr., Santa Fe, NM 87505  
 Phone:(505) 476-3470 Fax:(505) 476-3462

**State of New Mexico**  
**Energy, Minerals and Natural Resources**  
**Oil Conservation Division**  
**1220 S. St Francis Dr.**  
**Santa Fe, NM 87505**

CONDITIONS  
 Action 37601

**CONDITIONS**

Operator: EOG RESOURCES INC P.O. Box 2267 Midland, TX 79702	OGRID: 7377
	Action Number: 37601
	Action Type: [C-103] Sub. Drilling (C-103N)

**CONDITIONS**

Created By	Condition	Condition Date
plmartinez	None	7/23/2021