

Well Name: WHIRLING WIND 11 FED COM	Well Location: T26S / R33E / SEC 11 / SWSE / 32.0539654 / -103.5390652	County or Parish/State: LEA / NM
Well Number: 741H	Type of Well: OIL WELL	Allottee or Tribe Name:
Lease Number: NMNM122621	Unit or CA Name:	Unit or CA Number:
US Well Number: 300254451300X1	Well Status: Drilling Well	Operator: EOG RESOURCES INCORPORATED

Notice of Intent

Type of Submission: Notice of Intent	Type of Action Other
Date Sundry Submitted: 03/04/2021	Time Sundry Submitted: 01:17
Date proposed operation will begin: 03/04/2021	

Procedure Description: EOG respectfully requests an amendment to our approved APD for this well to reflect the following changes: Change well number from 705H to 741H Update casing program to current design Change BHL to T-26-S R-33-E Sec 2 2539 feet FSL 660 feet FEL Lea Co, NM Increase HSU to 480.44 acres Revise directional plan to include back build

Surface Disturbance

Is any additional surface disturbance proposed?: No

NOI Attachments

Procedure Description

- Whirling_Wind_11_Fed_Com_741H_Wall_Plot_20210304131643.pdf
- Whirling_Wind_11_Fed_Com_741H_Planning_Report_20210304131638.pdf
- Whirling_Wind_11_Fed_741H_Permit_Info____Rev_Name__HSU__BHL__csg_REV_2____3.2.2021_20210304131626.pdf
- 10_M_Choke_Manifold_20210304131616.pdf
- EOG_BLM_10M_Annular_Variance____9.675_in_20210304131616.pdf
- Co_Flex_Hose_Test_Chart_20210304131616.pdf
- 10_M_BOP_Diagram_13.375_in_20210304131615.pdf
- Co_Flex_Hose_Certification_20210304131616.pdf
- 5.500in_20.00_VST_P110EC_VAM_SFC_20210304131615.pdf

Received by OCD: 7/27/2021 2:55:09 PM

Page 2 of 7

Well Name: WHIRLING WIND 11 FED COM	Well Location: T26S / R33E / SEC 11 / SWSE / 32.0539654 / -103.5390652	County or Parish/State: LEA / NM
Well Number: 741H	Type of Well: OIL WELL	Allottee or Tribe Name:
Lease Number: NMNM122621	Unit or CA Name:	Unit or CA Number:
US Well Number: 300254451300X1	Well Status: Drilling Well	Operator: EOG RESOURCES INCORPORATED

7.625in_29.70_P110HC_FXL_20210304131615.pdf
10_M_BOP_Diagram_9.675_in_20210304131615.pdf
5.500in_20.00_VST_P110EC_DWC_C_IS_MS_Spec_Sheet_20210304131615.pdf
WHIRLINGWIND11FEDCOM_741H_C_102_20210304131453.pdf

Operator Certification

I certify that the foregoing is true and correct. Title 18 U.S.C. Section 1001 and Title 43 U.S.C. Section 1212, make it a crime for any person knowingly and willfully to make to any department or agency of the United States any false, fictitious or fraudulent statements or representations as to any matter within its jurisdiction. Electronic submission of Sundry Notices through this system satisfies regulations requiring a submission of Form 3160-5 or a Sundry Notice.

Operator Electronic Signature: STAR HARRELL	Signed on: MAR 04, 2021 01:16 PM
Name: EOG RESOURCES INCORPORATED	
Title: Regulatory Specialist	
Street Address: 5509 CHAMPIONS DRIVE	
City: MIDLAND	State: TX
Phone: (432) 848-9161	
Email address: STAR_HARRELL@EOGRESOURCES.COM	

Field Representative

Representative Name: STAR HARRELL	
Street Address: 5509 CHAMPIONS DRIVE	
City: MIDLAND	State: TX
Phone: (432)848-9161	Zip: 79706
Email address: Star_Harrell@eogresources.com	

BLM Point of Contact

BLM POC Name: CHRISTOPHER WALLS	BLM POC Title: Petroleum Engineer
BLM POC Phone: 5752342234	BLM POC Email Address: cwalls@blm.gov
Disposition: Approved	Disposition Date: 04/08/2021
Signature: Chris Walls	

District I
1625 N. French Dr., Hobbs, NM 88240
Phone: (575) 393-6161 Fax: (575) 393-0720
District II
811 S. First St., Artesia, NM 88210
Phone: (575) 748-1283 Fax: (575) 748-9720
District III
1000 Rio Brazos Road, Aztec, NM 87410
Phone: (505) 334-6178 Fax: (505) 334-6170
District IV
1220 S. St. Francis Dr., Sante Fe, NM 87505
Phone: (505) 476-3460 Fax: (505) 476-3462

State of New Mexico
Energy, Minerals & Natural Resources
Department
OIL CONSERVATION DIVISION
1220 South St. Francis Dr.
Sante Fe, NM 87505

FORM C-102

Revised August 1, 2011

Submit one copy to appropriate

District Office

☐ AMENDED REPORT

WELL LOCATION AND ACREAGE DEDICATION PLAT

¹ API Number 30-025-44513		² Pool Code 98094		³ Pool Name BOBCAT DRAW; Upper Wolfcamp	
⁴ Property Code 316203		⁵ Property Name WHIRLING WIND 11 FED COM			⁶ Well Number 741H
⁷ OGRID No. 7377		⁸ Operator Name EOG RESOURCES, INC.			⁹ Elevation 3355'

¹⁰Surface Location


UL or lot no.	Section	Township	Range	Lot Idn	Feet from the	North/South line	Feet from the	East/West line	County
0	11	26-S	33-E	-	1183'	SOUTH	1386'	EAST	LEA

¹¹Bottom Hole Location If Different From Surface

UL or lot no.	Section	Township	Range	Lot Idn	Feet from the	North/South line	Feet from the	East/West line	County
I	2	26-S	33-E	-	2539'	SOUTH	660'	EAST	LEA

¹² Dedicated Acres 480.00	¹³ Joint or Infill	¹⁴ Consolidation Code	¹⁵ Order No.
---	-------------------------------	----------------------------------	-------------------------

No allowable will be assigned to this completion until all interests have been consolidated or a non-standard unit has been approved by the division.



Revised Permit Information 3/2/2021:

Well Name: Whirling Wind 11 Fed Com #741H

Location:

SHL: 1183' FSL & 1386' FEL, Section 11, T-26-S, R-33-E, Lea Co., N.M.

BHL: 2539' FSL & 660' FEL, Section 2, T-26-S, R-33-E, Lea Co., N.M.

Casing Program:

Hole Size	Interval	Csg OD	Weight	Grade	Conn	DF _{min} Collapse	DF _{min} Burst	DF _{min} Tension
12.25"	0' – 1,051'	9.625"	40#	J-55	LTC	1.125	1.25	1.60
8.75"	0' – 12,094'	7.625"	29.7#	HCP-110	FXL	1.125	1.25	1.60
6.75"	0' – 11,594'	5.5"	20#	P-110EC	DWC/C-IS MS	1.125	1.25	1.60
6.75"	0' – 12,094'	5.5"	20#	P-110EC	VAM SFC	1.125	1.25	1.60
6.75"	0' – 21,228'	5.5"	20#	P-110EC	DWC/C-IS MS	1.125	1.25	1.60

Variance is requested to waive the centralizer requirements for the 7-5/8" casing in the 8-3/4" hole size. An expansion additive will be utilized, in the cement slurry, for the entire length of the 8-3/4" hole interval to maximize cement bond and zonal isolation.

Variance is also requested to waive any centralizer requirements for the 5-1/2" casing in the 6-3/4" hole size. An expansion additive will be utilized, in the cement slurry, for the entire length of the 6-3/4" hole interval to maximize cement bond and zonal isolation.

Variance is also requested to waive the annular clearance requirements for the 5-1/2" casing by 7-5/8" casing annulus to the proposed top of cement.

EOG requests permission to allow deviation from the 0.422" annulus clearance requirement from Onshore Order #2 under the following conditions:

- Annular clearance to meet or exceed 0.422" between intermediate casing ID and production casing coupling only on the first 500' overlap between both casing strings.
- Annular clearance less than 0.422" is acceptable for the curve and lateral portions of the production open hole section.

Cement Program:

Depth	No. Sacks	Wt. ppg	Yld Ft ³ /sk	Slurry Description
1,051' 9-5/8"	300	13.5	1.73	Lead: Class C + 4.0% Bentonite Gel + 0.5% CaCl ₂ + 0.25 lb/sk Cello-Flake (TOC @ Surface)
	80	14.8	1.34	Tail: Class C + 0.6% FL-62 + 0.25 lb/sk Cello-Flake + 0.2% Sodium Metasilicate (TOC @ 851')
12,094' 7-5/8"	510	14.2	1.11	1 st Stage (Tail): Class C + 0.6% Halad-9 + 0.45% HR-601 + 3% Microbond (TOC @ 7,771')
	1,320	14.8	1.5	2 nd Stage (Bradenhead squeeze): Class C + 3% Salt + 1% PreMag-M + 6% Bentonite Gel (TOC @ surface)
21,228' 5-1/2"	850	14.2	1.31	Lead: Class H + 0.4% Halad-344 + 0.35% HR-601 + 3% Microbond (TOC @ 11,594')

Additive	Purpose
Bentonite Gel	Lightweight/Lost circulation prevention
Calcium Chloride	Accelerator
Cello-flake	Lost circulation prevention
Sodium Metasilicate	Accelerator
MagOx	Expansive agent
Pre-Mag-M	Expansive agent
Sodium Chloride	Accelerator
FL-62	Fluid loss control
Halad-344	Fluid loss control
Halad-9	Fluid loss control
HR-601	Retarder
Microbond	Expansive Agent

EOG requests variance from minimum standards to pump a two stage cement job on the 7-5/8" intermediate casing string with the first stage being pumped conventionally with the calculated TOC at the Brushy Canyon and the second stage performed as a bradenhead squeeze with planned cement from the Brushy Canyon to surface. If necessary a top out consisting of 1,000 sacks of Class C cement + 3% Salt + 1% PreMag-M + 6% Bentonite Gel (2.30 yld, 12.91 ppg) will be executed as a contingency. Top of cement will be verified by Echo-meter.

EOG will include the final fluid top verified by Echo-meter and the volume of displacement fluid above the cement slurry in the annulus in all post-drill sundries on wells utilizing this cement program.

EOG will report to the BLM the volume of fluid (limited to 5 bbls) used to flush intermediate casing valves following backside cementing procedures.

Mud Program:

Depth	Type	Weight (ppg)	Viscosity	Water Loss
0 – 1,051'	Fresh - Gel	8.6-8.8	28-34	N/c
1,051' – 12,094'	Brine	10.0-10.2	28-34	N/c
12,094' – 12,781'	Oil Base	8.7-9.4	58-68	N/c - 6
12,781' – 21,228' Lateral	Oil Base	10.0-14.0	58-68	3 - 6


Variance is requested to use a 5,000 psi annular BOP with the 10,000 psi BOP stack.

1183' FSL
1386' FEL
Section 11
T-26-S, R-33-E

Revised Wellbore

KB: 3,380'
GL: 3,355'

API: 30-025-44513



District I

1625 N. French Dr., Hobbs, NM 88240
Phone:(575) 393-6161 Fax:(575) 393-0720

District II

811 S. First St., Artesia, NM 88210
Phone:(575) 748-1283 Fax:(575) 748-9720

District III

1000 Rio Brazos Rd., Aztec, NM 87410
Phone:(505) 334-6178 Fax:(505) 334-6170

District IV

1220 S. St Francis Dr., Santa Fe, NM 87505
Phone:(505) 476-3470 Fax:(505) 476-3462

State of New Mexico
Energy, Minerals and Natural Resources
Oil Conservation Division
1220 S. St Francis Dr.
Santa Fe, NM 87505

CONDITIONS

Action 38429

CONDITIONS

Operator: EOG RESOURCES INC P.O. Box 2267 Midland, TX 79702	OGRID: 7377
	Action Number: 38429
	Action Type: [C-103] NOI Change of Plans (C-103A)

CONDITIONS

Created By	Condition	Condition Date
pkautz	None	7/27/2021