

District I
1625 N. French Dr., Hobbs, NM 88240
District II
811 S. First St., Artesia, NM 88210
District III
1000 Rio Brazos Rd., Aztec, NM 87410
District IV
1220 S. St. Francis Dr., Santa Fe, NM 87505

State of New Mexico
Energy, Minerals & Natural
Resources

Form C-104
Revised August 1, 2011

Submit one copy to appropriate District Office

Oil Conservation Division
1220 South St. Francis Dr.

☐ AMENDED REPORT

I. REQUEST FOR ALLOWABLE MINERAL AUTHORIZATION TO TRANSPORT

¹ Operator name and Address EOG RESOURCES INC PO BOX 2267 MIDLAND, TEXAS 79702		² OGRID Number 7377	
		³ Reason for Filing Code/ Effective Date NW 1/21/2021	
⁴ API Number 30 - 025-46750	⁵ Pool Name WC025 G09 S263416B; UPPER WOLFCAMP		⁶ Pool Code 98105
⁷ Property Code 326993	⁸ Property Name LOBO BLANCO 16 FED		⁹ Well Number 710H

II. ¹⁰ Surface Location

UI or lot no. A	Section 16	Township 26S	Range 34E	Lot Idn	Feet from the 221	North/South Line NORTH	Feet from the 288	East/West line EAST	County LEA
--------------------	---------------	-----------------	--------------	---------	----------------------	---------------------------	----------------------	------------------------	---------------

¹¹ Bottom Hole Location

UL or lot no. A	Section 04	Township 26S	Range 34E	Lot Idn	Feet from the 109'	North/South line NORTH	Feet from the 379'	East/West line EAST	County LEA
¹² Lse Code	¹³ Producing Method Code FLOWING	¹⁴ Gas Connection Date	¹⁵ C-129 Permit Number		¹⁶ C-129 Effective Date		¹⁷ C-129 Expiration Date		

III. Oil and Gas Transporters

¹⁸ Transporter OGRID	¹⁹ Transporter Name and Address	²⁰ O/G/W
372812	EOGRM	OIL
151618	ENTERPRISE FIELD SERVICES	GAS
298751	REGENCY FIELD SERVICES	GAS
36785	DCP MIDSTREAM	GAS

IV. Well Completion Data

²¹ Spud Date 1/26/2020	²² Ready Date 01/21/2021	²³ TD 23,403'	²⁴ PBTD 23,380'	²⁵ Perforations 13,052'-23,380'	²⁶ DHC, MC
²⁷ Hole Size		²⁸ Casing & Tubing Size	²⁹ Depth Set		³⁰ Sacks Cement
12 1/4"		9 5/8"	918'		505 SXS CL C/CIRC
8 3/4"		7 5/8"	11,660'		1458 SXS CL C/CIRC
6 3/4"		5 1/2"	23,389'		1035 SXS CL H/CIRC

V. Well Test Data

³¹ Date New Oil 01/21/2021	³² Gas Delivery Date 01/21/2021	³³ Test Date 01/24/2021	³⁴ Test Length 24 HRS	³⁵ Tbg. Pressure	³⁶ Csg. Pressure 2190
³⁷ Choke Size 0	³⁸ Oil 3116	³⁹ Water 10,259	⁴⁰ Gas 5051		⁴¹ Test Method
⁴² I hereby certify that the rules of the Oil Conservation Division have been complied with and that the information given above is true and complete to the best of my knowledge and belief. Signature: Kristina Agee			OIL CONSERVATION DIVISION		
Printed name: Kristina Agee			Approved by: PATRICIA MARTINEZ		
Title: SENIOR REGULATORY ADMINISTRATOR			Title: PETROLEUM SPECIALIST		
E-mail Address: kristina_agee@eogresources.com			Approval Date: 7/28/2021		
Date: 3/25/2021		Phone: 432-686-6996			

District I
1625 N. French Dr., Hobbs, NM 88240
Phone: (575) 393-6161 Fax: (575) 393-0720
District II
811 S. First St., Artesia, NM 88210
Phone: (575) 748-1283 Fax: (575) 748-9720
District III
1000 Rio Brazos Road, Aztec, NM 87410
Phone: (505) 334-6178 Fax: (505) 334-6170
District IV
1220 S. St. Francis Dr., Santa Fe, NM 87505
Phone: (505) 476-3460 Fax: (505) 476-3462

State of New Mexico
Energy, Minerals & Natural Resources
Department
OIL CONSERVATION DIVISION
1220 South St. Francis Dr.
Santa Fe, NM 87505

FORM C-102
Revised August 1, 2011
Submit one copy to appropriate
District Office

☐ AMENDED REPORT

WELL LOCATION AND ACREAGE DEDICATION PLAT


¹ API Number 30-025-46750	² Pool Code 98105	³ Pool Name WC025 G09 S263416B; UPPER WOLFCAMP
⁴ Property Code 326993	⁵ Property Name LOBO BLANCO 16 FED	
⁶ OGRIID No. 7377	⁷ Operator Name EOG RESOURCES, INC.	⁸ Well Number 710H
		⁹ Elevation 3312'

¹⁰ Surface Location									County
UL or lot no.	Section	Township	Range	Lot Idn	Feet from the	North/South line	Feet from the	East/West line	
A	16	26-S	34-E	-	221'	NORTH	288'	EAST	LEA

¹¹ Bottom Hole Location If Different From Surface									County
UL or lot no.	Section	Township	Range	Lot Idn	Feet from the	North/South line	Feet from the	East/West line	
A	4	26-S	34-E	-	109'	NORTH	379'	EAST	LEA

¹² Dedicated Acres 640.00	¹³ Joint or Infill	¹⁴ Consolidation Code	¹⁵ Order No.
---	-------------------------------	----------------------------------	-------------------------

No allowable will be assigned to this completion until all interests have been consolidated or a non-standard unit has been approved by the division.



¹⁷OPERATOR CERTIFICATION

I hereby certify that the information contained herein is true and complete to the best of my knowledge and belief, and that this organization either owns a working interest or an undivided mineral interest in the land including the proposed bottom hole location or has a right to drill this well at this location pursuant to a contract with an owner of such a mineral or working interest, or to a voluntary pooling agreement or a compulsory pooling order heretofore entered by the division.

Signature: Kristina Agee Date: 3/25/2021

Printed Name: Kristina Agee

E-mail Address: kristina_agee@eogresources.com

¹⁸SURVEYOR CERTIFICATION


I hereby certify that the well location shown on this plat was plotted from field notes of actual surveys made by me or under my supervision, and that the same is true to the best of my belief.

Date of Survey: 05/16/2019

Signature and Seal: Ramon A. Dominguez

Certificate Number: 24508

JOBLANCO_16_FED_710H_REV2.DWG 6/4/2019 3:12:37 PM rdominguez





EOG Resources - Midland

Lea County, NM (NAD 83 NME)

Lobo Blanco 16 Fed

#710H

OH

Design: OH

Midland PVA

04 March, 2020



EOG Resources

Midland PVA

Company:	EOG Resources - Midland	Local Co-ordinate Reference:	Well #710H
Project:	Lea County, NM (NAD 83 NME)	TVD Reference:	KB = 25' @ 3337.0usft
Site:	Lobo Blanco 16 Fed	MD Reference:	KB = 25' @ 3337.0usft
Well:	#710H	North Reference:	Grid
Wellbore:	OH	Survey Calculation Method:	Minimum Curvature
Design:	OH	Database:	EDM

Project		Lea County, NM (NAD 83 NME)	
Map System:	US State Plane 1983	System Datum:	Mean Sea Level
Geo Datum:	North American Datum 1983		
Map Zone:	New Mexico Eastern Zone		

Site		Lobo Blanco 16 Fed								
Site Position:		Northing:		383,041.00	usft	Latitude:	32° 3' 0.363 N			
From:	Map	Easting:		809,677.00	usft	Longitude:	103° 28' 2.035 W			
Position Uncertainty:		0.0	usft	Slot Radius:		13-3/16	"	Grid Convergence:	0.46	°

Well		#710H				
Well Position	+N/-S	0.0 usft	Northing:	383,041.00 usft	Latitude:	32° 3' 0.363 N
	+E/-W	0.0 usft	Easting:	809,677.00 usft	Longitude:	103° 28' 2.035 W
Position Uncertainty		0.0 usft	Wellhead Elevation:	usft	Ground Level:	3,312.0 usft

Wellbore	OH				
Magnetics	Model Name	Sample Date	Declination (°)	Dip Angle (°)	Field Strength (nT)
	IGRF2015	3/2/2020	6.60	59.88	47,568.40817753

Design		OH			
Audit Notes:					
Version:		1.0	Phase:		ACTUAL
			Tie On Depth:		0.0
Vertical Section:		Depth From (TVD) (usft)		+N/-S (usft)	+E/-W (usft)
				Direction (°)	
		0.0		0.0	0.0
				359.26	

Survey Program		Date	3/4/2020		
From (usft)	To (usft)	Survey (Wellbore)	Tool Name	Description	
136.0	23,403.0	Driltech MWD (OH)	EOG MWD+IFR1	MWD + IFR1	



EOG Resources

Midland PVA

Company: EOG Resources - Midland
Project: Lea County, NM (NAD 83 NME)
Site: Lobo Blanco 16 Fed
Well: #710H
Wellbore: OH
Design: OH

Local Co-ordinate Reference: Well #710H
TVD Reference: KB = 25' @ 3337.0usft
MD Reference: KB = 25' @ 3337.0usft
North Reference: Grid
Survey Calculation Method: Minimum Curvature
Database: EDM

Survey										
MD (usft)	Inc (°)	Azi (azimuth) (°)	TVD (usft)	N/S (usft)	E/W (usft)	DLeg (°/100usft)	Build (°/100usft)	Turn (°/100usft)	High to Plan (usft)	Right to Plan (usft)
0.0	0.00	0.00	0.0	0.0	0.0	0.00	0.00	0.00	0.0	0.0
136.0	1.06	33.62	136.0	1.0	0.7	0.78	0.78	0.00	-1.3	0.0
313.0	1.32	343.96	313.0	4.4	1.0	0.58	0.15	-28.06	-3.9	-2.2
488.0	1.67	329.02	487.9	8.5	-0.8	0.30	0.20	-8.54	-7.7	-3.7
673.0	1.76	307.22	672.8	12.5	-4.5	0.35	0.05	-11.78	-11.1	-7.3
864.0	2.29	296.85	863.7	16.0	-10.2	0.34	0.28	-5.43	-16.4	-9.7
1,044.0	1.93	266.97	1,043.6	17.5	-16.5	0.63	-0.20	-16.60	-15.5	-18.3
1,236.0	3.25	189.54	1,235.4	11.9	-20.6	1.77	0.69	-40.33	8.4	-22.3
1,428.0	1.85	38.10	1,427.3	9.0	-19.6	2.58	-0.73	-78.87	5.0	21.0
1,620.0	1.67	51.29	1,619.3	13.2	-15.5	0.23	-0.09	6.87	3.8	20.0
1,811.0	1.49	63.85	1,810.2	16.0	-11.1	0.20	-0.09	6.58	2.9	19.3
2,003.0	1.67	83.98	2,002.1	17.4	-6.1	0.30	0.09	10.48	4.2	18.0
2,196.0	1.93	102.61	2,195.0	17.0	-0.1	0.33	0.13	9.65	3.8	16.6
2,388.0	2.46	102.00	2,386.9	15.5	7.1	0.28	0.28	-0.32	-3.7	16.6
2,580.0	3.43	93.74	2,578.6	14.2	16.9	0.55	0.51	-4.30	-15.9	15.3
2,772.0	0.79	50.32	2,770.5	14.7	23.6	1.51	-1.37	-22.61	-27.6	-3.8
2,964.0	2.64	52.96	2,962.4	18.2	28.2	0.96	0.96	1.37	-33.4	-2.4
3,156.0	2.81	119.49	3,154.2	18.6	35.8	1.56	0.09	34.65	-22.0	33.8
3,348.0	2.64	128.54	3,346.0	13.5	43.3	0.24	-0.09	4.71	-25.5	37.6
3,540.0	0.62	160.18	3,537.9	9.7	47.2	1.11	-1.05	16.48	-6.8	47.7
3,731.0	0.88	141.11	3,728.9	7.6	48.4	0.19	0.14	-9.98	-24.5	42.5
3,923.0	0.79	167.57	3,920.9	5.2	49.6	0.20	-0.05	13.78	-5.6	49.6
4,115.0	1.58	90.13	4,112.8	3.9	52.6	0.84	0.41	-40.33	-52.5	4.0
4,307.0	4.40	154.73	4,304.6	-2.8	58.4	2.08	1.47	33.65	-20.1	50.8
4,499.0	3.34	162.03	4,496.2	-14.8	63.2	0.61	-0.55	3.80	-12.4	50.6
4,691.0	5.19	123.18	4,687.7	-24.8	72.2	1.73	0.96	-20.23	-41.4	34.5
4,883.0	8.09	121.60	4,878.3	-36.7	91.0	1.51	1.51	-0.82	-51.7	39.8



EOG Resources

Midland PVA

Company:	EOG Resources - Midland	Local Co-ordinate Reference:	Well #710H
Project:	Lea County, NM (NAD 83 NME)	TVD Reference:	KB = 25' @ 3337.0usft
Site:	Lobo Blanco 16 Fed	MD Reference:	KB = 25' @ 3337.0usft
Well:	#710H	North Reference:	Grid
Wellbore:	OH	Survey Calculation Method:	Minimum Curvature
Design:	OH	Database:	EDM

Survey										
MD (usft)	Inc (°)	Azi (azimuth) (°)	TVD (usft)	N/S (usft)	E/W (usft)	DLeg (°/100usft)	Build (°/100usft)	Turn (°/100usft)	High to Plan (usft)	Right to Plan (usft)
5,074.0	6.68	141.37	5,067.8	-52.4	109.4	1.51	-0.74	10.35	-45.0	61.3
5,265.0	5.36	174.51	5,257.8	-70.0	117.2	1.91	-0.69	17.35	-9.7	75.8
5,457.0	4.31	176.62	5,449.1	-86.1	118.5	0.55	-0.55	1.10	-10.3	69.7
5,649.0	4.48	170.29	5,640.5	-100.7	120.2	0.27	0.09	-3.30	-19.2	62.1
5,841.0	4.40	167.04	5,832.0	-115.2	123.1	0.14	-0.04	-1.69	-23.9	56.0
6,033.0	4.13	166.25	6,023.4	-129.1	126.4	0.14	-0.14	-0.41	-25.2	51.3
6,225.0	3.87	163.26	6,215.0	-142.1	129.9	0.17	-0.14	-1.56	-27.3	46.0
6,417.0	3.61	162.03	6,406.6	-154.0	133.6	0.14	-0.14	-0.64	-26.7	42.0
6,609.0	2.73	121.16	6,598.3	-162.1	139.4	1.23	-0.46	-21.29	-44.5	16.8
6,800.0	1.93	84.95	6,789.1	-164.2	146.5	0.86	-0.42	-18.96	-50.7	-11.2
6,992.0	0.79	85.56	6,981.1	-163.8	151.0	0.59	-0.59	0.32	-55.4	-10.6
7,183.0	1.06	75.02	7,172.1	-163.3	154.0	0.17	0.14	-5.52	-55.5	-20.8
7,374.0	0.88	89.43	7,363.0	-162.8	157.2	0.16	-0.09	7.54	-62.2	-5.9
7,566.0	0.88	116.68	7,555.0	-163.4	160.0	0.22	0.00	14.19	-60.7	23.9
7,758.0	0.79	138.30	7,747.0	-165.1	162.2	0.17	-0.05	11.26	-50.4	45.1
7,950.0	0.97	140.58	7,939.0	-167.3	164.1	0.10	0.09	1.19	-51.5	47.2
8,051.6	0.76	161.48	8,040.5	-168.6	164.9	0.37	-0.21	20.57	-32.8	62.7
Brushy Top(LB 9 Fed #710H)										
8,141.0	0.70	187.26	8,129.9	-169.7	165.0	0.37	-0.07	28.84	-3.3	71.0
8,333.0	1.06	192.70	8,321.9	-172.6	164.5	0.19	0.19	2.83	0.5	71.1
8,525.0	0.97	185.41	8,513.9	-176.0	163.9	0.08	-0.05	-3.80	-11.9	70.4
8,717.0	0.88	186.02	8,705.9	-179.1	163.6	0.05	-0.05	0.32	-14.2	70.5
8,908.0	0.97	178.99	8,896.8	-182.1	163.5	0.08	0.05	-3.68	-25.8	68.0
9,100.0	1.06	179.17	9,088.8	-185.5	163.5	0.05	0.05	0.09	-29.0	68.1
9,292.0	1.23	174.24	9,280.8	-189.4	163.8	0.10	0.09	-2.57	-38.6	65.2
9,484.0	1.23	181.19	9,472.7	-193.5	163.9	0.08	0.00	3.62	-34.5	69.7
9,676.0	1.23	164.66	9,664.7	-197.5	164.4	0.18	0.00	-8.61	-57.0	56.4



EOG Resources

Midland PVA

Company:	EOG Resources - Midland	Local Co-ordinate Reference:	Well #710H
Project:	Lea County, NM (NAD 83 NME)	TVD Reference:	KB = 25' @ 3337.0usft
Site:	Lobo Blanco 16 Fed	MD Reference:	KB = 25' @ 3337.0usft
Well:	#710H	North Reference:	Grid
Wellbore:	OH	Survey Calculation Method:	Minimum Curvature
Design:	OH	Database:	EDM

Survey										
MD (usft)	Inc (°)	Azi (azimuth) (°)	TVD (usft)	N/S (usft)	E/W (usft)	DLeg (°/100usft)	Build (°/100usft)	Turn (°/100usft)	High to Plan (usft)	Right to Plan (usft)
9,868.0	0.88	178.20	9,856.7	-201.0	165.0	0.22	-0.18	7.05	-45.7	68.6
10,060.0	1.32	225.92	10,048.6	-204.0	163.5	0.51	0.23	24.85	16.8	81.0
10,252.0	2.37	260.29	10,240.5	-206.2	158.0	0.77	0.55	17.90	53.8	58.7
10,444.0	3.69	282.09	10,432.3	-205.6	148.0	0.90	0.69	11.35	61.9	36.0
10,636.0	1.76	280.50	10,624.0	-203.7	139.1	1.01	-1.01	-0.83	51.8	37.5
10,828.0	3.96	285.95	10,815.8	-201.4	129.8	1.15	1.15	2.84	45.5	32.7
11,020.0	5.36	266.88	11,007.1	-200.1	114.5	1.08	0.73	-9.93	17.1	43.6
11,213.0	5.45	271.19	11,199.3	-200.4	96.3	0.22	0.05	2.23	2.2	42.8
11,404.0	5.19	254.14	11,389.5	-202.5	78.9	0.84	-0.14	-8.93	-27.7	39.0
11,596.0	6.77	223.29	11,580.5	-213.1	62.8	1.83	0.82	-16.07	-62.5	14.8
11,747.0	8.27	218.89	11,730.2	-228.1	49.9	1.06	0.99	-2.91	-83.2	9.3
11,842.0	2.64	315.75	11,824.8	-231.8	44.1	9.45	-5.93	101.96	17.7	88.4
11,938.0	2.99	322.96	11,920.7	-228.3	41.0	0.52	0.36	7.51	23.9	85.7
12,034.0	2.90	325.77	12,016.6	-224.2	38.1	0.18	-0.09	2.93	23.2	84.6
12,130.0	1.93	290.79	12,112.5	-221.7	35.3	1.79	-1.01	-36.44	-33.1	81.2
12,226.0	1.32	271.72	12,208.5	-221.1	32.7	0.84	-0.64	-19.86	-60.4	65.4
12,245.0	2.73	334.73	12,227.5	-220.6	32.2	12.80	7.41	331.61	30.3	83.7
KOP, MD:12245.0', TVD:12227.5', N/S:-220.6', E/W:32.2', INC:2.73										
12,322.0	12.31	357.58	12,303.7	-210.8	31.1	12.80	12.45	29.68	50.2	66.5
12,418.0	34.03	3.91	12,391.5	-173.3	32.5	22.74	22.62	6.59	27.5	59.8
12,513.0	43.88	5.14	12,465.2	-113.8	37.3	10.40	10.37	1.29	-7.1	50.4
12,609.0	48.45	3.21	12,531.7	-44.8	42.3	4.98	4.76	-2.01	-38.6	36.8
12,705.0	53.38	358.29	12,592.2	29.7	43.2	6.49	5.14	-5.12	-59.4	18.6
12,753.4	55.83	353.73	12,620.3	69.0	40.4	9.20	5.06	-9.43	-64.0	9.4
AC TGT(LB 16 Fed #710H)										
12,801.0	58.39	349.50	12,646.1	108.5	34.5	9.20	5.38	-8.88	-64.5	3.8
12,896.0	67.27	347.57	12,689.5	191.3	17.7	9.52	9.35	-2.03	-57.9	1.8



EOG Resources

Midland PVA

Company:	EOG Resources - Midland	Local Co-ordinate Reference:	Well #710H
Project:	Lea County, NM (NAD 83 NME)	TVD Reference:	KB = 25' @ 3337.0usft
Site:	Lobo Blanco 16 Fed	MD Reference:	KB = 25' @ 3337.0usft
Well:	#710H	North Reference:	Grid
Wellbore:	OH	Survey Calculation Method:	Minimum Curvature
Design:	OH	Database:	EDM

Survey											
MD (usft)	Inc (°)	Azi (azimuth) (°)	TVD (usft)	N/S (usft)	E/W (usft)	DLeg (°/100usft)	Build (°/100usft)	Turn (°/100usft)	High to Plan (usft)	Right to Plan (usft)	
12,928.4	70.38	348.56	12,701.2	220.8	11.5	10.01	9.60	3.05	-54.1	1.9	
LL Crossing, MD:12928.4', TVD:12701.2', N/S:220.8', E/W:11.5', INC:70.38											
12,992.0	76.50	350.40	12,719.3	280.7	0.3	10.01	9.62	2.89	-44.7	0.0	
13,032.8	78.14	351.00	12,728.3	320.0	-6.1	4.28	4.03	1.47	-36.7	-2.1	
FTP Crossing, MD:13032.8', TVD:12728.3', N/S:320.0', E/W:-6.1', INC:78.14											
13,045.4	78.65	351.18	12,730.8	332.2	-8.0	4.28	4.03	1.46	-34.2	-2.7	
FTP(LB 9 Fed #710H)											
13,088.0	80.37	351.80	12,738.5	373.6	-14.2	4.28	4.03	1.45	-26.4	-4.5	
13,183.0	81.95	354.44	12,753.1	466.8	-25.4	3.21	1.66	2.78	-11.8	-7.7	
13,279.0	82.39	354.09	12,766.2	561.4	-34.9	0.58	0.46	-0.36	1.3	-8.1	
13,375.0	86.09	353.83	12,775.9	656.4	-45.0	3.86	3.85	-0.27	10.9	-3.2	
13,471.0	88.37	356.29	12,780.5	751.9	-53.2	3.49	2.37	2.56	15.5	3.8	
13,567.0	92.51	359.71	12,779.8	847.8	-56.6	5.59	4.31	3.56	14.8	6.3	
13,663.0	92.59	359.71	12,775.5	943.7	-57.1	0.08	0.08	0.00	10.5	5.9	
13,760.0	91.89	0.51	12,771.7	1,040.7	-56.9	1.10	-0.72	0.82	6.7	4.9	
13,856.0	89.25	1.47	12,770.7	1,136.6	-55.2	2.93	-2.75	1.00	5.8	2.4	
13,952.0	90.48	2.44	12,771.0	1,232.6	-52.0	1.63	1.28	1.01	6.0	-1.8	
14,048.0	89.96	2.97	12,770.6	1,328.5	-47.4	0.77	-0.54	0.55	5.6	-7.2	
14,144.0	88.90	2.17	12,771.6	1,424.4	-43.1	1.38	-1.10	-0.83	6.6	-12.3	
14,240.0	91.28	3.67	12,771.4	1,520.2	-38.2	2.93	2.48	1.56	6.5	-18.0	
14,336.0	90.48	2.09	12,769.9	1,616.1	-33.4	1.84	-0.83	-1.65	5.0	-23.7	
14,433.0	90.13	1.56	12,769.4	1,713.0	-30.3	0.65	-0.36	-0.55	4.4	-27.7	
14,529.0	91.10	3.76	12,768.4	1,808.9	-25.9	2.50	1.01	2.29	3.5	-33.0	
14,625.0	88.37	356.29	12,768.8	1,904.8	-25.8	8.28	-2.84	-7.78	3.9	-33.9	
14,721.0	88.11	356.02	12,771.8	2,000.6	-32.3	0.39	-0.27	-0.28	6.9	-28.3	
14,817.0	91.45	355.93	12,772.1	2,096.3	-39.0	3.48	3.48	-0.09	7.1	-22.4	
14,913.0	89.60	356.29	12,771.3	2,192.1	-45.5	1.96	-1.93	0.37	6.3	-16.7	



EOG Resources

Midland PVA

Company:	EOG Resources - Midland	Local Co-ordinate Reference:	Well #710H
Project:	Lea County, NM (NAD 83 NME)	TVD Reference:	KB = 25' @ 3337.0usft
Site:	Lobo Blanco 16 Fed	MD Reference:	KB = 25' @ 3337.0usft
Well:	#710H	North Reference:	Grid
Wellbore:	OH	Survey Calculation Method:	Minimum Curvature
Design:	OH	Database:	EDM

Survey										
MD (usft)	Inc (°)	Azi (azimuth) (°)	TVD (usft)	N/S (usft)	E/W (usft)	DLeg (°/100usft)	Build (°/100usft)	Turn (°/100usft)	High to Plan (usft)	Right to Plan (usft)
15,009.0	90.75	356.73	12,771.0	2,287.9	-51.3	1.28	1.20	0.46	6.0	-11.8
15,105.0	89.08	357.96	12,771.1	2,383.8	-55.8	2.16	-1.74	1.28	6.1	-8.2
15,201.0	88.90	359.63	12,772.8	2,479.8	-57.8	1.75	-0.19	1.74	7.8	-7.0
15,297.0	90.92	0.77	12,773.0	2,575.8	-57.5	2.42	2.10	1.19	8.0	-8.2
15,393.0	89.52	358.66	12,772.6	2,671.8	-58.0	2.64	-1.46	-2.20	7.6	-8.6
15,489.0	90.92	358.57	12,772.2	2,767.7	-60.3	1.46	1.46	-0.09	7.2	-7.1
15,585.0	88.29	355.14	12,772.9	2,863.6	-65.5	4.50	-2.74	-3.57	7.9	-2.7
15,681.0	88.11	355.06	12,775.9	2,959.2	-73.7	0.21	-0.19	-0.08	10.9	4.7
15,778.0	88.78	355.41	12,778.5	3,055.8	-81.8	0.78	0.69	0.36	13.5	11.9
15,874.0	88.20	355.67	12,781.1	3,151.5	-89.3	0.66	-0.60	0.27	16.1	18.5
15,970.0	87.93	358.04	12,784.3	3,247.3	-94.5	2.48	-0.28	2.47	19.3	22.9
16,066.0	88.55	358.75	12,787.2	3,343.2	-97.2	0.98	0.65	0.74	22.2	24.7
16,161.0	89.69	358.57	12,788.7	3,438.1	-99.4	1.21	1.20	-0.19	23.7	26.1
16,221.4	89.97	358.46	12,788.9	3,498.5	-101.0	0.49	0.46	-0.18	23.9	27.1
TGT#1(LB 9 Fed #710H)										
16,257.0	90.13	358.40	12,788.9	3,534.1	-102.0	0.49	0.46	-0.18	24.1	27.8
16,353.0	90.57	358.75	12,788.3	3,630.1	-104.4	0.59	0.46	0.36	25.6	29.3
16,449.0	91.36	358.57	12,786.7	3,726.0	-106.6	0.84	0.82	-0.19	26.3	30.7
16,545.0	92.95	359.80	12,783.0	3,821.9	-108.0	2.09	1.66	1.28	25.0	31.2
16,641.0	94.35	0.42	12,776.9	3,917.7	-107.8	1.59	1.46	0.65	21.2	30.2
16,738.0	93.21	358.92	12,770.5	4,014.5	-108.3	1.94	-1.18	-1.55	17.3	29.9
16,834.0	93.30	359.19	12,765.1	4,110.4	-109.9	0.30	0.09	0.28	14.1	30.6
16,930.0	90.48	0.51	12,761.9	4,206.3	-110.2	3.24	-2.94	1.37	13.3	30.0
17,026.0	92.15	1.12	12,759.7	4,302.3	-108.8	1.85	1.74	0.64	13.4	27.8
17,122.0	89.96	359.98	12,758.0	4,398.2	-107.9	2.57	-2.28	-1.19	14.0	26.0
17,218.0	89.96	0.94	12,758.0	4,494.2	-107.1	1.00	0.00	1.00	16.4	24.3
17,314.0	91.89	3.49	12,756.5	4,590.1	-103.4	3.33	2.01	2.66	17.2	19.8



EOG Resources

Midland PVA

Company:	EOG Resources - Midland	Local Co-ordinate Reference:	Well #710H
Project:	Lea County, NM (NAD 83 NME)	TVD Reference:	KB = 25' @ 3337.0usft
Site:	Lobo Blanco 16 Fed	MD Reference:	KB = 25' @ 3337.0usft
Well:	#710H	North Reference:	Grid
Wellbore:	OH	Survey Calculation Method:	Minimum Curvature
Design:	OH	Database:	EDM

Survey										
MD (usft)	Inc (°)	Azi (azimuth) (°)	TVD (usft)	N/S (usft)	E/W (usft)	DLeg (°/100usft)	Build (°/100usft)	Turn (°/100usft)	High to Plan (usft)	Right to Plan (usft)
17,410.0	88.46	1.21	12,756.2	4,686.0	-99.5	4.29	-3.57	-2.37	19.3	15.0
17,488.2	89.18	1.85	12,757.8	4,764.2	-97.4	1.23	0.92	0.82	22.8	12.2
TGT#2(LB 9 Fed #710H)										
17,506.0	89.34	2.00	12,758.0	4,782.0	-96.8	1.23	0.92	0.82	23.4	11.4
17,603.0	89.96	359.01	12,758.6	4,878.9	-95.9	3.15	0.64	-3.08	25.4	9.7
17,699.0	88.37	358.48	12,760.0	4,974.9	-98.0	1.75	-1.66	-0.55	28.1	11.0
17,795.0	89.87	357.96	12,761.5	5,070.9	-101.0	1.65	1.56	-0.54	30.9	13.1
17,891.0	91.10	357.96	12,760.7	5,166.8	-104.4	1.28	1.28	0.00	31.4	15.6
17,987.0	91.01	357.87	12,758.9	5,262.7	-107.9	0.13	-0.09	-0.09	30.9	18.3
18,083.0	93.39	359.36	12,755.2	5,358.6	-110.2	2.92	2.48	1.55	28.6	19.8
18,180.0	90.04	357.17	12,752.3	5,455.5	-113.2	4.13	-3.45	-2.26	27.0	21.8
18,276.0	91.01	358.66	12,751.4	5,551.4	-116.7	1.85	1.01	1.55	27.4	24.4
18,372.0	90.66	0.68	12,750.0	5,647.4	-117.2	2.14	-0.36	2.10	27.4	24.1
18,468.0	91.71	1.12	12,748.1	5,743.4	-115.7	1.19	1.09	0.46	26.7	21.8
18,564.0	91.63	0.60	12,745.3	5,839.3	-114.3	0.55	-0.08	-0.54	25.2	19.5
18,660.0	88.29	358.57	12,745.3	5,935.3	-115.0	4.07	-3.48	-2.11	26.6	19.3
18,756.0	91.54	359.54	12,745.5	6,031.3	-116.5	3.53	3.39	1.01	28.1	20.0
18,852.0	88.11	356.55	12,745.8	6,127.2	-119.8	4.74	-3.57	-3.11	29.7	22.5
18,927.1	88.87	357.17	12,747.7	6,202.1	-123.9	1.30	1.01	0.82	32.7	25.9
TGT#3(LB 9 Fed #710H)										
18,948.0	89.08	357.34	12,748.1	6,223.0	-124.9	1.30	1.01	0.82	33.4	26.7
19,044.0	90.40	357.26	12,748.5	6,318.9	-129.5	1.38	1.37	-0.08	36.2	30.3
19,140.0	90.84	356.82	12,747.5	6,414.8	-134.4	0.65	0.46	-0.46	37.5	34.4
19,236.0	89.78	358.31	12,747.0	6,510.7	-138.5	1.90	-1.10	1.55	39.2	37.7
19,332.0	92.07	359.98	12,745.4	6,606.6	-139.9	2.95	2.39	1.74	40.0	38.3
19,428.0	92.42	359.98	12,741.7	6,702.6	-140.0	0.36	0.36	0.00	38.5	37.5
19,524.0	93.83	1.21	12,736.4	6,798.4	-139.0	1.95	1.47	1.28	35.6	35.7



EOG Resources

Midland PVA

Company:	EOG Resources - Midland	Local Co-ordinate Reference:	Well #710H
Project:	Lea County, NM (NAD 83 NME)	TVD Reference:	KB = 25' @ 3337.0usft
Site:	Lobo Blanco 16 Fed	MD Reference:	KB = 25' @ 3337.0usft
Well:	#710H	North Reference:	Grid
Wellbore:	OH	Survey Calculation Method:	Minimum Curvature
Design:	OH	Database:	EDM

Survey											
MD (usft)	Inc (°)	Azi (azimuth) (°)	TVD (usft)	N/S (usft)	E/W (usft)	DLeg (°/100usft)	Build (°/100usft)	Turn (°/100usft)	High to Plan (usft)	Right to Plan (usft)	
19,644.0	95.06	1.74	12,727.1	6,918.0	-135.9	1.12	1.02	0.44	29.1	31.5	
19,740.0	91.54	2.27	12,721.6	7,013.8	-132.5	3.71	-3.67	0.55	26.0	27.3	
19,766.4	90.89	1.98	12,721.1	7,040.1	-131.6	2.71	-2.48	-1.10	26.1	26.0	
TGT#4(LB 9 Fed #710H)											
19,836.0	89.16	1.21	12,721.0	7,109.7	-129.6	2.71	-2.48	-1.10	27.0	23.5	
19,932.0	89.43	0.33	12,722.2	7,205.7	-128.3	0.96	0.28	-0.92	29.1	21.3	
20,028.0	90.31	1.21	12,722.4	7,301.7	-127.0	1.30	0.92	0.92	30.3	19.2	
20,124.0	91.10	1.38	12,721.3	7,397.7	-124.9	0.84	0.82	0.18	30.0	16.1	
20,220.0	91.54	1.65	12,719.0	7,493.6	-122.3	0.54	0.46	0.28	28.8	12.8	
20,316.0	89.16	0.94	12,718.5	7,589.6	-120.2	2.59	-2.48	-0.74	29.1	9.7	
20,412.0	90.31	1.74	12,718.9	7,685.5	-117.9	1.46	1.20	0.83	30.5	6.6	
20,508.0	88.81	358.40	12,719.6	7,781.5	-117.8	3.81	-1.56	-3.48	32.2	5.6	
20,605.0	88.20	357.17	12,722.2	7,878.4	-121.5	1.42	-0.63	-1.27	35.7	8.5	
20,701.0	88.46	357.87	12,725.0	7,974.3	-125.7	0.78	0.27	0.73	39.4	11.8	
20,797.0	93.12	358.22	12,723.6	8,070.2	-129.0	4.87	4.85	0.36	39.0	14.2	
20,893.0	94.00	357.78	12,717.7	8,166.0	-132.3	1.02	0.92	-0.46	34.0	16.7	
20,989.0	94.88	358.57	12,710.2	8,261.6	-135.4	1.23	0.92	0.82	27.5	18.9	
21,086.0	91.98	356.29	12,704.4	8,358.3	-139.7	3.80	-2.99	-2.35	22.7	22.4	
21,182.0	90.57	355.76	12,702.3	8,454.1	-146.4	1.57	-1.47	-0.55	21.5	28.2	
21,278.0	90.48	356.55	12,701.4	8,549.9	-152.8	0.83	-0.09	0.82	21.5	33.7	
21,374.0	90.13	356.02	12,700.9	8,645.6	-159.0	0.66	-0.36	-0.55	22.0	39.1	
21,471.0	92.33	357.60	12,698.8	8,742.5	-164.4	2.79	2.27	1.63	20.8	43.6	
21,567.0	93.47	359.01	12,694.0	8,838.3	-167.3	1.89	1.19	1.47	16.9	45.6	
21,663.0	90.92	356.11	12,690.3	8,934.1	-171.3	4.02	-2.66	-3.02	14.2	48.9	
21,759.0	91.80	359.54	12,688.0	9,030.0	-175.0	3.69	0.92	3.57	12.8	51.7	
21,784.5	91.04	359.93	12,687.4	9,055.5	-175.1	3.37	-2.99	1.55	12.4	51.5	
TGT#5(LB 9 Fed #710H)											



EOG Resources

Midland PVA

Company:	EOG Resources - Midland	Local Co-ordinate Reference:	Well #710H
Project:	Lea County, NM (NAD 83 NME)	TVD Reference:	KB = 25' @ 3337.0usft
Site:	Lobo Blanco 16 Fed	MD Reference:	KB = 25' @ 3337.0usft
Well:	#710H	North Reference:	Grid
Wellbore:	OH	Survey Calculation Method:	Minimum Curvature
Design:	OH	Database:	EDM

Survey											
MD (usft)	Inc (°)	Azi (azimuth) (°)	TVD (usft)	N/S (usft)	E/W (usft)	DLeg (°/100usft)	Build (°/100usft)	Turn (°/100usft)	High to Plan (usft)	Right to Plan (usft)	
21,856.0	88.90	1.04	12,687.4	9,127.0	-174.5	3.37	-2.99	1.55	12.9	50.3	
21,952.0	88.64	0.77	12,689.5	9,223.0	-173.0	0.39	-0.27	-0.28	15.6	47.9	
22,048.0	88.64	1.65	12,691.8	9,318.9	-170.9	0.92	0.00	0.92	18.5	45.0	
22,144.0	90.48	3.14	12,692.5	9,414.8	-166.9	2.47	1.92	1.55	19.8	40.2	
22,240.0	91.89	3.84	12,690.5	9,510.6	-161.1	1.64	1.47	0.73	18.3	33.5	
22,336.0	88.20	2.53	12,690.4	9,606.4	-155.8	4.08	-3.84	-1.36	18.9	27.3	
22,433.0	88.29	2.88	12,693.4	9,703.3	-151.2	0.37	0.09	0.36	22.5	21.8	
22,529.0	88.55	1.47	12,696.1	9,799.2	-147.5	1.49	0.27	-1.47	25.7	17.3	
22,625.0	87.23	359.45	12,699.6	9,895.1	-146.8	2.51	-1.37	-2.10	29.8	15.7	
22,721.0	89.34	358.31	12,702.5	9,991.0	-148.6	2.50	2.20	-1.19	33.3	16.7	
22,817.0	88.64	357.34	12,704.2	10,087.0	-152.3	1.25	-0.73	-1.01	35.6	19.5	
22,913.0	89.52	357.17	12,705.7	10,182.8	-156.9	0.93	0.92	-0.18	37.7	23.2	
23,010.0	91.54	357.34	12,704.8	10,279.7	-161.5	2.09	2.08	0.18	37.4	27.0	
23,106.0	92.33	356.90	12,701.6	10,375.5	-166.4	0.94	0.82	-0.46	34.8	31.0	
23,202.0	93.12	356.64	12,697.0	10,471.3	-171.8	0.87	0.82	-0.27	30.8	35.5	
23,299.0	94.88	356.02	12,690.2	10,567.8	-177.9	1.92	1.81	-0.64	24.7	40.8	
23,340.0	94.62	355.50	12,686.8	10,608.6	-181.0	1.41	-0.63	-1.27	21.6	43.4	
Last MWD Survey (MD=23340.0')											
23,401.4	94.62	355.50	12,681.9	10,669.6	-185.8	0.00	0.00	0.00	17.1	47.7	
PBHL(LB 9 Fed #710H)											
23,403.0	94.62	355.50	12,681.8	10,671.2	-185.9	0.00	0.00	0.00	17.0	47.8	
Projection to Bit (MD=23403.0')											



EOG Resources

Midland PVA

Company:	EOG Resources - Midland	Local Co-ordinate Reference:	Well #710H
Project:	Lea County, NM (NAD 83 NME)	TVD Reference:	KB = 25' @ 3337.0usft
Site:	Lobo Blanco 16 Fed	MD Reference:	KB = 25' @ 3337.0usft
Well:	#710H	North Reference:	Grid
Wellbore:	OH	Survey Calculation Method:	Minimum Curvature
Design:	OH	Database:	EDM

Design Annotations					
Measured Depth (usft)	Vertical Depth (usft)	Local Coordinates			
		+N/-S (usft)	+E/-W (usft)	Comment	
12,245.0	12,227.5	-220.6	32.2	KOP, MD:12245.0', TVD:12227.5', N/S:-220.6', E/W:32.2', INC:2.73	
12,928.4	12,701.2	220.8	11.5	LL Crossing, MD:12928.4', TVD:12701.2', N/S:220.8', E/W:11.5', INC:70.38	
13,032.8	12,728.3	320.0	-6.1	FTP Crossing, MD:13032.8', TVD:12728.3', N/S:320.0', E/W:-6.1', INC:78.14	
23,340.0	12,686.8	10,608.6	-181.0	Last MWD Survey (MD=23340.0')	
23,403.0	12,681.8	10,671.2	-185.9	Projection to Bit (MD=23403.0')	

Checked By: _____	Approved By: _____	Date: _____
-------------------	--------------------	-------------

Lea County, NM (NAD 83 NME)

Lobo Blanco 16 Fed #710H

Plan #1

PROJECT DETAILS: Lea County, NM (NAD 83 NME)

Geodetic System: US State Plane 1983
Datum: North American Datum 1983
Ellipsoid: GRS 1980
Zone: New Mexico Eastern Zone
System Datum: Mean Sea Level

WELL DETAILS: #710H

KB = 25' @ 3337.0usft 3312.0
Northing 383041.00 Easting 809677.00 Latitude 32° 3' 0.363 N Longitude 103° 28' 2.035 W

SECTION DETAILS








Sec	MD	Inc	Azi	TVD	+N/-S	+E/-W	Dleg	TFace	VSec	Target
1	0.0	0.00	0.00	0.0	0.0	0.0	0.00	0.00	0.0	
2	4100.0	0.00	0.00	4100.0	0.0	0.0	0.00	0.00	0.0	
3	4314.8	4.30	148.90	4314.6	-6.9	4.2	2.00	148.90	-6.9	
4	6554.9	4.30	148.90	6548.4	-150.6	90.8	0.00	0.00	-151.8	
5	6769.7	0.00	0.00	6763.0	-157.5	95.0	2.00	180.00	-158.7	
6	12294.2	0.00	0.00	12287.5	-157.5	95.0	0.00	0.00	-158.7	
7	13044.2	90.00	347.80	12765.0	309.2	-5.9	12.00	347.80	309.2	
8	13433.9	90.00	359.49	12765.0	695.8	-49.0	3.00	90.00	696.4	
9	16237.5	90.00	359.49	12765.0	3499.3	-73.9	0.00	0.00	3500.0	TGT#1(LB 9 Fed #710H)
10	16307.4	91.40	359.49	12764.1	3569.2	-74.5	2.00	-0.13	3569.8	TGT#2(LB 9 Fed #710H)
11	17502.9	91.40	359.49	12735.0	4764.3	-85.2	0.00	0.00	4765.0	TGT#3(LB 9 Fed #710H)
12	17533.3	90.79	359.49	12734.4	4794.7	-85.5	2.00	179.99	4795.4	TGT#4(LB 9 Fed #710H)
13	18943.1	90.79	359.49	12715.0	6204.3	-98.1	0.00	0.00	6205.0	TGT#5(LB 9 Fed #710H)
14	18972.8	91.38	359.49	12714.4	6234.0	-98.3	2.00	0.00	6234.7	PBHL(LB 9 Fed #710H)
15	19778.3	91.38	359.49	12695.0	7039.2	-105.5	0.00	0.00	7040.0	
16	19819.4	90.56	359.49	12694.3	7080.3	-105.9	2.00	180.00	7081.1	
17	21794.5	90.56	359.49	12675.0	9055.2	-123.5	0.00	0.00	9056.0	
18	21804.8	90.35	359.49	12674.9	9065.5	-123.6	2.00	-180.00	9066.4	
19	23411.4	90.35	359.49	12665.0	10672.0	-138.0	0.00	0.00	10672.9	

CASING DETAILS

No casing data is available

WELLBORE TARGET DETAILS (MAP CO-ORDINATES)

Name	TVD	+N/-S	+E/-W	Northing	Easting
TGT#1(LB 9 Fed #710H)	12765.0	3499.3	-73.9	386540.30	809603.13
TGT#2(LB 9 Fed #710H)	12735.0	4764.3	-85.2	387805.30	809591.82
TGT#3(LB 9 Fed #710H)	12715.0	6204.3	-98.1	389245.30	809578.94
TGT#4(LB 9 Fed #710H)	12695.0	7039.2	-105.5	390080.20	809571.48
TGT#5(LB 9 Fed #710H)	12675.0	9055.2	-123.5	392096.20	809553.46
PBHL(LB 9 Fed #710H)	12665.0	10672.0	-138.0	393713.00	809539.00
AC TGT(LB 16 Fed #710H)	12693.1	16.7	17.0	383057.67	809693.97
Brushy Top(LB 9 Fed #710H)	8041.0	-157.5	95.0	382883.50	809772.00
FTP(LB 9 Fed #710H)	12765.0	320.0	-45.0	383361.00	809632.00



Intent ☐ As Drilled ☐

API #		
Operator Name:	Property Name:	Well Number

Kick Off Point (KOP)

UL	Section	Township	Range	Lot	Feet	From N/S	Feet	From E/W	County
Latitude					Longitude				NAD

First Take Point (FTP)

UL	Section	Township	Range	Lot	Feet	From N/S	Feet	From E/W	County
Latitude					Longitude				NAD

Last Take Point (LTP)

UL	Section	Township	Range	Lot	Feet	From N/S	Feet	From E/W	County
Latitude					Longitude				NAD

Is this well the defining well for the Horizontal Spacing Unit? ☐Is this well an infill well? ☐

If infill is yes please provide API if available, Operator Name and well number for Defining well for Horizontal Spacing Unit.

API #		
Operator Name:	Property Name:	Well Number

KZ 06/29/2018

Well Name: LOBO BLANCO 16 FED	Well Location: T26S / R34E / SEC 16 / NENE / 32.0500997 / -103.4672324	County or Parish/State: LEA / NM
Well Number: 710H	Type of Well: OIL WELL	Allottee or Tribe Name:
Lease Number: NMNM066927, NMNM66927	Unit or CA Name:	Unit or CA Number:
US Well Number: 3002546750	Well Status: Approved Application for Permit to Drill	Operator: EOG RESOURCES INCORPORATED

Subsequent Report

Type of Submission: Subsequent Report	Type of Action: Hydraulic Fracturing
Date Sundry Submitted: 02/25/2021	Time Sundry Submitted: 02:32
Date Operation Actually Began: 01/21/2021	

Actual Procedure: 3/02/2020 RIG RELEASED 4/27/2020 MIRU PREP TO FRAC, TEST VOID 5000 PSI,SEALS & FLANGES TO 8500 PSI 05/12/2020 BEGIN PERF & FRAC 05/24/2020 FINISH 35 STAGES PERF & FRAC 13,052' - 23,380', 2100 3 1/8" SHOTS FRAC 24,924,609 LBS PROPPANT, 436,870 BBLS LOAD FLUID 9/14/2020 DRILLED OUT PLUGS AND CLEAN OUT WELLBORE 1/21/2021 OPENED WELL TO FLOWBACK - DATE OF FIRST PRODUCTION WILL RUN TBG AND GAS LIFT VALVES WITHIN 3-6 MONTHS, WILL SUBMIT SUNDRY AT THAT TIME LISTING TBG DEPTH.

Well Name: LOBO BLANCO 16 FED	Well Location: T26S / R34E / SEC 16 / NENE / 32.0500997 / -103.4672324	County or Parish/State: LEA / NM
Well Number: 710H	Type of Well: OIL WELL	Allottee or Tribe Name:
Lease Number: NMNM066927, NMNM66927	Unit or CA Name:	Unit or CA Number:
US Well Number: 3002546750	Well Status: Approved Application for Permit to Drill	Operator: EOG RESOURCES INCORPORATED

Operator Certification

I certify that the foregoing is true and correct. Title 18 U.S.C. Section 1001 and Title 43 U.S.C. Section 1212, make it a crime for any person knowingly and willfully to make to any department or agency of the United States any false, fictitious or fraudulent statements or representations as to any matter within its jurisdiction. Electronic submission of Sundry Notices through this system satisfies regulations requiring a submission of Form 3160-5 or a Sundry Notice.

Operator Electronic Signature: AGEE	Signed on: FEB 25, 2021 02:32 PM
Name: EOG RESOURCES INCORPORATED	
Title: Senior Regulatory Administrator	
Street Address: 1111 BAGBY SKY LOBBY2	
City: HOUSTON	State: TX
Phone: (713) 651-7000	
Email address:	

Field Representative

Representative Name:		
Street Address:		
City:	State:	Zip:
Phone:		
Email address:		

BLM Point of Contact

BLM POC Name: Jonathon W Shepard	BLM POC Title: Petroleum Engineer
BLM POC Phone: 5752345972	BLM POC Email Address: jshepard@blm.gov
Disposition: Accepted	Disposition Date: 03/02/2021
Signature: Jonathon Shepard	

Submit To Appropriate District Office Two Copies <u>District I</u> 1625 N. French Dr., Hobbs, NM 88240 <u>District II</u> 811 S. First St., Artesia, NM 88210 <u>District III</u> 1000 Rio Brazos Rd., Aztec, NM 87410 <u>District IV</u> 1220 S. St. Francis Dr., Santa Fe, NM 87505		State of New Mexico Energy, Minerals and Natural Resources Oil Conservation Division 1220 South St. Francis Dr. Santa Fe, NM 87505			Form C-105 Revised August 1, 2011					
WELL COMPLETION OR RECOMPLETION REPORT AND LOG										
4. Reason for filing: ☒ COMPLETION REPORT (Fill in boxes #1 through #31 for State and Fee wells only) ☐ C-144 CLOSURE ATTACHMENT (Fill in boxes #1 through #9, #15 Date Rig Released and #32 and/or #33; attach this and the plat to the C-144 closure report in accordance with 19.15.17.13.K NMAC)								5. Lease Name or Unit Agreement Name LOBO BLANCO 16 FED		
								6. Well Number: 710H		
7. Type of Completion: ☒ NEW WELL ☐ WORKOVER ☐ DEEPENING ☐ PLUGBACK ☐ DIFFERENT RESERVOIR ☐ OTHER _____										
8. Name of Operator EOG RESOURCES INC							9. OGRID 7377			
10. Address of Operator PO BOX 2267 MIDLAND, TEXAS 79702							11. Pool name or Wildcat WC025 G09 S263416B; UPPER WOLFCAMP			
12. Location	Unit Ltr	Section	Township	Range	Lot	Feet from the	N/S Line	Feet from the	E/W Line	County
Surface:	A	16	26S	34E		221'	NORTH	288'	EAST	LEA
BH:	A	04	26S	34E		109'	NORTH	379'	EAST	LEA
13. Date Spudded 1/26/2020	14. Date T.D. Reached 2/28/2020		15. Date Rig Released 3/2/2020			16. Date Completed (Ready to Produce) 1/21/2021		17. Elevations (DF and RKB, RT, GR, etc.) 3312' GL		
18. Total Measured Depth of Well MD 23,403' TVD 12,681'			19. Plug Back Measured Depth MD 23,380' TVD 12,681'			20. Was Directional Survey Made? YES		21. Type Electric and Other Logs Run None		
22. Producing Interval(s), of this completion - Top, Bottom, Name WOLFCAMP - 13,052'-23,380'										
23. CASING RECORD (Report all strings set in well)										
CASING SIZE		WEIGHT LB./FT.		DEPTH SET		HOLE SIZE		CEMENTING RECORD		AMOUNT PULLED
9 5/8"		40# J-55		918'		12 1/4"		505 CL C/CIRC		
7 5/8"		29.7# ICP 110		11,660'		8 3/4"		1458 C/CIRC		
5 1/2"		20# ICP 110		23,389'		6 3/4"		1035 CL H/CIRC		
24. LINER RECORD						25. TUBING RECORD				
SIZE	TOP	BOTTOM	SACKS CEMENT	SCREEN		SIZE	DEPTH SET		PACKER SET	
26. Perforation record (interval, size, and number) 13,052'-23,380' 3 1/8", 2100 holes						27. ACID, SHOT, FRACTURE, CEMENT, SQUEEZE, ETC.				
						DEPTH INTERVAL		AMOUNT AND KIND MATERIAL USED		
						13,052'-23,380'		FRAC W/24,924,609 lbs proppant, 436,870 bbls load fld		
28. PRODUCTION										
Date First Production 01/21/2021		Production Method (<i>Flowing, gas lift, pumping - Size and type pump</i>) Flowing				Well Status (<i>Prod. or Shut-in</i>) Producing				
Date of Test 01/24/2021	Hours Tested 24	Choke Size 0	Prod'n For Test Period	Oil - Bbl 3116	Gas - MCF 5051	Water - Bbl. 10259	Gas - Oil Ratio 1621			
Flow Tubing Press.	Casing Pressure 2190	Calculated 24-Hour Rate	Oil - Bbl.	Gas - MCF	Water - Bbl.	Oil Gravity - API - (<i>Corr.</i>) 45				
29. Disposition of Gas (<i>Sold, used for fuel, vented, etc.</i>) SOLD								30. Test Witnessed By		
31. List Attachments C-102, C-104, C-103, Directional Survey, H spacing, Gas capture										
32. If a temporary pit was used at the well, attach a plat with the location of the temporary pit.										
33. If an on-site burial was used at the well, report the exact location of the on-site burial: Latitude _____ Longitude _____ NAD 1927 1983										
I hereby certify that the information shown on both sides of this form is true and complete to the best of my knowledge and belief Signature Kristina Agee Printed Name Kristina Agee E-mail Address kristina_agee@eogresources.com Title Senior Regulatory Administrator Date 3/25/2021										

This form is to be filed with the appropriate District Office of the Division not later than 20 days after the completion of any newly-drilled or deepened well and not later than 60 days after completion of closure. When submitted as a completion report, this shall be accompanied by one copy of all electrical and radio-activity logs run on the well and a summary of all special tests conducted, including drill stem tests. All depths reported shall be measured depths. In the case of directionally drilled wells, true vertical depths shall also be reported. For multiple completions, items 11, 12 and 26-31 shall be reported for each zone.

Southeastern New Mexico			Northwestern New Mexico				
T. Anhy	Rustler	783'	T. Canyon	Brushy	8,038'	T. Ojo Alamo	T. Penn A "
T. Salt		1054'	T. Strawn			T. Kirtland	T. Penn. "B"
B. Salt		3,992'	T. Atoka			T. Fruitland	T. Penn. "C"
T. Yates			T. Miss			T. Pictured Cliffs	T. Penn. "D"
T. 7 Rivers			T. Devonian			T. Cliff House	T. Leadville
T. Queen			T. Silurian			T. Menefee	T. Madison
T. Grayburg			T. Montoya			T. Point Lookout	T. Elbert
T. San Andres			T. Simpson			T. Mancos	T. McCracken
T. Glorieta			T. McKee			T. Gallup	T. Ignacio Otzte
T. Paddock			T. Ellenburger			Base Greenhorn	T. Granite
T. Blinebry			T. Gr. Wash			T. Dakota	
T. Tubb			T. Delaware Sand			T. Morrison	
T. Drinkard			T. Bone Springs			T. Todilto	
T. Abo			T. 1st BS Sand	10,579		T. Entrada	
T. Wolfcamp	12,610'		T. 2nd BS Sand	111,099'		T. Wingate	
T. Penn			T.			T. Chinle	
T. Cisco (Bough C)			T.			T. Permian	

No. 1, from.....to.....
No. 2, from.....to.....
No. 3, from.....to.....
No. 4, from.....to.....

Include data on rate of water inflow and elevation to which water rose in hole.

No. 1, from.....to.....feet.....
 No. 2, from.....to.....feet.....
 No. 3, from.....to.....feet.....

From	To	Thickness In Feet	Lithology

District I

1625 N. French Dr., Hobbs, NM 88240
Phone:(575) 393-6161 Fax:(575) 393-0720

District II

811 S. First St., Artesia, NM 88210
Phone:(575) 748-1283 Fax:(575) 748-9720

District III

1000 Rio Brazos Rd., Aztec, NM 87410
Phone:(505) 334-6178 Fax:(505) 334-6170

District IV

1220 S. St Francis Dr., Santa Fe, NM 87505
Phone:(505) 476-3470 Fax:(505) 476-3462

State of New Mexico
Energy, Minerals and Natural Resources
Oil Conservation Division
1220 S. St Francis Dr.
Santa Fe, NM 87505

ACKNOWLEDGMENTS

Action 22045

ACKNOWLEDGMENTS

Operator: EOG RESOURCES INC P.O. Box 2267 Midland, TX 79702	OGRID: 7377
	Action Number: 22045
	Action Type: [C-104] Completion Packet (C-104C)

ACKNOWLEDGMENTS

☐	I hereby certify that the required Water Use Report has been, or will be, submitted for this wells completion.
☐	I hereby certify that the required FracFocus disclosure has been, or will be, submitted for this wells completion.

District I
1625 N. French Dr., Hobbs, NM 88240
Phone:(575) 393-6161 Fax:(575) 393-0720
District II
811 S. First St., Artesia, NM 88210
Phone:(575) 748-1283 Fax:(575) 748-9720
District III
1000 Rio Brazos Rd., Aztec, NM 87410
Phone:(505) 334-6178 Fax:(505) 334-6170
District IV
1220 S. St Francis Dr., Santa Fe, NM 87505
Phone:(505) 476-3470 Fax:(505) 476-3462

State of New Mexico
Energy, Minerals and Natural Resources
Oil Conservation Division
1220 S. St Francis Dr.
Santa Fe, NM 87505

CONDITIONS

Action 22045

CONDITIONS

Operator: EOG RESOURCES INC P.O. Box 2267 Midland, TX 79702	OGRID: 7377
	Action Number: 22045
	Action Type: [C-104] Completion Packet (C-104C)

CONDITIONS

Created By	Condition	Condition Date
plmartinez	File 3160-4 within 10 days to NMOCD after BLM approval.	7/28/2021