

Submit To Appropriate District Office Two Copies <u>District I</u> 1625 N. French Dr., Hobbs, NM 88240 <u>District II</u> 811 S. First St., Artesia, NM 88210 <u>District III</u> 1000 Rio Brazos Rd., Aztec, NM 87410 <u>District IV</u> 1220 S. St. Francis Dr., Santa Fe, NM 87505		State of New Mexico Energy, Minerals and Natural Resources Oil Conservation Division 1220 South St. Francis Dr. Santa Fe, NM 87505			Form C-105 Revised April 3, 2017					
WELL COMPLETION OR RECOMPLETION REPORT AND LOG								1. WELL API NO. 30-015-43253		
4. Reason for filing: ☒ COMPLETION REPORT (Fill in boxes #1 through #31 for State and Fee wells only) ☐ C-144 CLOSURE ATTACHMENT (Fill in boxes #1 through #9, #15 Date Rig Released and #32 and/or #33; attach this and the plat to the C-144 closure report in accordance with 19.15.17.13.K NMAC)								5. Lease Name or Unit Agreement Name BIG EDDY UNIT 29 FEDERAL SWD		
								6. Well Number: 001		
7. Type of Completion: ☐ NEW WELL ☐ WORKOVER ☐ DEEPENING ☐ PLUGBACK ☐ DIFFERENT RESERVOIR ☒ OTHER <u>Injection</u>										
8. Name of Operator XTO PERMIAN OPERATING LLC.						9. OGRID 373075				
10. Address of Operator 6401 HOLIDAY HILL RD BLDG #5, MIDLAND TX 79707						11. Pool name or Wildcat SWD; DEVONIAN				
12. Location	Unit Ltr	Section	Township	Range	Lot	Feet from the	N/S Line	Feet from the	E/W Line	County
Surface:	M	29	21S	29E		980	South	450	West	Eddy
BH:										
13. Date Spudded 2/16/2019	14. Date T.D. Reached 4/3/2019		15. Date Rig Released 4/13/2019		16. Date Completed (Ready to Produce) 07/15/2020			17. Elevations (DF and RKB, RT, GR, etc.) 3302		
18. Total Measured Depth of Well 14,900			19. Plug Back Measured Depth 14,900		20. Was Directional Survey Made? Yes			21. Type Electric and Other Logs Run Resistivity		
22. Producing Interval(s), of this completion - Top, Bottom, Name 6" open hole 14,020-14,900 Devonian Disposal										
23. CASING RECORD (Report all strings set in well)										
CASING SIZE		WEIGHT LB./FT.		DEPTH SET		HOLE SIZE		CEMENTING RECORD		AMOUNT PULLED
18.625		87.5		375		24		100		
13.375		68		2870		17.5		2625		
9.625		53.5		10240		12.25		2950		
24. LINER RECORD										
SIZE	TOP	BOTTOM	SACKS CEMENT	SCREEN		SIZE		DEPTH SET		PACKER SET
7	9,783	14,020	835			5.5/4.5		13,950		13,950
25. TUBING RECORD										
26. Perforation record (interval, size, and number) No perfs- open hole						27. ACID, SHOT, FRACTURE, CEMENT, SQUEEZE, ETC.				
						DEPTH INTERVAL		AMOUNT AND KIND MATERIAL USED		
						14,020 - 14,900		acidize with 20,000 gals 20% HCL		
28. PRODUCTION										
Date First Production		Production Method (<i>Flowing, gas lift, pumping - Size and type pump</i>)				Well Status (<i>Prod. or Shut-in</i>)				
		Flowing				Producing				
Date of Test	Hours Tested	Choke Size	Prod'n For Test Period	Oil - Bbl	Gas - MCF	Water - Bbl.	Gas - Oil Ratio			
Flow Tubing Press.	Casing Pressure	Calculated 24-Hour Rate	Oil - Bbl.	Gas - MCF	Water - Bbl.	Oil Gravity - API - (Corr.)				
29. Disposition of Gas (<i>Sold, used for fuel, vented, etc.</i>) N/A							30. Test Witnessed By			
31. List Attachments C-102 , Directional Survey, Resistivity Log										
32. If a temporary pit was used at the well, attach a plat with the location of the temporary pit.							33. Rig Release Date:			
34. If an on-site burial was used at the well, report the exact location of the on-site burial:										
Latitude				Longitude				NAD83		
I hereby certify that the information shown on both sides of this form is true and complete to the best of my knowledge and belief										
Signature <u>JoAnne Baltier</u>			Printed Name JoAnne Baltier			Title Regulatory Analyst			Date 5/26/2021	
E-mail Address joanne.baltier@exxonmobil.com										

This form is to be filed with the appropriate District Office of the Division not later than 20 days after the completion of any newly-drilled or deepened well and not later than 60 days after completion of closure. When submitted as a completion report, this shall be accompanied by one copy of all electrical and radio-activity logs run on the well and a summary of all special tests conducted, including drill stem tests. All depths reported shall be measured depths. In the case of directionally drilled wells, true vertical depths shall also be reported. For multiple completions, items 11, 12 and 26-31 shall be reported for each zone.

Southeastern New Mexico		Northwestern New Mexico	
T. Anhy	T. Canyon	T. Ojo Alamo	T. Penn A "
T. Salt	T. Strawn	T. Kirtland	T. Penn. "B"
B. Salt	T. Atoka	T. Fruitland	T. Penn. "C"
T. Yates	T. Miss	T. Pictured Cliffs	T. Penn. "D"
T. 7 Rivers	T. Devonian	T. Cliff House	T. Leadville
T. Queen	T. Silurian	T. Menefee	T. Madison
T. Grayburg	T. Montoya	T. Point Lookout	T. Elbert
T. San Andres	T. Simpson	T. Mancos	T. McCracken
T. Glorieta	T. McKee	T. Gallup	T. Ignacio Otzte
T. Paddock	T. Ellenburger	Base Greenhorn	T. Granite
T. Blinebry	T. Gr. Wash	T. Dakota	
T. Tubb	T. Delaware Sand	T. Morrison	
T. Drinkard	T. Bone Springs	T. Todilto	
T. Abo	T. Rustler 239'	T. Entrada	
T. Wolfcamp	T.	T. Wingate	
T. Penn	T.	T. Chinle	
T. Cisco (Bough C)	T.	T. Permian	

No. 1, from.....to.....
No. 2, from.....to.....
No. 3, from.....to.....
No. 4, from.....to.....

Include data on rate of water inflow and elevation to which water rose in hole.

No. 1, from.....to.....feet.....
 No. 2, from.....to.....feet.....
 No. 3, from.....to.....feet.....

From	To	Thickness In Feet	Lithology

From	To	Thickness In Feet	Lithology

State of New Mexico
Energy, Minerals & Natural Resources Department
OIL CONSERVATION DIVISION
1220 South St. Francis Dr.
Santa Fe, NM 87505

¹ API Number 30-015-43253	² Pool Code 96101	³ Pool Name SWD; Devonian
⁴ Property Code 315062	⁵ Property Name BIG EDDY UNIT 29 FEDERAL <i>SWD</i>	⁶ Well Number 1
⁷ OGRID No. 373075	⁸ Operator Name XTO Permian Operating, LLC	⁹ Elevation 3301.6

UL or lot no.	Section	Township	Range	Lot Idn	Feet from the North/South line	Feet from the East/West line	County
M	29	21 S	29 E		SOUTH	WEST	Eddy

UL or lot no.	Section	Township	Range	Lot Idn	Feet from the North/South line	Feet from the East/West line	County
¹² Dedicated Acres ¹³ Joint or Infill ¹⁴ Consolidation Code ¹⁵ Order No.							
0							

No allowable will be assigned to this completion until all interests have been consolidated or a non-standard unit has been approved by the division.

SEC. 19	SEC. 20	SEC. 21	SEC. 22
SEC. 30	SEC. 29	SEC. 28	SEC. 27
SEC. 31	SEC. 32	SEC. 33	SEC. 34

16 OPERATOR CERTIFICATION
 I hereby certify that the information contained herein is true and complete to the best of my knowledge and belief, and that this organization either owns a working interest or unleased mineral interest in the land including the proposed bottom hole location or has a right to drill this well at this location pursuant to a contract with an owner of such a mineral or working interest, or to a voluntary pooling agreement or a compulsory pooling order heretofore entered by the division.

Signature
 Date: 09/14/19

Tracie J. Cherry, Regulatory Coordinator

Printed Name

tracie_cherry@xtoenergy.com

E-mail Address

18 SURVEYOR CERTIFICATION
 I hereby certify that the well location shown on this plat was plotted from field notes of actual surveys made by me or under my supervision, and that the same is true and correct to the best of my belief.

07-24-2017
 Date of Survey

 Signature and Seal of
 Professional Surveyor:

MARK DILLON HARP 23786
 Certificate Number
 RR 2017050762

GEODETIC COORDINATES
 NAD 83 NME
 SURFACE LOCATION
 Y = 526,073.8
 X = 639,905.0
 LAT. = 32.445837°N
 LONG. = 104.013806°W

CORNER COORDINATES TABLE

	NAD 83 NME	N	X
A -	527,736.2	N	639,448.6
B -	527,741.6	N	642,092.8
C -	525,092.2	N	639,458.6
D -	525,098.6	N	642,100.1

GEODETIC COORDINATES
 NAD 27 NME
 SURFACE LOCATION
 Y = 526,013.0
 X = 598,724.2
 LAT. = 32.445716°N
 LONG. = 104.013306°W

CORNER COORDINATES TABLE

	NAD 27 NME	N	X
A -	527,675.4	N	598,267.8
B -	527,680.8	N	600,912.0
C -	525,032.2	N	598,277.7
D -	525,037.8	N	600,919.2



Survey Report

Service Company: WELLBENDERS

Well: BIG EDDY UNIT 29 FEDERAL 1
SWD

API or UWI: 42-329-00000

State: NM

County: EDDY

Country: USA

Comment

Location: EDDY COUNTY

Rig: CACTUS 118

Job Number: NMDG 2019-1058

Operating Company: XTO

Magnetic Declination: 6.83

Proposed Azimuth: 0.00

North Reference: GRID

Latitude: 32.445716

Longitude: -104.013306

Tie-In Data

MD	Inclination	Azimuth	TVD	NS	EW
0.00	0.00	0.00	0.00	0.00	0.00

Survey Data

MD	Inclination	Azimuth	TVD	NS	EW	CA	CD	VS	DLS
176.00	1.00	315.10	175.99	1.09	-1.08	315.10	1.54	1.09	0.57
343.00	0.70	339.00	342.97	3.07	-2.48	321.11	3.95	3.07	0.27
512.00	0.40	340.60	511.97	4.59	-3.04	326.46	5.51	4.59	0.18
605.00	0.60	30.10	604.96	5.32	-2.91	331.34	6.06	5.32	0.49
661.00	1.00	13.90	660.96	6.05	-2.64	336.39	6.60	6.05	0.81
755.00	1.00	42.00	754.94	7.45	-1.90	345.72	7.69	7.45	0.52
847.00	1.30	36.80	846.92	8.89	-0.74	355.27	8.92	8.89	0.34
941.00	1.10	32.50	940.90	10.50	0.39	2.12	10.51	10.50	0.23
1035.00	1.30	31.40	1034.88	12.17	1.43	6.69	12.26	12.17	0.21
1129.00	1.80	39.40	1128.85	14.22	2.92	11.61	14.52	14.22	0.58
1223.00	1.50	37.50	1222.81	16.34	4.61	15.75	16.98	16.34	0.32
1316.00	1.60	37.90	1315.77	18.33	6.15	18.54	19.33	18.33	0.11
1410.00	1.70	45.30	1409.74	20.35	7.94	21.33	21.84	20.35	0.25
1504.00	1.90	46.20	1503.69	22.41	10.06	24.18	24.56	22.41	0.21
1598.00	1.60	50.10	1597.65	24.33	12.19	26.62	27.21	24.33	0.34
1692.00	2.10	43.00	1691.60	26.43	14.37	28.54	30.08	26.43	0.58

MD	Inclination	Azimuth	TVD	NS	EW	CA	CD	VS	DLS
1785.00	2.20	38.80	1784.53	29.06	16.65	29.81	33.50	29.06	0.20
1879.00	2.20	29.40	1878.46	32.04	18.67	30.23	37.08	32.04	0.38
1973.00	2.30	26.90	1972.39	35.30	20.41	30.04	40.77	35.30	0.15
2067.00	2.60	27.00	2066.30	38.88	22.23	29.76	44.78	38.88	0.32
2160.00	2.50	28.80	2159.21	42.54	24.16	29.60	48.92	42.54	0.14
2254.00	2.70	25.50	2253.11	46.33	26.10	29.40	53.18	46.33	0.27
2348.00	3.00	28.10	2347.00	50.50	28.22	29.19	57.85	50.50	0.35
2442.00	2.40	32.80	2440.89	54.32	30.44	29.27	62.27	54.32	0.68
2536.00	2.60	309.30	2534.83	57.33	29.86	27.51	64.64	57.33	3.54
2630.00	3.00	29.10	2628.75	60.83	29.40	25.80	67.56	60.83	3.83
2724.00	2.80	27.40	2722.63	65.02	31.66	25.96	72.31	65.02	0.23
2795.00	3.00	26.90	2793.54	68.21	33.30	26.02	75.91	68.21	0.28
2909.00	3.20	27.60	2907.37	73.69	36.12	26.11	82.07	73.69	0.18
3003.00	3.20	36.40	3001.22	78.13	38.89	26.46	87.27	78.13	0.52
3097.00	3.00	35.00	3095.09	82.26	41.86	26.97	92.30	82.26	0.23
3190.00	2.40	38.60	3187.98	85.77	44.47	27.41	96.62	85.77	0.67
3284.00	2.20	39.70	3281.91	88.70	46.85	27.84	100.31	88.70	0.22
3378.00	2.00	36.30	3375.84	91.41	48.97	28.18	103.70	91.41	0.25
3472.00	1.90	33.50	3469.79	94.03	50.80	28.38	106.88	94.03	0.15
3566.00	2.20	35.70	3563.73	96.79	52.72	28.57	110.22	96.79	0.33
3659.00	2.10	40.00	3656.66	99.55	54.85	28.86	113.66	99.55	0.20
3753.00	2.00	32.20	3750.60	102.26	56.84	29.07	116.99	102.26	0.32
3847.00	1.90	30.00	3844.55	104.99	58.49	29.12	120.19	104.99	0.13
3940.00	1.70	33.20	3937.50	107.48	60.02	29.18	123.10	107.48	0.24
4034.00	1.60	32.50	4031.47	109.76	61.48	29.26	125.81	109.76	0.11
4128.00	1.80	26.70	4125.42	112.18	62.85	29.26	128.59	112.18	0.28
4222.00	1.70	36.30	4219.38	114.63	64.34	29.31	131.45	114.63	0.33
4316.00	1.40	29.30	4313.35	116.75	65.73	29.38	133.98	116.75	0.38
4410.00	1.40	23.10	4407.32	118.81	66.74	29.33	136.27	118.81	0.16
4503.00	1.20	28.60	4500.29	120.71	67.65	29.27	138.37	120.71	0.25
4597.00	1.10	28.50	4594.27	122.37	68.55	29.26	140.26	122.37	0.11
4691.00	1.00	16.80	4688.26	123.94	69.22	29.18	141.96	123.94	0.25
4785.00	1.30	16.90	4782.24	125.75	69.77	29.02	143.81	125.75	0.32
4879.00	1.10	18.00	4876.22	127.63	70.36	28.87	145.74	127.63	0.21
4973.00	1.10	14.30	4970.20	129.36	70.86	28.71	147.50	129.36	0.08
5067.00	1.20	22.70	5064.18	131.14	71.46	28.59	149.35	131.14	0.21
5161.00	1.20	15.80	5158.16	133.00	72.11	28.47	151.29	133.00	0.15

www.digidrill.com

MD	Inclination	Azimuth	TVD	NS	EW	CA	CD	VS	DLS
5255.00	0.90	19.50	5252.15	134.64	72.62	28.34	152.98	134.64	0.33
5348.00	1.10	18.50	5345.13	136.18	73.15	28.24	154.58	136.18	0.22
5442.00	1.00	19.10	5439.12	137.81	73.71	28.14	156.28	137.81	0.11
5536.00	0.90	1.60	5533.10	139.32	74.00	27.97	157.75	139.32	0.32
5630.00	0.80	4.20	5627.09	140.71	74.06	27.76	159.01	140.71	0.11
5724.00	0.90	15.50	5721.08	142.08	74.31	27.61	160.34	142.08	0.21
5817.00	1.00	0.40	5814.07	143.59	74.51	27.42	161.77	143.59	0.29
5911.00	0.80	4.40	5908.06	145.07	74.57	27.20	163.11	145.07	0.22
6005.00	0.90	4.70	6002.05	146.46	74.68	27.02	164.40	146.46	0.11
6099.00	0.90	5.20	6096.04	147.93	74.80	26.82	165.77	147.93	0.01
6193.00	0.80	1.80	6190.03	149.32	74.89	26.64	167.05	149.32	0.12
6286.00	0.90	4.00	6283.02	150.70	74.96	26.45	168.31	150.70	0.11
6380.00	0.80	358.80	6377.01	152.09	75.00	26.25	169.58	152.09	0.13
6474.00	0.90	350.70	6471.00	153.47	74.87	26.00	170.76	153.47	0.17
6568.00	0.70	341.60	6564.99	154.75	74.57	25.73	171.78	154.75	0.25
6662.00	0.70	335.10	6658.98	155.81	74.14	25.45	172.56	155.81	0.08
6755.00	0.60	339.50	6751.97	156.79	73.73	25.19	173.26	156.79	0.12
6849.00	0.80	338.40	6845.97	157.86	73.32	24.91	174.05	157.86	0.21
6943.00	1.00	320.20	6939.96	159.10	72.55	24.51	174.86	159.10	0.37
7037.00	1.10	316.60	7033.94	160.38	71.41	24.00	175.56	160.38	0.13
7131.00	1.30	321.60	7127.92	161.87	70.13	23.42	176.41	161.87	0.24
7225.00	1.10	339.20	7221.90	163.55	69.14	22.92	177.57	163.55	0.44
7318.00	1.70	334.40	7314.87	165.63	68.23	22.39	179.13	165.63	0.66
7412.00	1.80	339.50	7408.83	168.27	67.11	21.74	181.16	168.27	0.20
7506.00	1.50	333.50	7502.79	170.76	66.05	21.15	183.08	170.76	0.37
7599.00	0.90	329.40	7595.77	172.47	65.13	20.69	184.36	172.47	0.55
7693.00	0.70	317.70	7689.76	173.53	64.37	20.35	185.09	173.53	0.27
7787.00	0.80	328.20	7783.75	174.52	63.64	20.03	185.76	174.52	0.18
7880.00	0.90	314.40	7876.74	175.58	62.77	19.67	186.46	175.58	0.24
7974.00	0.60	302.50	7970.73	176.36	61.83	19.32	186.88	176.36	0.36
8069.00	0.60	262.80	8065.73	176.56	60.92	19.04	186.78	176.56	0.43
8163.00	1.10	229.50	8159.72	175.92	59.74	18.76	185.78	175.92	0.73
8257.00	0.80	228.40	8253.70	174.90	58.57	18.51	184.44	174.90	0.32
8350.00	0.80	206.50	8346.69	173.88	57.79	18.38	183.24	173.88	0.33
8444.00	0.90	178.70	8440.68	172.56	57.51	18.43	181.89	172.56	0.45
8538.00	0.80	168.10	8534.67	171.18	57.67	18.62	180.63	171.18	0.20
8632.00	0.60	181.60	8628.67	170.04	57.79	18.77	179.59	170.04	0.27

www.digidrill.com

3/5

DigiDrill DataLogger

MD	Inclination	Azimuth	TVD	NS	EW	CA	CD	VS	DLS
8726.00	0.90	168.00	8722.66	168.83	57.93	18.94	178.49	168.83	0.37
8820.00	0.90	177.20	8816.65	167.37	58.12	19.15	177.17	167.37	0.15
8913.00	1.20	162.00	8909.63	165.71	58.45	19.43	175.72	165.71	0.44
9007.00	1.00	167.70	9003.61	163.98	58.93	19.77	174.25	163.98	0.24
9101.00	0.90	164.10	9097.60	162.47	59.31	20.06	172.95	162.47	0.12
9195.00	0.80	158.50	9191.59	161.14	59.75	20.34	171.87	161.14	0.14
9278.00	1.40	159.20	9274.58	159.66	60.33	20.70	170.67	159.66	0.72
9372.00	1.50	161.70	9368.55	157.42	61.12	21.22	168.87	157.42	0.13
9465.00	1.40	173.60	9461.52	155.13	61.63	21.67	166.92	155.13	0.34
9559.00	1.10	167.80	9555.49	153.11	61.95	22.03	165.17	153.11	0.35
9653.00	1.10	189.00	9649.48	151.34	62.00	22.28	163.54	151.34	0.43
9747.00	0.80	175.10	9743.46	149.79	61.91	22.46	162.08	149.79	0.40
9841.00	0.80	173.70	9837.45	148.48	62.04	22.68	160.92	148.48	0.02
9935.00	1.00	180.10	9931.44	147.01	62.11	22.90	159.59	147.01	0.24
10029.00	0.90	185.70	10025.43	145.46	62.03	23.10	158.13	145.46	0.15
10122.00	1.00	174.20	10118.42	143.92	62.04	23.32	156.73	143.92	0.23
10316.00	1.00	174.00	10312.39	140.56	62.39	23.94	153.78	140.56	0.00
10410.00	1.20	206.20	10406.37	138.86	62.04	24.08	152.09	138.86	0.68
10504.00	1.30	214.90	10500.35	137.10	61.00	23.99	150.06	137.10	0.23
10598.00	1.60	241.30	10594.32	135.59	59.24	23.60	147.97	135.59	0.77
10692.00	1.90	242.70	10688.28	134.25	56.70	22.90	145.73	134.25	0.32
10785.00	2.20	251.70	10781.22	132.98	53.64	21.97	143.39	132.98	0.47
10879.00	2.60	249.40	10875.13	131.66	49.93	20.77	140.81	131.66	0.44
10973.00	2.70	250.70	10969.03	130.18	45.84	19.40	138.02	130.18	0.12
11067.00	2.90	253.10	11062.92	128.76	41.48	17.86	135.28	128.76	0.25
11161.00	3.00	255.00	11156.80	127.43	36.83	16.12	132.65	127.43	0.15
11254.00	3.10	254.80	11249.66	126.14	32.05	14.26	130.15	126.14	0.11
11348.00	3.30	251.90	11343.52	124.64	27.03	12.23	127.53	124.64	0.27
11442.00	3.00	256.00	11437.38	123.20	22.07	10.15	125.16	123.20	0.40
11535.00	2.30	263.20	11530.28	122.39	17.85	8.30	123.69	122.39	0.83
11630.00	2.50	264.50	11625.19	121.97	13.90	6.50	122.76	121.97	0.22
11724.00	2.70	258.00	11719.10	121.31	9.69	4.57	121.70	121.31	0.38
11818.00	2.90	259.30	11812.98	120.41	5.19	2.47	120.52	120.41	0.22
11912.00	2.70	264.30	11906.87	119.75	0.65	0.31	119.75	119.75	0.34
12005.00	3.00	262.60	11999.76	119.21	-3.94	358.11	119.28	119.21	0.34
12099.00	3.10	259.20	12093.62	118.42	-8.88	355.71	118.75	118.42	0.22
12193.00	2.90	250.50	12187.50	117.15	-13.62	353.37	117.94	117.15	0.53

MD	Inclination	Azimuth	TVD	NS	EW	CA	CD	VS	DLS
12287.00	3.00	249.80	12281.37	115.51	-18.17	351.06	116.93	115.51	0.11
12381.00	2.20	236.10	12375.27	113.65	-21.97	349.06	115.76	113.65	1.07
12475.00	2.00	233.40	12469.21	111.67	-24.79	347.48	114.39	111.67	0.24
12568.00	2.20	243.00	12562.15	109.89	-27.68	345.86	113.32	109.89	0.43
12662.00	1.30	237.50	12656.10	108.50	-30.19	344.45	112.62	108.50	0.97
12756.00	1.60	242.60	12750.07	107.32	-32.25	343.27	112.06	107.32	0.35
12850.00	1.70	238.80	12844.04	106.00	-34.61	341.92	111.50	106.00	0.16
12944.00	1.80	245.20	12937.99	104.65	-37.14	340.46	111.05	104.65	0.23
13037.00	1.90	152.30	13030.96	102.68	-37.75	339.81	109.40	102.68	2.88
13128.00	2.00	247.60	13121.93	100.73	-38.52	339.07	107.85	100.73	3.17
13221.00	2.10	253.90	13214.87	99.64	-41.66	337.31	108.00	99.64	0.26
13315.00	2.10	256.80	13308.80	98.77	-44.99	335.51	108.54	98.77	0.11
13409.00	2.20	256.60	13402.74	97.96	-48.42	333.70	109.28	97.96	0.11
13503.00	2.20	258.80	13496.67	97.19	-51.95	331.88	110.20	97.19	0.09
13596.00	2.30	264.30	13589.60	96.66	-55.55	330.11	111.49	96.66	0.26
13690.00	2.50	266.00	13683.51	96.33	-59.48	328.31	113.21	96.33	0.23
13784.00	2.60	267.60	13777.42	96.10	-63.65	326.48	115.27	96.10	0.13
13878.00	2.70	268.20	13871.32	95.94	-67.99	324.67	117.59	95.94	0.11
14062.00	3.10	271.50	14055.08	95.93	-77.30	321.14	123.20	95.93	0.24
14156.00	3.40	271.00	14148.93	96.05	-82.63	319.30	126.70	96.05	0.32
14250.00	2.60	297.40	14242.81	97.08	-87.31	318.03	130.56	97.08	1.68
14344.00	2.50	292.20	14336.72	98.83	-91.10	317.33	134.41	98.83	0.27
14438.00	2.60	298.50	14430.62	100.63	-94.87	316.69	138.30	100.63	0.32
14532.00	2.50	297.10	14524.53	102.58	-98.57	316.14	142.26	102.58	0.13
14621.00	2.60	299.20	14613.44	104.45	-102.06	315.66	146.03	104.45	0.15
14716.00	2.50	295.30	14708.35	106.38	-105.81	315.15	150.05	106.38	0.21
14809.00	2.30	290.40	14801.27	107.90	-109.40	314.61	153.66	107.90	0.31

Projected Survey

MD	Inclination	Azimuth	TVD	NS	EW	CA	CD	VS	DLS
14859.00	2.30	290.40	14851.23	108.60	-111.28	314.30	155.49	108.60	0.00

DigiDrill DataLogger

District I
1625 N French Dr., Hobbs, NM 88240
District II
811 S. First St., Artesia, NM 88210
District III
1000 Rio Brazos Rd., Aztec, NM 87410
District IV
1220 S. St. Francis Dr., Santa Fe, NM 87505

State of New Mexico
Energy, Minerals & Natural Resources

Oil Conservation Division
1220 South St. Francis Dr.
Santa Fe, NM 87505

Form C-104
Revised August 1, 2011

Submit one copy to appropriate District Office

☐ AMENDED REPORT

I. REQUEST FOR ALLOWABLE AND AUTHORIZATION TO TRANSPORT

¹ Operator name and Address XTO Permian Operating LLC 6401 Holiday Hill Road Bldg 5 Midland, TX 79707		² OGRID Number 737075
		³ Reason for Filing Code/ Effective Date NW
⁴ API Number 30 - 015-43253	⁵ Pool Name SWD; Devonian	
		⁶ Pool Code 96101
⁷ Property Code 315062	⁸ Property Name Big Eddy Unit 29 Federal SWD	
		⁹ Well Number 001

II. ¹⁰ Surface Location

UL or lot no.	Section	Township	Range	Lot Idn	Feet from the	North/South Line	Feet from the	East/West line	County
	29	21S	29E		980	South	450	West	Eddy

¹¹ Bottom Hole Location

UL or lot no.	Section	Township	Range	Lot Idn	Feet from the	North/South line	Feet from the	East/West line	County
¹² Lse Code	¹³ Producing Method Code	¹⁴ Gas Connection Date	¹⁵ C-129 Permit Number	¹⁶ C-129 Effective Date	¹⁷ C-129 Expiration Date				

III. Oil and Gas Transporters

¹⁸ Transporter OGRID	¹⁹ Transporter Name and Address	²⁰ O/G/W


IV. Well Completion Data

²¹ Spud Date 02/16/19	²² Ready Date TD 04/13/19	²³ TD 14,900'	²⁴ PBTD	²⁵ Perforations OH	²⁶ DHC, MC
²⁷ Hole Size	²⁸ Casing & Tubing Size	²⁹ Depth Set	³⁰ Sacks Cement		
24	18.625 J55	375	100		
17.5	13.375 HCL80	2870	2625		
12.25	9.625 HCP110	10240	2950		
8.5	7 Liner	9783 -14020	835		

V. Well Test Data

³¹ Date New Oil	³² Gas Delivery Date	³³ Test Date	³⁴ Test Length	³⁵ Tbg. Pressure	³⁶ Csg. Pressure
³⁷ Choke Size	³⁸ Oil	³⁹ Water	⁴⁰ Gas		⁴¹ Test Method

⁴² I hereby certify that the rules of the Oil Conservation Division have been complied with and that the information given above is true and complete to the best of my knowledge and belief.

Signature: 

Printed name: Tracie J. Cherry

Title: Regulatory Coordinator

E-mail Address: tracie_cherry@xtoenergy.com

Date: 1/9/2019

Phone: 432-221-7379

OIL CONSERVATION DIVISION

Approved by:

Title:

Approval Date:

District I

1625 N. French Dr., Hobbs, NM 88240
Phone:(575) 393-6161 Fax:(575) 393-0720

District II

811 S. First St., Artesia, NM 88210
Phone:(575) 748-1283 Fax:(575) 748-9720

District III

1000 Rio Brazos Rd., Aztec, NM 87410
Phone:(505) 334-6178 Fax:(505) 334-6170

District IV

1220 S. St Francis Dr., Santa Fe, NM 87505
Phone:(505) 476-3470 Fax:(505) 476-3462

State of New Mexico
Energy, Minerals and Natural Resources
Oil Conservation Division
1220 S. St Francis Dr.
Santa Fe, NM 87505

ACKNOWLEDGMENTS

Action 29971

ACKNOWLEDGMENTS

Operator: XTO PERMIAN OPERATING LLC. 6401 HOLIDAY HILL ROAD MIDLAND, TX 79707	OGRID: 373075
	Action Number: 29971
	Action Type: [C-104] Completion Packet (C-104C)

ACKNOWLEDGMENTS

☒	I hereby certify that the required Water Use Report has been, or will be, submitted for this wells completion.
☒	I hereby certify that the required FracFocus disclosure has been, or will be, submitted for this wells completion.

District I
1625 N. French Dr., Hobbs, NM 88240
Phone:(575) 393-6161 Fax:(575) 393-0720
District II
811 S. First St., Artesia, NM 88210
Phone:(575) 748-1283 Fax:(575) 748-9720
District III
1000 Rio Brazos Rd., Aztec, NM 87410
Phone:(505) 334-6178 Fax:(505) 334-6170
District IV
1220 S. St Francis Dr., Santa Fe, NM 87505
Phone:(505) 476-3470 Fax:(505) 476-3462

State of New Mexico
Energy, Minerals and Natural Resources
Oil Conservation Division
1220 S. St Francis Dr.
Santa Fe, NM 87505

CONDITIONS

Action 29971

CONDITIONS

Operator: XTO PERMIAN OPERATING LLC. 6401 HOLIDAY HILL ROAD MIDLAND, TX 79707	OGRID: 373075
	Action Number: 29971
	Action Type: [C-104] Completion Packet (C-104C)

CONDITIONS

Created By	Condition	Condition Date
ksimmons	None	8/3/2021