

District I  
1625 N. French Dr., Hobbs, NM 88240  
District II  
811 S. First St., Artesia, NM 88210  
District III  
1000 Rio Brazos Rd., Aztec, NM 87410  
District IV  
1220 S. St. Francis Dr., Santa Fe, NM 87505

State of New Mexico  
Energy, Minerals & Natural Resources  
  
Oil Conservation Division  
1220 South St. Francis Dr.  
Santa Fe, NM 87505

Form C-104  
Revised August 1, 2011  
  
Submit one copy to appropriate District Office  
  
☐ AMENDED REPORT

I. REQUEST FOR ALLOWABLE AND AUTHORIZATION TO TRANSPORT

|                                                                                                                                   |                                                         |                                                                     |
|-----------------------------------------------------------------------------------------------------------------------------------|---------------------------------------------------------|---------------------------------------------------------------------|
| <sup>1</sup> Operator name and Address<br><br>Devon Energy Production Company, L.P.<br>333 West Sheridan, Oklahoma City, OK 73102 |                                                         | <sup>2</sup> OGRID Number<br><br>6137                               |
|                                                                                                                                   |                                                         | <sup>3</sup> Reason for Filing Code/ Effective Date<br>NW / 4/18/21 |
| <sup>4</sup> API Number<br>30-015-47269                                                                                           | <sup>5</sup> Pool Name<br>; PURPLE SAGE; WOLFCAMP (GAS) |                                                                     |
|                                                                                                                                   |                                                         | <sup>6</sup> Pool Code<br>98220                                     |
| <sup>7</sup> Property Code<br>328289                                                                                              | <sup>8</sup> Property Name<br>HOT POTATO 26-23 FED      |                                                                     |
|                                                                                                                                   |                                                         | <sup>9</sup> Well Number<br>712H                                    |

II. <sup>10</sup> Surface Location

| Ul or lot no. | Section | Township | Range | Lot Idn | Feet from the | North/South line | Feet from the | East/West line | County |
|---------------|---------|----------|-------|---------|---------------|------------------|---------------|----------------|--------|
| O             | 26      | 23S      | 29E   |         | 325           | South            | 1529          | East           | EDDY   |

<sup>11</sup> Bottom Hole Location

| UL or lot no.               | Section                             | Township                                     | Range                             | Lot Idn                            | Feet from the                       | North/South line | Feet from the | East/West line | County |
|-----------------------------|-------------------------------------|----------------------------------------------|-----------------------------------|------------------------------------|-------------------------------------|------------------|---------------|----------------|--------|
| B                           | 23                                  | 23S                                          | 29E                               |                                    | 28                                  | North            | 1701          | East           | EDDY   |
| <sup>12</sup> Lse Code<br>F | <sup>13</sup> Producing Method Code | <sup>14</sup> Gas Connection Date<br>4/18/21 | <sup>15</sup> C-129 Permit Number | <sup>16</sup> C-129 Effective Date | <sup>17</sup> C-129 Expiration Date |                  |               |                |        |

III. Oil and Gas Transporters

| <sup>18</sup> Transporter OGRID | <sup>19</sup> Transporter Name and Address                                             | <sup>20</sup> O/G/W |
|---------------------------------|----------------------------------------------------------------------------------------|---------------------|
| 320009                          | EnLink Midstream Operating, LP<br>2501 Cedar Springs Road, Suite 100, Dallas, TX 75201 | Oil                 |
| 036785                          | DCP Midstream<br>P.O. Box 50020 Midland, TX 79710-0020                                 | Gas                 |
|                                 |                                                                                        |                     |
|                                 |                                                                                        |                     |
|                                 |                                                                                        |                     |
|                                 |                                                                                        |                     |

IV. Well Completion Data

|                                    |                                     |                           |                                              |                                             |                       |
|------------------------------------|-------------------------------------|---------------------------|----------------------------------------------|---------------------------------------------|-----------------------|
| <sup>21</sup> Spud Date<br>9/27/20 | <sup>22</sup> Ready Date<br>4/18/21 | <sup>23</sup> TD<br>20884 | <sup>24</sup> PBDT<br>20821.4 MD/10480.1 TVD | <sup>25</sup> Perforations<br>10631 - 20766 | <sup>26</sup> DHC, MC |
| <sup>27</sup> Hole Size            | <sup>28</sup> Casing & Tubing Size  | <sup>29</sup> Depth Set   | <sup>30</sup> Sacks Cement                   |                                             |                       |
| 17.5                               | 13.375                              | 379                       | 305                                          |                                             |                       |
| 12.25                              | 10.75                               | 3243.6                    | 550                                          |                                             |                       |
| 9.875                              | 8 5/8                               | 9977.8                    | 965                                          |                                             |                       |
| 7.875                              | 5.5                                 | 20869                     | 2563                                         |                                             |                       |

V. Well Test Data

TUBING: 3/14/2021: 2-7/8, L-80,10080, 302 jts

|                                                                                                                                                                                                                                                                                                            |                                            |                                    |                                     |                                    |                                    |
|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--------------------------------------------|------------------------------------|-------------------------------------|------------------------------------|------------------------------------|
| <sup>31</sup> Date New Oil<br>4/21/21                                                                                                                                                                                                                                                                      | <sup>32</sup> Gas Delivery Date<br>4/21/21 | <sup>33</sup> Test Date<br>4/21/21 | <sup>34</sup> Test Length<br>24 hrs | <sup>35</sup> Tbg. Pressure<br>psi | <sup>36</sup> Csg. Pressure<br>psi |
| <sup>37</sup> Choke Size                                                                                                                                                                                                                                                                                   | <sup>38</sup> Oil<br>1483 bbl              | <sup>39</sup> Water<br>4482 bbl    | <sup>40</sup> Gas<br>3137 mcf       |                                    | <sup>41</sup> Test Method          |
| <sup>42</sup> I hereby certify that the rules of the Oil Conservation Division have been complied with and that the information given above is true and complete to the best of my knowledge and belief.<br>Signature:  |                                            |                                    | OIL CONSERVATION DIVISION           |                                    |                                    |
| Printed name: Jenny Harms                                                                                                                                                                                                                                                                                  |                                            |                                    | Approved by: KURT SIMMONS           |                                    |                                    |
| Title: Regulatory Specialist                                                                                                                                                                                                                                                                               |                                            |                                    | Title: NMOCD, SANTA FE              |                                    |                                    |
| E-mail Address: jenny.harms@dnv.com                                                                                                                                                                                                                                                                        |                                            |                                    | Approval Date: 08/03/2021           |                                    |                                    |
| Date: 5/24/2021                                                                                                                                                                                                                                                                                            |                                            | Phone: 405-552-6560                |                                     |                                    |                                    |

**District I**  
1625 N. French Dr., Hobbs, NM 88240  
Phone: (575) 393-6161 Fax: (575) 393-0720

**District II**  
811 S. First St., Artesia, NM 88210  
Phone: (575) 748-1283 Fax: (575) 748-9720

**District III**  
1000 Rio Brazos Road, Aztec, NM 87410  
Phone: (505) 334-6178 Fax: (505) 334-6170

**District IV**  
1220 S. St. Francis Dr., Santa Fe, NM 87505  
Phone: (505) 476-3460 Fax: (505) 476-3462

State of New Mexico  
Energy, Minerals & Natural Resources Department  
**OIL CONSERVATION DIVISION**  
1220 South St. Francis Dr.  
Santa Fe, NM 87505

Form C-102

Revised August 1, 2011

Submit one copy to  
appropriate District Office☒ AMENDED REPORT**WELL LOCATION AND ACREAGE DEDICATION PLAT AS DRILLED**

|                                         |                                                                     |                                                       |
|-----------------------------------------|---------------------------------------------------------------------|-------------------------------------------------------|
| <sup>1</sup> API Number<br>30-015-47269 | <sup>2</sup> Pool Code<br>98220                                     | <sup>3</sup> Pool Name<br>PURPLE SAGE; WOLFCAMP (GAS) |
| <sup>4</sup> Property Code              | <sup>5</sup> Property Name<br>HOT POTATO 26-23 FED                  | <sup>6</sup> Well Number<br>712H                      |
| <sup>7</sup> OGRID No.<br>6137          | <sup>8</sup> Operator Name<br>DEVON ENERGY PRODUCTION COMPANY, L.P. | <sup>9</sup> Elevation<br>3069.2'                     |

**Surface Location**


| UL or lot no. | Section | Township | Range | Lot Idn | Feet from the | North/South line | Feet from the | East/West line | County |
|---------------|---------|----------|-------|---------|---------------|------------------|---------------|----------------|--------|
| O             | 26      | 23-S     | 29-E  |         | 325           | SOUTH            | 1529          | EAST           | EDDY   |

**Bottom Hole Location If Different From Surface**

| UL or lot no. | Section | Township | Range | Lot Idn | Feet from the | North/South line | Feet from the | East/West line | County |
|---------------|---------|----------|-------|---------|---------------|------------------|---------------|----------------|--------|
| B             | 23      | 23-S     | 29-E  |         | 28            | NORTH            | 1701          | EAST           | EDDY   |

|                                      |                               |                                  |                         |
|--------------------------------------|-------------------------------|----------------------------------|-------------------------|
| <sup>12</sup> Dedicated Acres<br>640 | <sup>13</sup> Joint or Infill | <sup>14</sup> Consolidation Code | <sup>15</sup> Order No. |
|--------------------------------------|-------------------------------|----------------------------------|-------------------------|

No allowable will be assigned to this completion until all interests have been consolidated or a non-standard unit has been approved by the division.

**17 OPERATOR CERTIFICATION**

I hereby certify that the information contained herein is true and complete to the best of my knowledge and belief, and that this organization either owns a working interest or unleased mineral interest in the land including the proposed bottom hole location or has a right to drill this well at this location pursuant to a contract with an owner of such a mineral or working interest, or to a voluntary pooling agreement or a compulsory pooling order heretofore entered by the division.

*Jenny Harms* 5-19-2021  
Signature Date

JENNY HARMS

Printed Name

JENNY.HARMS@DVN.COM

E-mail Address


**18 SURVEYOR CERTIFICATION**

I hereby certify that the well location shown on this plat was plotted from field notes of actual surveys made by me or under my supervision, and that the same is true and correct to the best of my belief.

04/22/2021

Date of Survey

Signature and Seal of Professional Surveyor:



Certificate No. 23261

Albert Dehoyos

Drawn by: JSP

Checked by: ARD

Date: 04/22/2021

- NOTES:**
1. BEARINGS SHOWN ARE GRID BASED ON THE NEW MEXICO STATE PLANE EAST ZONE COORDINATE SYSTEM (3001), NAD 83 (2011), BASED FROM GPS OBSERVATIONS, OCCUPYING A WHS CONTROL POINT (5/8" REBAR), LOCATED AT NORTH: 456034.443, EAST: 653560.641, ELEVATION: 3101.4, DETERMINED BY AN OPUS SOLUTION ON NOVEMBER 9TH, 2019.
  2. DISTANCES DEPICTED HEREON ARE REPORTED AS GROUND DISTANCE IN US SURVEY FEET USING A COMBINED SCALE FACTOR OF 1.000220989
  3. ELEVATIONS SHOWN HEREON ARE EXISTING GROUND ELEVATIONS AND ARE OF NAVD 88 COMPUTED USING GEIOD 12B.
  4. DRILL PATH INFORMATION HAS BEEN PROVIDED TO WHS BY THE CLIENT
  5. SURFACE HOLE LOCATIONS (SHL) ARE DERIVED FROM THE ORIGINALLY PLATTED WELL LOCATIONS.

Intent ☐ As Drilled ☒

|                                                         |                                        |                     |
|---------------------------------------------------------|----------------------------------------|---------------------|
| API #<br>3001547269                                     |                                        |                     |
| Operator Name:<br>DEVON ENERGY PRODUCTION COMPANY, L.P. | Property Name:<br>HOT POTATO 26-23 FED | Well Number<br>712H |

## Kick Off Point (KOP)

|                        |               |                  |               |     |                           |                   |              |                  |                |
|------------------------|---------------|------------------|---------------|-----|---------------------------|-------------------|--------------|------------------|----------------|
| UL<br>O                | Section<br>26 | Township<br>23-S | Range<br>29-E | Lot | Feet<br>36                | From N/S<br>SOUTH | Feet<br>1747 | From E/W<br>EAST | County<br>EDDY |
| Latitude<br>32.268697° |               |                  |               |     | Longitude<br>-103.952421° |                   |              | NAD<br>83        |                |

## First Take Point (FTP)

|                        |               |                  |               |     |                           |                   |              |                  |                |
|------------------------|---------------|------------------|---------------|-----|---------------------------|-------------------|--------------|------------------|----------------|
| UL<br>O                | Section<br>26 | Township<br>23-S | Range<br>29-E | Lot | Feet<br>384               | From N/S<br>SOUTH | Feet<br>1756 | From E/W<br>EAST | County<br>EDDY |
| Latitude<br>32.269655° |               |                  |               |     | Longitude<br>-103.952445° |                   |              | NAD<br>83        |                |

## Last Take Point (LTP)

|                        |               |                  |               |     |                           |                   |              |                  |                |
|------------------------|---------------|------------------|---------------|-----|---------------------------|-------------------|--------------|------------------|----------------|
| UL<br>B                | Section<br>23 | Township<br>23-S | Range<br>29-E | Lot | Feet<br>501               | From N/S<br>NORTH | Feet<br>1712 | From E/W<br>EAST | County<br>EDDY |
| Latitude<br>32.296439° |               |                  |               |     | Longitude<br>-103.952349° |                   |              | NAD<br>83        |                |

Is this well the defining well for the Horizontal Spacing Unit? ☐ NOIs this well an infill well? ☐ YES

If infill is yes provide API if available, Operator name and well number for Defining well for Horizontal Spacing Unit.

|                |                |             |
|----------------|----------------|-------------|
| API #          |                |             |
| Operator Name: | Property Name: | Well Number |

KZ 06/29/2018



STATE OF NEW MEXICO  
COUNTY OF EDDY

I, Seth Crawley, certify that; I am employed by Skyline Directional Drilling, LLC; that I did on the day(s) of 09/27/2020-11/20/2020 did conduct or supervise the taking of MWD Surveys from a depth of 172 feet to a depth of 20884 feet; and that the data is true, correct, complete and within the limitations of the tool set forth by Skyline Directional Drilling, LLC that I am authorized and qualified to make this report; that this survey was conducted at the request of Devon Energy Production Co. for the Hot Potato 26-23 Federal 712H with the API # 30-015-47269 in the Bone Spring field of Eddy County, New Mexico and that I have reviewed this report and find that it conforms to the principals and procedures as set forth by **Skyline Directional Drilling, LLC**

*Seth Crawley*

Seth Crawley  
Senior Well Planner  
Skyline Directional Drilling, LLC



## **Devon Energy Production Company, L.P.**

**Eddy Co, New Mexico (NAD-83)**

**Sec 26-23S-29E (HotPotato)**

**Hot Potato 26-23 Fed 712H**

**OH**

**Design: As Drilled**

## **Standard Survey Report**

**04 January, 2021**





# Skyline Directional Survey Report



|                  |                                       |                                     |                                      |
|------------------|---------------------------------------|-------------------------------------|--------------------------------------|
| <b>Company:</b>  | Devon Energy Production Company, L.P. | <b>Local Co-ordinate Reference:</b> | Well Hot Potato 26-23 Fed 712H       |
| <b>Project:</b>  | Eddy Co, New Mexico (NAD-83)          | <b>TVD Reference:</b>               | Cactus 129: 3069' + 30' @ 3099.0usft |
| <b>Site:</b>     | Sec 26-23S-29E (HotPotato)            | <b>MD Reference:</b>                | Cactus 129: 3069' + 30' @ 3099.0usft |
| <b>Well:</b>     | Hot Potato 26-23 Fed 712H             | <b>North Reference:</b>             | Grid                                 |
| <b>Wellbore:</b> | OH                                    | <b>Survey Calculation Method:</b>   | Minimum Curvature                    |
| <b>Design:</b>   | As Drilled                            | <b>Database:</b>                    | Compass_DSN                          |

|                    |                              |                      |                |
|--------------------|------------------------------|----------------------|----------------|
| <b>Project</b>     | Eddy Co, New Mexico (NAD-83) |                      |                |
| <b>Map System:</b> | US State Plane 1983          | <b>System Datum:</b> | Mean Sea Level |
| <b>Geo Datum:</b>  | North American Datum 1983    |                      |                |
| <b>Map Zone:</b>   | New Mexico Eastern Zone      |                      |                |

|                              |                            |                     |                  |
|------------------------------|----------------------------|---------------------|------------------|
| <b>Site</b>                  | Sec 26-23S-29E (HotPotato) |                     |                  |
| <b>Site Position:</b>        |                            | <b>Northing:</b>    | 461,984.30 usft  |
| <b>From:</b>                 | Map                        | <b>Easting:</b>     | 659,318.63 usft  |
| <b>Position Uncertainty:</b> | 0.0 usft                   | <b>Slot Radius:</b> | 13-3/16 "        |
|                              |                            | <b>Latitude:</b>    | 32° 16' 10.174 N |
|                              |                            | <b>Longitude:</b>   | 103° 57' 5.814 W |

|                             |                           |                            |                  |
|-----------------------------|---------------------------|----------------------------|------------------|
| <b>Well</b>                 | Hot Potato 26-23 Fed 712H |                            |                  |
| <b>Well Position</b>        | <b>+N/-S</b>              | 0.0 usft                   | <b>Northing:</b> |
|                             | <b>+E/-W</b>              | 0.0 usft                   | <b>Easting:</b>  |
| <b>Position Uncertainty</b> | 0.0 usft                  | <b>Wellhead Elevation:</b> | usft             |
| <b>Grid Convergence:</b>    | 0.20 °                    | <b>Latitude:</b>           | 32° 16' 10.174 N |
|                             |                           | <b>Longitude:</b>          | 103° 57' 6.163 W |
|                             |                           | <b>Ground Level:</b>       | 3,069.0 usft     |

|                  |                   |                    |                            |
|------------------|-------------------|--------------------|----------------------------|
| <b>Wellbore</b>  | OH                |                    |                            |
| <b>Magnetics</b> | <b>Model Name</b> | <b>Sample Date</b> | <b>Declination (°)</b>     |
|                  | IGRF2015          | 9/4/2020           | 6.79                       |
|                  |                   |                    | <b>Dip Angle (°)</b>       |
|                  |                   |                    | 60.00                      |
|                  |                   |                    | <b>Field Strength (nT)</b> |
|                  |                   |                    | 47,597.15267052            |

|                          |                                |                      |                      |
|--------------------------|--------------------------------|----------------------|----------------------|
| <b>Design</b>            | As Drilled                     |                      |                      |
| <b>Audit Notes:</b>      |                                |                      |                      |
| <b>Version:</b>          | 1.0                            | <b>Phase:</b>        | ACTUAL               |
|                          |                                | <b>Tie On Depth:</b> | 0.0                  |
| <b>Vertical Section:</b> | <b>Depth From (TVD) (usft)</b> | <b>+N/-S (usft)</b>  | <b>+E/-W (usft)</b>  |
|                          | 0.0                            | 0.0                  | 0.0                  |
|                          |                                |                      | <b>Direction (°)</b> |
|                          |                                |                      | 0.00                 |

|                       |                  |                          |                  |                    |
|-----------------------|------------------|--------------------------|------------------|--------------------|
| <b>Survey Program</b> | <b>Date</b>      | 1/4/2021                 |                  |                    |
| <b>From (usft)</b>    | <b>To (usft)</b> | <b>Survey (Wellbore)</b> | <b>Tool Name</b> | <b>Description</b> |
| 172.0                 | 20,884.0         | Survey #1 (OH)           | MWD              | MWD - Skyline      |

|                              |                        |                    |                              |                     |                     |                                |                                |                               |                              |
|------------------------------|------------------------|--------------------|------------------------------|---------------------|---------------------|--------------------------------|--------------------------------|-------------------------------|------------------------------|
| <b>Survey</b>                |                        |                    |                              |                     |                     |                                |                                |                               |                              |
| <b>Measured Depth (usft)</b> | <b>Inclination (°)</b> | <b>Azimuth (°)</b> | <b>Vertical Depth (usft)</b> | <b>+N/-S (usft)</b> | <b>+E/-W (usft)</b> | <b>Vertical Section (usft)</b> | <b>Dogleg Rate (°/100usft)</b> | <b>Build Rate (°/100usft)</b> | <b>Turn Rate (°/100usft)</b> |
| 0.0                          | 0.00                   | 0.00               | 0.0                          | 0.0                 | 0.0                 | 0.0                            | 0.00                           | 0.00                          | 0.00                         |
| 172.0                        | 1.49                   | 347.33             | 172.0                        | 2.2                 | -0.5                | 2.2                            | 0.87                           | 0.87                          | 0.00                         |
| <b>First Survey</b>          |                        |                    |                              |                     |                     |                                |                                |                               |                              |
| 266.0                        | 1.49                   | 351.55             | 265.9                        | 4.6                 | -0.9                | 4.6                            | 0.12                           | 0.00                          | 4.49                         |
| 308.0                        | 1.93                   | 352.69             | 307.9                        | 5.8                 | -1.1                | 5.8                            | 1.05                           | 1.05                          | 2.71                         |
| 419.0                        | 1.80                   | 352.96             | 418.9                        | 9.4                 | -1.6                | 9.4                            | 0.12                           | -0.12                         | 0.24                         |
| 514.0                        | 1.80                   | 355.15             | 513.8                        | 12.4                | -1.9                | 12.4                           | 0.07                           | 0.00                          | 2.31                         |
| 607.0                        | 1.63                   | 359.29             | 606.8                        | 15.2                | -2.0                | 15.2                           | 0.23                           | -0.18                         | 4.45                         |
| 702.0                        | 0.31                   | 301.10             | 701.8                        | 16.6                | -2.2                | 16.6                           | 1.57                           | -1.39                         | -61.25                       |
| 797.0                        | 2.02                   | 206.62             | 796.7                        | 15.3                | -3.2                | 15.3                           | 2.18                           | 1.80                          | -99.45                       |



# Skyline Directional Survey Report



|                  |                                       |                                     |                                      |
|------------------|---------------------------------------|-------------------------------------|--------------------------------------|
| <b>Company:</b>  | Devon Energy Production Company, L.P. | <b>Local Co-ordinate Reference:</b> | Well Hot Potato 26-23 Fed 712H       |
| <b>Project:</b>  | Eddy Co, New Mexico (NAD-83)          | <b>TVD Reference:</b>               | Cactus 129: 3069' + 30' @ 3099.0usft |
| <b>Site:</b>     | Sec 26-23S-29E (HotPotato)            | <b>MD Reference:</b>                | Cactus 129: 3069' + 30' @ 3099.0usft |
| <b>Well:</b>     | Hot Potato 26-23 Fed 712H             | <b>North Reference:</b>             | Grid                                 |
| <b>Wellbore:</b> | OH                                    | <b>Survey Calculation Method:</b>   | Minimum Curvature                    |
| <b>Design:</b>   | As Drilled                            | <b>Database:</b>                    | Compass_DSN                          |

| Survey                |                 |             |                       |              |              |                         |                         |                        |                       |
|-----------------------|-----------------|-------------|-----------------------|--------------|--------------|-------------------------|-------------------------|------------------------|-----------------------|
| Measured Depth (usft) | Inclination (°) | Azimuth (°) | Vertical Depth (usft) | +N/-S (usft) | +E/-W (usft) | Vertical Section (usft) | Dogleg Rate (°/100usft) | Build Rate (°/100usft) | Turn Rate (°/100usft) |
| 891.0                 | 4.31            | 203.54      | 890.6                 | 10.6         | -5.4         | 10.6                    | 2.44                    | 2.44                   | -3.28                 |
| 986.0                 | 6.15            | 203.89      | 985.2                 | 2.6          | -8.9         | 2.6                     | 1.94                    | 1.94                   | 0.37                  |
| 1,081.0               | 6.02            | 203.10      | 1,079.7               | -6.6         | -12.9        | -6.6                    | 0.16                    | -0.14                  | -0.83                 |
| 1,175.0               | 5.63            | 201.08      | 1,173.2               | -15.4        | -16.5        | -15.4                   | 0.47                    | -0.41                  | -2.15                 |
| 1,270.0               | 5.58            | 199.06      | 1,267.7               | -24.2        | -19.6        | -24.2                   | 0.21                    | -0.05                  | -2.13                 |
| 1,364.0               | 5.36            | 201.70      | 1,361.3               | -32.6        | -22.8        | -32.6                   | 0.36                    | -0.23                  | 2.81                  |
| 1,460.0               | 5.23            | 207.32      | 1,456.9               | -40.6        | -26.4        | -40.6                   | 0.56                    | -0.14                  | 5.85                  |
| 1,555.0               | 4.88            | 205.30      | 1,551.5               | -48.1        | -30.1        | -48.1                   | 0.41                    | -0.37                  | -2.13                 |
| 1,651.0               | 4.35            | 209.52      | 1,647.2               | -55.0        | -33.7        | -55.0                   | 0.66                    | -0.55                  | 4.40                  |
| 1,746.0               | 3.82            | 213.04      | 1,742.0               | -60.8        | -37.2        | -60.8                   | 0.62                    | -0.56                  | 3.71                  |
| 1,842.0               | 4.53            | 212.51      | 1,837.7               | -66.6        | -41.0        | -66.6                   | 0.74                    | 0.74                   | -0.55                 |
| 1,938.0               | 4.75            | 210.05      | 1,933.4               | -73.3        | -45.0        | -73.3                   | 0.31                    | 0.23                   | -2.56                 |
| 2,033.0               | 4.48            | 206.27      | 2,028.1               | -80.0        | -48.6        | -80.0                   | 0.43                    | -0.28                  | -3.98                 |
| 2,129.0               | 4.35            | 208.64      | 2,123.8               | -86.6        | -52.0        | -86.6                   | 0.23                    | -0.14                  | 2.47                  |
| 2,224.0               | 4.22            | 214.27      | 2,218.5               | -92.6        | -55.7        | -92.6                   | 0.46                    | -0.14                  | 5.93                  |
| 2,319.0               | 3.65            | 211.80      | 2,313.3               | -98.1        | -59.3        | -98.1                   | 0.63                    | -0.60                  | -2.60                 |
| 2,415.0               | 3.82            | 210.75      | 2,409.1               | -103.4       | -62.5        | -103.4                  | 0.19                    | 0.18                   | -1.09                 |
| 2,510.0               | 4.35            | 190.10      | 2,503.9               | -109.7       | -64.8        | -109.7                  | 1.64                    | 0.56                   | -21.74                |
| 2,606.0               | 5.45            | 182.98      | 2,599.5               | -117.8       | -65.6        | -117.8                  | 1.31                    | 1.15                   | -7.42                 |
| 2,702.0               | 5.45            | 185.79      | 2,695.1               | -126.9       | -66.3        | -126.9                  | 0.28                    | 0.00                   | 2.93                  |
| 2,797.0               | 5.89            | 192.56      | 2,789.6               | -136.2       | -67.8        | -136.2                  | 0.84                    | 0.46                   | 7.13                  |
| 2,892.0               | 6.29            | 200.91      | 2,884.1               | -145.8       | -70.8        | -145.8                  | 1.02                    | 0.42                   | 8.79                  |
| 2,988.0               | 6.37            | 207.32      | 2,979.5               | -155.4       | -75.1        | -155.4                  | 0.74                    | 0.08                   | 6.68                  |
| 3,084.0               | 5.63            | 209.70      | 3,075.0               | -164.2       | -79.9        | -164.2                  | 0.81                    | -0.77                  | 2.48                  |
| 3,180.0               | 4.79            | 214.71      | 3,170.6               | -171.6       | -84.5        | -171.6                  | 0.99                    | -0.88                  | 5.22                  |
| 3,275.0               | 4.22            | 219.63      | 3,265.3               | -177.6       | -89.0        | -177.6                  | 0.72                    | -0.60                  | 5.18                  |
| 3,370.0               | 4.40            | 218.31      | 3,360.0               | -183.1       | -93.5        | -183.1                  | 0.22                    | 0.19                   | -1.39                 |
| 3,466.0               | 4.35            | 218.31      | 3,455.7               | -188.9       | -98.0        | -188.9                  | 0.05                    | -0.05                  | 0.00                  |
| 3,561.0               | 4.31            | 222.26      | 3,550.5               | -194.3       | -102.6       | -194.3                  | 0.32                    | -0.04                  | 4.16                  |
| 3,656.0               | 4.48            | 220.42      | 3,645.2               | -199.8       | -107.4       | -199.8                  | 0.23                    | 0.18                   | -1.94                 |
| 3,751.0               | 4.22            | 222.53      | 3,739.9               | -205.2       | -112.2       | -205.2                  | 0.32                    | -0.27                  | 2.22                  |
| 3,847.0               | 4.35            | 221.47      | 3,835.6               | -210.5       | -117.0       | -210.5                  | 0.16                    | 0.14                   | -1.10                 |
| 3,943.0               | 4.84            | 201.35      | 3,931.3               | -217.0       | -120.9       | -217.0                  | 1.74                    | 0.51                   | -20.96                |
| 4,038.0               | 5.10            | 197.92      | 4,026.0               | -224.8       | -123.6       | -224.8                  | 0.42                    | 0.27                   | -3.61                 |
| 4,133.0               | 5.05            | 201.17      | 4,120.6               | -232.7       | -126.5       | -232.7                  | 0.31                    | -0.05                  | 3.42                  |
| 4,229.0               | 5.19            | 198.88      | 4,216.2               | -240.8       | -129.4       | -240.8                  | 0.26                    | 0.15                   | -2.39                 |
| 4,324.0               | 4.97            | 198.45      | 4,310.9               | -248.7       | -132.1       | -248.7                  | 0.24                    | -0.23                  | -0.45                 |
| 4,420.0               | 5.01            | 195.11      | 4,406.5               | -256.7       | -134.5       | -256.7                  | 0.31                    | 0.04                   | -3.48                 |
| 4,516.0               | 4.92            | 214.18      | 4,502.1               | -264.2       | -137.9       | -264.2                  | 1.71                    | -0.09                  | 19.86                 |
| 4,611.0               | 4.84            | 215.14      | 4,596.8               | -270.8       | -142.5       | -270.8                  | 0.12                    | -0.08                  | 1.01                  |
| 4,706.0               | 4.97            | 214.44      | 4,691.4               | -277.5       | -147.1       | -277.5                  | 0.15                    | 0.14                   | -0.74                 |
| 4,802.0               | 4.97            | 211.28      | 4,787.1               | -284.5       | -151.6       | -284.5                  | 0.29                    | 0.00                   | -3.29                 |
| 4,897.0               | 4.00            | 215.14      | 4,881.8               | -290.7       | -155.7       | -290.7                  | 1.07                    | -1.02                  | 4.06                  |



# Skyline Directional Survey Report



|                  |                                       |                                     |                                      |
|------------------|---------------------------------------|-------------------------------------|--------------------------------------|
| <b>Company:</b>  | Devon Energy Production Company, L.P. | <b>Local Co-ordinate Reference:</b> | Well Hot Potato 26-23 Fed 712H       |
| <b>Project:</b>  | Eddy Co, New Mexico (NAD-83)          | <b>TVD Reference:</b>               | Cactus 129: 3069' + 30' @ 3099.0usft |
| <b>Site:</b>     | Sec 26-23S-29E (HotPotato)            | <b>MD Reference:</b>                | Cactus 129: 3069' + 30' @ 3099.0usft |
| <b>Well:</b>     | Hot Potato 26-23 Fed 712H             | <b>North Reference:</b>             | Grid                                 |
| <b>Wellbore:</b> | OH                                    | <b>Survey Calculation Method:</b>   | Minimum Curvature                    |
| <b>Design:</b>   | As Drilled                            | <b>Database:</b>                    | Compass_DSN                          |

| Survey                |                 |             |                       |              |              |                         |                         |                        |                       |
|-----------------------|-----------------|-------------|-----------------------|--------------|--------------|-------------------------|-------------------------|------------------------|-----------------------|
| Measured Depth (usft) | Inclination (°) | Azimuth (°) | Vertical Depth (usft) | +N/-S (usft) | +E/-W (usft) | Vertical Section (usft) | Dogleg Rate (°/100usft) | Build Rate (°/100usft) | Turn Rate (°/100usft) |
| 4,993.0               | 3.52            | 243.62      | 4,977.6               | -294.8       | -160.2       | -294.8                  | 1.99                    | -0.50                  | 29.67                 |
| 5,088.0               | 3.38            | 260.85      | 5,072.4               | -296.5       | -165.6       | -296.5                  | 1.10                    | -0.15                  | 18.14                 |
| 5,183.0               | 3.21            | 274.03      | 5,167.3               | -296.8       | -171.0       | -296.8                  | 0.82                    | -0.18                  | 13.87                 |
| 5,279.0               | 0.88            | 318.94      | 5,263.2               | -296.0       | -174.2       | -296.0                  | 2.77                    | -2.43                  | 46.78                 |
| 5,374.0               | 1.49            | 38.84       | 5,358.2               | -294.5       | -173.9       | -294.5                  | 1.68                    | 0.64                   | 84.11                 |
| 5,469.0               | 1.49            | 40.59       | 5,453.2               | -292.6       | -172.3       | -292.6                  | 0.05                    | 0.00                   | 1.84                  |
| 5,565.0               | 1.41            | 36.02       | 5,549.1               | -290.7       | -170.8       | -290.7                  | 0.15                    | -0.08                  | -4.76                 |
| 5,659.0               | 1.49            | 48.24       | 5,643.1               | -288.9       | -169.2       | -288.9                  | 0.34                    | 0.09                   | 13.00                 |
| 5,755.0               | 1.41            | 37.25       | 5,739.1               | -287.2       | -167.6       | -287.2                  | 0.30                    | -0.08                  | -11.45                |
| 5,851.0               | 1.23            | 20.99       | 5,835.0               | -285.3       | -166.5       | -285.3                  | 0.43                    | -0.19                  | -16.94                |
| 5,946.0               | 1.19            | 22.31       | 5,930.0               | -283.4       | -165.8       | -283.4                  | 0.05                    | -0.04                  | 1.39                  |
| 6,042.0               | 1.27            | 23.98       | 6,026.0               | -281.5       | -165.0       | -281.5                  | 0.09                    | 0.08                   | 1.74                  |
| 6,137.0               | 0.79            | 20.20       | 6,121.0               | -279.9       | -164.3       | -279.9                  | 0.51                    | -0.51                  | -3.98                 |
| 6,233.0               | 0.66            | 235.10      | 6,217.0               | -279.6       | -164.5       | -279.6                  | 1.44                    | -0.14                  | -151.15               |
| 6,329.0               | 1.32            | 229.91      | 6,313.0               | -280.7       | -165.8       | -280.7                  | 0.69                    | 0.69                   | -5.41                 |
| 6,424.0               | 1.49            | 217.25      | 6,407.9               | -282.3       | -167.4       | -282.3                  | 0.37                    | 0.18                   | -13.33                |
| 6,520.0               | 1.54            | 213.04      | 6,503.9               | -284.4       | -168.9       | -284.4                  | 0.13                    | 0.05                   | -4.39                 |
| 6,615.0               | 1.63            | 204.51      | 6,598.9               | -286.7       | -170.1       | -286.7                  | 0.27                    | 0.09                   | -8.98                 |
| 6,711.0               | 1.71            | 204.07      | 6,694.8               | -289.3       | -171.3       | -289.3                  | 0.08                    | 0.08                   | -0.46                 |
| 6,806.0               | 1.54            | 203.98      | 6,789.8               | -291.7       | -172.4       | -291.7                  | 0.18                    | -0.18                  | -0.09                 |
| 6,901.0               | 1.54            | 198.71      | 6,884.8               | -294.1       | -173.3       | -294.1                  | 0.15                    | 0.00                   | -5.55                 |
| 6,997.0               | 1.45            | 206.44      | 6,980.7               | -296.4       | -174.3       | -296.4                  | 0.23                    | -0.09                  | 8.05                  |
| 7,092.0               | 1.63            | 216.37      | 7,075.7               | -298.6       | -175.6       | -298.6                  | 0.34                    | 0.19                   | 10.45                 |
| 7,187.0               | 1.49            | 209.08      | 7,170.7               | -300.7       | -177.0       | -300.7                  | 0.26                    | -0.15                  | -7.67                 |
| 7,283.0               | 1.36            | 293.37      | 7,266.6               | -301.4       | -178.6       | -301.4                  | 1.99                    | -0.14                  | 87.80                 |
| 7,378.0               | 1.93            | 320.79      | 7,361.6               | -299.7       | -180.7       | -299.7                  | 1.01                    | 0.60                   | 28.86                 |
| 7,473.0               | 2.68            | 307.43      | 7,456.5               | -297.1       | -183.5       | -297.1                  | 0.97                    | 0.79                   | -14.06                |
| 7,568.0               | 2.73            | 310.42      | 7,551.4               | -294.3       | -187.0       | -294.3                  | 0.16                    | 0.05                   | 3.15                  |
| 7,664.0               | 2.64            | 304.44      | 7,647.3               | -291.6       | -190.5       | -291.6                  | 0.31                    | -0.09                  | -6.23                 |
| 7,759.0               | 2.24            | 306.37      | 7,742.2               | -289.2       | -193.8       | -289.2                  | 0.43                    | -0.42                  | 2.03                  |
| 7,854.0               | 2.20            | 303.65      | 7,837.2               | -287.1       | -196.8       | -287.1                  | 0.12                    | -0.04                  | -2.86                 |
| 7,950.0               | 1.80            | 294.69      | 7,933.1               | -285.5       | -199.7       | -285.5                  | 0.53                    | -0.42                  | -9.33                 |
| 8,044.0               | 1.85            | 289.24      | 8,027.0               | -284.3       | -202.5       | -284.3                  | 0.19                    | 0.05                   | -5.80                 |
| 8,140.0               | 1.54            | 282.91      | 8,123.0               | -283.5       | -205.2       | -283.5                  | 0.38                    | -0.32                  | -6.59                 |
| 8,235.0               | 1.49            | 281.94      | 8,218.0               | -283.0       | -207.7       | -283.0                  | 0.06                    | -0.05                  | -1.02                 |
| 8,330.0               | 1.45            | 282.47      | 8,312.9               | -282.5       | -210.1       | -282.5                  | 0.04                    | -0.04                  | 0.56                  |
| 8,426.0               | 0.92            | 262.87      | 8,408.9               | -282.3       | -212.0       | -282.3                  | 0.69                    | -0.55                  | -20.42                |
| 8,521.0               | 0.84            | 265.33      | 8,503.9               | -282.5       | -213.5       | -282.5                  | 0.09                    | -0.08                  | 2.59                  |
| 8,617.0               | 0.70            | 243.01      | 8,599.9               | -282.8       | -214.7       | -282.8                  | 0.34                    | -0.15                  | -23.25                |
| 8,712.0               | 1.10            | 233.95      | 8,694.9               | -283.6       | -215.9       | -283.6                  | 0.45                    | 0.42                   | -9.54                 |
| 8,808.0               | 1.27            | 248.37      | 8,790.9               | -284.5       | -217.7       | -284.5                  | 0.36                    | 0.18                   | 15.02                 |
| 8,903.0               | 0.97            | 306.11      | 8,885.8               | -284.4       | -219.3       | -284.4                  | 1.17                    | -0.32                  | 60.78                 |
| 8,999.0               | 0.66            | 339.77      | 8,981.8               | -283.4       | -220.2       | -283.4                  | 0.58                    | -0.32                  | 35.06                 |



# Skyline Directional Survey Report



|                  |                                       |                                     |                                      |
|------------------|---------------------------------------|-------------------------------------|--------------------------------------|
| <b>Company:</b>  | Devon Energy Production Company, L.P. | <b>Local Co-ordinate Reference:</b> | Well Hot Potato 26-23 Fed 712H       |
| <b>Project:</b>  | Eddy Co, New Mexico (NAD-83)          | <b>TVD Reference:</b>               | Cactus 129: 3069' + 30' @ 3099.0usft |
| <b>Site:</b>     | Sec 26-23S-29E (HotPotato)            | <b>MD Reference:</b>                | Cactus 129: 3069' + 30' @ 3099.0usft |
| <b>Well:</b>     | Hot Potato 26-23 Fed 712H             | <b>North Reference:</b>             | Grid                                 |
| <b>Wellbore:</b> | OH                                    | <b>Survey Calculation Method:</b>   | Minimum Curvature                    |
| <b>Design:</b>   | As Drilled                            | <b>Database:</b>                    | Compass_DSN                          |

| Survey                                        |                 |             |                       |              |              |                         |                         |                        |                       |
|-----------------------------------------------|-----------------|-------------|-----------------------|--------------|--------------|-------------------------|-------------------------|------------------------|-----------------------|
| Measured Depth (usft)                         | Inclination (°) | Azimuth (°) | Vertical Depth (usft) | +N/-S (usft) | +E/-W (usft) | Vertical Section (usft) | Dogleg Rate (°/100usft) | Build Rate (°/100usft) | Turn Rate (°/100usft) |
| 9,095.0                                       | 0.18            | 81.55       | 9,077.8               | -282.9       | -220.2       | -282.9                  | 0.75                    | -0.50                  | 106.02                |
| 9,190.0                                       | 0.31            | 179.02      | 9,172.8               | -283.1       | -220.0       | -283.1                  | 0.40                    | 0.14                   | 102.60                |
| 9,286.0                                       | 1.05            | 159.60      | 9,268.8               | -284.2       | -219.7       | -284.2                  | 0.80                    | 0.77                   | -20.23                |
| 9,381.0                                       | 1.23            | 158.37      | 9,363.8               | -286.0       | -219.1       | -286.0                  | 0.19                    | 0.19                   | -1.29                 |
| 9,477.0                                       | 0.26            | 87.00       | 9,459.8               | -286.9       | -218.5       | -286.9                  | 1.22                    | -1.01                  | -74.34                |
| 9,572.0                                       | 0.48            | 119.08      | 9,554.8               | -287.1       | -217.9       | -287.1                  | 0.31                    | 0.23                   | 33.77                 |
| 9,668.0                                       | 0.44            | 184.47      | 9,650.8               | -287.7       | -217.6       | -287.7                  | 0.52                    | -0.04                  | 68.11                 |
| 9,763.0                                       | 0.62            | 198.62      | 9,745.8               | -288.5       | -217.8       | -288.5                  | 0.23                    | 0.19                   | 14.89                 |
| 9,858.0                                       | 0.66            | 187.63      | 9,840.8               | -289.6       | -218.0       | -289.6                  | 0.14                    | 0.04                   | -11.57                |
| 9,923.0                                       | 0.66            | 182.01      | 9,905.8               | -290.3       | -218.1       | -290.3                  | 0.10                    | 0.00                   | -8.65                 |
| 9,990.0                                       | 0.62            | 210.66      | 9,972.8               | -291.0       | -218.3       | -291.0                  | 0.48                    | -0.06                  | 42.76                 |
| 10,060.0                                      | 0.97            | 316.83      | 10,042.8              | -290.9       | -218.9       | -290.9                  | 1.84                    | 0.50                   | 151.67                |
| 10,154.0                                      | 13.45           | 354.63      | 10,135.9              | -279.4       | -220.4       | -279.4                  | 13.51                   | 13.28                  | 40.21                 |
| 10,250.0                                      | 26.81           | 359.99      | 10,225.8              | -246.5       | -221.5       | -246.5                  | 14.03                   | 13.92                  | 5.58                  |
| 10,292.0                                      | 31.88           | 358.52      | 10,262.4              | -225.9       | -221.8       | -225.9                  | 12.19                   | 12.07                  | -3.49                 |
| Cross 100' FSL Perf Line:10292' MD, 1751' FEL |                 |             |                       |              |              |                         |                         |                        |                       |
| 10,345.0                                      | 38.29           | 357.18      | 10,305.7              | -195.5       | -222.9       | -195.5                  | 12.19                   | 12.10                  | -2.54                 |
| 10,440.0                                      | 48.97           | 356.38      | 10,374.4              | -130.1       | -226.7       | -130.1                  | 11.26                   | 11.24                  | -0.84                 |
| 10,536.0                                      | 58.29           | 358.14      | 10,431.3              | -53.0        | -230.3       | -53.0                   | 9.82                    | 9.71                   | 1.83                  |
| 10,631.0                                      | 69.41           | 3.68        | 10,473.1              | 32.1         | -228.7       | 32.1                    | 12.82                   | 11.71                  | 5.83                  |
| 10,727.0                                      | 79.96           | 4.29        | 10,498.4              | 124.3        | -222.3       | 124.3                   | 11.01                   | 10.99                  | 0.64                  |
| 10,822.0                                      | 88.00           | 358.93      | 10,508.4              | 218.6        | -219.7       | 218.6                   | 10.15                   | 8.46                   | -5.64                 |
| 10,918.0                                      | 89.05           | 358.85      | 10,510.9              | 314.6        | -221.5       | 314.6                   | 1.10                    | 1.09                   | -0.08                 |
| 11,013.0                                      | 89.01           | 359.29      | 10,512.5              | 409.6        | -223.1       | 409.6                   | 0.47                    | -0.04                  | 0.46                  |
| 11,108.0                                      | 89.19           | 0.08        | 10,514.0              | 504.6        | -223.6       | 504.6                   | 0.85                    | 0.19                   | 0.83                  |
| 11,203.0                                      | 90.11           | 1.04        | 10,514.5              | 599.5        | -222.7       | 599.5                   | 1.40                    | 0.97                   | 1.01                  |
| 11,298.0                                      | 91.03           | 1.75        | 10,513.6              | 694.5        | -220.4       | 694.5                   | 1.22                    | 0.97                   | 0.75                  |
| 11,394.0                                      | 90.33           | 0.95        | 10,512.5              | 790.5        | -218.1       | 790.5                   | 1.11                    | -0.73                  | -0.83                 |
| 11,489.0                                      | 90.11           | 0.34        | 10,512.1              | 885.5        | -217.0       | 885.5                   | 0.68                    | -0.23                  | -0.64                 |
| 11,584.0                                      | 90.46           | 359.72      | 10,511.6              | 980.5        | -217.0       | 980.5                   | 0.75                    | 0.37                   | -0.65                 |
| 11,679.0                                      | 90.29           | 358.05      | 10,511.0              | 1,075.4      | -218.8       | 1,075.4                 | 1.77                    | -0.18                  | -1.76                 |
| 11,774.0                                      | 90.99           | 359.81      | 10,509.9              | 1,170.4      | -220.6       | 1,170.4                 | 1.99                    | 0.74                   | 1.85                  |
| 11,870.0                                      | 91.21           | 359.72      | 10,508.1              | 1,266.4      | -221.0       | 1,266.4                 | 0.25                    | 0.23                   | -0.09                 |
| 11,965.0                                      | 89.76           | 359.64      | 10,507.3              | 1,361.4      | -221.5       | 1,361.4                 | 1.53                    | -1.53                  | -0.08                 |
| 12,061.0                                      | 89.98           | 0.08        | 10,507.5              | 1,457.4      | -221.8       | 1,457.4                 | 0.51                    | 0.23                   | 0.46                  |
| 12,157.0                                      | 89.32           | 0.43        | 10,508.1              | 1,553.4      | -221.3       | 1,553.4                 | 0.78                    | -0.69                  | 0.36                  |
| 12,252.0                                      | 89.67           | 0.08        | 10,508.9              | 1,648.4      | -220.9       | 1,648.4                 | 0.52                    | 0.37                   | -0.37                 |
| 12,348.0                                      | 89.45           | 0.43        | 10,509.7              | 1,744.4      | -220.5       | 1,744.4                 | 0.43                    | -0.23                  | 0.36                  |
| 12,444.0                                      | 90.99           | 1.75        | 10,509.3              | 1,840.4      | -218.7       | 1,840.4                 | 2.11                    | 1.60                   | 1.38                  |
| 12,539.0                                      | 89.05           | 359.11      | 10,509.3              | 1,935.3      | -217.9       | 1,935.3                 | 3.45                    | -2.04                  | -2.78                 |
| 12,635.0                                      | 88.35           | 358.58      | 10,511.4              | 2,031.3      | -219.9       | 2,031.3                 | 0.91                    | -0.73                  | -0.55                 |
| 12,730.0                                      | 90.77           | 359.46      | 10,512.2              | 2,126.3      | -221.5       | 2,126.3                 | 2.71                    | 2.55                   | 0.93                  |
| 12,826.0                                      | 93.32           | 359.37      | 10,508.8              | 2,222.2      | -222.5       | 2,222.2                 | 2.66                    | 2.66                   | -0.09                 |
| 12,922.0                                      | 92.75           | 0.52        | 10,503.7              | 2,318.1      | -222.6       | 2,318.1                 | 1.34                    | -0.59                  | 1.20                  |



# Skyline Directional Survey Report



|                  |                                       |                                     |                                      |
|------------------|---------------------------------------|-------------------------------------|--------------------------------------|
| <b>Company:</b>  | Devon Energy Production Company, L.P. | <b>Local Co-ordinate Reference:</b> | Well Hot Potato 26-23 Fed 712H       |
| <b>Project:</b>  | Eddy Co, New Mexico (NAD-83)          | <b>TVD Reference:</b>               | Cactus 129: 3069' + 30' @ 3099.0usft |
| <b>Site:</b>     | Sec 26-23S-29E (HotPotato)            | <b>MD Reference:</b>                | Cactus 129: 3069' + 30' @ 3099.0usft |
| <b>Well:</b>     | Hot Potato 26-23 Fed 712H             | <b>North Reference:</b>             | Grid                                 |
| <b>Wellbore:</b> | OH                                    | <b>Survey Calculation Method:</b>   | Minimum Curvature                    |
| <b>Design:</b>   | As Drilled                            | <b>Database:</b>                    | Compass_DSN                          |

| Survey                                         |                 |             |                       |              |              |                         |                         |                        |                       |
|------------------------------------------------|-----------------|-------------|-----------------------|--------------|--------------|-------------------------|-------------------------|------------------------|-----------------------|
| Measured Depth (usft)                          | Inclination (°) | Azimuth (°) | Vertical Depth (usft) | +N/-S (usft) | +E/-W (usft) | Vertical Section (usft) | Dogleg Rate (°/100usft) | Build Rate (°/100usft) | Turn Rate (°/100usft) |
| 13,017.0                                       | 89.49           | 359.99      | 10,501.8              | 2,413.0      | -222.2       | 2,413.0                 | 3.48                    | -3.43                  | -0.56                 |
| 13,112.0                                       | 89.71           | 359.64      | 10,502.5              | 2,508.0      | -222.5       | 2,508.0                 | 0.44                    | 0.23                   | -0.37                 |
| 13,208.0                                       | 89.85           | 359.02      | 10,502.8              | 2,604.0      | -223.6       | 2,604.0                 | 0.66                    | 0.15                   | -0.65                 |
| 13,304.0                                       | 90.11           | 358.58      | 10,502.9              | 2,700.0      | -225.6       | 2,700.0                 | 0.53                    | 0.27                   | -0.46                 |
| 13,399.0                                       | 90.20           | 358.41      | 10,502.6              | 2,795.0      | -228.1       | 2,795.0                 | 0.20                    | 0.09                   | -0.18                 |
| 13,495.0                                       | 92.22           | 359.20      | 10,500.6              | 2,890.9      | -230.1       | 2,890.9                 | 2.26                    | 2.10                   | 0.82                  |
| 13,590.0                                       | 92.84           | 358.23      | 10,496.4              | 2,985.8      | -232.2       | 2,985.8                 | 1.21                    | 0.65                   | -1.02                 |
| 13,686.0                                       | 93.05           | 0.08        | 10,491.5              | 3,081.7      | -233.6       | 3,081.7                 | 1.94                    | 0.22                   | 1.93                  |
| 13,781.0                                       | 92.92           | 0.60        | 10,486.5              | 3,176.5      | -233.1       | 3,176.5                 | 0.56                    | -0.14                  | 0.55                  |
| 13,877.0                                       | 90.99           | 1.92        | 10,483.2              | 3,272.4      | -231.0       | 3,272.4                 | 2.44                    | -2.01                  | 1.38                  |
| 13,972.0                                       | 91.78           | 1.83        | 10,480.9              | 3,367.4      | -227.9       | 3,367.4                 | 0.84                    | 0.83                   | -0.09                 |
| 14,068.0                                       | 90.81           | 2.01        | 10,478.8              | 3,463.3      | -224.6       | 3,463.3                 | 1.03                    | -1.01                  | 0.19                  |
| 14,163.0                                       | 90.07           | 2.71        | 10,478.0              | 3,558.2      | -220.7       | 3,558.2                 | 1.07                    | -0.78                  | 0.74                  |
| 14,259.0                                       | 89.32           | 3.06        | 10,478.6              | 3,654.1      | -215.9       | 3,654.1                 | 0.86                    | -0.78                  | 0.36                  |
| 14,354.0                                       | 89.67           | 2.80        | 10,479.4              | 3,748.9      | -211.0       | 3,748.9                 | 0.46                    | 0.37                   | -0.27                 |
| 14,450.0                                       | 89.71           | 3.15        | 10,479.9              | 3,844.8      | -206.1       | 3,844.8                 | 0.37                    | 0.04                   | 0.36                  |
| 14,545.0                                       | 89.05           | 2.19        | 10,480.9              | 3,939.7      | -201.6       | 3,939.7                 | 1.23                    | -0.69                  | -1.01                 |
| 14,640.0                                       | 89.27           | 1.92        | 10,482.3              | 4,034.6      | -198.2       | 4,034.6                 | 0.37                    | 0.23                   | -0.28                 |
| 14,735.0                                       | 89.67           | 2.80        | 10,483.2              | 4,129.5      | -194.3       | 4,129.5                 | 1.02                    | 0.42                   | 0.93                  |
| 14,831.0                                       | 89.93           | 2.62        | 10,483.6              | 4,225.4      | -189.8       | 4,225.4                 | 0.33                    | 0.27                   | -0.19                 |
| 14,926.0                                       | 89.23           | 1.83        | 10,484.2              | 4,320.4      | -186.1       | 4,320.4                 | 1.11                    | -0.74                  | -0.83                 |
| 15,021.0                                       | 88.88           | 1.92        | 10,485.8              | 4,415.3      | -183.0       | 4,415.3                 | 0.38                    | -0.37                  | 0.09                  |
| 15,117.0                                       | 88.04           | 1.31        | 10,488.4              | 4,511.2      | -180.3       | 4,511.2                 | 1.08                    | -0.88                  | -0.64                 |
| 15,212.0                                       | 87.21           | 0.69        | 10,492.3              | 4,606.1      | -178.6       | 4,606.1                 | 1.09                    | -0.87                  | -0.65                 |
| 15,307.0                                       | 88.79           | 0.78        | 10,495.6              | 4,701.1      | -177.4       | 4,701.1                 | 1.67                    | 1.66                   | 0.09                  |
| 15,403.0                                       | 89.93           | 359.72      | 10,496.7              | 4,797.0      | -177.0       | 4,797.0                 | 1.62                    | 1.19                   | -1.10                 |
| 15,498.0                                       | 91.25           | 0.60        | 10,495.7              | 4,892.0      | -176.7       | 4,892.0                 | 1.67                    | 1.39                   | 0.93                  |
| 15,593.0                                       | 91.65           | 0.78        | 10,493.3              | 4,987.0      | -175.6       | 4,987.0                 | 0.46                    | 0.42                   | 0.19                  |
| 15,594.6                                       | 91.63           | 0.76        | 10,493.3              | 4,988.6      | -175.5       | 4,988.6                 | 2.01                    | -1.28                  | -1.55                 |
| Cross Section 26 to 23: 15594.6' MD, 1704' FEL |                 |             |                       |              |              |                         |                         |                        |                       |
| 15,689.0                                       | 90.42           | 359.29      | 10,491.6              | 5,083.0      | -175.5       | 5,083.0                 | 2.01                    | -1.28                  | -1.55                 |
| 15,784.0                                       | 90.20           | 358.93      | 10,491.1              | 5,178.0      | -177.0       | 5,178.0                 | 0.44                    | -0.23                  | -0.38                 |
| 15,880.0                                       | 91.38           | 0.08        | 10,489.8              | 5,273.9      | -177.8       | 5,273.9                 | 1.72                    | 1.23                   | 1.20                  |
| 15,975.0                                       | 90.46           | 359.20      | 10,488.2              | 5,368.9      | -178.4       | 5,368.9                 | 1.34                    | -0.97                  | -0.93                 |
| 16,070.0                                       | 89.19           | 357.62      | 10,488.5              | 5,463.9      | -181.0       | 5,463.9                 | 2.13                    | -1.34                  | -1.66                 |
| 16,166.0                                       | 89.32           | 358.23      | 10,489.8              | 5,559.8      | -184.5       | 5,559.8                 | 0.65                    | 0.14                   | 0.64                  |
| 16,261.0                                       | 88.70           | 358.32      | 10,491.4              | 5,654.8      | -187.4       | 5,654.8                 | 0.66                    | -0.65                  | 0.09                  |
| 16,356.0                                       | 88.70           | 357.35      | 10,493.6              | 5,749.7      | -191.0       | 5,749.7                 | 1.02                    | 0.00                   | -1.02                 |
| 16,451.0                                       | 89.14           | 357.35      | 10,495.4              | 5,844.6      | -195.4       | 5,844.6                 | 0.46                    | 0.46                   | 0.00                  |
| 16,547.0                                       | 90.02           | 357.26      | 10,496.1              | 5,940.4      | -199.9       | 5,940.4                 | 0.92                    | 0.92                   | -0.09                 |
| 16,642.0                                       | 90.64           | 357.35      | 10,495.5              | 6,035.3      | -204.3       | 6,035.3                 | 0.66                    | 0.65                   | 0.09                  |
| 16,738.0                                       | 90.42           | 356.91      | 10,494.6              | 6,131.2      | -209.2       | 6,131.2                 | 0.51                    | -0.23                  | -0.46                 |
| 16,833.0                                       | 90.51           | 356.12      | 10,493.9              | 6,226.0      | -214.9       | 6,226.0                 | 0.84                    | 0.09                   | -0.83                 |



# Skyline Directional Survey Report



|                  |                                       |                                     |                                      |
|------------------|---------------------------------------|-------------------------------------|--------------------------------------|
| <b>Company:</b>  | Devon Energy Production Company, L.P. | <b>Local Co-ordinate Reference:</b> | Well Hot Potato 26-23 Fed 712H       |
| <b>Project:</b>  | Eddy Co, New Mexico (NAD-83)          | <b>TVD Reference:</b>               | Cactus 129: 3069' + 30' @ 3099.0usft |
| <b>Site:</b>     | Sec 26-23S-29E (HotPotato)            | <b>MD Reference:</b>                | Cactus 129: 3069' + 30' @ 3099.0usft |
| <b>Well:</b>     | Hot Potato 26-23 Fed 712H             | <b>North Reference:</b>             | Grid                                 |
| <b>Wellbore:</b> | OH                                    | <b>Survey Calculation Method:</b>   | Minimum Curvature                    |
| <b>Design:</b>   | As Drilled                            | <b>Database:</b>                    | Compass_DSN                          |

| Survey                                           |                 |             |                       |              |              |                         |                         |                        |                       |
|--------------------------------------------------|-----------------|-------------|-----------------------|--------------|--------------|-------------------------|-------------------------|------------------------|-----------------------|
| Measured Depth (usft)                            | Inclination (°) | Azimuth (°) | Vertical Depth (usft) | +N/-S (usft) | +E/-W (usft) | Vertical Section (usft) | Dogleg Rate (°/100usft) | Build Rate (°/100usft) | Turn Rate (°/100usft) |
| 16,928.0                                         | 91.69           | 357.26      | 10,492.0              | 6,320.9      | -220.4       | 6,320.9                 | 1.73                    | 1.24                   | 1.20                  |
| 17,024.0                                         | 91.08           | 357.00      | 10,489.7              | 6,416.7      | -225.2       | 6,416.7                 | 0.69                    | -0.64                  | -0.27                 |
| 17,119.0                                         | 90.73           | 358.93      | 10,488.2              | 6,511.6      | -228.6       | 6,511.6                 | 2.06                    | -0.37                  | 2.03                  |
| 17,215.0                                         | 90.46           | 358.23      | 10,487.2              | 6,607.6      | -231.0       | 6,607.6                 | 0.78                    | -0.28                  | -0.73                 |
| 17,310.0                                         | 90.73           | 0.43        | 10,486.2              | 6,702.6      | -232.1       | 6,702.6                 | 2.33                    | 0.28                   | 2.32                  |
| 17,405.0                                         | 90.42           | 359.99      | 10,485.3              | 6,797.6      | -231.7       | 6,797.6                 | 0.57                    | -0.33                  | -0.46                 |
| 17,500.0                                         | 90.73           | 0.69        | 10,484.3              | 6,892.6      | -231.2       | 6,892.6                 | 0.81                    | 0.33                   | 0.74                  |
| 17,596.0                                         | 91.21           | 1.22        | 10,482.7              | 6,988.5      | -229.6       | 6,988.5                 | 0.74                    | 0.50                   | 0.55                  |
| 17,691.0                                         | 91.03           | 0.25        | 10,480.8              | 7,083.5      | -228.3       | 7,083.5                 | 1.04                    | -0.19                  | -1.02                 |
| 17,787.0                                         | 91.69           | 0.08        | 10,478.6              | 7,179.5      | -228.1       | 7,179.5                 | 0.71                    | 0.69                   | -0.18                 |
| 17,882.0                                         | 91.91           | 0.25        | 10,475.6              | 7,274.4      | -227.8       | 7,274.4                 | 0.29                    | 0.23                   | 0.18                  |
| 17,978.0                                         | 91.21           | 0.43        | 10,473.0              | 7,370.4      | -227.2       | 7,370.4                 | 0.75                    | -0.73                  | 0.19                  |
| 18,073.0                                         | 88.92           | 0.08        | 10,472.9              | 7,465.4      | -226.8       | 7,465.4                 | 2.44                    | -2.41                  | -0.37                 |
| 18,169.0                                         | 88.53           | 0.52        | 10,475.0              | 7,561.4      | -226.3       | 7,561.4                 | 0.61                    | -0.41                  | 0.46                  |
| 18,264.0                                         | 88.00           | 1.92        | 10,477.9              | 7,656.3      | -224.3       | 7,656.3                 | 1.58                    | -0.56                  | 1.47                  |
| 18,360.0                                         | 88.53           | 2.27        | 10,480.8              | 7,752.2      | -220.8       | 7,752.2                 | 0.66                    | 0.55                   | 0.36                  |
| 18,456.0                                         | 90.02           | 0.87        | 10,482.0              | 7,848.1      | -218.1       | 7,848.1                 | 2.13                    | 1.55                   | -1.46                 |
| 18,551.0                                         | 89.45           | 0.52        | 10,482.4              | 7,943.1      | -217.0       | 7,943.1                 | 0.70                    | -0.60                  | -0.37                 |
| 18,646.0                                         | 89.58           | 0.34        | 10,483.2              | 8,038.1      | -216.3       | 8,038.1                 | 0.23                    | 0.14                   | -0.19                 |
| 18,742.0                                         | 89.89           | 0.87        | 10,483.7              | 8,134.1      | -215.3       | 8,134.1                 | 0.64                    | 0.32                   | 0.55                  |
| 18,837.0                                         | 89.14           | 0.60        | 10,484.5              | 8,229.1      | -214.0       | 8,229.1                 | 0.84                    | -0.79                  | -0.28                 |
| 18,933.0                                         | 91.34           | 1.13        | 10,484.1              | 8,325.1      | -212.6       | 8,325.1                 | 2.36                    | 2.29                   | 0.55                  |
| 19,028.0                                         | 90.24           | 0.43        | 10,482.8              | 8,420.1      | -211.3       | 8,420.1                 | 1.37                    | -1.16                  | -0.74                 |
| 19,123.0                                         | 89.10           | 358.67      | 10,483.3              | 8,515.1      | -212.1       | 8,515.1                 | 2.21                    | -1.20                  | -1.85                 |
| 19,219.0                                         | 89.85           | 359.20      | 10,484.2              | 8,611.0      | -213.8       | 8,611.0                 | 0.96                    | 0.78                   | 0.55                  |
| 19,315.0                                         | 89.19           | 358.76      | 10,485.0              | 8,707.0      | -215.5       | 8,707.0                 | 0.83                    | -0.69                  | -0.46                 |
| 19,410.0                                         | 91.03           | 358.49      | 10,484.8              | 8,802.0      | -217.8       | 8,802.0                 | 1.96                    | 1.94                   | -0.28                 |
| 19,506.0                                         | 91.82           | 358.14      | 10,482.4              | 8,897.9      | -220.6       | 8,897.9                 | 0.90                    | 0.82                   | -0.36                 |
| 19,601.0                                         | 91.52           | 358.58      | 10,479.7              | 8,992.8      | -223.4       | 8,992.8                 | 0.56                    | -0.32                  | 0.46                  |
| 19,696.0                                         | 90.77           | 357.97      | 10,477.8              | 9,087.8      | -226.2       | 9,087.8                 | 1.02                    | -0.79                  | -0.64                 |
| 19,791.0                                         | 89.85           | 357.62      | 10,477.3              | 9,182.7      | -229.9       | 9,182.7                 | 1.04                    | -0.97                  | -0.37                 |
| 19,887.0                                         | 89.58           | 358.49      | 10,477.7              | 9,278.6      | -233.1       | 9,278.6                 | 0.95                    | -0.28                  | 0.91                  |
| 19,982.0                                         | 88.57           | 358.76      | 10,479.3              | 9,373.6      | -235.4       | 9,373.6                 | 1.10                    | -1.06                  | 0.28                  |
| 20,078.0                                         | 89.67           | 359.90      | 10,480.7              | 9,469.6      | -236.5       | 9,469.6                 | 1.65                    | 1.15                   | 1.19                  |
| 20,173.0                                         | 90.37           | 1.57        | 10,480.7              | 9,564.6      | -235.3       | 9,564.6                 | 1.91                    | 0.74                   | 1.76                  |
| 20,268.0                                         | 90.68           | 0.87        | 10,479.8              | 9,659.5      | -233.3       | 9,659.5                 | 0.81                    | 0.33                   | -0.74                 |
| 20,364.0                                         | 90.15           | 0.52        | 10,479.1              | 9,755.5      | -232.1       | 9,755.5                 | 0.66                    | -0.55                  | -0.36                 |
| 20,460.0                                         | 90.29           | 0.69        | 10,478.8              | 9,851.5      | -231.1       | 9,851.5                 | 0.23                    | 0.15                   | 0.18                  |
| 20,555.0                                         | 90.07           | 1.13        | 10,478.5              | 9,946.5      | -229.6       | 9,946.5                 | 0.52                    | -0.23                  | 0.46                  |
| 20,650.0                                         | 89.85           | 1.13        | 10,478.5              | 10,041.5     | -227.7       | 10,041.5                | 0.23                    | -0.23                  | 0.00                  |
| 20,746.0                                         | 89.19           | 0.69        | 10,479.3              | 10,137.5     | -226.2       | 10,137.5                | 0.83                    | -0.69                  | -0.46                 |
| 20,811.9                                         | 89.57           | 0.54        | 10,480.1              | 10,203.4     | -225.5       | 10,203.4                | 0.62                    | 0.58                   | -0.22                 |
| Cross 100' FNL Perf Line: 20811.9' MD, 1702' FEL |                 |             |                       |              |              |                         |                         |                        |                       |
| 20,822.0                                         | 89.63           | 0.52        | 10,480.1              | 10,213.5     | -225.4       | 10,213.5                | 0.62                    | 0.58                   | -0.22                 |



# Skyline Directional Survey Report



|                  |                                       |                                     |                                      |
|------------------|---------------------------------------|-------------------------------------|--------------------------------------|
| <b>Company:</b>  | Devon Energy Production Company, L.P. | <b>Local Co-ordinate Reference:</b> | Well Hot Potato 26-23 Fed 712H       |
| <b>Project:</b>  | Eddy Co, New Mexico (NAD-83)          | <b>TVD Reference:</b>               | Cactus 129: 3069' + 30' @ 3099.0usft |
| <b>Site:</b>     | Sec 26-23S-29E (HotPotato)            | <b>MD Reference:</b>                | Cactus 129: 3069' + 30' @ 3099.0usft |
| <b>Well:</b>     | Hot Potato 26-23 Fed 712H             | <b>North Reference:</b>             | Grid                                 |
| <b>Wellbore:</b> | OH                                    | <b>Survey Calculation Method:</b>   | Minimum Curvature                    |
| <b>Design:</b>   | As Drilled                            | <b>Database:</b>                    | Compass_DSN                          |

| Survey                            |                 |             |                       |              |              |                         |                         |                        |                       |
|-----------------------------------|-----------------|-------------|-----------------------|--------------|--------------|-------------------------|-------------------------|------------------------|-----------------------|
| Measured Depth (usft)             | Inclination (°) | Azimuth (°) | Vertical Depth (usft) | +N/-S (usft) | +E/-W (usft) | Vertical Section (usft) | Dogleg Rate (°/100usft) | Build Rate (°/100usft) | Turn Rate (°/100usft) |
| 20,884.0                          | 89.63           | 0.52        | 10,480.5              | 10,275.5     | -224.8       | 10,275.5                | 0.00                    | 0.00                   | 0.00                  |
| PTB: 20884' MD, 1701' FEL/28' FNL |                 |             |                       |              |              |                         |                         |                        |                       |

| Design Annotations    |                       |                   |              |                                                  |  |
|-----------------------|-----------------------|-------------------|--------------|--------------------------------------------------|--|
| Measured Depth (usft) | Vertical Depth (usft) | Local Coordinates |              |                                                  |  |
|                       |                       | +N/-S (usft)      | +E/-W (usft) | Comment                                          |  |
| 172.0                 | 172.0                 | 2.2               | -0.5         | First Survey                                     |  |
| 10,292.0              | 10,262.4              | -225.9            | -221.8       | Cross 100' FSL Perf Line: 10292' MD, 1751' FEL   |  |
| 15,594.6              | 10,493.3              | 4,988.6           | -175.5       | Cross Section 26 to 23: 15594.6' MD, 1704' FEL   |  |
| 20,811.9              | 10,480.1              | 10,203.4          | -225.5       | Cross 100' FNL Perf Line: 20811.9' MD, 1702' FEL |  |
| 20,884.0              | 10,480.5              | 10,275.5          | -224.8       | PTB: 20884' MD, 1701' FEL/28' FNL                |  |

Checked By: \_\_\_\_\_ Approved By: \_\_\_\_\_ Date: \_\_\_\_\_

Submit 1 Copy To Appropriate District Office  
 District I – (575) 393-6161  
 1625 N. French Dr., Hobbs, NM 88240  
 District II – (575) 748-1283  
 811 S. First St., Artesia, NM 88210  
 District III – (505) 334-6178  
 1000 Rio Brazos Rd., Aztec, NM 87410  
 District IV – (505) 476-3460  
 1220 S. St. Francis Dr., Santa Fe, NM 87505

State of New Mexico  
 Energy, Minerals and Natural Resources  
**OIL CONSERVATION DIVISION**  
 1220 South St. Francis Dr.  
 Santa Fe, NM 87505

Form C-103  
 Revised August 1, 2011

|                                                                                                                                                                                                                        |  |                                                                                          |
|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--|------------------------------------------------------------------------------------------|
| SUNDRY NOTICES AND REPORTS ON WELLS<br>(DO NOT USE THIS FORM FOR PROPOSALS TO DRILL OR TO DEEPEN OR PLUG BACK TO A DIFFERENT RESERVOIR. USE "APPLICATION FOR PERMIT" (FORM C-101) FOR SUCH PROPOSALS.)                 |  | WELL API NO.<br>30-015-47269                                                             |
| 1. Type of Well: Oil Well <input checked="" type="checkbox"/> Gas Well <input type="checkbox"/> Other <input type="checkbox"/>                                                                                         |  | 5. Indicate Type of Lease<br>STATE <input type="checkbox"/> FEE <input type="checkbox"/> |
| 2. Name of Operator<br>Devon Energy Production Company, L.P.                                                                                                                                                           |  | 6. State Oil & Gas Lease No.                                                             |
| 3. Address of Operator<br>333 West Sheridan, Oklahoma City, OK 73102                                                                                                                                                   |  | 7. Lease Name or Unit Agreement Name<br>HOT POTATO 26-23 FED                             |
| 4. Well Location<br>Unit Letter <u>O</u> : <u>325</u> feet from the <u>South</u> line and <u>1529</u> feet from the <u>East</u> line<br>Section <u>26</u> Township <u>23S</u> Range <u>29E</u> NMPM County <u>EDDY</u> |  | 8. Well Number<br>712H                                                                   |
| 11. Elevation (Show whether DR, RKB, RT, GR, etc.)                                                                                                                                                                     |  | 9. OGRID Number<br>6137                                                                  |
| 10. Pool name or Wildcat<br>; PURPLE SAGE; WOLFCAMP (GAS)                                                                                                                                                              |  |                                                                                          |

GL: 3069.2

## 12. Check Appropriate Box to Indicate Nature of Notice, Report or Other Data

## NOTICE OF INTENTION TO:

PERFORM REMEDIAL WORK ☐ PLUG AND ABANDON ☐  
 TEMPORARILY ABANDON ☐ CHANGE PLANS ☐  
 PULL OR ALTER CASING ☐ MULTIPLE COMPL ☐  
 DOWNHOLE COMMINGLE ☐

OTHER: ☐

## SUBSEQUENT REPORT OF:

REMEDIAL WORK ☐ ALTERING CASING ☐  
 COMMENCE DRILLING OPNS. ☐ P AND A ☐  
 CASING/CEMENT JOB ☐

OTHER: ☐

COMPLETION

☒

13. Describe proposed or completed operations. (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work). SEE RULE 19.15.7.14 NMAC. For Multiple Completions: Attach wellbore diagram of proposed completion or recompletion.

1/12/2021-1/28/2021: MIRU WL & PT. TIH & ran CBL, TOC @ 350'. PT csg for 30min, OK. TIH w/pump through frac plug and guns. Perf Wolfcamp, 10631-20766'. Frac totals 20395884# prop, 387290 bbl fluid, 30 bbls acid. DO plugs & CO to PBTD with cmt plug 20821.4MD/10480.1 TVD. CHC, FWB, ND BOP. Tubing set: 3/14/2021: 2-7/8, L-80,10080, 302 jts TOP: 4/18/2021

Rustler234

Salt523

Base of Salt2954

Lamar3192

Delaware3220

Cherry Canyon4045

Brushy Canyon5663

1st Bone Spring Lime6916

Bone Spring 1st7947

Bone Spring 2nd8762

3rd Bone Spring Lime9098

Bone Spring 3rd9895

Wolfcamp10221

Strawn11915

I hereby certify that the information above is true and complete to the best of my knowledge and belief.

SIGNATURE Jenny Harms TITLE Regulatory Specialist DATE 5/24/2021

Type or print name Jenny Harms E-mail address: jenny.harms@dnv.com PHONE: 405-552-6560

**For State Use Only** Jenny Harms

APPROVED BY: \_\_\_\_\_ TITLE \_\_\_\_\_ DATE \_\_\_\_\_

Conditions of Approval (if any): \_\_\_\_\_

|                                                                                                                                                                                                                                                                                                                                                                                           |                                   |                                                                                                                                                                                       |                        |                                                                                                            |                                |                                                                                                               |                                |                  |             |               |
|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----------------------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|------------------------|------------------------------------------------------------------------------------------------------------|--------------------------------|---------------------------------------------------------------------------------------------------------------|--------------------------------|------------------|-------------|---------------|
| Submit To Appropriate District Office<br>Two Copies<br>District I<br>1625 N. French Dr., Hobbs, NM 88240<br>District II<br>811 S. First St., Artesia, NM 88210<br>District III<br>1000 Rio Brazos Rd., Aztec, NM 87410<br>District IV<br>1220 S. St. Francis Dr., Santa Fe, NM 87505                                                                                                      |                                   | <b>State of New Mexico</b><br><b>Energy, Minerals and Natural Resources</b><br><br><b>Oil Conservation Division</b><br><b>1220 South St. Francis Dr.</b><br><b>Santa Fe, NM 87505</b> |                        |                                                                                                            |                                | <b>Form C-105</b><br>Revised August 1, 2011                                                                   |                                |                  |             |               |
|                                                                                                                                                                                                                                                                                                                                                                                           |                                   | 1. WELL API NO.                                                                                                                                                                       |                        | 30-015-47269                                                                                               |                                |                                                                                                               |                                |                  |             |               |
|                                                                                                                                                                                                                                                                                                                                                                                           |                                   | 2. Type of Lease                                                                                                                                                                      |                        | <input type="checkbox"/> STATE <input type="checkbox"/> FEE <input checked="" type="checkbox"/> FED/INDIAN |                                |                                                                                                               |                                |                  |             |               |
|                                                                                                                                                                                                                                                                                                                                                                                           |                                   | 3. State Oil & Gas Lease No.                                                                                                                                                          |                        |                                                                                                            |                                |                                                                                                               |                                |                  |             |               |
| <b>WELL COMPLETION OR RECOMPLETION REPORT AND LOG</b>                                                                                                                                                                                                                                                                                                                                     |                                   |                                                                                                                                                                                       |                        |                                                                                                            |                                |                                                                                                               |                                |                  |             |               |
| 4. Reason for filing:<br><br><input checked="" type="checkbox"/> <b>COMPLETION REPORT</b> (Fill in boxes #1 through #31 for State and Fee wells only)<br><br><input type="checkbox"/> <b>C-144 CLOSURE ATTACHMENT</b> (Fill in boxes #1 through #9, #15 Date Rig Released and #32 and/or #33; attach this and the plat to the C-144 closure report in accordance with 19.15.17.13.K NMAC) |                                   |                                                                                                                                                                                       |                        |                                                                                                            |                                | 5. Lease Name or Unit Agreement Name<br><b>HOT POTATO 26-23 FED</b><br><br>6. Well Number:<br><br><b>712H</b> |                                |                  |             |               |
| 7. Type of Completion:<br><input checked="" type="checkbox"/> NEW WELL <input type="checkbox"/> WORKOVER <input type="checkbox"/> DEEPENING <input type="checkbox"/> PLUGBACK <input type="checkbox"/> DIFFERENT RESERVOIR <input type="checkbox"/> OTHER                                                                                                                                 |                                   |                                                                                                                                                                                       |                        |                                                                                                            |                                |                                                                                                               |                                |                  |             |               |
| 8. Name of Operator<br><b>Devon Energy Production Company, L.P.</b>                                                                                                                                                                                                                                                                                                                       |                                   |                                                                                                                                                                                       |                        |                                                                                                            |                                | 9. OGRID<br><b>6137</b>                                                                                       |                                |                  |             |               |
| 10. Address of Operator<br><b>333 West Sheridan Avenue, Oklahoma City, OK 73102</b>                                                                                                                                                                                                                                                                                                       |                                   |                                                                                                                                                                                       |                        |                                                                                                            |                                | 11. Pool name or Wildcat<br><b>; PURPLE SAGE; WOLFCAMP (GAS)</b>                                              |                                |                  |             |               |
| 12. Location                                                                                                                                                                                                                                                                                                                                                                              | Unit Ltr                          | Section                                                                                                                                                                               | Township               | Range                                                                                                      | Lot                            | Feet from the                                                                                                 | N/S Line                       | Feet from the    | E/W Line    | County        |
| <b>Surface:</b>                                                                                                                                                                                                                                                                                                                                                                           | O                                 | 26                                                                                                                                                                                    | 23S                    | 29E                                                                                                        |                                | 325                                                                                                           | South                          | 1529             | East        | EDDY          |
| <b>BH:</b>                                                                                                                                                                                                                                                                                                                                                                                | B                                 | 23                                                                                                                                                                                    | 23S                    | 29E                                                                                                        |                                | 28                                                                                                            | North                          | 1701             | East        | EDDY          |
| 13. Date Spudded<br>9/27/20                                                                                                                                                                                                                                                                                                                                                               | 14. Date T.D. Reached<br>11/18/20 | 15. Date Rig Released<br>11/20/20                                                                                                                                                     |                        | 16. Date Completed (Ready to Produce)<br>4/18/21                                                           |                                | 17. Elevations (DF and RKB, RT, GR, etc.)                                                                     |                                | 3069.2 GL        |             |               |
| 18. Total Measured Depth of Well<br><br>20884 MD, 10480.5 TVD                                                                                                                                                                                                                                                                                                                             |                                   | 19. Plug Back Measured Depth<br><br>20821.4 MD/10480.1 TVD                                                                                                                            |                        | 20. Was Directional Survey Made?<br><br>Yes                                                                |                                | 21. Type Electric and Other Logs Run                                                                          |                                |                  |             |               |
| 22. Producing Interval(s), of this completion - Top, Bottom, Name<br><b>10631-20766, PURPLE SAGE; WOLFCAMP (GAS)</b>                                                                                                                                                                                                                                                                      |                                   |                                                                                                                                                                                       |                        |                                                                                                            |                                |                                                                                                               |                                |                  |             |               |
| <b>23. CASING RECORD (Report all strings set in well)</b>                                                                                                                                                                                                                                                                                                                                 |                                   |                                                                                                                                                                                       |                        |                                                                                                            |                                |                                                                                                               |                                |                  |             |               |
| CASING SIZE                                                                                                                                                                                                                                                                                                                                                                               |                                   | WEIGHT LB./FT.                                                                                                                                                                        |                        | DEPTH SET                                                                                                  |                                | HOLE SIZE                                                                                                     |                                | CEMENTING RECORD |             | AMOUNT PULLED |
| 13.375                                                                                                                                                                                                                                                                                                                                                                                    |                                   | 54.5                                                                                                                                                                                  |                        | 379                                                                                                        |                                | 17.5                                                                                                          |                                | 305              |             |               |
| 10.75                                                                                                                                                                                                                                                                                                                                                                                     |                                   | 45.5                                                                                                                                                                                  |                        | 3243.6                                                                                                     |                                | 12.25                                                                                                         |                                | 550              |             |               |
| 8 5/8                                                                                                                                                                                                                                                                                                                                                                                     |                                   | 32                                                                                                                                                                                    |                        | 9977.8                                                                                                     |                                | 9.875                                                                                                         |                                | 965              |             |               |
| 5.5                                                                                                                                                                                                                                                                                                                                                                                       |                                   | 20                                                                                                                                                                                    |                        | 20869                                                                                                      |                                | 7.875                                                                                                         |                                | 2563             |             | TOC @ 350     |
|                                                                                                                                                                                                                                                                                                                                                                                           |                                   |                                                                                                                                                                                       |                        |                                                                                                            |                                |                                                                                                               |                                |                  |             |               |
| <b>24. LINER RECORD</b>                                                                                                                                                                                                                                                                                                                                                                   |                                   |                                                                                                                                                                                       |                        |                                                                                                            |                                |                                                                                                               |                                |                  |             |               |
| SIZE                                                                                                                                                                                                                                                                                                                                                                                      | TOP                               | BOTTOM                                                                                                                                                                                | SACKS CEMENT           | SCREEN                                                                                                     |                                | 25. TUBING RECORD                                                                                             |                                |                  |             |               |
|                                                                                                                                                                                                                                                                                                                                                                                           |                                   |                                                                                                                                                                                       |                        |                                                                                                            |                                | SIZE                                                                                                          |                                | DEPTH SET        | PACKER SET  |               |
|                                                                                                                                                                                                                                                                                                                                                                                           |                                   |                                                                                                                                                                                       |                        |                                                                                                            |                                | 3/14/2021                                                                                                     |                                | 2-7/8, L-80, 100 | 80, 302 jts |               |
| 26. Perforation record (interval, size, and number)<br><b>10631 - 20766, total 1447 holes</b>                                                                                                                                                                                                                                                                                             |                                   |                                                                                                                                                                                       |                        |                                                                                                            |                                |                                                                                                               |                                |                  |             |               |
| 27. ACID, SHOT, FRACTURE, CEMENT, SQUEEZE, ETC.                                                                                                                                                                                                                                                                                                                                           |                                   |                                                                                                                                                                                       |                        |                                                                                                            |                                |                                                                                                               |                                |                  |             |               |
| DEPTH INTERVAL                                                                                                                                                                                                                                                                                                                                                                            |                                   |                                                                                                                                                                                       |                        |                                                                                                            | AMOUNT AND KIND MATERIAL USED  |                                                                                                               |                                |                  |             |               |
| 10631-20766                                                                                                                                                                                                                                                                                                                                                                               |                                   |                                                                                                                                                                                       |                        |                                                                                                            | Acidize and frac in 81 stages. |                                                                                                               |                                |                  |             |               |
| <b>28. PRODUCTION</b>                                                                                                                                                                                                                                                                                                                                                                     |                                   |                                                                                                                                                                                       |                        |                                                                                                            |                                |                                                                                                               |                                |                  |             |               |
| Date First Production<br><b>4/18/21</b>                                                                                                                                                                                                                                                                                                                                                   |                                   | Production Method (Flowing, gas lift, pumping - Size and type pump)                                                                                                                   |                        |                                                                                                            |                                | Well Status (Prod. or Shut-in)<br><b>Producing</b>                                                            |                                |                  |             |               |
| Date of Test<br><b>4/21/21</b>                                                                                                                                                                                                                                                                                                                                                            | Hours Tested<br><b>24</b>         | Choke Size                                                                                                                                                                            | Prod'n For Test Period | Oil - Bbl<br><b>1483</b>                                                                                   | Gas - MCF<br><b>3137</b>       | Water - Bbl.<br><b>4482</b>                                                                                   | Gas - Oil Ratio<br><b>2115</b> |                  |             |               |
| Flow Tubing Press.                                                                                                                                                                                                                                                                                                                                                                        | Casing Pressure                   | Calculated 24-Hour Rate                                                                                                                                                               | Oil - Bbl.             | Gas - MCF                                                                                                  | Water - Bbl.                   | Oil Gravity - API - (Corr.)                                                                                   |                                |                  |             |               |
| 29. Disposition of Gas (Sold, used for fuel, vented, etc.)<br><b>Sold</b>                                                                                                                                                                                                                                                                                                                 |                                   |                                                                                                                                                                                       |                        |                                                                                                            |                                | 30. Test Witnessed By                                                                                         |                                |                  |             |               |
| 31. List Attachments<br><b>Directional Survey</b>                                                                                                                                                                                                                                                                                                                                         |                                   |                                                                                                                                                                                       |                        |                                                                                                            |                                |                                                                                                               |                                |                  |             |               |
| 32. If a temporary pit was used at the well, attach a plat with the location of the temporary pit.                                                                                                                                                                                                                                                                                        |                                   |                                                                                                                                                                                       |                        |                                                                                                            |                                |                                                                                                               |                                |                  |             |               |
| 33. If an on-site burial was used at the well, report the exact location of the on-site burial:                                                                                                                                                                                                                                                                                           |                                   |                                                                                                                                                                                       |                        |                                                                                                            |                                |                                                                                                               |                                |                  |             |               |
| Latitude                                                                                                                                                                                                                                                                                                                                                                                  |                                   |                                                                                                                                                                                       | Longitude              |                                                                                                            |                                | NAD 1927 1983                                                                                                 |                                |                  |             |               |
| I hereby certify that the information shown on both sides of this form is true and complete to the best of my knowledge and belief                                                                                                                                                                                                                                                        |                                   |                                                                                                                                                                                       |                        |                                                                                                            |                                |                                                                                                               |                                |                  |             |               |
| Signature<br>                                                                                                                                                                                                                                                                                          |                                   | Printed Name<br><b>Jenny Harms</b>                                                                                                                                                    |                        | Title<br><b>Regulatory Specialist</b>                                                                      |                                | Date<br><b>5/24/2021</b>                                                                                      |                                |                  |             |               |
| E-mail Address<br><b>jenny.harms@dv.com</b>                                                                                                                                                                                                                                                                                                                                               |                                   |                                                                                                                                                                                       |                        |                                                                                                            |                                |                                                                                                               |                                |                  |             |               |

This form is to be filed with the appropriate District Office of the Division not later than 20 days after the completion of any newly-drilled or deepened well and not later than 60 days after completion of closure. When submitted as a completion report, this shall be accompanied by one copy of all electrical and radio-activity logs run on the well and a summary of all special tests conducted, including drill stem tests. All depths reported shall be measured depths. In the case of directionally drilled wells, true vertical depths shall also be reported. For multiple completions, items 11, 12 and 26-31 shall be reported for each zone.

| Southeastern New Mexico     |  | Northwestern New Mexico |  |
|-----------------------------|--|-------------------------|--|
|                             |  |                         |  |
| RUSTLER - 234               |  |                         |  |
| SALT - 523                  |  |                         |  |
| BASE OF SALT - 2954         |  |                         |  |
| LAMAR - 3192                |  |                         |  |
| DELAWARE - 3220             |  |                         |  |
| CHERRY CANYON - 4045        |  |                         |  |
| Brushy Canyon - 4663        |  |                         |  |
| 1st Bone Spring Lime - 6916 |  |                         |  |
| Bone Spring 1st - 7947      |  |                         |  |
| Bone Spring 2nd - 8762      |  |                         |  |
| 3rd Bone Spring Lime - 9098 |  |                         |  |
| Bone Spring 3rd - 9895      |  |                         |  |
| Wolfcamp - 10221            |  |                         |  |
| Strawn - 11915              |  |                         |  |
|                             |  |                         |  |
|                             |  |                         |  |

No. 1, from..... to..... No. 3, from..... to.....  
 No. 2, from..... N/A..... to..... N/A..... No. 4, from..... N/A..... to..... N/A.....  
 N/A..... N/A..... N/A..... N/A.....

Include data on rate of water inflow and elevation to which water rose in hole.

No. 1, from.....to.....feet.....  
 No. 2, from.....to.....feet.....  
 No. 3, from.....to.....feet.....

| From | To | Thickness<br>In Feet | Lithology |
|------|----|----------------------|-----------|
|      |    |                      |           |

**District I**

1625 N. French Dr., Hobbs, NM 88240  
Phone:(575) 393-6161 Fax:(575) 393-0720

**District II**

811 S. First St., Artesia, NM 88210  
Phone:(575) 748-1283 Fax:(575) 748-9720

**District III**

1000 Rio Brazos Rd., Aztec, NM 87410  
Phone:(505) 334-6178 Fax:(505) 334-6170

**District IV**

1220 S. St Francis Dr., Santa Fe, NM 87505  
Phone:(505) 476-3470 Fax:(505) 476-3462

**State of New Mexico**  
**Energy, Minerals and Natural Resources**  
**Oil Conservation Division**  
**1220 S. St Francis Dr.**  
**Santa Fe, NM 87505**

ACKNOWLEDGMENTS

Action 29151

**ACKNOWLEDGMENTS**

|                                                                                                       |                                                    |
|-------------------------------------------------------------------------------------------------------|----------------------------------------------------|
| Operator:<br>DEVON ENERGY PRODUCTION COMPANY, LP<br>333 West Sheridan Ave.<br>Oklahoma City, OK 73102 | OGRID:<br>6137                                     |
|                                                                                                       | Action Number:<br>29151                            |
|                                                                                                       | Action Type:<br>[C-104] Completion Packet (C-104C) |

**ACKNOWLEDGMENTS**

|                          |                                                                                                                    |
|--------------------------|--------------------------------------------------------------------------------------------------------------------|
| <input type="checkbox"/> | I hereby certify that the required Water Use Report has been, or will be, submitted for this wells completion.     |
| <input type="checkbox"/> | I hereby certify that the required FracFocus disclosure has been, or will be, submitted for this wells completion. |

**District I**  
1625 N. French Dr., Hobbs, NM 88240  
Phone:(575) 393-6161 Fax:(575) 393-0720

**District II**  
811 S. First St., Artesia, NM 88210  
Phone:(575) 748-1283 Fax:(575) 748-9720

**District III**  
1000 Rio Brazos Rd., Aztec, NM 87410  
Phone:(505) 334-6178 Fax:(505) 334-6170

**District IV**  
1220 S. St Francis Dr., Santa Fe, NM 87505  
Phone:(505) 476-3470 Fax:(505) 476-3462

**State of New Mexico**  
**Energy, Minerals and Natural Resources**  
**Oil Conservation Division**  
**1220 S. St Francis Dr.**  
**Santa Fe, NM 87505**

CONDITIONS

Action 29151

CONDITIONS

|                                                                                                       |                                                    |
|-------------------------------------------------------------------------------------------------------|----------------------------------------------------|
| Operator:<br>DEVON ENERGY PRODUCTION COMPANY, LP<br>333 West Sheridan Ave.<br>Oklahoma City, OK 73102 | OGRID:<br>6137                                     |
|                                                                                                       | Action Number:<br>29151                            |
|                                                                                                       | Action Type:<br>[C-104] Completion Packet (C-104C) |

CONDITIONS

|            |           |                |
|------------|-----------|----------------|
| Created By | Condition | Condition Date |
| ksimmons   | None      | 8/3/2021       |