GL: 6824' KB: 5' AGL

12-1/4" Hole

8-5/8" 24# K-55 @ 127' Cmt'd w/ 90-sxs - Circ to surf

Kirtland Top @ 128'


Hole - 7-7/8"

Fruitland Top @ 338'

PC Top @ 683'

5-1/2" 15.5# K-55 @ 864' Cmt'd w/ 154-sxs cmt Circulated to surface

Synergy 21-7-20 #159 (After P&A)



API # 30-043-21045 Lease # NMNM-99738

1780' FNL & 845' FEL Sec. 20-E, T21N-R07W Sandoval, New Mexico

36.03939-deg N Latitude 107.60569-deg W Longitude

Cement Plug F/560' to surface 82-sxs (97-cu ft) @ 15.6 ppg

CIBP @ 560' (Set on W/L)

FTC Perfs:

584-88' w/ 4-SPF (16-Holes) 606-10' w/ 4-SPF (16-Holes) 636-39' w/ 4-SPF (12-Holes)

PBTD = 842' (Float Collar)

TD = 895'

District I
1625 N. French Dr., Hobbs, NM 88240
Phone: (575) 393-6161 Fax: (575) 393-0720 District II

811 S. First St., Artesia, NM 88210 Phone: (575) 748-1283 Fax: (575) 748-9720

District III 1000 Rio Brazos Rd., Aztec, NM 87410 Phone:(505) 334-6178 Fax:(505) 334-6170

1220 S. St Francis Dr., Santa Fe, NM 87505 Phone:(505) 476-3470 Fax:(505) 476-3462

State of New Mexico Energy, Minerals and Natural Resources Oil Conservation Division 1220 S. St Francis Dr. **Santa Fe, NM 87505**

CONDITIONS

Action 37716

CONDITIONS

Operator:	OGRID:
SYNERGY OPERATING LLC	163458
P.O. Box 5513	Action Number:
Farmington, NM 87499	37716
	Action Type: [UF-WBS] Wellbore Schematic (WELLBORE SCHEMATICS)

CONDITIONS

Created By	Condition	Condition Date
mkuehling	None	8/3/2021