

Submit 1 Copy To Appropriate District Office
 District I - (575) 393-6161
 1625 N. French Dr., Hobbs, NM 88240
 District II - (575) 748-1283
 811 S. First St., Artesia, NM 88210
 District III - (505) 334-6178
 1000 Rio Brazos Rd., Aztec, NM 87410
 District IV - (505) 476-3460
 1220 S. St. Francis Dr., Santa Fe, NM 87505

State of New Mexico
 Energy, Minerals and Natural Resources

OIL CONSERVATION DIVISION
 1220 South St. Francis Dr.
 Santa Fe, NM 87505

Form C-103
 Revised August 1, 2011

SUNDRY NOTICES AND REPORTS ON WELLS (DO NOT USE THIS FORM FOR PROPOSALS TO DRILL OR TO DEEPEN OR PLUG BACK TO A DIFFERENT RESERVOIR. USE "APPLICATION FOR PERMIT" (FORM C-101) FOR SUCH PROPOSALS.)		WELL API NO. 30-025-04707
1. Type of Well: Oil Well <input type="checkbox"/> Gas Well <input checked="" type="checkbox"/> Other		5. Indicate Type of Lease STATE <input checked="" type="checkbox"/> FEE <input type="checkbox"/>
2. Name of Operator APACHE CORPORATION		6. State Oil & Gas Lease No. 176
3. Address of Operator 303 VETERANS AIRPARK LANE, STE 3000, MIDLAND, TX 79705		7. Lease Name or Unit Agreement Name STATE 176
4. Well Location Unit Letter <u>J</u> : <u>2310</u> feet from the <u>S</u> line and <u>1650</u> feet from the <u>E</u> line Section <u>19</u> Township <u>21S</u> Range <u>36E</u> NMPM LEA County		8. Well Number #003
11. Elevation (Show whether DR, RKB, RT, GR, etc.) 3597' GR		9. OGRID Number 873
		10. Pool name or Wildcat EUMONT-YATES-7RVRS

12. Check Appropriate Box to Indicate Nature of Notice, Report or Other Data

NOTICE OF INTENTION TO:

PERFORM REMEDIAL WORK ☐ PLUG AND ABANDON ☐
 TEMPORARILY ABANDON ☐ CHANGE PLANS ☐
 PULL OR ALTER CASING ☐ MULTIPLE COMPL ☐
 DOWNHOLE COMMINGLE ☐

SUBSEQUENT REPORT OF:

REMEDIAL WORK ☐ ALTERING CASING ☐
 COMMENCE DRILLING OPNS. ☐ P AND A ☒
 CASING/CEMENT JOB ☐ PNR

OTHER: ☐

OTHER: ☐

13. Describe proposed or completed operations. (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work). SEE RULE 19.15.7.14 NMAC. For Multiple Completions: Attach wellbore diagram of proposed completion or recompletion.

6/25/21-NOTIFIED NMOCD.

6/30/21-TAGGED CIBP@3500'.

7/1/21-SPOTTED 30SX OF CLASS "C" CEMENT FROM 3500'-3203'. SPOTTED 80SX OF CLASS "C" CEMENT FROM 2833'-2382'. WOC&TAGGED@2350'. PERFD@1646'. SQUEEZED 170SX OF CLASS "C" CEMENT FROM 1646'-1157'.

7/2/21-TAGGED@1137'. PERFD@1000'. SQUEEZED 70SX OF CLASS "C" CEMENT FROM 1000'-800'. WOC&TAGGED@761'. PERFD@700'. SQUEEZED 70SX OF CLASS "C" CEMENT FROM 700'-500'.

7/6/21-TAGGED@398'. PERFD@320'. SQUEEZED 125SX OF CLASS "C" CEMENT FROM 320'-SURFACE. CEMENT VERIFIED AT SURFACE.

CUTOFF WELLHEAD, ANCHORS 3' BELOW SURFACE AND INSTALL DRYHOLE MARKER. TURN OVER FOR RECLAMATION.

CLOSED LOOP CONTAINMENT SYSTEM WILL BE USED FOR FLUIDS.

Spud Date: Rig Release Date:

I hereby certify that the information above is true and complete to the best of my knowledge and belief.

SIGNATURE Jake Roark TITLE PROJECT MANGER DATE 7/2/21

Type or print name JAKE ROARK E-mail address: JAKE@JMRSERVICES.COM PHONE: (432) 618-1050

For State Use Only

APPROVED BY: Kerry Fortner TITLE Compliance Officer A DATE 8/5/21

Conditions of Approval (if any):

Authorized by: Nicole Ferreira Reg Tech for Guinn Buckle Se Reclamation Foreman - Apache Corp



WELL BORE INFO.

LEASE NAME

State 176

WELL #

#003

API #

30.025.04707

COUNTY

LEA, NM

FINAL P&A WB DIAGRAM

19 5/8" Hole
15 1/2" @ 270'
w/ 250 sx to surf

11 1/2" Hole
9 5/8" @ 1596'
w/ 500 sx Cal to surf

CIBP @ 3875' w/ cmt, snd, cmt @ 3755'

8 3/4" Hole
7" @ 3883'
w/ 325 sx Cal @ 1601'
OH @ 3883'-3950'

PBTD @ 3755'
TD @ 3950'

6. PUH & perf @ 320' & sqzd 125 sx Class "C" cmt from 320' to surf. Cement verified @ surf. RDMO, cut off WH, install dry hole marker, clean location. P&A completed 7-6-21.

5. PUH & perf @ 700' & sqzd 70 sx Class "" cmt from 700'-500', tagged TOC @ 320'.

4. PUH & perf'd @ 1000' & sqzd 70 sx Class "C" cmt from 1000'-800', tagged TOC @ 761'.

3. PUH & perf'd @ 1646' & sqz 170 sx Class "C" cmt from 1646'-1157', tagged TOC @ 1137'. (Interm Shoe & Top of Salt)

2. PUH & spotted 80 sx Class "C" cmt from 2833'-2382', tagged TOC @ 2350'. (7 Rvrs, Yates, & Base of Salt)

1. MIRU P&A rig, RIH W/tbg & verified CIBP @ 3500', CIRC w/ MLF & spotted 30 sx Class "C" cmt from 3500'-3203'. (Eumont & Queen)

Perfs @ 3542'-3950'

0

395

790

1185

1580

1975

2370

2765

3160

3555

3950

District I
1625 N. French Dr., Hobbs, NM 88240
Phone:(575) 393-6161 Fax:(575) 393-0720
District II
811 S. First St., Artesia, NM 88210
Phone:(575) 748-1283 Fax:(575) 748-9720
District III
1000 Rio Brazos Rd., Aztec, NM 87410
Phone:(505) 334-6178 Fax:(505) 334-6170
District IV
1220 S. St Francis Dr., Santa Fe, NM 87505
Phone:(505) 476-3470 Fax:(505) 476-3462

State of New Mexico
Energy, Minerals and Natural Resources
Oil Conservation Division
1220 S. St Francis Dr.
Santa Fe, NM 87505

CONDITIONS

Action 37895

CONDITIONS

Operator: APACHE CORPORATION 303 Veterans Airpark Ln Midland, TX 79705	OGRID: 873
	Action Number: 37895
	Action Type: [C-103] Sub. Plugging (C-103P)

CONDITIONS

Created By	Condition	Condition Date
kfortner	None	8/5/2021