

District I
1625 N. French Dr., Hobbs, NM 88240State of New Mexico
Energy, Minerals & Natural ResourcesForm C-104
Revised August 1, 2011

District II

811 S. First St., Artesia, NM 88210

District III

1000 Rio Brazos Rd., Aztec, NM 87410

District IV

1220 S. St. Francis Dr., Santa Fe, NM 87505

Oil Conservation Division
1220 South St. Francis Dr.
Santa Fe, NM 87505

Submit one copy to appropriate District Office

☐ AMENDED REPORT**I. REQUEST FOR ALLOWABLE AND AUTHORIZATION TO TRANSPORT**

¹ Operator name and Address OXY USA INC. P.O. BOX 50250 MIDLAND, TX 79710		² OGRID Number: 16696
		³ Reason for Filing Code/ Effective Date: RT - 06/25/2021
⁴ API Number 30 - 015-46110	⁵ Pool Name MESA VERDE; WOLFCAMP	⁶ Pool Code 98252
⁷ Property Code: 320829	⁸ Property Name: MESA VERDE WOLFCAMP UNIT	⁹ Well Number: 18H

II. ¹⁰ Surface Location

Ul or lot no.	Section	Township	Range	Lot Idn	Feet from the	North/South Line	Feet from the	East/West line	County
M	13	24S	31E		118	SOUTH	1138	WEST	EDDY

¹¹ Bottom Hole Location

FTP- 366' FSL 2311' FEL LTP- 142' FNL 2308' FEL

UL or lot no.	Section	Township	Range	Lot Idn	Feet from the	North/South line	Feet from the	East/West line	County
B	13	24S	31E		17	NORTH	2307	EAST	EDDY
¹² Lse Code F	¹³ Producing Method Code : F		¹⁴ Gas Connection Date: TBD		¹⁵ C-129 Permit Number		¹⁶ C-129 Effective Date		¹⁷ C-129 Expiration Date

III. Oil and Gas Transporters

¹⁸ Transporter OGRID	¹⁹ Transporter Name and Address	²⁰ O/G/W
273222	GREAT LAKES PETROLEUM TRANSPORTATION, LLC	O
151618	ENTERPRISE FIELD SERVICES LLC	G

IV. Well Completion Data

²¹ Spud Date 04/04/21	²² Ready Date 06/25/2021	²³ TD 17452'M 12070'V	²⁴ PBTD 17418'M 12070'V	²⁵ Perforations 12548-17327'	²⁶ DHC, MC
²⁷ Hole Size		²⁸ Casing & Tubing Size		²⁹ Depth Set	³⁰ Sacks Cement
14-3/4"		10-3/4"		965'	890
9-7/8"		7-5/8"		11484'	2774
6-3/4"		5-1/2"		17432'	462

V. Well Test Data

³¹ Date New Oil	³² Gas Delivery Date	³³ Test Date	³⁴ Test Length	³⁵ Tbg. Pressure	³⁶ Csg. Pressure
³⁷ Choke Size	³⁸ Oil	³⁹ Water	⁴⁰ Gas		⁴¹ Test Method

⁴² I hereby certify that the rules of the Oil Conservation Division have been complied with and that the information given above is true and complete to the best of my knowledge and belief.

Signature:



Printed name: JANA MENDIOLA

Title: SR. REGULATORY ANALYST

E-mail Address:

Janalyn_mendiola@oxy.com

Date:

06/23/2021

Phone:

422-695-5036

OIL CONSERVATION DIVISION

Approved by:

KURT SIMMONS

Title: NMOC, SANTA FE

Approval Date: 08/17/2021

RT C-104 expires 11/17/2021

1625 N. French Dr., Hobbs, NM 88240
 Phone: (575) 393-6161 Fax: (575) 393-0720
District II
 811 S. First St., Artesia, NM 88210
 Phone: (575) 748-1283 Fax: (575) 748-9720
District III
 1000 Rio Brazos Road, Aztec, NM 87410
 Phone: (505) 334-6178 Fax: (505) 334-6170
District IV
 1220 S. St. Francis Dr., Santa Fe, NM 87505
 Phone: (505) 476-3460 Fax: (505) 476-3462

State of New Mexico

Form C-102

Energy, Minerals & Natural Resources Department

Revised August 1, 2011

OIL CONSERVATION DIVISION

Submit one copy to appropriate

1220 South St. Francis Dr.

District Office

Santa Fe, NM 87505

☒ AMENDED REPORT

WELL LOCATION AND ACREAGE DEDICATION AS-DRILLED PLAT

¹ API Number 30-015-46110	² Pool Code 98252	³ Pool Name MESA VERDE; WOLFCAMP
⁴ Property Code 320829	Property Name MESA VERDE WC UNIT	
⁷ OGRID No. 16696	⁸ Operator Name OXY USA INC.	⁶ Well Number 18H
		⁹ Elevation 3587'

¹⁰ Surface Location


UL or lot no.	Section	Township	Range	Lot Idn	Feet from the	North/South line	Feet from the	East/West line	County
M	13	24S	31E		118	SOUTH	1138	WEST	EDDY

¹¹ Bottom Hole Location If Different From Surface

UL or lot no.	Section	Township	Range	Lot Idn	Feet from the	North/South line	Feet from the	East/West line	County
B	13	24S	31E		17	NORTH	2307	EAST	EDDY

¹² Dedicated Acres 160.0	¹³ Joint or Infill	¹⁴ Consolidation Code	¹⁵ Order No.
--	-------------------------------	----------------------------------	-------------------------

No allowable will be assigned to this completion until all interests have been consolidated or a non-standard unit has been approved by the division.



Distances/areas relative to NAD 83 Combined Scale Factor: 0.99990013 Convergence Angle: 00°41'16.54001"

☐ Horizontal Spacing Unit




OXY



Borehole:	Well:	Field:	Structure:
Mesa Verde WC Unit 18H	Mesa Verde WC Unit 18H	NM Eddy County (NAD 83)	Oxy Mesa Verde WC Unit Pad

Gravity & Magnetic Parameters				Surface Location				Miscellaneous			
Model:	IFR1	Dip:	59.875°	Date:	22-May-2021	Lat:	N 32 12 37.60	Northing:	440805.96ftUS	Grid Conv:	0.3182°
MagDec:	6.63°	FS:	47771.3nT	Gravity FS:	998.426mgn (9.80665 Based)	Lon:	W 103 44 10.98	Easting:	725962.4ftUS	Scale Fact:	0.99994813
								Slot: Mesa Verde WC Unit 18H			
								TVD Ref: RKB(3611.3ft above MSL)			
								Plan: Oxy Mesa Verde WC Unit 18H Gyro-MWD 0° to 17452°MD			

Critical Points								
Critical Point	MD	INCL	AZIM	TVD	VSEC	N(+)/S(-)	E(+)/W(-)	DLS
WRP	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
SHL	24.00	0.00	0.00	24.00	0.00	0.00	0.00	0.00
Last Gyro Survey	936.10	0.44	112.25	936.09	0.08	0.08	0.01	0.20
First MWD Survey	1022.00	0.42	148.79	1021.99	-0.14	-0.32	0.48	0.31
Actual KOP	11464.00	14.52	91.43	11250.78	215.24	-344.30	1634.39	0.45
100' FSL Crossing	12241.00	59.34	17.87	11884.73	587.40	-10.40	1806.93	7.54
Wolfcamp Intersection	12279.49	59.55	14.51	11904.30	620.49	21.42	1816.17	7.54
100' FNL Crossing	17373.00	90.45	359.91	12070.54	5385.07	5072.99	1806.81	0.34
Final MWD	17424.00	90.51	0.07	12070.11	5433.20	5123.99	1806.80	0.34
Proj to TD	17452.00	90.51	0.07	12069.86	5459.64	5151.99	1806.83	0.00



Schlumberger



Oxy Mesa Verde WC Unit 18H Gyro+MWD 0' to 17452'MD Survey Geodetic Report (Def Survey)

Report Date: May 28, 2021 - 08:59 AM Client: OXY Field: NM Eddy County (NAD 83) Structure / Slot: Oxy Mesa Verde WC Unit Pad / Mesa Verde WC Unit 18H Well: Mesa Verde WC Unit 18H Borehole: Mesa Verde WC Unit 18H UWI / API#: Unknown / Unknown Survey Name: Oxy Mesa Verde WC Unit 18H Gyro+MWD 0' to 17452'MD Survey Date: April 09, 2021 Tort / AHD / DDI / ERD Ratio: 289.863' / 7357.153 ft / 6.488 / 0.609 Coordinate Reference System: NAD83 New Mexico State Plane, Eastern Zone, US Feet Location Lat / Long: N 32° 12' 37.59523", W 103° 44' 10.98033" Location Grid N/E Y/X: N 440805.960 ftUS, E 725962.400 ftUS CRS Grid Convergence Angle: 0.3182 ° Grid Scale Factor: 0.99994813 Version / Patch: 2.10.825.0	Survey / DLS Computation: Minimum Curvature / Lubinski Vertical Section Azimuth: 19.300 ° (Grid North) Vertical Section Origin: 0.000 ft, 0.000 ft TVD Reference Datum: RKB TVD Reference Elevation: 3611.300 ft above MSL Seabed / Ground Elevation: 3587.300 ft above MSL Magnetic Declination: 6.630° Total Gravity Field Strength: 986.4257mgn (9.80665 Based) Gravity Model: GARM Total Magnetic Field Strength: 47771.300 nT Magnetic Dip Angle: 59.875 ° Declination Date: May 22, 2021 Magnetic Declination Model: IFR1 North Reference: Grid North Grid Convergence Used: 0.3200 ° Total Corr Mag North->Grid North: 6.3100 ° Local Coord Referenced To: Well Head	
--	---	--

Comments	MD (ft)	Incl (°)	Azim Grid (°)	TVD (ft)	VSEC (ft)	NS (ft)	EW (ft)	DLS (ft/100ft)	Closure (ft)	Closure Azimuth (°)	Northing (ftUS)	Easting (ftUS)	Latitude (N/S ° ' ")	Longitude (E/W ° ' ")
WRP	0.00	0.00	0.00	0.00	0.00	0.00	0.00	N/A	0.00	0.00	440805.96	725962.40	N 32 12 37.60	W 103 44 10.98
SHL	24.00	0.00	0.00	24.00	0.00	0.00	0.00	0.00	0.00	0.00	440805.96	725962.40	N 32 12 37.60	W 103 44 10.98
	68.90	0.18	110.35	68.90	0.00	-0.02	0.07	0.40	0.07	110.35	440805.94	725962.47	N 32 12 37.59	W 103 44 10.98
	157.40	0.14	24.81	157.40	0.10	0.03	0.24	0.25	0.24	84.03	440805.99	725962.64	N 32 12 37.60	W 103 44 10.98
	241.10	0.10	344.23	241.10	0.27	0.19	0.26	0.11	0.33	54.58	440806.15	725962.66	N 32 12 37.60	W 103 44 10.98
	338.60	0.35	341.97	338.60	0.57	0.55	0.15	0.26	0.57	15.13	440806.51	725962.55	N 32 12 37.60	W 103 44 10.98
	432.90	0.44	282.61	432.90	0.76	0.40	0.20	0.42	0.95	342.09	440806.87	725962.11	N 32 12 37.60	W 103 44 10.98
	527.20	0.33	269.15	527.19	0.82	0.98	-0.52	0.15	1.34	316.92	440806.94	725961.48	N 32 12 37.60	W 103 44 10.98
	621.30	0.18	231.35	621.29	0.40	0.89	-1.30	0.23	1.58	304.16	440806.85	725961.10	N 32 12 37.60	W 103 44 11.00
	715.50	0.26	142.20	715.49	0.16	0.62	-1.29	0.33	1.43	295.83	440806.58	725961.11	N 32 12 37.60	W 103 44 11.00
	810.10	0.35	108.54	810.09	0.05	0.36	-0.88	0.21	0.95	292.30	440806.32	725961.52	N 32 12 37.60	W 103 44 10.99
	904.60	0.48	106.01	904.59	0.08	0.16	-0.23	0.14	0.28	305.15	440806.12	725962.17	N 32 12 37.60	W 103 44 10.98
	936.10	0.44	112.25	936.09	0.08	0.57	0.01	0.20	0.08	6.96	440806.04	725962.41	N 32 12 37.59	W 103 44 10.98
	1022.00	0.42	148.79	1021.99	-0.14	-0.32	0.48	0.31	0.57	123.38	440805.64	725962.88	N 32 12 37.59	W 103 44 10.97
	1112.00	0.10	246.37	1111.99	-0.40	-0.63	0.58	0.49	0.85	137.45	440805.33	725962.98	N 32 12 37.59	W 103 44 10.97
	1203.00	0.10	355.37	1202.99	-0.38	-0.58	0.50	0.18	0.77	139.42	440805.38	725962.90	N 32 12 37.59	W 103 44 10.97
	1294.00	0.10	270.85	1293.99	-0.34	-0.50	0.41	0.15	0.65	140.56	440805.46	725962.81	N 32 12 37.59	W 103 44 10.98
	1386.00	0.08	210.03	1385.99	-0.57	-0.44	0.11	0.11	0.64	152.88	440805.39	725962.69	N 32 12 37.59	W 103 44 10.98
	1478.00	0.08	66.85	1477.99	-0.48	-0.61	0.31	0.19	0.69	153.16	440805.35	725962.71	N 32 12 37.59	W 103 44 10.98
	1570.00	0.08	126.28	1569.99	-0.45	-0.63	0.42	0.09	0.75	146.07	440805.33	725962.82	N 32 12 37.59	W 103 44 10.98
	1661.00	0.12	230.56	1660.98	-0.55	-0.72	0.40	0.18	0.83	151.16	440805.24	725962.80	N 32 12 37.59	W 103 44 10.98
	1755.00	0.10	13.07	1754.98	-0.55	-0.71	0.34	0.22	0.79	154.22	440805.25	725962.74	N 32 12 37.59	W 103 44 10.98
	1850.00	0.09	247.75	1849.98	-0.52	-0.65	0.29	0.18	0.72	156.02	440805.31	725962.69	N 32 12 37.59	W 103 44 10.98
	1943.00	0.09	194.98	1942.98	-0.53	-0.61	0.29	0.19	0.73	156.02	440805.29	725962.69	N 32 12 37.59	W 103 44 10.98
	2037.00	0.11	272.89	2036.98	-0.52	-0.64	0.28	0.21	0.70	156.77	440805.32	725962.68	N 32 12 37.59	W 103 44 10.98
	2131.00	0.12	17.80	2130.98	-0.44	-0.55	0.22	0.19	0.59	158.37	440805.41	725962.62	N 32 12 37.59	W 103 44 10.98
	2225.00	0.11	52.43	2224.98	-0.27	-0.40	0.32	0.07	0.51	141.29	440805.56	725962.72	N 32 12 37.59	W 103 44 10.98
	2319.00	0.08	42.55	2318.98	-0.13	-0.29	0.43	0.04	0.52	124.06	440805.67	725962.83	N 32 12 37.59	W 103 44 10.98
	2413.00	0.08	93.30	2412.98	-0.06	-0.25	0.54	0.07	0.60	108.58	440805.71	725962.94	N 32 12 37.59	W 103 44 10.98
	2507.00	0.09	177.79	2506.98	-0.11	-0.33	0.61	0.12	0.69	118.06	440805.63	725963.01	N 32 12 37.59	W 103 44 10.97
	2602.00	0.10	66.99	2601.98	-0.12	-0.37	0.69	0.16	0.78	118.06	440805.59	725963.09	N 32 12 37.59	W 103 44 10.97
	2696.00	0.07	187.05	2695.98	-0.12	-0.39	0.76	0.16	0.86	117.37	440805.57	725963.16	N 32 12 37.59	W 103 44 10.97
	2790.00	0.11	326.32	2789.98	-0.12	-0.38	0.70	0.18	0.80	118.10	440805.58	725963.10	N 32 12 37.59	W 103 44 10.97
	2885.00	0.11	291.07	2884.98	-0.06	-0.27	0.57	0.07	0.63	115.18	440805.69	725962.97	N 32 12 37.59	W 103 44 10.97
	2978.00	0.10	286.04	2977.98	-0.07	-0.21	0.41	0.01	0.46	117.60	440805.75	725962.81	N 32 12 37.59	W 103 44 10.98
	3072.00	0.06	270.80	3071.98	-0.09	-0.19	0.28	0.05	0.34	124.21	440805.77	725962.68	N 32 12 37.59	W 103 44 10.98
	3166.00	0.16	83.26	3165.98	-0.04	-0.17	0.36	0.23	0.40	115.69	440805.79	725962.76	N 32 12 37.59	W 103 44 10.98
	3261.00	1.26	263.65	3260.98	-0.44	-0.27	-0.55	1.49	0.61	243.54	440805.69	725961.85	N 32 12 37.59	W 103 44 10.99
	3355.00	2.47	262.84	3354.93	-1.79	-0.64	-3.58	1.29	3.64	259.89	440805.32	725958.82	N 32 12 37.59	W 103 44 11.02
	3450.00	1.91	231.56	3449.86	-4.04	-1.88	-6.86	1.37	7.11	254.68	440804.08	725955.54	N 32 12 37.58	W 103 44 11.06
	3545.00	0.90	198.54	3544.74	-5.61	-5.93	-10.72	2.66	10.88	236.99	440800.03	725953.28	N 32 12 37.54	W 103 44 11.09
	3638.00	5.78	188.83	3637.40	-16.38	-13.55	-10.85	2.20	17.36	218.67	440792.41	725951.55	N 32 12 37.46	W 103 44 11.11
	3826.00	8.48	162.36	3823.98	-36.77	-36.13	-8.10	2.23	37.02	192.64	440769.83	725954.30	N 32 12 37.24	W 103 44 11.08
	3920.00	11.10	151.96	3916.61	-48.45	-50.72	-1.74	3.35	50.75	181.97	440755.24	725960.66	N 32 12 37.09	W 103 44 11.00
	4014.00	12.82	148.66	4008.57	-61.20	-67.62	7.93	1.97	68.08	173.31	440738.35	725970.33	N 32 12 36.93	W 103 44 10.89
	4108.00	12.75	144.93	4102.75	-75.85	-83.02	19.32	0.88	87.18	167.20	440720.95	725981.27	N 32 12 36.75	W 103 44 10.76
	4202.00	12.75	146.09	4191.92	-86.11	-102.11	31.07	0.27	106.73	163.08	440703.85	725993.46	N 32 12 36.58	W 103 44 10.63
	4296.00	12.94	142.66	4283.57	-98.11	-119.09	43.24	0.84	126.70	160.05	440696.88	726005.63	N 32 12 36.41	W 103 44 10.48
	4389.00	12.96	140.35	4374.21	-109.21	-135.40	56.21	0.56	146.60	157.46	440670.57	726018.60	N 32 12 36.25	W 103 44 10.33
	4483.00	11.74	136.61	4466.03	-119.04	-150.46	69.50	1.55	165.74	155.21	440655.50	726031.90	N 32 12 36.10	W 103 44 10.18
	4577.00	11.19	130.14	4558.16	-126.67	-163.29	83.05	1.49	183.20	153.04	440642.67	726045.44	N 32 12 35.97	W 103 44 10.02
	4672.00	11.52	119.73	4651.31	-131.67	-173.94	98.33	2.18	199.81	150.52	440632.03	726060.73	N 32 12 35.87	W 103 44 9.85
	4766.00	13.25	111.45	4743.12	-133.77	-182.54	116.51	2.63	215.55	147.45	440623.43	726076.91	N 32 12 35.78	W 103 44 9.64
	4860.00	14.23	104.35	4834.44	-133.18	-189.34	137.73	2.07	234.14	143.97	440616.63	726100.13	N 32 12 35.71	W 103 44 9.39
	4955.00	15.44	99.57	4926.28	-130.03	-194.34	161.52	1.81	252.70	140.27	440611.63	726123.91	N 32 12 35.66	W 103 44 9.11
	5048.00	17.35	93.44	5015.50	-124.15	-197.23	187.57	2.77	272.18	136.44	440608.74	726149.96	N 32 12 35.63	W 103 44 8.81
	5141.00	15.71	90.61	5094.65	-117.69	-199.61	213.91	2.08	292.58	133.02	440606.36	726176.30	N 32 12 35.61	W 103 44 8.50
	5234.00	16.01	86.62	5194.11	-112.21	-202.63	239.14	0.35	313.45	130.28	440603.34	726201.53	N 32 12 35.58	W 103 44 8.21
	5327.00	15.01	97.00	5283.72	-106.83	-205.58	263.84	1.08	334.48	127.93	440600.39	726226.22	N 32 12 35.55	W 103 44 7.92
	5422.00	14.97	97.94	5375.49	-101.79	-208.77	288.20	0.26	355.87	125.92	440597.20	726250.58	N 32 12 35.51	W 103 44 7.64
	5516.00	14.61	97.98	5466.38	-97.07	-212.10	311.96	0.38	377.24	124.21	440593.87	726274.35	N 32 12 35.48	W 103 44 7.36
	5610.00	14.74	97.53	5557.31	-92.30	-215.31	335.56	0.18	398.70	122.89	440590.66	726297.94	N 32 12 35.45	W 103 44 7.09
	5704.00	14.98	88.84	5648.18	-85.62	-214.87	362.77	2.38	419.76	120.58	440589.34	726321.92	N 32 12 35.43	W 103 44 6.81
	5798.00	15.08	82.29	5738.98	-75.83	-214.75	383.78	1.81	439.78	119.23	440591.23	726346.16	N 32 12 35.45	W 103 44 6.53
	5893.00	15.02	81.11	583										

Comments	MD (ft)	Incl (°)	Azim Grid (°)	TVD (ft)	VSEC (ft)	NS (ft)	EW (ft)	DLS (°/100ft)	Closure (ft)	Closure Azimuth (°)	Northing (ftUS)	Easting (ftUS)	Latitude (N/S ° ' ")	Longitude (E/W ° ' ")
	9739.00	2.86	66.00	9572.41	127.36	-303.72	1252.62	0.85	1288.92	103.53	440502.26	727214.95	N 32 12 34.52	W 103 43 56.42
	9834.00	5.89	95.56	9667.14	130.14	-303.23	1259.64	3.88	1295.62	103.53	440502.75	727221.97	N 32 12 34.53	W 103 43 56.34
	9927.00	8.78	110.32	9759.37	131.15	-306.15	1271.05	3.69	1307.40	103.54	440499.82	727233.38	N 32 12 34.50	W 103 43 56.21
	10021.00	10.98	116.41	9851.98	129.92	-312.63	1285.80	2.59	1323.26	103.67	440493.35	727248.13	N 32 12 34.43	W 103 43 56.04
	10115.00	12.56	114.07	9944.00	127.96	-320.78	1303.15	1.76	1342.05	103.83	440485.20	727265.48	N 32 12 34.35	W 103 43 55.83
	10208.00	12.53	109.63	10034.78	127.06	-328.29	1321.88	1.04	1362.04	103.95	440477.68	727284.21	N 32 12 34.21	W 103 43 55.62
	10303.00	14.11	106.28	10127.22	127.61	-335.00	1342.71	1.85	1383.87	104.01	440470.98	727305.03	N 32 12 34.21	W 103 43 55.37
	10397.00	15.53	97.84	10218.10	130.71	-339.93	1366.18	2.75	1407.83	103.97	440466.05	727328.50	N 32 12 34.16	W 103 43 55.10
	10490.00	14.84	90.92	10307.86	136.94	-341.82	1390.42	2.08	1431.82	103.81	440464.16	727352.74	N 32 12 34.14	W 103 43 54.82
	10584.00	14.99	88.86	10398.70	144.98	-341.77	1414.61	0.59	1455.31	103.58	440464.21	727376.93	N 32 12 34.14	W 103 43 54.54
	10678.00	15.03	87.92	10489.49	153.67	-341.09	1438.94	0.26	1478.82	103.34	440464.89	727401.27	N 32 12 34.14	W 103 43 54.26
	10771.00	14.51	90.90	10579.42	161.75	-340.83	1462.64	0.99	1501.83	103.12	440465.15	727424.97	N 32 12 34.14	W 103 43 53.98
	10865.00	14.84	90.06	10670.35	169.43	-341.03	1486.46	0.42	1525.08	102.92	440464.95	727448.78	N 32 12 34.14	W 103 43 53.70
	10959.00	14.43	90.89	10761.30	177.10	-341.23	1510.21	0.49	1548.27	102.73	440464.75	727472.52	N 32 12 34.14	W 103 43 53.43
	11053.00	14.12	91.03	10852.40	184.39	-341.61	1533.38	0.33	1570.97	102.56	440464.37	727495.70	N 32 12 34.11	W 103 43 53.16
	11146.00	14.17	91.82	10942.58	191.36	-342.18	1556.10	0.21	1593.28	102.40	440463.80	727518.42	N 32 12 34.12	W 103 43 52.89
	11240.00	14.12	91.96	11033.73	205.17	-343.64	1602.02	0.12	1615.87	102.25	440463.04	727541.37	N 32 12 34.11	W 103 43 52.62
	11334.00	14.17	91.53	11124.88	205.17	-343.64	1602.02	0.12	1638.46	102.11	440462.34	727564.33	N 32 12 34.11	W 103 43 52.36
	11429.00	14.58	90.85	11216.90	212.50	-344.12	1625.60	0.47	1661.62	101.95	440461.86	727587.91	N 32 12 34.10	W 103 43 52.08
	11464.00	14.52	91.43	11250.78	215.24	-344.30	1634.39	0.45	1670.26	101.90	440461.68	727596.70	N 32 12 34.10	W 103 43 51.98
Actual KOP	11566.00	14.05	83.68	11349.64	224.52	-343.25	1659.48	1.93	1694.61	101.69	440462.72	727621.79	N 32 12 34.11	W 103 43 51.69
	11660.00	13.92	46.26	11441.03	239.56	-334.16	1679.03	9.46	1711.96	101.26	440471.82	727641.34	N 32 12 34.20	W 103 43 51.46
	11755.00	22.07	18.69	11531.47	267.69	-309.27	1693.05	12.19	1721.07	100.35	440498.71	727655.36	N 32 12 34.44	W 103 43 51.30
	11849.00	29.60	14.93	11616.02	308.56	-270.05	1704.71	8.19	1725.97	99.00	440535.92	727667.02	N 32 12 34.83	W 103 43 51.16
	11944.00	38.98	20.75	11694.44	361.95	-219.31	1721.38	10.45	1735.30	97.26	440586.66	727683.69	N 32 12 35.37	W 103 43 50.96
	12038.00	46.23	24.84	11763.59	425.39	-160.78	1746.15	8.25	1753.54	95.26	440645.19	727708.46	N 32 12 35.91	W 103 43 50.67
	12132.00	52.84	22.87	11824.57	496.64	-95.39	1775.00	7.21	1777.56	93.08	440710.58	727737.31	N 32 12 36.55	W 103 43 50.33
	12227.00	59.29	19.10	11877.59	575.35	-21.82	1803.11	7.54	1803.25	90.69	440794.14	727765.42	N 32 12 37.28	W 103 43 50.00
	12241.00	59.34	17.87	11894.73	587.40	-10.40	1808.93	7.54	1808.96	90.33	440795.56	727769.23	N 32 12 37.39	W 103 43 49.95
	12279.49	59.55	14.51	11904.30	620.49	21.42	1816.17	7.54	1816.30	89.32	440827.38	727778.47	N 32 12 37.71	W 103 43 49.84
100' FSL Crossing Wolfcamp Intersection	12321.00	59.87	10.91	11925.24	656.09	56.38	1824.06	7.54	1824.93	88.23	440862.33	727786.36	N 32 12 38.05	W 103 43 49.75
	12415.00	61.65	3.35	11971.21	736.17	137.68	1834.18	7.27	1839.34	85.71	440943.63	727796.48	N 32 12 38.86	W 103 43 49.62
	12510.00	66.26	357.76	12012.94	818.90	222.96	1834.92	7.17	1848.42	83.07	441028.91	727797.22	N 32 12 39.70	W 103 43 49.61
	12604.00	72.61	356.24	12045.94	898.27	310.80	1830.30	6.92	1856.50	80.56	441116.74	727792.60	N 32 12 40.17	W 103 43 49.60
	12698.00	80.32	356.84	12067.92	982.48	401.95	1828.79	8.23	1868.54	77.58	441207.89	727787.09	N 32 12 41.47	W 103 43 49.72
	12792.00	93.35	1.86	12073.10	1070.50	495.57	1823.76	14.85	1889.89	74.80	441301.51	727786.06	N 32 12 42.40	W 103 43 49.72
	12886.00	90.75	10.60	12069.74	1161.91	588.86	1833.95	9.69	1926.16	72.20	441394.79	727796.25	N 32 12 43.32	W 103 43 49.60
	12981.00	91.19	5.72	12068.13	1255.08	682.85	1847.42	5.16	1969.58	69.71	441488.78	727809.72	N 32 12 44.25	W 103 43 49.48
	13076.00	88.59	359.62	12068.31	1346.05	777.70	1851.85	6.98	2008.52	67.22	441583.62	727814.15	N 32 12 45.19	W 103 43 49.38
	13170.00	84.90	357.44	12073.65	1433.78	871.49	1849.44	4.56	2044.49	64.77	441677.41	727811.74	N 32 12 46.12	W 103 43 49.40
	13274.00	88.06	359.27	12080.03	1530.71	975.24	1846.47	3.51	2088.19	62.16	441781.14	727808.77	N 32 12 47.14	W 103 43 49.43
	13369.00	88.46	358.84	12082.92	1619.80	1070.18	1844.90	0.62	2132.82	59.88	441876.08	727807.20	N 32 12 48.08	W 103 43 49.44
	13463.00	88.63	357.80	12085.30	1707.54	1164.12	1842.15	1.12	2179.14	57.71	441970.01	727804.45	N 32 12 49.01	W 103 43 49.46
	13558.00	88.32	358.44	12087.83	1796.09	1259.02	1839.03	0.75	2228.71	55.60	442064.91	727801.33	N 32 12 49.59	W 103 43 49.49
	13652.00	91.83	359.01	12087.11	1884.08	1352.96	1836.94	3.78	2281.43	53.63	442158.87	727799.24	N 32 12 50.88	W 103 43 49.61
	13747.00	91.61	358.59	12084.86	1973.03	1447.92	1834.95	0.50	2337.42	51.72	442253.80	727797.25	N 32 12 51.82	W 103 43 49.53
	13842.00	91.63	359.58	12082.17	2062.14	1542.87	1833.43	1.04	2396.23	49.92	442348.75	727795.73	N 32 12 52.76	W 103 43 49.45
	13936.00	91.60	358.45	12079.52	2150.27	1636.82	1831.82	1.20	2456.57	48.22	442442.69	727794.12	N 32 12 53.69	W 103 43 49.58
	14030.00	91.32	358.37	12077.13	2238.06	1730.75	1829.21	0.31	2518.23	46.58	442536.62	727791.51	N 32 12 54.62	W 103 43 49.55
	14125.00	91.18	358.38	12075.05	2326.78	1825.69	1826.52	0.15	2582.50	45.01	442631.55	727788.82	N 32 12 55.56	W 103 43 49.60
	14220.00	91.69	359.49	12072.67	2415.81	1920.64	1824.75	1.29	2649.26	43.53	442726.50	727787.05	N 32 12 56.50	W 103 43 49.62
	14314.00	91.34	358.40	12070.19	2503.91	2014.59	1823.02	1.22	2716.98	42.14	442820.44	727785.32	N 32 12 57.43	W 103 43 49.63
	14409.00	91.82	359.66	12067.57	2592.99	2109.54	1821.41	1.42	2787.06	40.81	442915.38	727783.72	N 32 12 58.37	W 103 43 49.64
	14503.00	91.06	357.68	12065.21	2680.93	2203.48	1819.23	2.26	2857.43	39.54	443009.32	727781.54	N 32 12 59.30	W 103 43 49.66
	14597.00	91.47	357.70	12063.13	2768.30	2297.38	1815.45	0.44	2928.10	38.32	443103.21	727777.75	N 32 13 0.23	W 103 43 49.70
	14692.00	91.19	359.05	12060.83	2857.01	2392.31	1812.75	1.45	3001.54	37.15	443198.14	727775.05	N 32 13 1.17	W 103 43 49.73
	14786.00	91.04	1.09	12059.10	2945.74	2486.29	1810.87	2.18	3077.03	36.10	443292.12	727775.17	N 32 13 2.10	W 103 43 49.72
	14880.00	89.57	0.13	12058.60	3034.78	2580.28	1813.87	1.87	3154.04	35.11	443396.10	727776.17	N 32 13 3.03	W 103 43 49.71
	14974.00	89.51	358.53	12059.35	3123.12	2674.27	1812.77	1.70	3230.76	34.13	443480.08	727775.07	N 32 13 3.96	W 103 43 49.71
	15069.00	89.48	0.33	12060.19	3212.46	2769.25	1811.82	1.89	3309.30	33.20	443575.07	727774.13	N 32 13 4.90	W 103 43 49.71
	15164.00	89.23	0.21	12061.26	3302.26	2864.25	1812.27	0.29	3389.43	32.32	443670.05	727774.57	N 32 13 5.84	W 103 43 49.70
	15257.00	89.56	0.36	12062.24	3390.18	2957.34	1812.73	0.39	3468.61	31.51	443763.04	727775.04	N 32 13 6.76	W 103 43 49.69
	15352.00	89.45	359.96	12063.06	3479.93	3052.24	1813.00	0.44	3550.09	30.71	443858.03	727775.30	N 32 13 7.70	W 103 43 49.68
	15447.00	89.83	1.11	12063.66	3569.87	3147.23	1813.89	1.27	3632.52	29.96	443953.02	727776.19	N 32 13 8.64	W 103

Intent ☐ As Drilled ☐

API #		
Operator Name:	Property Name:	Well Number

Kick Off Point (KOP)

UL	Section	Township	Range	Lot	Feet	From N/S	Feet	From E/W	County
Latitude					Longitude				NAD

First Take Point (FTP)

UL	Section	Township	Range	Lot	Feet	From N/S	Feet	From E/W	County
Latitude					Longitude				NAD

Last Take Point (LTP)

UL	Section	Township	Range	Lot	Feet	From N/S	Feet	From E/W	County
Latitude					Longitude				NAD

Is this well the defining well for the Horizontal Spacing Unit? ☐Is this well an infill well? ☐

If infill is yes please provide API if available, Operator Name and well number for Defining well for Horizontal Spacing Unit.

API #		
Operator Name:	Property Name:	Well Number

KZ 06/29/2018

District I
1625 N. French Dr., Hobbs, NM 88240
Phone:(575) 393-6161 Fax:(575) 393-0720
District II
811 S. First St., Artesia, NM 88210
Phone:(575) 748-1283 Fax:(575) 748-9720
District III
1000 Rio Brazos Rd., Aztec, NM 87410
Phone:(505) 334-6178 Fax:(505) 334-6170
District IV
1220 S. St Francis Dr., Santa Fe, NM 87505
Phone:(505) 476-3470 Fax:(505) 476-3462

State of New Mexico
Energy, Minerals and Natural Resources
Oil Conservation Division
1220 S. St Francis Dr.
Santa Fe, NM 87505

ACKNOWLEDGMENTS

Action 33434

ACKNOWLEDGMENTS

Operator: OXY USA INC P.O. Box 4294 Houston, TX 772104294	OGRID: 16696
	Action Number: 33434
	Action Type: [C-104] Completion Packet (C-104C)

ACKNOWLEDGMENTS

☒	I hereby certify that the required Water Use Report has been, or will be, submitted for this wells completion.
☒	I hereby certify that the required FracFocus disclosure has been, or will be, submitted for this wells completion.

District I
1625 N. French Dr., Hobbs, NM 88240
Phone:(575) 393-6161 Fax:(575) 393-0720
District II
811 S. First St., Artesia, NM 88210
Phone:(575) 748-1283 Fax:(575) 748-9720
District III
1000 Rio Brazos Rd., Aztec, NM 87410
Phone:(505) 334-6178 Fax:(505) 334-6170
District IV
1220 S. St Francis Dr., Santa Fe, NM 87505
Phone:(505) 476-3470 Fax:(505) 476-3462

State of New Mexico
Energy, Minerals and Natural Resources
Oil Conservation Division
1220 S. St Francis Dr.
Santa Fe, NM 87505

CONDITIONS

Action 33434

CONDITIONS

Operator: OXY USA INC P.O. Box 4294 Houston, TX 772104294	OGRID: 16696
	Action Number: 33434
	Action Type: [C-104] Completion Packet (C-104C)

CONDITIONS

Created By	Condition	Condition Date
ksimmons	RT C-104 expires 11/17/2021; submit all drilling, casing, and completion sundries/reports.	8/17/2021