

District I
1625 N. French Dr., Hobbs, NM 88240
District II
811 S. First St., Artesia, NM 88210
District III
1000 Rio Brazos Rd., Aztec, NM 87410
District IV
1220 S. St. Francis Dr., Santa Fe, NM 87505

State of New Mexico
Energy, Minerals & Natural Resources

Oil Conservation Division
1220 South St. Francis Dr.
Santa Fe, NM 87505

Form C-104
Revised August 1, 2011

Submit one copy to appropriate District Office

☐ AMENDED REPORT

I. REQUEST FOR ALLOWABLE AND AUTHORIZATION TO TRANSPORT

¹ Operator name and Address Devon Energy Production Company, L.P. 333 West Sheridan, Oklahoma City, OK 73102		² OGRID Number 6137
		³ Reason for Filing Code/ Effective Date NW / 5/25/21
⁴ API Number 30-025-46874	⁵ Pool Name WC-025 G-08 S243213C; Wolfcamp	⁶ Pool Code 98309
⁷ Property Code 39911	⁸ Property Name Bell Lake 24 Fed	⁹ Well Number 22H

II. ¹⁰ Surface Location

Ul or lot no.	Section	Township	Range	Lot Idn	Feet from the	North/South line	Feet from the	East/West line	County
O	24	24S	32E		178	South	1512	East	Lea

¹¹ Bottom Hole Location

UL or lot no.	Section	Township	Range	Lot Idn	Feet from the	North/South line	Feet from the	East/West line	County
B	24	24S	32E		31	North	2167	East	Lea
¹² Lse Code F	¹³ Producing Method Code F	¹⁴ Gas Connection Date 5/25/21	¹⁵ C-129 Permit Number	¹⁶ C-129 Effective Date	¹⁷ C-129 Expiration Date				


III. Oil and Gas Transporters

¹⁸ Transporter OGRID	¹⁹ Transporter Name and Address	²⁰ O/G/W
020445	Plains Marketing P.O. Box 4648 Houston, TX 77210	Oil
036785	DCP Midstream P.O. Box 50020 Midland, TX 79710-0020	Gas

IV. Well Completion Data

²¹ Spud Date 9/12/20	²² Ready Date 5/25/21	²³ TD 17440	²⁴ PBDT 17374	²⁵ Perforations 12731 - 17315	²⁶ DHC, MC
²⁷ Hole Size	²⁸ Casing & Tubing Size	²⁹ Depth Set	³⁰ Sacks Cement		
17.5	13.375	1208	930 sx CIC; Circ 45 sx		
9.875	8.625	11848	840 sx CIC; Circ 73 sx		
7.875	5.5	17426	1810 sx CIC; Circ 0 sx		
	Tubing: 2.875	12167			

V. Well Test Data

³¹ Date New Oil 5/29/21	³² Gas Delivery Date 5/29/21	³³ Test Date 5/29/21	³⁴ Test Length 24 hrs	³⁵ Tbg. Pressure psi	³⁶ Csg. Pressure psi
³⁷ Choke Size	³⁸ Oil 1656 bbl	³⁹ Water 3724 bbl	⁴⁰ Gas 4950 mcf		⁴¹ Test Method
⁴² I hereby certify that the rules of the Oil Conservation Division have been complied with and that the information given above is true and complete to the best of my knowledge and belief. Signature: 			OIL CONSERVATION DIVISION		
Printed name: Rebecca Deal			Approved by: KURT SIMMONS		
Title: Regulatory Analyst			Title: NM OCD, SANTA FE		
E-mail Address: Rebecca.Deal@dmn.com			Approval Date: 08/18/2021		
Date: 6/22/2021		Phone: 405-228-8429			

DISTRICT I
1625 N. FRENCH DR., HOBBS, NM 88240
Phone: (575) 393-6161 Fax: (575) 393-0720

DISTRICT II
811 S. FIRST ST., ARTESIA, NM 88210
Phone: (575) 748-1283 Fax: (575) 748-9720

DISTRICT III
1000 RIO BRAZOS RD., AZTEC, NM 87410
Phone: (505) 334-6178 Fax: (505) 334-6170

DISTRICT IV
1220 S. ST. FRANCIS DR., SANTA FE, NM 87505
Phone: (505) 476-3460 Fax: (505) 476-3462

State of New Mexico
Energy, Minerals & Natural Resources Department
OIL CONSERVATION DIVISION
1220 SOUTH ST. FRANCIS DR.
Santa Fe, New Mexico 87505

Form C-102
Revised August 1, 2011
Submit one copy to appropriate
District Office

☒ AMENDED REPORT

WELL LOCATION AND ACREAGE DEDICATION PLAT

API Number 30-025-46874	Pool Code 98309	Pool Name WC-025 G-08 S243213C; WOLFCAMP
Property Code 39911	Property Name BELL LAKE 24 FED	Well Number 022H
OGRID No. 6137	Operator Name DEVON ENERGY PRODUCTION COMPANY, L.P.	Elevation 3551.2'

Surface Location


UL or lot No.	Section	Township	Range	Lot Idn	Feet from the	North/South line	Feet from the	East/West line	County
O	24	24-S	32-E		178	SOUTH	1512	EAST	LEA

Bottom Hole Location If Different From Surface

UL or lot No.	Section	Township	Range	Lot Idn	Feet from the	North/South line	Feet from the	East/West line	County
B	24	24-S	32-E		31	NORTH	2167	EAST	LEA

Dedicated Acres	Joint or Infill	Consolidation Code	Order No.
160			

NO ALLOWABLE WILL BE ASSIGNED TO THIS COMPLETION UNTIL ALL INTERESTS HAVE BEEN CONSOLIDATED
OR A NON-STANDARD UNIT HAS BEEN APPROVED BY THE DIVISION



BELL LAKE 24 FED 022H
EL:3551.2'
LAT:32.196396
LON:103.624714
N:435905.52
E:760533.81

KICK OFF POINT
58' FSL 2205' FEL SEC 24
LAT:32.196064
LON:103.626956
N:435780.05
E:759841.12

FIRST TAKE POINT
558' FSL 2214' FEL SEC 24
LAT:32.197437
LON:103.626984
N:436279.70
E:759829.20

LAST TAKE POINT
156' FNL 2170' FEL SEC 24
LAT:32.210021
LON:103.626827
N:440857.86
E:759847.67

BOTTOM OF HOLE
LAT:32.210364
LON:103.626815
N:440982.82
E:759850.53

Note: All bearings recited herein
are based on the New Mexico
State Plane Coordinate System,
NAD 83, New Mexico East Zone
3001, US Survey Feet, all
distances are grid.

OPERATOR CERTIFICATION

I hereby certify that the information herein is true and complete to the best of my knowledge and belief, and that this organization either owns a working interest or unleased mineral interest in the land including the proposed bottom hole location or has a right to drill this well at this location pursuant to a contract with an owner of such mineral or working interest, or to a voluntary pooling agreement or a compulsory pooling order heretofore entered by the division.

Rebecca Deal 6/22/2021
Signature Date

Rebecca Deal, Regulatory Analyst
Printed Name

rebecca.deal@dmv.com
E-mail Address


SURVEYOR CERTIFICATION

I hereby certify that the well location shown on this plat was plotted from field notes of actual surveys made by me or under my supervision, and that the same is true and correct to the best of my belief.

10/11/2021

Date of Survey

Signature & Seal of Professional Surveyor



06/14/21

Certificate No. 22404 B.L. LAMAN

DRAWN BY: CM

Intent ☐ As Drilled ☐

API #		
Operator Name:	Property Name:	Well Number

Kick Off Point (KOP)

UL	Section	Township	Range	Lot	Feet	From N/S	Feet	From E/W	County
Latitude					Longitude				NAD

First Take Point (FTP)

UL	Section	Township	Range	Lot	Feet	From N/S	Feet	From E/W	County
Latitude					Longitude				NAD

Last Take Point (LTP)

UL	Section	Township	Range	Lot	Feet	From N/S	Feet	From E/W	County
Latitude					Longitude				NAD

Is this well the defining well for the Horizontal Spacing Unit? ☐Is this well an infill well? ☐

If infill is yes please provide API if available, Operator Name and well number for Defining well for Horizontal Spacing Unit.

API #		
Operator Name:	Property Name:	Well Number

KZ 06/29/2018



Final MWD Survey Certification

Lea County, New Mexico

Client: Devon Energy

Well Name: Bell Lake 24 Fed 22H

Total Job No: SW-200479

API No: 30-025-46874

Start Date: 9/12/2020

End Date: 10/11/2020

Measured Start Depth: 0 feet

Measured End Depth (PTB): 17,440 feet

I, Robert Starks, MWD Operator, hereby certify that; I am employed by Total Directional Services, LLC and we conducted or supervised the taking of these open hole MWD surveys at the request of this client. This data is true, correct, complete and within the limitations of the tool as set forth by Total Directional Services, LLC. I am authorized and qualified to make this report and have reviewed this report and find that it conforms to the principals and procedures as set forth by Total Directional Services, LLC.

Date: 10/11/2020

Signed: *Robert Starks*



Bell Lake 24 Fed 22H

Directional Survey Report

Start date: 9-12-2020

End date: 10-11-2020

Company: Devon Energy

State/Prov: New Mexico

Survey Company: Total Directional Services

Well Name: Bell Lake 24 Fed 22H

County: Lea

Job Number: SW-200479

Field: Delaware Basin

Country: USA

Proposed Azimuth: 352.22

Rig ID: H&P 269

Declination: 6.26

Elevations KB: 3576

API/UWI: 30-025-46874 / WA017791448

North Reference: Grid

DF: 25

Location: New Mexico

Latitude/Longitude: 32.196396 / -103.624714

GL: 3551

Svy	Depth	Inc	Azm	TVD	NS	EW	VS	DLS	CL	A/B	L/R
TieIn	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00			
1	187.00	0.60	295.00	187.00	0.41	-0.89	0.53	0.32	187.00		
2	270.00	0.70	295.90	269.99	0.82	-1.74	1.05	0.12	83.00		
3	362.00	0.60	299.90	361.99	1.30	-2.66	1.65	0.12	92.00		
4	453.00	0.50	298.10	452.98	1.73	-3.42	2.18	0.11	91.00		
5	545.00	0.50	306.80	544.98	2.16	-4.10	2.69	0.08	92.00		
6	636.00	0.50	296.50	635.97	2.57	-4.77	3.20	0.10	91.00		
7	726.00	0.40	304.20	725.97	2.93	-5.38	3.63	0.13	90.00		
8	817.00	0.40	293.40	816.97	3.23	-5.94	4.00	0.08	91.00		
9	907.00	0.30	303.70	906.97	3.49	-6.42	4.32	0.13	90.00		
10	998.00	0.10	2.70	997.97	3.70	-6.62	4.56	0.29	91.00		
11	1,088.00	0.30	24.50	1,087.97	3.99	-6.52	4.84	0.23	90.00		
12	1,145.00	0.40	33.90	1,144.97	4.29	-6.34	5.11	0.20	57.00		
13	1,241.00	0.80	53.90	1,240.96	4.96	-5.61	5.68	0.46	96.00	5A	4L
14	1,332.00	0.90	59.50	1,331.95	5.70	-4.49	6.26	0.14	91.00	6A	3.5L
15	1,424.00	1.00	69.10	1,423.94	6.35	-3.11	6.72	0.20	92.00	7A	2L
16	1,519.00	1.00	73.80	1,518.92	6.88	-1.54	7.03	0.09	95.00	7A	OTL
17	1,613.00	1.20	76.20	1,612.91	7.34	0.20	7.25	0.22	94.00	7A	1R
18	1,708.00	1.30	77.90	1,707.88	7.81	2.22	7.44	0.11	95.00	7.5A	3R
19	1,802.00	0.90	50.00	1,801.87	8.51	3.83	7.91	0.70	94.00	8A	5R
20	1,897.00	1.00	17.90	1,896.85	9.77	4.66	9.05	0.56	95.00	9A	6R
21	1,992.00	1.00	10.90	1,991.84	11.38	5.07	10.59	0.13	95.00	10A	6.5R
22	2,086.00	1.10	9.30	2,085.82	13.07	5.37	12.23	0.11	94.00	12A	7R
23	2,181.00	1.00	13.20	2,180.81	14.78	5.70	13.87	0.13	95.00	14A	7R
24	2,276.00	1.00	9.60	2,275.79	16.40	6.03	15.44	0.07	95.00	15A	8R
25	2,370.00	0.80	8.20	2,369.78	17.86	6.26	16.85	0.21	94.00	17A	8R
26	2,464.00	0.70	7.40	2,463.77	19.08	6.43	18.04	0.11	94.00	18A	9R
27	2,559.00	1.10	287.30	2,558.76	19.93	5.63	18.98	1.26	95.00	19A	8R
28	2,654.00	2.20	268.50	2,653.72	20.15	2.94	19.57	1.28	95.00	7B	19R
29	2,748.00	4.10	262.70	2,747.58	19.68	-2.20	19.79	2.05	94.00	5B	19R
30	2,843.00	6.40	255.20	2,842.17	17.89	-10.69	19.18	2.52	95.00	3B	19R
31	2,938.00	7.50	253.20	2,936.47	14.75	-21.74	17.56	1.19	95.00	1.5B	19R
32	3,032.00	7.50	252.50	3,029.67	11.13	-33.46	15.56	0.10	94.00	1B	18R
33	3,127.00	7.30	252.30	3,123.88	7.43	-45.13	13.47	0.21	95.00	2B	16R
34	3,222.00	7.00	250.60	3,218.14	3.67	-56.34	11.27	0.39	95.00	3B	15R
35	3,317.00	6.90	249.00	3,312.44	-0.29	-67.12	8.80	0.23	95.00	4B	13R
36	3,411.00	7.90	255.70	3,405.66	-3.91	-78.66	6.77	1.40	94.00	5B	12R
37	3,505.00	8.00	257.80	3,498.76	-6.89	-91.31	5.53	0.33	94.00	5B	11R
38	3,600.00	8.10	257.20	3,592.82	-9.77	-104.30	4.44	0.14	95.00	4B	11R
39	3,695.00	7.60	258.50	3,686.93	-12.51	-116.98	3.44	0.56	95.00	4B	11R
40	3,790.00	6.60	259.40	3,781.20	-14.76	-128.50	2.77	1.06	95.00	5B	11R
41	3,885.00	8.00	261.30	3,875.43	-16.77	-140.40	2.39	1.50	95.00	5B	11R
42	3,979.00	8.50	262.50	3,968.46	-18.66	-153.76	2.32	0.56	94.00	5B	12R
43	4,074.00	8.00	260.90	4,062.47	-20.63	-167.25	2.20	0.58	95.00	4B	13R
44	4,169.00	7.50	259.10	4,156.60	-22.84	-179.86	1.71	0.58	95.00	4B	13R
45	4,263.00	7.80	255.80	4,249.77	-25.57	-192.07	0.67	0.57	94.00	4B	13R
46	4,358.00	8.10	247.80	4,343.86	-29.68	-204.52	-1.72	1.21	95.00	4B	11R
47	4,453.00	7.40	244.70	4,437.99	-34.82	-216.24	-5.23	0.86	95.00	4B	8R
48	4,548.00	7.60	241.80	4,532.18	-40.41	-227.31	-9.26	0.45	95.00	5B	5R
49	4,642.00	9.50	245.10	4,625.13	-46.61	-239.83	-13.72	2.09	94.00	4B	2R

Svy	Depth	Inc	Azm	TVD	NS	EW	VS	DLS	CL	A/B	L/R
50	4,737.00	10.30	243.80	4,718.71	-53.66	-254.56	-18.71	0.87	95.00	1B	3L
51	4,832.00	9.40	241.00	4,812.31	-61.17	-268.97	-24.20	1.07	95.00	2A	7L
52	4,927.00	8.40	248.60	4,906.17	-67.46	-282.21	-28.64	1.62	95.00	4A	11L
53	5,021.00	7.60	250.80	4,999.26	-72.01	-294.47	-31.49	0.91	94.00	4A	13L
54	5,116.00	7.60	251.00	5,093.42	-76.13	-306.35	-33.95	0.03	95.00	4A	14L
55	5,211.00	7.20	251.00	5,187.63	-80.11	-317.92	-36.34	0.42	95.00	3A	16L
56	5,305.00	7.40	257.70	5,280.87	-83.32	-329.40	-37.96	0.93	94.00	3A	17L
57	5,400.00	7.50	259.60	5,375.07	-85.74	-341.48	-38.72	0.28	95.00	2A	17L
58	5,495.00	6.80	258.50	5,469.33	-87.98	-353.09	-39.37	0.75	95.00	1A	17L
59	5,590.00	6.50	258.80	5,563.69	-90.15	-363.87	-40.06	0.32	95.00	OTL	17L
60	5,685.00	6.40	255.80	5,658.09	-92.49	-374.28	-40.97	0.37	95.00	3B	17L
61	5,779.00	6.40	257.10	5,751.50	-94.94	-384.47	-42.02	0.15	94.00	5B	17L
62	5,874.00	7.10	267.30	5,845.85	-96.40	-395.49	-41.98	1.46	95.00	6B	17L
63	5,969.00	7.30	269.80	5,940.10	-96.70	-407.39	-40.66	0.39	95.00	7B	15L
64	6,064.00	7.80	269.10	6,034.27	-96.82	-419.87	-39.09	0.54	95.00	8B	13L
65	6,158.00	7.80	267.90	6,127.40	-97.16	-432.63	-37.70	0.17	94.00	8B	10L
66	6,253.00	7.40	267.30	6,221.57	-97.68	-445.18	-36.52	0.43	95.00	8B	8L
67	6,347.00	8.40	266.90	6,314.68	-98.34	-458.08	-35.42	1.07	94.00	8B	6.5L
68	6,442.00	8.50	266.10	6,408.65	-99.19	-472.02	-34.38	0.16	95.00	7B	5L
69	6,537.00	8.20	264.50	6,502.64	-100.32	-485.76	-33.64	0.40	95.00	6B	3L
70	6,632.00	7.70	264.20	6,596.73	-101.61	-498.84	-33.15	0.53	95.00	6B	2L
71	6,727.00	8.00	265.80	6,690.83	-102.74	-511.76	-32.51	0.39	95.00	5.5B	OTL
72	6,822.00	7.80	265.70	6,784.93	-103.70	-524.79	-31.71	0.21	95.00	5B	1R
73	6,917.00	7.50	266.10	6,879.09	-104.61	-537.40	-30.90	0.32	95.00	5.5B	3R
74	7,011.00	7.10	264.40	6,972.33	-105.59	-549.30	-30.26	0.48	94.00	6B	4R
75	7,106.00	7.00	264.00	7,066.61	-106.77	-560.90	-29.86	0.12	95.00	7B	5.5R
76	7,201.00	6.80	264.80	7,160.92	-107.89	-572.26	-29.43	0.23	95.00	9B	6R
77	7,296.00	6.70	262.80	7,255.26	-109.09	-583.36	-29.12	0.27	95.00	10B	7R
78	7,391.00	6.20	261.30	7,349.66	-110.56	-593.93	-29.14	0.56	95.00	12B	8R
79	7,485.00	5.90	260.30	7,443.14	-112.14	-603.71	-29.39	0.34	94.00	15B	9R
80	7,580.00	5.70	259.10	7,537.65	-113.86	-613.15	-29.81	0.25	95.00	18B	9R
81	7,675.00	3.70	247.30	7,632.33	-115.93	-620.61	-30.85	2.33	95.00	23B	8R
82	7,770.00	1.80	253.40	7,727.21	-117.54	-624.87	-31.87	2.02	95.00	30B	7R
83	7,865.00	1.60	252.10	7,822.17	-118.38	-627.56	-32.33	0.21	95.00	34B	7R
84	7,959.00	1.60	249.20	7,916.14	-119.24	-630.04	-32.86	0.09	94.00	36B	7R
85	8,054.00	1.70	248.90	8,011.10	-120.22	-632.59	-33.48	0.11	95.00	9A	34R
86	8,149.00	0.90	271.50	8,106.07	-120.71	-634.66	-33.69	0.98	95.00	8A	32R
87	8,244.00	0.80	267.60	8,201.06	-120.72	-636.06	-33.50	0.12	95.00	8A	31R
88	8,338.00	0.80	262.40	8,295.05	-120.83	-637.37	-33.44	0.08	94.00	8A	30R
89	8,433.00	1.10	256.10	8,390.04	-121.14	-638.91	-33.54	0.33	95.00	8A	28R
90	8,528.00	1.20	255.90	8,485.02	-121.60	-640.76	-33.74	0.11	95.00	8A	26R
91	8,622.00	1.50	252.50	8,578.99	-122.21	-642.89	-34.06	0.33	94.00	8A	24R
92	8,717.00	0.90	242.30	8,673.97	-122.93	-644.74	-34.52	0.67	95.00	7A	22R
93	8,812.00	1.00	243.10	8,768.96	-123.65	-646.14	-35.05	0.11	95.00	7A	20R
94	8,907.00	1.00	259.90	8,863.94	-124.17	-647.69	-35.35	0.31	95.00	7A	19R
95	9,001.00	1.30	255.10	8,957.93	-124.59	-649.53	-35.52	0.33	94.00	6.5A	17R
96	9,096.00	1.20	257.60	9,052.90	-125.08	-651.54	-35.73	0.12	95.00	6A	15R
97	9,191.00	1.30	256.50	9,147.88	-125.55	-653.56	-35.92	0.11	95.00	6A	13R
98	9,286.00	1.00	250.30	9,242.86	-126.08	-655.39	-36.20	0.34	95.00	5A	11R
99	9,380.00	1.30	258.60	9,336.84	-126.57	-657.21	-36.44	0.36	94.00	6A	9R
100	9,475.00	1.60	253.00	9,431.81	-127.17	-659.53	-36.72	0.35	95.00	5A	7R
101	9,570.00	1.60	235.80	9,526.78	-128.30	-661.90	-37.52	0.50	95.00	3A	4R
102	9,665.00	2.20	231.90	9,621.72	-130.17	-664.43	-39.03	0.65	95.00	2A	1R
103	9,759.00	1.40	237.00	9,715.68	-131.91	-666.81	-40.43	0.87	94.00	1.5A	1L
104	9,854.00	0.60	2.70	9,810.67	-132.05	-667.76	-40.43	1.91	95.00	1A	2L
105	9,948.00	0.80	344.20	9,904.66	-130.92	-667.92	-39.30	0.32	94.00	2.5A	2L
106	10,043.00	0.70	286.00	9,999.65	-130.12	-668.66	-38.41	0.77	95.00	3.5A	2.5L
107	10,138.00	0.80	256.40	10,094.65	-130.12	-669.86	-38.24	0.42	95.00	4A	4L
108	10,233.00	0.70	274.80	10,189.64	-130.23	-671.08	-38.18	0.27	95.00	4A	5L
109	10,328.00	0.70	272.60	10,284.63	-130.15	-672.24	-37.95	0.03	95.00	4A	6L
110	10,422.00	0.90	315.00	10,378.62	-129.60	-673.34	-37.26	0.65	94.00	5A	7L
111	10,517.00	1.00	316.00	10,473.61	-128.48	-674.44	-36.00	0.11	95.00	6A	8L
112	10,612.00	1.10	324.20	10,568.59	-127.14	-675.55	-34.53	0.19	95.00	7A	9L
113	10,706.00	0.90	323.60	10,662.58	-125.82	-676.51	-33.08	0.21	94.00	9A	10L
114	10,801.00	0.70	316.00	10,757.57	-124.80	-677.36	-31.96	0.24	95.00	10A	11L

Svy	Depth	Inc	Azm	TVD	NS	EW	VS	DLS	CL	A/B	L/R
115	10,896.00	0.50	321.80	10,852.56	-124.06	-678.02	-31.13	0.22	95.00	11A	11L
116	10,990.00	0.40	352.10	10,946.56	-123.41	-678.32	-30.45	0.27	94.00	11.5A	11L
117	11,085.00	0.20	92.00	11,041.56	-123.09	-678.20	-30.15	0.50	95.00	12A	11L
118	11,179.00	0.10	247.60	11,135.56	-123.12	-678.11	-30.20	0.31	94.00	12A	11L
119	11,274.00	0.30	184.20	11,230.56	-123.40	-678.21	-30.46	0.28	95.00	11.5A	11L
120	11,369.00	0.30	226.40	11,325.56	-123.82	-678.40	-30.85	0.23	95.00	11A	11.5L
121	11,464.00	1.00	257.50	11,420.55	-124.17	-679.39	-31.06	0.80	95.00	11A	12.5L
122	11,559.00	2.20	272.80	11,515.51	-124.27	-682.02	-30.80	1.33	95.00	11A	15L
123	11,654.00	2.60	265.30	11,610.43	-124.35	-685.99	-30.35	0.53	95.00	12A	19L
124	11,749.00	2.50	260.40	11,705.34	-124.87	-690.18	-30.30	0.25	95.00	12A	23L
125	11,807.00	2.00	257.00	11,763.29	-125.31	-692.42	-30.43	0.89	58.00	11.5A	25.5L
126	11,879.00	1.80	255.40	11,835.25	-125.88	-694.73	-30.68	0.29	72.00	11A	28L
127	11,973.00	1.90	237.60	11,929.20	-127.09	-697.48	-31.50	0.62	94.00	10A	31L
128	12,068.00	14.40	358.10	12,023.26	-116.06	-699.21	-20.34	16.26	95.00	16A	34L
129	12,163.00	29.00	354.40	12,111.29	-81.14	-701.86	14.61	15.43	95.00	35A	36L
130	12,258.00	39.00	356.00	12,189.95	-28.27	-706.21	67.59	10.57	95.00	53A	40L
131	12,353.00	50.20	359.80	12,257.50	38.27	-708.43	133.82	12.12	95.00	67A	42L
132	12,448.00	58.20	0.60	12,313.02	115.25	-708.13	210.05	8.45	95.00	76A	41L
133	12,542.00	63.00	2.40	12,359.16	197.09	-705.96	290.84	5.37	94.00	74A	39L
134	12,637.00	69.10	0.00	12,397.71	283.84	-704.18	376.56	6.82	95.00	60A	36L
135	12,731.00	79.60	359.30	12,423.03	374.23	-704.75	466.19	11.19	94.00	39A	36L
136	12,826.00	86.20	0.00	12,434.76	468.45	-705.32	559.61	6.99	95.00	26A	36L
137	12,921.00	86.10	0.20	12,441.14	563.23	-705.16	653.50	0.23	95.00	20A	36L
138	13,015.00	86.20	0.20	12,447.46	657.02	-704.83	746.38	0.11	94.00	14A	35L
139	13,110.00	87.40	0.10	12,452.76	751.87	-704.58	840.33	1.27	95.00	8A	34L
140	13,204.00	88.40	0.60	12,456.20	845.80	-704.01	933.32	1.19	94.00	5A	33L
141	13,299.00	88.70	0.10	12,458.61	940.77	-703.43	1,027.33	0.61	95.00	2.5A	32L
142	13,394.00	88.00	359.60	12,461.34	1,035.73	-703.68	1,121.45	0.91	95.00	OTL	31.5L
143	13,489.00	88.50	0.00	12,464.24	1,130.68	-704.01	1,215.58	0.67	95.00	3B	31L
144	13,584.00	89.80	0.70	12,465.65	1,225.67	-703.43	1,309.61	1.55	95.00	4.5B	30L
145	13,678.00	92.00	1.80	12,464.18	1,319.63	-701.38	1,402.43	2.62	94.00	3B	28L
146	13,773.00	92.50	2.20	12,460.45	1,414.50	-698.06	1,495.97	0.67	95.00	OTL	24L
147	13,868.00	93.20	1.90	12,455.72	1,509.32	-694.67	1,589.46	0.80	95.00	5A	20L
148	13,963.00	89.50	5.50	12,453.48	1,604.06	-688.54	1,682.50	5.43	95.00	8A	13L
149	14,058.00	86.40	6.30	12,456.88	1,698.49	-678.78	1,774.74	3.37	95.00	4A	3L
150	14,153.00	84.50	3.60	12,464.42	1,792.82	-670.61	1,867.10	3.47	95.00	3B	6R
151	14,248.00	86.90	2.70	12,471.54	1,887.40	-665.41	1,960.10	2.70	95.00	11B	11R
152	14,343.00	88.30	0.50	12,475.52	1,982.27	-662.76	2,053.74	2.74	95.00	14.5B	14.5R
153	14,437.00	90.50	358.30	12,476.51	2,076.25	-663.74	2,146.99	3.31	94.00	15.5B	14R
154	14,532.00	91.00	358.00	12,475.26	2,171.19	-666.81	2,241.47	0.61	95.00	14B	11R
155	14,627.00	90.40	358.30	12,474.10	2,266.14	-669.88	2,335.96	0.71	95.00	13B	9R
156	14,722.00	92.60	359.90	12,471.61	2,361.08	-671.37	2,430.23	2.86	95.00	10.5B	8R
157	14,817.00	92.20	359.20	12,467.64	2,456.00	-672.11	2,524.37	0.85	95.00	6.5B	8R
158	14,912.00	91.10	359.00	12,464.90	2,550.94	-673.60	2,618.65	1.18	95.00	4B	7R
159	15,006.00	91.60	358.70	12,462.69	2,644.90	-675.49	2,711.99	0.62	94.00	1.5B	5.5R
160	15,101.00	91.50	358.80	12,460.12	2,739.84	-677.56	2,806.34	0.15	95.00	1A	4R
161	15,196.00	91.80	1.30	12,457.38	2,834.79	-677.48	2,900.41	2.65	95.00	4A	5R
162	15,291.00	91.20	358.50	12,454.89	2,929.75	-677.65	2,994.51	3.01	95.00	6A	5R
163	15,386.00	90.90	357.50	12,453.15	3,024.68	-680.96	3,089.01	1.10	95.00	8A	2R
164	15,481.00	88.80	357.80	12,453.40	3,119.59	-684.86	3,183.58	2.23	95.00	8A	1L
165	15,576.00	90.10	358.40	12,454.31	3,214.53	-688.00	3,278.08	1.51	95.00	7A	4L
166	15,671.00	90.60	359.10	12,453.73	3,309.51	-690.08	3,372.46	0.91	95.00	7A	5L
167	15,765.00	90.20	359.20	12,453.08	3,403.49	-691.47	3,465.77	0.44	94.00	8A	6L
168	15,860.00	89.40	359.40	12,453.41	3,498.48	-692.63	3,560.04	0.87	95.00	8A	7L
169	15,955.00	87.10	358.20	12,456.31	3,593.41	-694.62	3,654.36	2.73	95.00	5A	8L
170	16,050.00	89.30	0.50	12,459.29	3,688.35	-695.70	3,748.57	3.35	95.00	1.5A	9L
171	16,145.00	87.90	358.70	12,461.61	3,783.31	-696.36	3,842.75	2.40	95.00	0.5A	9L
172	16,239.00	88.20	358.00	12,464.81	3,877.21	-699.06	3,936.16	0.81	94.00	3.5B	11L
173	16,334.00	88.20	357.00	12,467.80	3,972.08	-703.21	4,030.71	1.05	95.00	7B	14.5L
174	16,429.00	90.00	358.20	12,469.29	4,066.98	-707.18	4,125.27	2.28	95.00	8B	18L
175	16,524.00	91.50	0.20	12,468.05	4,161.95	-708.51	4,219.55	2.63	95.00	7B	19L
176	16,619.00	90.60	2.00	12,466.30	4,256.91	-706.69	4,313.39	2.12	95.00	5.5B	16.5L
177	16,714.00	91.10	3.50	12,464.90	4,351.79	-702.13	4,406.78	1.66	95.00	4B	11.5L
178	16,809.00	90.20	2.70	12,463.82	4,446.64	-696.99	4,500.06	1.27	95.00	3B	6L
179	16,904.00	89.40	1.90	12,464.15	4,541.56	-693.18	4,593.59	1.19	95.00	3B	1.5L

Svy	Depth	Inc	Azm	TVD	NS	EW	VS	DLS	CL	A/B	L/R
180	16,999.00	87.10	1.00	12,467.05	4,636.48	-690.78	4,687.31	2.60	95.00	6B	1R
181	17,093.00	89.30	0.60	12,470.00	4,730.42	-689.46	4,780.21	2.38	94.00	9B	3R
182	17,188.00	90.30	1.00	12,470.33	4,825.41	-688.14	4,874.14	1.13	95.00	9B	5R
183	17,283.00	90.10	0.60	12,470.00	4,920.40	-686.81	4,968.08	0.47	95.00	9B	7r
184	17,378.00	90.40	1.30	12,469.59	5,015.38	-685.24	5,061.98	0.80	95.00	9B	9R
185	17,386.00	90.40	1.70	12,469.53	5,023.38	-685.03	5,069.87	5.00	8.00	9B	9R
PTB	17,440.00	90.40	1.70	12,469.16	5,077.36	-683.43	5,123.13	0.00	54.00		

Submit 1 Copy To Appropriate District Office
 District I – (575) 393-6161
 1625 N. French Dr., Hobbs, NM 88240
 District II – (575) 748-1283
 811 S. First St., Artesia, NM 88210
 District III – (505) 334-6178
 1000 Rio Brazos Rd., Aztec, NM 87410
 District IV – (505) 476-3460
 1220 S. St. Francis Dr., Santa Fe, NM 87505

State of New Mexico
 Energy, Minerals and Natural Resources

OIL CONSERVATION DIVISION
 1220 South St. Francis Dr.
 Santa Fe, NM 87505

Form C-103
 Revised August 1, 2011

WELL API NO.	30-025-46874
5. Indicate Type of Lease STATE ☐ FEE ☐	
6. State Oil & Gas Lease No.	
7. Lease Name or Unit Agreement Name	Bell Lake 24 Fed
8. Well Number	22H
9. OGRID Number	6137
10. Pool name or Wildcat	WC-025 G-08 S243213C; Wolfcamp

SUNDRY NOTICES AND REPORTS ON WELLS (DO NOT USE THIS FORM FOR PROPOSALS TO DRILL OR TO DEEPEN OR PLUG BACK TO A DIFFERENT RESERVOIR. USE "APPLICATION FOR PERMIT" (FORM C-101) FOR SUCH PROPOSALS.) 1. Type of Well: Oil Well ☒ Gas Well ☐ Other ☐ 2. Name of Operator Devon Energy Production Company, L.P. 3. Address of Operator 333 West Sheridan, Oklahoma City, OK 73102 4. Well Location Unit Letter <u>O</u> : <u>178</u> feet from the <u>South</u> line and <u>1512</u> feet from the <u>East</u> line Section <u>24</u> Township <u>24S</u> Range <u>32E</u> NMPM County <u>Lea</u> 11. Elevation (Show whether DR, RKB, RT, GR, etc.) GL: 3551.2'	
---	--

12. Check Appropriate Box to Indicate Nature of Notice, Report or Other Data

NOTICE OF INTENTION TO:

PERFORM REMEDIAL WORK ☐ PLUG AND ABANDON ☐
 TEMPORARILY ABANDON ☐ CHANGE PLANS ☐
 PULL OR ALTER CASING ☐ MULTIPLE COMPL ☐
 DOWNHOLE COMMINGLE ☐

OTHER: ☐

SUBSEQUENT REPORT OF:

REMEDIAL WORK ☐ ALTERING CASING ☐
 COMMENCE DRILLING OPNS. ☐ P AND A ☐
 CASING/CEMENT JOB ☐

OTHER: Completion ☒

13. Describe proposed or completed operations. (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work). SEE RULE 19.15.7.14 NMAC. For Multiple Completions: Attach wellbore diagram of proposed completion or recompletion.

2/9/2021 - 5/25/2021: MIRU WL & PT. TIH & ran CBL, found TOC @ 11,300'. TIH w/pump through frac plug and guns. Perf Wolfcamp, 12,731'-17,315'. Frac totals 11,361,868# prop, 40 bbl acid. ND frac, MIRU PU, NU BOP, DO plugs & CO to PBTD 17,374'. CHC, FWB, ND BOP. RIH w/ 365 jts 2-7/8" L-80 tbg, set @ 12,167'. TOP

I hereby certify that the information above is true and complete to the best of my knowledge and belief.

SIGNATURE Rebecca Deal TITLE Regulatory Analyst DATE 6/22/2021

Type or print name Rebecca Deal E-mail address: Rebecca.Deal@dmn.com PHONE: 405-228-8429
For State Use Only

APPROVED BY: _____ TITLE _____ DATE _____
 Conditions of Approval (if any): _____

Submit To Appropriate District Office Two Copies District I 1625 N. French Dr., Hobbs, NM 88240 District II 811 S. First St., Artesia, NM 88210 District III 1000 Rio Brazos Rd., Aztec, NM 87410 District IV 1220 S. St. Francis Dr., Santa Fe, NM 87505		State of New Mexico Energy, Minerals and Natural Resources Oil Conservation Division 1220 South St. Francis Dr. Santa Fe, NM 87505				Form C-105 Revised August 1, 2011					
		1. WELL API NO.		30-025-46874							
		2. Type of Lease		☐ STATE ☐ FEE ☒ FED/INDIAN							
		3. State Oil & Gas Lease No.									
WELL COMPLETION OR RECOMPLETION REPORT AND LOG											
4. Reason for filing:						5. Lease Name or Unit Agreement Name					
☒ COMPLETION REPORT (Fill in boxes #1 through #31 for State and Fee wells only) ☐ C-144 CLOSURE ATTACHMENT (Fill in boxes #1 through #9, #15 Date Rig Released and #32 and/or #33; attach this and the plat to the C-144 closure report in accordance with 19.15.17.13.K NMAC)						Bell Lake 24 Fed					
7. Type of Completion:						6. Well Number:					
☒ NEW WELL ☐ WORKOVER ☐ DEEPENING ☐ PLUGBACK ☐ DIFFERENT RESERVOIR ☐ OTHER						22H					
8. Name of Operator						9. OGRID					
Devon Energy Production Company, L.P.						6137					
10. Address of Operator						11. Pool name or Wildcat					
333 West Sheridan Avenue, Oklahoma City, OK 73102						WC-025 G-08 S243213C; Wolfcamp					
12. Location	Unit Ltr	Section	Township	Range	Lot	Feet from the	N/S Line	Feet from the	E/W Line	County	
Surface:	O	24	24S	32E		178	South	1512	East	Lea	
BH:	B	24	24S	32E		31	North	2167	East	Lea	
13. Date Spudded	14. Date T.D. Reached	15. Date Rig Released		16. Date Completed (Ready to Produce)		17. Elevations (DF and RKB, RT, GR, etc.)		3551.2' GL			
9/12/20	10/11/20	10/12/20		5/25/21							
18. Total Measured Depth of Well			19. Plug Back Measured Depth		20. Was Directional Survey Made?		21. Type Electric and Other Logs Run				
17440 MD, 12469 TVD			17374		Yes		CBL				
22. Producing Interval(s), of this completion - Top, Bottom, Name											
12731-17315, Wolfcamp											
23. CASING RECORD (Report all strings set in well)											
CASING SIZE	WEIGHT LB./FT.		DEPTH SET		HOLE SIZE		CEMENTING RECORD		AMOUNT PULLED		
13.375	54.5		1208		17.5		930 sx C/C; circ 45 sx				
8.625	32		11848		9.875		840 sx C/C; circ 73 sx				
5.5	20		17426		7.875		1810 sx C/C; circ 0 sx		TOC @ 542'		
24. LINER RECORD										25. TUBING RECORD	
SIZE	TOP	BOTTOM	SACKS CEMENT	SCREEN		SIZE	DEPTH SET		PACKER SET		
						2.875 L-80	12167				
26. Perforation record (interval, size, and number)					27. ACID, SHOT, FRACTURE, CEMENT, SQUEEZE, ETC.						
12731 - 17315, total 694 holes					DEPTH INTERVAL		AMOUNT AND KIND MATERIAL USED				
					12731-17315		Acidize and frac in 24 stages. See detailed summary attached.				
28. PRODUCTION											
Date First Production		Production Method (Flowing, gas lift, pumping - Size and type pump)				Well Status (Prod. or Shut-in)					
5/25/21		Flowing				Producing					
Date of Test	Hours Tested	Choke Size	Prod'n For Test Period	Oil - Bbl	Gas - MCF	Water - Bbl.	Gas - Oil Ratio				
5/29/21	24			1656	4950	3724	2989.13				
Flow Tubing Press.	Casing Pressure	Calculated 24-Hour Rate	Oil - Bbl.	Gas - MCF	Water - Bbl.	Oil Gravity - API - (Corr.)					
psi	psi										
29. Disposition of Gas (Sold, used for fuel, vented, etc.)							30. Test Witnessed By				
Sold											
31. List Attachments											
Directional Survey, Logs											
32. If a temporary pit was used at the well, attach a plat with the location of the temporary pit.											
33. If an on-site burial was used at the well, report the exact location of the on-site burial:											
Latitude				Longitude				NAD 1927 1983			
I hereby certify that the information shown on both sides of this form is true and complete to the best of my knowledge and belief											
Signature	Printed Name			Title		Regulatory Analyst		Date		6/22/2021	
	Rebecca Deal										
E-mail Address	Rebecca.Deal@dmr.com										

This form is to be filed with the appropriate District Office of the Division not later than 20 days after the completion of any newly-drilled or deepened well and not later than 60 days after completion of closure. When submitted as a completion report, this shall be accompanied by one copy of all electrical and radio-activity logs run on the well and a summary of all special tests conducted, including drill stem tests. All depths reported shall be measured depths. In the case of directionally drilled wells, true vertical depths shall also be reported. For multiple completions, items 11, 12 and 26-31 shall be reported for each zone.

[illegible]

No. 1, from.....	N/A	to.....	N/A	No. 3, from.....	N/A	to.....	N/A
No. 2, from.....	N/A	to.....	N/A	No. 4, from.....	N/A	to.....	N/A

Include data on rate of water inflow and elevation to which water rose in hole.

No. 1, from.....to.....feet.....
 No. 2, from.....to.....feet.....
 No. 3, from.....to.....feet.....

From	To	Thickness In Feet	Lithology

District I

1625 N. French Dr., Hobbs, NM 88240
Phone:(575) 393-6161 Fax:(575) 393-0720

District II

811 S. First St., Artesia, NM 88210
Phone:(575) 748-1283 Fax:(575) 748-9720

District III

1000 Rio Brazos Rd., Aztec, NM 87410
Phone:(505) 334-6178 Fax:(505) 334-6170

District IV

1220 S. St Francis Dr., Santa Fe, NM 87505
Phone:(505) 476-3470 Fax:(505) 476-3462

State of New Mexico
Energy, Minerals and Natural Resources
Oil Conservation Division
1220 S. St Francis Dr.
Santa Fe, NM 87505

ACKNOWLEDGMENTS

Action 33473

ACKNOWLEDGMENTS

Operator: DEVON ENERGY PRODUCTION COMPANY, LP 333 West Sheridan Ave. Oklahoma City, OK 73102	OGRID: 6137
	Action Number: 33473
	Action Type: [C-104] Completion Packet (C-104C)

ACKNOWLEDGMENTS

☒	I hereby certify that the required Water Use Report has been, or will be, submitted for this wells completion.
☒	I hereby certify that the required FracFocus disclosure has been, or will be, submitted for this wells completion.

District I
1625 N. French Dr., Hobbs, NM 88240
Phone:(575) 393-6161 Fax:(575) 393-0720
District II
811 S. First St., Artesia, NM 88210
Phone:(575) 748-1283 Fax:(575) 748-9720
District III
1000 Rio Brazos Rd., Aztec, NM 87410
Phone:(505) 334-6178 Fax:(505) 334-6170
District IV
1220 S. St Francis Dr., Santa Fe, NM 87505
Phone:(505) 476-3470 Fax:(505) 476-3462

State of New Mexico
Energy, Minerals and Natural Resources
Oil Conservation Division
1220 S. St Francis Dr.
Santa Fe, NM 87505

CONDITIONS

Action 33473

CONDITIONS

Operator: DEVON ENERGY PRODUCTION COMPANY, LP 333 West Sheridan Ave. Oklahoma City, OK 73102	OGRID: 6137
	Action Number: 33473
	Action Type: [C-104] Completion Packet (C-104C)

CONDITIONS

Created By	Condition	Condition Date
ksimmons	None	8/18/2021