

District I
1625 N. French Dr., Hobbs, NM 88240
District II
811 S. First St., Artesia, NM 88210
District III
1000 Rio Brazos Rd., Aztec, NM 87410
District IV
1220 S. St. Francis Dr., Santa Fe, NM 87505

State of New Mexico
Energy, Minerals & Natural Resources

Oil Conservation Division
1220 South St. Francis Dr.
Santa Fe, NM 87505

Form C-104
Revised August 1, 2011

Submit one copy to appropriate District Office

☐ AMENDED REPORT

I. REQUEST FOR ALLOWABLE AND AUTHORIZATION TO TRANSPORT

¹ Operator name and Address Devon Energy Production Company, L.P. 333 West Sheridan, Oklahoma City, OK 73102		² OGRID Number 6137
		³ Reason for Filing Code/ Effective Date NW / 5/25/21
⁴ API Number 30-025-46875	⁵ Pool Name WC-025 G-08 S243213C; Wolfcamp	⁶ Pool Code 98309
⁷ Property Code 39911	⁸ Property Name Bell Lake 24 Fed	⁹ Well Number 24H

II. ¹⁰ Surface Location

Ul or lot no.	Section	Township	Range	Lot Idn	Feet from the	North/South line	Feet from the	East/West line	County
O	24	24S	32E		178	South	1482	East	Lea

¹¹ Bottom Hole Location

UL or lot no.	Section	Township	Range	Lot Idn	Feet from the	North/South line	Feet from the	East/West line	County
A	24	24S	32E		33	North	1226	East	Lea
¹² Lse Code F	¹³ Producing Method Code F	¹⁴ Gas Connection Date 5/25/21	¹⁵ C-129 Permit Number	¹⁶ C-129 Effective Date	¹⁷ C-129 Expiration Date				

III. Oil and Gas Transporters

¹⁸ Transporter OGRID	¹⁹ Transporter Name and Address	²⁰ O/G/W
020445	Plains Marketing P.O. Box 4648 Houston, TX 77210	Oil
036785	DCP Midstream P.O. Box 50020 Midland, TX 79710-0020	Gas

IV. Well Completion Data

²¹ Spud Date 9/13/20	²² Ready Date 5/25/21	²³ TD 17350	²⁴ PBDT 17286	²⁵ Perforations 12565 - 17227	²⁶ DHC, MC
²⁷ Hole Size	²⁸ Casing & Tubing Size	²⁹ Depth Set	³⁰ Sacks Cement		
17.5	13.375	1209	930 sx CIC; Circ 410 sx		
9.875	8.625	11674	745 sx CIC; Circ 0sx		
7.875	5.5	17338	2060 sx CIH; Circ 260 sx		
	Tubing: 2.875	12075			

V. Well Test Data

³¹ Date New Oil 5/29/21	³² Gas Delivery Date 5/29/21	³³ Test Date 5/29/21	³⁴ Test Length 24 hrs	³⁵ Tbg. Pressure psi	³⁶ Csg. Pressure psi
³⁷ Choke Size	³⁸ Oil 1592 bbl	³⁹ Water 4320 bbl	⁴⁰ Gas 4749 mcf		⁴¹ Test Method
⁴² I hereby certify that the rules of the Oil Conservation Division have been complied with and that the information given above is true and complete to the best of my knowledge and belief. Signature: 			OIL CONSERVATION DIVISION		
Printed name: Rebecca Deal			Approved by: KURT SIMMONS		
Title: Regulatory Analyst			Title: NM OCD, SANTA FE		
E-mail Address: Rebecca.Deal@dmn.com			Approval Date: 08/18/2021		
Date: 6/22/2021		Phone: 405-228-8429			

DISTRICT I
1625 N. FRENCH DR., HOBBS, NM 88240
Phone: (575) 393-6161 Fax: (575) 393-0720

DISTRICT II
811 S. FIRST ST., ARTESIA, NM 88210
Phone: (575) 748-1283 Fax: (575) 748-9720

DISTRICT III
1000 RIO BRAZOS RD., AZTEC, NM 87410
Phone: (505) 334-6178 Fax: (505) 334-6170

DISTRICT IV
1220 S. ST. FRANCIS DR., SANTA FE, NM 87505
Phone: (505) 476-3460 Fax: (505) 476-3462

State of New Mexico
Energy, Minerals & Natural Resources Department
OIL CONSERVATION DIVISION
1220 SOUTH ST. FRANCIS DR.
Santa Fe, New Mexico 87505

Form C-102
Revised August 1, 2011
Submit one copy to appropriate
District Office

☒ AMENDED REPORT

WELL LOCATION AND ACREAGE DEDICATION PLAT

API Number 30-025-46875	Pool Code 98309	Pool Name WC-025 G-08 S243213C; WOLFCAMP
Property Code 39911	Property Name BELL LAKE 24 FED	Well Number 024H
OGRID No. 6137	Operator Name DEVON ENERGY PRODUCTION COMPANY, L.P.	Elevation 3551.0'


Surface Location

UL or lot No.	Section	Township	Range	Lot Idn	Feet from the	North/South line	Feet from the	East/West line	County
O	24	24-S	32-E		178	SOUTH	1482	EAST	LEA

Bottom Hole Location If Different From Surface

UL or lot No.	Section	Township	Range	Lot Idn	Feet from the	North/South line	Feet from the	East/West line	County
A	24	24-S	32-E		33	NORTH	1226	EAST	LEA
Dedicated Acres 160	Joint or Infill	Consolidation Code	Order No.						

NO ALLOWABLE WILL BE ASSIGNED TO THIS COMPLETION UNTIL ALL INTERESTS HAVE BEEN CONSOLIDATED
OR A NON-STANDARD UNIT HAS BEEN APPROVED BY THE DIVISION



BELL LAKE 24 FED 024H KICK OFF POINT
EL:3551.0'
LAT:32.196396
LON:103.624617
N:435905.76
E:760563.81

FIRST TAKE POINT
477' FSL 1299' FEL SEC 24
LAT:32.197218
LON:103.624102
N:436205.60
E:760721.16

LAST TAKE POINT
132' FNL 1233' FEL SEC 24
LAT:32.210077
LON:103.623799
N:440884.54
E:760784.18

Note: All bearings recited herein
are based on the New Mexico
State Plane Coordinate System,
NAD 83, New Mexico East Zone
3001, US Survey Feet, all
distances are grid.

BOTTOM OF HOLE
LAT:32.210351
LON:103.623774
N:440984.26
E:760791.14

OPERATOR CERTIFICATION

I hereby certify that the information herein is true and complete to the best of my knowledge and belief, and that this organization either owns a working interest or unleased mineral interest in the land including the proposed bottom hole location or has a right to drill this well at this location pursuant to a contract with an owner of such mineral or working interest, or to a voluntary pooling agreement or a compulsory pooling order heretofore entered by the division.

Rebecca Deal 6/22/2021
Signature Date

Rebecca Deal, Regulatory Analyst
Printed Name

Rebecca.deal@dvn.com
E-mail Address


SURVEYOR CERTIFICATION

I hereby certify that the well location shown on this plat was plotted from field notes of actual surveys made by me or under my supervision, and that the same is true and correct to the best of my belief.

10/26/2020

Date of Survey

Signature & Seal of Professional Surveyor



06/14/21

Certificate No. 22404 B.L. LAMAN

DRAWN BY: CM

Intent ☐ As Drilled ☐

API #		
Operator Name:	Property Name:	Well Number

Kick Off Point (KOP)

UL	Section	Township	Range	Lot	Feet	From N/S	Feet	From E/W	County
Latitude					Longitude				NAD

First Take Point (FTP)

UL	Section	Township	Range	Lot	Feet	From N/S	Feet	From E/W	County
Latitude					Longitude				NAD

Last Take Point (LTP)

UL	Section	Township	Range	Lot	Feet	From N/S	Feet	From E/W	County
Latitude					Longitude				NAD

Is this well the defining well for the Horizontal Spacing Unit? ☐Is this well an infill well? ☐

If infill is yes please provide API if available, Operator Name and well number for Defining well for Horizontal Spacing Unit.

API #		
Operator Name:	Property Name:	Well Number

KZ 06/29/2018



Final MWD Survey Certification

Lea County, New Mexico

Client: Devon Energy

Well Name: Bell Lake 24 Fed 24H

Total Job No: SW-200480

API No: 30-025-46875

Start Date: 9/13/2020

End Date: 10/26/2020

Measured Start Depth: 0 feet

Measured End Depth (PTB): 17,350 feet

I, Dustin Rowden, MWD Operator, hereby certify that; I am employed by Total Directional Services, LLC and we conducted or supervised the taking of these open hole MWD surveys at the request of this client. This data is true, correct, complete and within the limitations of the tool as set forth by Total Directional Services, LLC. I am authorized and qualified to make this report and have reviewed this report and find that it conforms to the principals and procedures as set forth by Total Directional Services, LLC.

Date: 10/27/2020

Signed: *Dustin Rowden*



Bell Lake 24 Fed 24H

Directional Survey Report

Start date: 9-13-2020

End date: 10-27-2020

Company: Devon Energy
Well Name: Bell Lake 24 Fed 24H
Field: Delaware Basin
Rig ID: H&P 269
API: 30-025-46875
Location: New Mexico

State/Prov: New Mexico
County: Lea
Country: USA
Declination: 6.26
North Reference: Grid
Latitude/Longitude: 32.196396 / -103.624617

Survey Company: Total Directional Services
Job Number: SW-200480
Proposed Azimuth: 359.68
Elevations KB: 3576
DF: 25
GL: 3551

Svy	Depth	Inc	Azm	TVD	NS	EW	VS	DLS	CL	A/B	L/R
TieIn	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00			
1	118.00	0.30	159.50	118.00	-0.29	0.11	-0.29	0.25	118.00		
2	179.00	0.20	145.50	179.00	-0.53	0.22	-0.53	0.19	61.00		
3	271.00	0.30	158.70	271.00	-0.88	0.40	-0.89	0.12	92.00		
4	362.00	0.30	161.30	362.00	-1.33	0.57	-1.33	0.01	91.00		
5	454.00	0.20	147.00	454.00	-1.69	0.73	-1.70	0.13	92.00		
6	545.00	0.30	131.60	545.00	-1.99	1.00	-1.99	0.13	91.00		
7	636.00	0.20	137.60	635.99	-2.26	1.28	-2.27	0.11	91.00		
8	726.00	0.20	102.40	725.99	-2.41	1.54	-2.42	0.13	90.00		
9	817.00	0.10	133.50	816.99	-2.50	1.75	-2.51	0.14	91.00		
10	908.00	0.30	131.20	907.99	-2.71	1.99	-2.72	0.22	91.00		
11	998.00	0.50	132.60	997.99	-3.13	2.46	-3.15	0.22	90.00		
12	1,088.00	0.50	138.50	1,087.99	-3.69	3.00	-3.71	0.06	90.00		
13	1,145.00	0.70	123.00	1,144.98	-4.07	3.46	-4.09	0.45	57.00		
14	1,241.00	0.80	108.80	1,240.98	-4.60	4.59	-4.63	0.22	96.00	OTL	OTL
15	1,332.00	2.50	150.70	1,331.94	-6.54	6.16	-6.57	2.17	91.00	1.27B	0.7L
16	1,424.00	4.30	156.80	1,423.77	-11.46	8.50	-11.51	1.99	92.00	2B	1.5L
17	1,519.00	4.50	162.60	1,518.49	-18.29	11.02	-18.35	0.51	95.00	1.5B	2L
18	1,614.00	4.10	171.80	1,613.23	-25.21	12.62	-25.28	0.84	95.00	OTL	2L
19	1,708.00	2.00	169.50	1,707.09	-30.15	13.40	-30.22	2.24	94.00	3A	1.5L
20	1,803.00	0.30	102.30	1,802.07	-31.83	13.94	-31.91	2.00	95.00	4B	2.5L
21	1,897.00	0.20	89.10	1,896.07	-31.88	14.35	-31.96	0.12	94.00	4B	3R
22	1,992.00	0.20	321.30	1,991.07	-31.75	14.41	-31.83	0.38	95.00	4B	3R
23	2,087.00	0.30	348.90	2,086.06	-31.37	14.26	-31.45	0.16	95.00	4B	3R
24	2,182.00	0.50	309.30	2,181.06	-30.87	13.89	-30.94	0.35	95.00	3B	3R
25	2,276.00	0.60	319.10	2,275.06	-30.24	13.25	-30.31	0.15	94.00	2.5B	2R
26	2,370.00	0.50	290.60	2,369.05	-29.72	12.54	-29.79	0.31	94.00	2B	1.5R
27	2,465.00	0.60	277.10	2,464.05	-29.51	11.66	-29.58	0.17	95.00	1.5B	.5R
28	2,559.00	0.90	275.20	2,558.04	-29.38	10.44	-29.44	0.32	94.00	1.5B	0.8L
29	2,654.00	1.10	264.80	2,653.03	-29.40	8.79	-29.45	0.28	95.00	2B	3L
30	2,749.00	1.00	270.00	2,748.01	-29.48	7.05	-29.52	0.15	95.00	2B	4L
31	2,843.00	1.00	258.80	2,842.00	-29.64	5.42	-29.67	0.21	94.00	2B	5.5L
32	2,938.00	1.20	259.00	2,936.98	-29.99	3.63	-30.01	0.21	95.00	2.5B	7.5L
33	3,033.00	1.00	250.20	3,031.96	-30.46	1.88	-30.47	0.27	95.00	3B	9L
34	3,127.00	1.10	248.80	3,125.95	-31.07	0.26	-31.07	0.11	94.00	3.5B	11L
35	3,222.00	1.30	234.40	3,220.93	-32.02	-1.46	-32.01	0.38	95.00	4.5B	12.5L
36	3,317.00	1.20	234.70	3,315.90	-33.23	-3.15	-33.21	0.11	95.00	6B	14L
37	3,411.00	1.20	226.30	3,409.88	-34.47	-4.66	-34.45	0.19	94.00	7B	15L
38	3,506.00	1.50	234.70	3,504.86	-35.88	-6.40	-35.84	0.38	95.00	9B	17L
39	3,601.00	0.20	151.20	3,599.84	-36.74	-7.33	-36.70	1.57	95.00	10B	18L
40	3,696.00	0.40	75.00	3,694.84	-36.80	-6.93	-36.76	0.42	95.00	10B	18L
41	3,790.00	0.80	62.80	3,788.84	-36.42	-6.03	-36.38	0.44	94.00	8.5B	17L
42	3,885.00	0.40	57.90	3,883.83	-35.94	-5.16	-35.91	0.42	95.00	8B	16L
43	3,980.00	0.30	18.90	3,978.83	-35.53	-4.80	-35.50	0.27	95.00	7.5B	16L
44	4,074.00	0.30	282.80	4,072.83	-35.24	-4.96	-35.21	0.47	94.00	7B	16L
45	4,169.00	0.40	240.80	4,167.83	-35.35	-5.49	-35.32	0.28	95.00	7.5B	16.5L
46	4,264.00	0.90	131.90	4,262.82	-36.01	-5.23	-35.98	1.15	95.00	8B	16L
47	4,359.00	1.50	139.90	4,357.80	-37.46	-3.87	-37.43	0.65	95.00	9.5B	15L
48	4,453.00	1.80	143.70	4,451.76	-39.59	-2.20	-39.57	0.34	94.00	12B	13L
49	4,548.00	2.00	137.30	4,546.71	-42.01	-0.20	-42.01	0.31	95.00	14B	11L

Svy	Depth	Inc	Azm	TVD	NS	EW	VS	DLS	CL	A/B	L/R
50	4,643.00	2.20	131.10	4,641.65	-44.43	2.30	-44.44	0.32	95.00	16B	9L
51	4,737.00	2.60	134.10	4,735.57	-47.09	5.19	-47.12	0.45	94.00	19B	6L
52	4,832.00	1.80	86.30	4,830.50	-48.50	8.23	-48.54	2.03	95.00	20B	3L
53	4,927.00	1.70	78.70	4,925.46	-48.13	11.10	-48.19	0.27	95.00	20B	OTL
54	5,021.00	1.40	72.00	5,019.42	-47.50	13.56	-47.57	0.37	94.00	19B	2R
55	5,116.00	3.20	77.30	5,114.34	-46.56	17.25	-46.65	1.91	95.00	11A	14R
56	5,211.00	4.70	86.80	5,209.12	-45.76	23.72	-45.89	1.72	95.00	13A	11R
57	5,306.00	4.80	89.10	5,303.79	-45.48	31.58	-45.65	0.23	95.00	12.5A	7.5R
58	5,400.00	5.00	94.80	5,397.45	-45.76	39.60	-45.98	0.56	94.00	11.5A	4.5R
59	5,495.00	4.90	96.10	5,492.09	-46.53	47.76	-46.80	0.16	95.00	11A	2R
60	5,590.00	4.90	97.90	5,586.75	-47.52	55.81	-47.83	0.16	95.00	10.5A	OTL
61	5,685.00	5.00	98.50	5,681.39	-48.69	63.92	-49.05	0.12	95.00	10A	3L
62	5,780.00	4.70	100.20	5,776.05	-49.99	71.85	-50.39	0.35	95.00	10A	5L
63	5,874.00	4.60	98.20	5,869.74	-51.21	79.37	-51.66	0.20	94.00	9A	7L
64	5,969.00	4.40	95.50	5,964.45	-52.11	86.77	-52.59	0.31	95.00	8A	9L
65	6,064.00	3.60	103.00	6,059.22	-53.13	93.30	-53.65	1.00	95.00	6A	11L
66	6,158.00	4.40	116.00	6,152.99	-55.37	99.42	-55.93	1.28	94.00	4A	11L
67	6,253.00	4.80	116.30	6,247.68	-58.73	106.26	-59.32	0.42	95.00	3A	11L
68	6,348.00	4.60	114.70	6,342.36	-62.08	113.28	-62.71	0.25	95.00	3A	11L
69	6,442.00	4.40	117.10	6,436.07	-65.30	119.91	-65.97	0.29	94.00	2A	11L
70	6,537.00	4.30	116.20	6,530.80	-68.53	126.35	-69.24	0.13	95.00	1A	10L
71	6,632.00	3.50	113.80	6,625.58	-71.28	132.20	-72.01	0.86	95.00	1B	10L
72	6,727.00	4.00	114.30	6,720.38	-73.81	137.88	-74.58	0.53	95.00	3B	10L
73	6,822.00	4.60	107.90	6,815.11	-76.34	144.52	-77.15	0.81	95.00	4B	10L
74	6,917.00	4.60	107.40	6,909.80	-78.65	151.78	-79.50	0.04	95.00	5B	12L
75	7,012.00	4.60	108.80	7,004.50	-81.02	159.02	-81.91	0.12	95.00	5B	12L
76	7,106.00	4.60	106.30	7,098.19	-83.29	166.21	-84.22	0.21	94.00	6B	13L
77	7,201.00	4.60	106.60	7,192.89	-85.45	173.52	-86.42	0.03	95.00	7B	14L
78	7,296.00	4.30	105.50	7,287.60	-87.49	180.60	-88.50	0.33	95.00	8B	15L
79	7,391.00	4.20	107.20	7,382.34	-89.47	187.35	-90.52	0.17	95.00	9B	16L
80	7,486.00	4.10	110.10	7,477.09	-91.67	193.87	-92.75	0.24	95.00	11B	17L
81	7,581.00	4.20	107.30	7,571.84	-93.87	200.38	-94.99	0.24	95.00	12B	18L
82	7,675.00	4.00	109.20	7,665.60	-95.97	206.76	-97.12	0.26	94.00	13B	19L
83	7,770.00	3.70	108.10	7,760.39	-98.01	212.80	-99.20	0.33	95.00	15B	19L
84	7,865.00	2.70	118.10	7,855.24	-100.02	217.69	-101.23	1.20	95.00	17B	19L
85	7,960.00	2.20	120.90	7,950.15	-102.01	221.23	-103.24	0.54	95.00	16B	19L
86	8,054.00	1.50	137.70	8,044.10	-103.85	223.60	-105.09	0.93	94.00	22A	4.5L
87	8,149.00	1.40	139.10	8,139.07	-105.64	225.20	-106.90	0.11	95.00	20A	3L
88	8,244.00	1.30	137.70	8,234.05	-107.32	226.69	-108.58	0.11	95.00	19A	2L
89	8,339.00	1.30	146.60	8,329.02	-109.01	228.00	-110.29	0.21	95.00	17A	OTL
90	8,433.00	1.00	161.20	8,423.00	-110.68	228.86	-111.96	0.44	94.00	15A	1R
91	8,528.00	1.00	178.30	8,517.99	-112.29	229.15	-113.57	0.31	95.00	14A	1R
92	8,623.00	1.00	187.70	8,612.97	-113.94	229.06	-115.22	0.17	95.00	12A	1R
93	8,717.00	0.90	200.50	8,706.96	-115.45	228.69	-116.72	0.25	94.00	10A	OTL
94	8,812.00	1.00	205.70	8,801.95	-116.89	228.07	-118.17	0.14	95.00	9A	OTL
95	8,907.00	1.10	215.30	8,896.93	-118.39	227.19	-119.65	0.21	95.00	7.5A	1L
96	9,002.00	1.30	227.60	8,991.91	-119.86	225.86	-121.12	0.34	95.00	6A	2L
97	9,096.00	1.50	239.50	9,085.88	-121.20	224.02	-122.45	0.37	94.00	5A	4L
98	9,191.00	1.50	265.80	9,180.85	-121.92	221.70	-123.16	0.72	95.00	4A	6L
99	9,286.00	1.40	261.00	9,275.82	-122.19	219.32	-123.42	0.17	95.00	4A	9L
100	9,381.00	1.50	270.70	9,370.79	-122.36	216.93	-123.57	0.28	95.00	4A	11L
101	9,476.00	1.40	285.80	9,465.76	-122.03	214.57	-123.23	0.41	95.00	4A	14L
102	9,570.00	1.60	283.40	9,559.73	-121.41	212.19	-122.60	0.22	94.00	5A	16L
103	9,665.00	1.40	272.10	9,654.70	-121.06	209.74	-122.23	0.37	95.00	5A	18L
104	9,759.00	1.90	257.70	9,748.66	-121.35	207.07	-122.51	0.69	94.00	5A	21L
105	9,854.00	1.90	249.90	9,843.61	-122.23	204.05	-123.37	0.27	95.00	4A	24L
106	9,949.00	1.70	245.20	9,938.56	-123.36	201.29	-124.48	0.26	95.00	3A	27L
107	10,043.00	1.60	235.80	10,032.52	-124.68	198.94	-125.79	0.31	94.00	2A	29L
108	10,138.00	0.40	172.00	10,127.51	-125.76	197.89	-126.86	1.55	95.00	OTL	30L
109	10,233.00	0.40	127.40	10,222.50	-126.29	198.20	-127.39	0.32	95.00	OTL	30L
110	10,328.00	0.20	122.00	10,317.50	-126.58	198.60	-127.68	0.21	95.00	OTL	30L
111	10,422.00	0.10	329.20	10,411.50	-126.59	198.70	-127.70	0.31	94.00	OTL	29.5L
112	10,517.00	0.30	306.90	10,506.50	-126.37	198.46	-127.48	0.22	95.00	OTL	30L
113	10,612.00	0.10	310.40	10,601.50	-126.17	198.20	-127.28	0.21	95.00	OTL	30L
114	10,706.00	0.10	348.40	10,695.50	-126.04	198.12	-127.14	0.07	94.00	OTL	30L

Svy	Depth	Inc	Azm	TVD	NS	EW	VS	DLS	CL	A/B	L/R
115	10,801.00	0.20	311.30	10,790.50	-125.85	197.98	-126.95	0.14	95.00	OTL	30L
116	10,896.00	0.30	79.00	10,885.50	-125.69	198.10	-126.79	0.47	95.00	OTL	30L
117	10,990.00	0.10	53.50	10,979.50	-125.59	198.40	-126.70	0.23	94.00	1A	30L
118	11,085.00	0.10	308.60	11,074.50	-125.49	198.41	-126.60	0.17	95.00	1A	30L
119	11,179.00	0.30	232.00	11,168.50	-125.59	198.15	-126.70	0.31	94.00	1A	30L
120	11,274.00	0.90	253.90	11,263.49	-125.95	197.23	-127.05	0.66	95.00	OTL	31L
121	11,369.00	1.30	264.00	11,358.48	-126.27	195.45	-127.36	0.47	95.00	OTL	32L
122	11,464.00	1.80	265.40	11,453.44	-126.50	192.89	-127.58	0.53	95.00	OTL	35L
123	11,559.00	2.50	250.70	11,548.37	-127.31	189.44	-128.37	0.93	95.00	1B	39L
124	11,635.00	3.00	244.40	11,624.29	-128.72	186.09	-129.75	0.77	76.00	2B	42L
125	11,692.00	3.00	245.10	11,681.21	-129.99	183.39	-131.01	0.06	57.00	OTL	OTL
126	11,787.00	2.70	250.10	11,776.09	-131.80	179.03	-132.79	0.41	95.00	OTL	OTL
127	11,881.00	3.50	275.30	11,869.96	-132.29	174.09	-133.26	1.66	94.00	1A	1R
128	11,976.00	13.30	359.40	11,964.02	-121.04	171.07	-121.99	14.10	95.00	1A	1L
129	12,071.00	24.60	356.10	12,053.73	-90.28	169.61	-91.23	11.94	95.00	1.5A	1L
130	12,166.00	38.00	355.70	12,134.72	-41.17	166.06	-42.10	14.11	95.00	4A	6L
131	12,261.00	48.90	353.90	12,203.59	23.78	160.04	22.89	11.55	95.00	6A	15L
132	12,355.00	60.70	357.70	12,257.69	100.24	154.61	99.38	12.98	94.00	9.5A	26L
133	12,450.00	72.80	3.30	12,295.14	187.31	155.57	186.44	13.83	95.00	13.5A	33L
134	12,545.00	82.20	359.00	12,315.69	279.92	157.36	279.03	10.83	95.00	16A	43L
135	12,639.00	89.10	0.10	12,322.82	373.58	156.63	372.70	7.43	94.00	14A	50L
136	12,734.00	90.70	1.70	12,322.98	468.57	158.12	467.68	2.38	95.00	14A	56L
137	12,829.00	88.60	6.00	12,323.56	563.32	164.50	562.39	5.04	95.00	13.5A	54L
138	12,923.00	88.00	6.30	12,326.35	656.74	174.56	655.75	0.71	94.00	11A	45L
139	13,017.00	88.00	4.40	12,329.63	750.27	183.32	749.23	2.02	94.00	7.5A	35L
140	13,112.00	89.10	3.90	12,332.04	844.99	190.20	843.91	1.27	95.00	5A	28L
141	13,207.00	88.80	4.10	12,333.78	939.74	196.82	938.63	0.38	95.00	OTL	OTL
142	13,302.00	86.90	2.70	12,337.34	1,034.50	202.45	1,033.35	2.48	95.00	OTL	OTL
143	13,396.00	88.00	2.60	12,341.52	1,128.30	206.79	1,127.13	1.18	94.00	1A	1L
144	13,491.00	89.10	3.00	12,343.93	1,223.16	211.43	1,221.96	1.23	95.00	3A	1L
145	13,586.00	86.90	2.60	12,347.24	1,317.98	216.07	1,316.75	2.35	95.00	2A	1R
146	13,681.00	86.50	1.70	12,352.71	1,412.76	219.63	1,411.51	1.04	95.00	2.5B	4.5R
147	13,776.00	89.40	1.20	12,356.11	1,507.65	222.03	1,506.39	3.10	95.00	6B	7R
148	13,871.00	91.40	1.10	12,355.45	1,602.63	223.94	1,601.35	2.11	95.00	5B	10R
149	13,966.00	93.20	1.20	12,351.63	1,697.53	225.84	1,696.24	1.90	95.00	1.5B	12R
150	14,061.00	93.70	1.90	12,345.92	1,792.32	228.41	1,791.02	0.90	95.00	4A	15R
151	14,155.00	92.10	359.80	12,341.16	1,886.18	229.80	1,884.87	2.81	94.00	9A	17R
152	14,251.00	91.60	1.10	12,338.06	1,982.13	230.55	1,980.81	1.45	96.00	12A	18R
153	14,345.00	91.10	1.40	12,335.85	2,076.08	232.60	2,074.75	0.62	94.00	14A	20R
154	14,440.00	89.60	1.30	12,335.27	2,171.05	234.84	2,169.70	1.58	95.00	15A	23R
155	14,535.00	90.10	1.40	12,335.52	2,266.02	237.08	2,264.66	0.54	95.00	14.5A	25R
156	14,630.00	90.50	1.00	12,335.02	2,361.00	239.07	2,359.63	0.60	95.00	15A	28R
157	14,724.00	88.50	359.80	12,335.84	2,454.99	239.72	2,453.61	2.48	94.00	14A	29R
158	14,819.00	89.10	359.80	12,337.83	2,549.96	239.39	2,548.59	0.63	95.00	12A	29R
159	14,914.00	88.60	0.30	12,339.73	2,644.94	239.48	2,643.56	0.74	95.00	10A	30R
160	15,009.00	86.60	358.70	12,343.71	2,739.85	238.65	2,738.47	2.70	95.00	6A	30R
161	15,104.00	88.30	359.20	12,347.94	2,834.73	236.91	2,833.37	1.87	95.00	2A	28R
162	15,199.00	89.90	359.00	12,349.43	2,929.71	235.42	2,928.35	1.70	95.00	1A	27R
163	15,294.00	89.80	358.20	12,349.68	3,024.68	233.10	3,023.33	0.85	95.00	0.5A	25R
164	15,389.00	91.30	358.30	12,348.77	3,119.63	230.20	3,118.29	1.58	95.00	1A	23R
165	15,483.00	90.40	357.10	12,347.37	3,213.54	226.42	3,212.22	1.60	94.00	2.5A	19R
166	15,578.00	89.50	358.40	12,347.46	3,308.46	222.69	3,307.17	1.66	95.00	2.5A	16R
167	15,673.00	91.20	358.10	12,346.88	3,403.41	219.79	3,402.13	1.82	95.00	3A	14R
168	15,768.00	89.60	357.30	12,346.21	3,498.33	215.98	3,497.07	1.88	95.00	4A	10R
169	15,863.00	90.60	358.30	12,346.05	3,593.26	212.33	3,592.02	1.49	95.00	4A	7R
170	15,958.00	90.60	357.60	12,345.05	3,688.19	208.94	3,686.97	0.74	95.00	5A	4R
171	16,052.00	89.90	357.50	12,344.64	3,782.10	204.92	3,780.90	0.75	94.00	5A	OTL
172	16,147.00	89.90	356.80	12,344.81	3,876.99	200.19	3,875.81	0.74	95.00	5A	4L
173	16,242.00	91.40	356.90	12,343.73	3,971.83	194.97	3,970.68	1.58	95.00	6A	9L
174	16,337.00	90.80	358.40	12,341.91	4,066.73	191.08	4,065.60	1.70	95.00	8A	12L
175	16,432.00	91.80	359.90	12,339.75	4,161.69	189.67	4,160.57	1.90	95.00	10A	13L
176	16,527.00	90.50	0.40	12,337.84	4,256.67	189.92	4,255.54	1.47	95.00	12A	13L
177	16,622.00	91.30	2.00	12,336.35	4,351.64	191.91	4,350.50	1.88	95.00	13A	10L
178	16,717.00	91.70	2.20	12,333.87	4,446.54	195.39	4,445.38	0.47	95.00	16A	6L
179	16,811.00	91.30	2.70	12,331.41	4,540.42	199.41	4,539.24	0.68	94.00	18A	2L

Svy	Depth	Inc	Azm	TVD	NS	EW	VS	DLS	CL	A/B	L/R
180	16,906.00	88.90	1.80	12,331.24	4,635.34	203.14	4,634.13	2.70	95.00	19A	2R
181	17,001.00	89.10	2.50	12,332.90	4,730.26	206.70	4,729.03	0.77	95.00	17A	6R
182	17,096.00	89.30	2.80	12,334.22	4,825.15	211.09	4,823.89	0.38	95.00	16A	11R
183	17,191.00	88.90	3.50	12,335.72	4,919.99	216.31	4,918.70	0.85	95.00	14A	17R
184	17,286.00	88.80	4.10	12,337.62	5,014.76	222.60	5,013.44	0.64	95.00	12A	23R
185	17,293.00	88.80	4.10	12,337.77	5,021.74	223.11	5,020.42	0.00	7.00	12A	24R
PTB	17,350.00	88.80	4.10	12,338.96	5,078.58	227.18	5,077.24	0.00	57.00		

Submit 1 Copy To Appropriate District Office
 District I – (575) 393-6161
 1625 N. French Dr., Hobbs, NM 88240
 District II – (575) 748-1283
 811 S. First St., Artesia, NM 88210
 District III – (505) 334-6178
 1000 Rio Brazos Rd., Aztec, NM 87410
 District IV – (505) 476-3460
 1220 S. St. Francis Dr., Santa Fe, NM 87505

State of New Mexico
 Energy, Minerals and Natural Resources

OIL CONSERVATION DIVISION
 1220 South St. Francis Dr.
 Santa Fe, NM 87505

Form C-103
 Revised August 1, 2011

WELL API NO.	30-025-46875
5. Indicate Type of Lease STATE ☐ FEE ☐	
6. State Oil & Gas Lease No.	
7. Lease Name or Unit Agreement Name	Bell Lake 24 Fed
8. Well Number	24H
9. OGRID Number	6137
10. Pool name or Wildcat	WC-025 G-08 S243213C; Wolfcamp

SUNDRY NOTICES AND REPORTS ON WELLS (DO NOT USE THIS FORM FOR PROPOSALS TO DRILL OR TO DEEPEN OR PLUG BACK TO A DIFFERENT RESERVOIR. USE "APPLICATION FOR PERMIT" (FORM C-101) FOR SUCH PROPOSALS.) 1. Type of Well: Oil Well ☒ Gas Well ☐ Other ☐ 2. Name of Operator Devon Energy Production Company, L.P. 3. Address of Operator 333 West Sheridan, Oklahoma City, OK 73102 4. Well Location Unit Letter <u>O</u> : <u>178</u> feet from the <u>South</u> line and <u>1482</u> feet from the <u>East</u> line Section <u>24</u> Township <u>24S</u> Range <u>32E</u> NMPM County <u>Lea</u> 11. Elevation (Show whether DR, RKB, RT, GR, etc.) GL: 3551'	
---	--

12. Check Appropriate Box to Indicate Nature of Notice, Report or Other Data

NOTICE OF INTENTION TO: PERFORM REMEDIAL WORK ☐ PLUG AND ABANDON ☐ TEMPORARILY ABANDON ☐ CHANGE PLANS ☐ PULL OR ALTER CASING ☐ MULTIPLE COMPL ☐ DOWNHOLE COMMINGLE ☐ OTHER: ☐	SUBSEQUENT REPORT OF: REMEDIAL WORK ☐ ALTERING CASING ☐ COMMENCE DRILLING OPNS. ☐ P AND A ☐ CASING/CEMENT JOB ☐ OTHER: Completion ☒
---	---

13. Describe proposed or completed operations. (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work). SEE RULE 19.15.7.14 NMAC. For Multiple Completions: Attach wellbore diagram of proposed completion or recompletion.

2/11/2021 - 5/25/2021: MIRU WL & PT. PT csg for 30min, OK. TOC to surf. No logs ran. TIH w/pump through frac plug and guns. Perf Wolfcamp, 12,565'-17,227'. Frac totals 11,602,618# prop, 40 bbl acid. ND frac, MIRU PU, NU BOP, DO plugs & CO to PBTD 17,286'. CHC, FWB, ND BOP. RIH w/ 362 jts 2-7/8" L-80 tbg, set @ 12,075'. TOP

I hereby certify that the information above is true and complete to the best of my knowledge and belief.

SIGNATURE Rebecca Deal TITLE Regulatory Analyst DATE 6/22/2021

Type or print name Rebecca Deal E-mail address: Rebecca.Deal@dmn.com PHONE: 405-228-8429
For State Use Only

APPROVED BY: _____ TITLE _____ DATE _____
 Conditions of Approval (if any): _____

Submit To Appropriate District Office Two Copies District I 1625 N. French Dr., Hobbs, NM 88240 District II 811 S. First St., Artesia, NM 88210 District III 1000 Rio Brazos Rd., Aztec, NM 87410 District IV 1220 S. St. Francis Dr., Santa Fe, NM 87505		State of New Mexico Energy, Minerals and Natural Resources Oil Conservation Division 1220 South St. Francis Dr. Santa Fe, NM 87505				Form C-105 Revised August 1, 2011				
		1. WELL API NO. 30-025-46875								
		2. Type of Lease ☐ STATE ☐ FEE ☒ FED/INDIAN								
		3. State Oil & Gas Lease No.								
WELL COMPLETION OR RECOMPLETION REPORT AND LOG										
4. Reason for filing: ☒ COMPLETION REPORT (Fill in boxes #1 through #31 for State and Fee wells only) ☐ C-144 CLOSURE ATTACHMENT (Fill in boxes #1 through #9, #15 Date Rig Released and #32 and/or #33; attach this and the plat to the C-144 closure report in accordance with 19.15.17.13.K NMAC)						5. Lease Name or Unit Agreement Name Bell Lake 24 Fed				
						6. Well Number: 24H				
7. Type of Completion: ☒ NEW WELL ☐ WORKOVER ☐ DEEPENING ☐ PLUGBACK ☐ DIFFERENT RESERVOIR ☐ OTHER										
8. Name of Operator Devon Energy Production Company, L.P.						9. OGRID 6137				
10. Address of Operator 333 West Sheridan Avenue, Oklahoma City, OK 73102						11. Pool name or Wildcat WC-025 G-08 S243213C; Wolfcamp				
12. Location	Unit Ltr	Section	Township	Range	Lot	Feet from the	N/S Line	Feet from the	E/W Line	County
Surface:	O	24	24S	32E		178	South	1482	East	Lea
BH:	A	24	24S	32E		33	North	1226	East	Lea
13. Date Spudded 9/13/20	14. Date T.D. Reached 10/26/20	15. Date Rig Released 10/29/20		16. Date Completed (Ready to Produce) 5/25/21		17. Elevations (DF and RKB, RT, GR, etc.) 3551' GL				
18. Total Measured Depth of Well 17350 MD, 12339 TVD		19. Plug Back Measured Depth 17286		20. Was Directional Survey Made? Yes		21. Type Electric and Other Logs Run				
22. Producing Interval(s), of this completion - Top, Bottom, Name 12565-17227, Wolfcamp										
23. CASING RECORD (Report all strings set in well)										
CASING SIZE		WEIGHT LB./FT.		DEPTH SET		HOLE SIZE		CEMENTING RECORD		AMOUNT PULLED
13.375		54.5		1209		17.5		930 sx CIC; circ 410 sx		
8.625		32		11674		9.875		745 sx CIC; circ 0sx		
5.5		20		17338		7.875		2060 sx CH; circ 260 sx		
24. LINER RECORD										
SIZE	TOP	BOTTOM	SACKS CEMENT	SCREEN						
				2.875 L-80						
25. TUBING RECORD										
SIZE	DEPTH SET	PACKER SET								
	12075									
26. Perforation record (interval, size, and number) 12565 - 17227, total 694 holes						27. ACID, SHOT, FRACTURE, CEMENT, SQUEEZE, ETC. DEPTH INTERVAL AMOUNT AND KIND MATERIAL USED 12565-17227 Acidize and frac in 24 stages. See detailed summary attached.				
28. PRODUCTION										
Date First Production 5/25/21		Production Method (Flowing, gas lift, pumping - Size and type pump) Flowing				Well Status (Prod. or Shut-in) Producing				
Date of Test 5/29/21	Hours Tested 24	Choke Size	Prod'n For Test Period	Oil - Bbl 1592	Gas - MCF 4749	Water - Bbl. 4320	Gas - Oil Ratio 2983.04			
Flow Tubing Press. psi	Casing Pressure psi	Calculated 24-Hour Rate	Oil - Bbl.	Gas - MCF	Water - Bbl.	Oil Gravity - API - (Corr.)				
29. Disposition of Gas (Sold, used for fuel, vented, etc.) Sold						30. Test Witnessed By				
31. List Attachments Directional Survey, Logs										
32. If a temporary pit was used at the well, attach a plat with the location of the temporary pit.										
33. If an on-site burial was used at the well, report the exact location of the on-site burial:										
Latitude			Longitude			NAD 1927 1983				
I hereby certify that the information shown on both sides of this form is true and complete to the best of my knowledge and belief										
Signature Rebecca Deal		Printed Name Rebecca Deal		Title Regulatory Analyst		Date 6/22/2021				
E-mail Address Rebecca.Deal@dm.com										

This form is to be filed with the appropriate District Office of the Division not later than 20 days after the completion of any newly-drilled or deepened well and not later than 60 days after completion of closure. When submitted as a completion report, this shall be accompanied by one copy of all electrical and radio-activity logs run on the well and a summary of all special tests conducted, including drill stem tests. All depths reported shall be measured depths. In the case of directionally drilled wells, true vertical depths shall also be reported. For multiple completions, items 11, 12 and 26-31 shall be reported for each zone.

[illegible]

No. 1, from.....	N/A	to.....	N/A	No. 3, from.....	N/A	to.....	N/A
No. 2, from.....	N/A	to.....	N/A	No. 4, from.....	N/A	to.....	N/A

Include data on rate of water inflow and elevation to which water rose in hole.

No. 1, from.....to.....feet.....
 No. 2, from.....to.....feet.....
 No. 3, from.....to.....feet.....

From	To	Thickness In Feet	Lithology

District I

1625 N. French Dr., Hobbs, NM 88240
Phone:(575) 393-6161 Fax:(575) 393-0720

District II

811 S. First St., Artesia, NM 88210
Phone:(575) 748-1283 Fax:(575) 748-9720

District III

1000 Rio Brazos Rd., Aztec, NM 87410
Phone:(505) 334-6178 Fax:(505) 334-6170

District IV

1220 S. St Francis Dr., Santa Fe, NM 87505
Phone:(505) 476-3470 Fax:(505) 476-3462

State of New Mexico
Energy, Minerals and Natural Resources
Oil Conservation Division
1220 S. St Francis Dr.
Santa Fe, NM 87505

ACKNOWLEDGMENTS

Action 33495

ACKNOWLEDGMENTS

Operator: DEVON ENERGY PRODUCTION COMPANY, LP 333 West Sheridan Ave. Oklahoma City, OK 73102	OGRID: 6137
	Action Number: 33495
	Action Type: [C-104] Completion Packet (C-104C)

ACKNOWLEDGMENTS

☒	I hereby certify that the required Water Use Report has been, or will be, submitted for this wells completion.
☒	I hereby certify that the required FracFocus disclosure has been, or will be, submitted for this wells completion.

District I
1625 N. French Dr., Hobbs, NM 88240
Phone:(575) 393-6161 Fax:(575) 393-0720

District II
811 S. First St., Artesia, NM 88210
Phone:(575) 748-1283 Fax:(575) 748-9720

District III
1000 Rio Brazos Rd., Aztec, NM 87410
Phone:(505) 334-6178 Fax:(505) 334-6170

District IV
1220 S. St Francis Dr., Santa Fe, NM 87505
Phone:(505) 476-3470 Fax:(505) 476-3462

State of New Mexico
Energy, Minerals and Natural Resources
Oil Conservation Division
1220 S. St Francis Dr.
Santa Fe, NM 87505

CONDITIONS

Action 33495

CONDITIONS

Operator: DEVON ENERGY PRODUCTION COMPANY, LP 333 West Sheridan Ave. Oklahoma City, OK 73102	OGRID: 6137
	Action Number: 33495
	Action Type: [C-104] Completion Packet (C-104C)

CONDITIONS

Created By	Condition	Condition Date
ksimmons	None	8/18/2021