

District I
1625 N. French Dr., Hobbs, NM 88240
District II
811 S. First St., Artesia, NM 88210
District III
1000 Rio Brazos Rd., Aztec, NM 87410
District IV
1220 S. St. Francis Dr., Santa Fe, NM 87505

State of New Mexico
Energy, Minerals & Natural Resources

Oil Conservation Division
1220 South St. Francis Dr.
Santa Fe, NM 87505

Form C-104
Revised August 1, 2011

Submit one copy to appropriate District Office

☐ AMENDED REPORT

I. REQUEST FOR ALLOWABLE AND AUTHORIZATION TO TRANSPORT

¹ Operator name and Address Devon Energy Production Company, L.P. 333 West Sheridan, Oklahoma City, OK 73102		² OGRID Number 6137
		³ Reason for Filing Code/ Effective Date NW / 5/25/21
⁴ API Number 30-025-46876	⁵ Pool Name WC-025 G-08 S243213C; Wolfcamp	⁶ Pool Code 98309
⁷ Property Code 39911	⁸ Property Name Bell Lake 24 Fed	⁹ Well Number 25H

II. ¹⁰ Surface Location

Ul or lot no.	Section	Township	Range	Lot Idn	Feet from the	North/South line	Feet from the	East/West line	County
O	24	24S	32E		178	South	1452	East	Lea

¹¹ Bottom Hole Location

UL or lot no.	Section	Township	Range	Lot Idn	Feet from the	North/South line	Feet from the	East/West line	County
A	24	24S	32E		29	North	377	East	Lea
¹² Lse Code F	¹³ Producing Method Code F	¹⁴ Gas Connection Date 5/25/21	¹⁵ C-129 Permit Number	¹⁶ C-129 Effective Date	¹⁷ C-129 Expiration Date				


III. Oil and Gas Transporters

¹⁸ Transporter OGRID	¹⁹ Transporter Name and Address	²⁰ O/G/W
020445	Plains Marketing P.O. Box 4648 Houston, TX 77210	Oil
036785	DCP Midstream P.O. Box 50020 Midland, TX 79710-0020	Gas

IV. Well Completion Data

²¹ Spud Date 9/14/20	²² Ready Date 5/25/21	²³ TD 17633	²⁴ PBDT 17568	²⁵ Perforations 12800 - 17506	²⁶ DHC, MC
²⁷ Hole Size	²⁸ Casing & Tubing Size	²⁹ Depth Set	³⁰ Sacks Cement		
17.5	13.375	1209	930 sx CIC; Circ 410 sx		
9.875	8.625	11670	735 sx CIC; Circ 0sx		
7.875	5.5	17619	2060 sx CIH; Circ 930 sx		
	Tubing: 2.875	12402			

V. Well Test Data

³¹ Date New Oil 5/29/21	³² Gas Delivery Date 5/29/21	³³ Test Date 5/29/21	³⁴ Test Length 24 hrs	³⁵ Tbg. Pressure psi	³⁶ Csg. Pressure psi
³⁷ Choke Size	³⁸ Oil 1719 bbl	³⁹ Water 2819 bbl	⁴⁰ Gas 5013 mcf		⁴¹ Test Method
⁴² I hereby certify that the rules of the Oil Conservation Division have been complied with and that the information given above is true and complete to the best of my knowledge and belief. Signature: 			OIL CONSERVATION DIVISION		
Printed name: Rebecca Deal			Approved by: KURT SIMMONS		
Title: Regulatory Analyst			Title: NMOC, SANTA FE		
E-mail Address: Rebecca.Deal@dmn.com			Approval Date: 08/18/2021		
Date: 6/22/2021		Phone: 405-228-8429			

DISTRICT I
1625 N. FRENCH DR., HOBBS, NM 88240
Phone: (575) 393-6161 Fax: (575) 393-0720

DISTRICT II
811 S. FIRST ST., ARTESIA, NM 88210
Phone: (575) 748-1283 Fax: (575) 748-9720

DISTRICT III
1000 RIO BRAZOS RD., AZTEC, NM 87410
Phone: (505) 334-6178 Fax: (505) 334-6170

DISTRICT IV
1220 S. ST. FRANCIS DR., SANTA FE, NM 87505
Phone: (505) 476-3460 Fax: (505) 476-3462

State of New Mexico
Energy, Minerals & Natural Resources Department
OIL CONSERVATION DIVISION
1220 SOUTH ST. FRANCIS DR.
Santa Fe, New Mexico 87505

Form C-102
Revised August 1, 2011
Submit one copy to appropriate
District Office

☒ AMENDED REPORT

WELL LOCATION AND ACREAGE DEDICATION PLAT

API Number 30-025-46876	Pool Code 98309	Pool Name WC-025 G-08 S243213C; WOLFCAMP
Property Code 39911	Property Name BELL LAKE 24 FED	Well Number 025H
OGRID No. 6137	Operator Name DEVON ENERGY PRODUCTION COMPANY, L.P.	Elevation 3550.8'

Surface Location


UL or lot No.	Section	Township	Range	Lot Idn	Feet from the	North/South line	Feet from the	East/West line	County
O	24	24-S	32-E		178	SOUTH	1452	EAST	LEA

Bottom Hole Location If Different From Surface

UL or lot No.	Section	Township	Range	Lot Idn	Feet from the	North/South line	Feet from the	East/West line	County
A	24	24-S	32-E		29	NORTH	377	EAST	LEA

Dedicated Acres	Joint or Infill	Consolidation Code	Order No.
160			

NO ALLOWABLE WILL BE ASSIGNED TO THIS COMPLETION UNTIL ALL INTERESTS HAVE BEEN CONSOLIDATED
OR A NON-STANDARD UNIT HAS BEEN APPROVED BY THE DIVISION



BELL LAKE 24 FED 025H EL:3550.8' LAT:32.196396 LON:103.624520 N:435906.00 E:760593.81	KICK OFF POINT 65' FSL 400' FEL SEC 24 LAT:32.196089 LON:103.621121 N:435801.26 E:761646.03	FIRST TAKE POINT 426' FSL 402' FEL SEC 24 LAT:32.197082 LON:103.621125 N:436162.27 E:761642.65	LAST TAKE POINT 156 FNL 387' FEL SEC 24 LAT:32.210005 LON:103.621062 N:440863.75 E:761630.88
---	---	--	--

Note: All bearings recited herein
are based on the New Mexico
State Plane Coordinate System,
NAD 83, New Mexico East Zone
3001, US Survey Feet, all
distances are grid.

BOTTOM OF HOLE
LAT:32.210355
LON:103.621028
N:440991.37
E:761640.48

OPERATOR CERTIFICATION

I hereby certify that the information
herein is true and complete to the best of
my knowledge and belief, and that this
organization either owns a working interest
or unleased mineral interest in the land
including the proposed bottom hole location
or has a right to drill this well at this
location pursuant to a contract with an
owner of such mineral or working interest,
or to a voluntary pooling agreement or a
compulsory pooling order heretofore entered
by the division.

Rebecca Deal 6/22/2021
Signature Date

Rebecca Deal, Regulatory Analyst
Printed Name

rebecca.deal@dvn.com
E-mail Address

SURVEYOR CERTIFICATION

I hereby certify that the well location
shown on this plat was plotted from field
notes of actual surveys made by me or
under my supervision, and that the same is
true and correct to the best of my belief.

10/19/2020

Date of Survey

Signature & Seal of Professional Surveyor

B. L. LAMAN
NEW MEXICO
22404
PROFESSIONAL SURVEYOR
06/14/21
Certificate No. 22404 B.L. LAMAN
DRAWN BY: CM

Intent ☐ As Drilled ☐

API #		
Operator Name:	Property Name:	Well Number

Kick Off Point (KOP)

UL	Section	Township	Range	Lot	Feet	From N/S	Feet	From E/W	County
Latitude					Longitude			NAD	

First Take Point (FTP)

UL	Section	Township	Range	Lot	Feet	From N/S	Feet	From E/W	County
Latitude					Longitude			NAD	

Last Take Point (LTP)

UL	Section	Township	Range	Lot	Feet	From N/S	Feet	From E/W	County
Latitude					Longitude			NAD	

Is this well the defining well for the Horizontal Spacing Unit? ☐Is this well an infill well? ☐

If infill is yes please provide API if available, Operator Name and well number for Defining well for Horizontal Spacing Unit.

API #		
Operator Name:	Property Name:	Well Number

KZ 06/29/2018



Final MWD Survey Certification

Lea County, New Mexico

Client: Devon Energy

Well Name: Bell Lake 24 Fed 25H

Total Job No: SW-200481

API No: 30-025-46876

Start Date: 9/14/2020

End Date: 10/19/2020

Measured Start Depth: 0 feet

Measured End Depth (PTB): 17,633 feet

I, Dustin Rowden, MWD Operator, hereby certify that; I am employed by Total Directional Services, LLC and we conducted or supervised the taking of these open hole MWD surveys at the request of this client. This data is true, correct, complete and within the limitations of the tool as set forth by Total Directional Services, LLC. I am authorized and qualified to make this report and have reviewed this report and find that it conforms to the principals and procedures as set forth by Total Directional Services, LLC.

Date: 10/19/2020

Signed: *Dustin Rowden*



Bell Lake 24 Fed 25H

Directional Survey Report

Start date: 9-14-2020

End date: 10-19-2020

Company: Devon Energy
Well Name: Bell Lake 24 Fed 25H
Field: Delaware Basin
Rig ID: H&P 269
API: 30-025-46876
Location: New Mexico

State/Prov: New Mexico
County: Lea
Country: USA
Declination: 6.26
North Reference: Grid
Latitude/Longitude: 32.196396 / -103.624520

Survey Company: Total Directional Services
Job Number: SW-200481
Proposed Azimuth: 359.68
Elevations KB: 3576
DF: 25
GL: 3551

Svy	Depth	Inc	Azm	TVD	NS	EW	VS	DLS	CL	A/B	L/R
TieIn	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00			
1	118.00	0.40	128.30	118.00	-0.26	0.32	-0.26	0.34	118.00		
2	179.00	0.60	165.60	179.00	-0.70	0.57	-0.70	0.61	61.00		
3	271.00	0.60	173.30	270.99	-1.64	0.75	-1.65	0.09	92.00		
4	362.00	0.80	183.40	361.99	-2.75	0.76	-2.75	0.26	91.00		
5	454.00	0.80	184.10	453.98	-4.03	0.68	-4.03	0.01	92.00		
6	545.00	0.60	184.90	544.97	-5.14	0.59	-5.14	0.22	91.00		
7	636.00	0.70	184.10	635.96	-6.17	0.51	-6.17	0.11	91.00		
8	726.00	0.50	177.80	725.96	-7.11	0.49	-7.11	0.23	90.00		
9	817.00	0.60	181.10	816.95	-7.98	0.49	-7.98	0.12	91.00		
10	908.00	0.60	183.80	907.95	-8.93	0.45	-8.94	0.03	91.00		
11	998.00	0.70	174.20	997.94	-9.95	0.48	-9.95	0.16	90.00		
12	1,088.00	0.90	188.20	1,087.93	-11.20	0.43	-11.20	0.31	90.00		
13	1,146.00	0.80	186.50	1,145.93	-12.05	0.32	-12.05	0.18	58.00		
14	1,240.00	1.20	203.40	1,239.91	-13.61	-0.14	-13.61	0.52	94.00	13B	OTL
15	1,332.00	0.90	197.90	1,331.90	-15.18	-0.75	-15.17	0.34	92.00	15B	1L
16	1,423.00	0.40	223.50	1,422.89	-16.09	-1.19	-16.08	0.62	91.00	15B	1L
17	1,518.00	0.30	289.80	1,517.89	-16.24	-1.65	-16.24	0.41	95.00	15B	2L
18	1,613.00	0.60	315.90	1,612.89	-15.80	-2.23	-15.79	0.37	95.00	16B	2L
19	1,707.00	0.60	331.50	1,706.88	-15.02	-2.81	-15.00	0.17	94.00	15B	3L
20	1,802.00	0.80	320.10	1,801.88	-14.07	-3.47	-14.05	0.26	95.00	14B	3.5L
21	1,897.00	0.90	318.70	1,896.87	-13.00	-4.39	-12.98	0.11	95.00	13B	4.5L
22	1,991.00	0.80	317.60	1,990.86	-11.96	-5.32	-11.93	0.11	94.00	12B	5L
23	2,086.00	0.90	311.80	2,085.84	-10.98	-6.32	-10.94	0.14	95.00	11B	6L
24	2,181.00	0.90	311.00	2,180.83	-9.99	-7.44	-9.95	0.01	95.00	10B	7L
25	2,275.00	1.00	309.60	2,274.82	-8.98	-8.63	-8.93	0.11	94.00	9B	9L
26	2,370.00	0.90	310.00	2,369.81	-7.97	-9.84	-7.92	0.11	95.00	8B	10L
27	2,464.00	0.90	315.60	2,463.80	-6.97	-10.92	-6.91	0.09	94.00	7B	11L
28	2,559.00	0.60	7.20	2,558.79	-5.95	-11.38	-5.88	0.74	95.00	6B	11L
29	2,653.00	1.50	81.00	2,652.77	-5.26	-10.10	-5.21	1.54	94.00	10B	6R
30	2,748.00	3.00	87.70	2,747.70	-4.97	-6.39	-4.93	1.60	95.00	9.5B	5.5R
31	2,843.00	4.50	84.80	2,842.49	-4.53	-0.19	-4.53	1.59	95.00	10B	4.5R
32	2,937.00	6.20	82.40	2,936.08	-3.53	8.51	-3.57	1.82	94.00	11B	3R
33	3,032.00	8.10	86.10	3,030.34	-2.39	20.27	-2.51	2.06	95.00	12B	OTL
34	3,127.00	10.20	92.70	3,124.13	-2.33	35.35	-2.53	2.47	95.00	12.5B	1.5L
35	3,221.00	12.40	96.40	3,216.30	-3.85	53.70	-4.15	2.46	94.00	4A	2R
36	3,316.00	12.70	96.90	3,309.03	-6.24	74.20	-6.66	0.34	95.00	6A	2.5R
37	3,411.00	12.40	96.30	3,401.76	-8.62	94.71	-9.15	0.34	95.00	5.5A	2.5R
38	3,505.00	11.70	97.20	3,493.69	-10.92	114.20	-11.56	0.77	94.00	4A	2.5R
39	3,600.00	11.60	99.10	3,586.73	-13.64	133.18	-14.38	0.42	95.00	1.5A	3R
40	3,695.00	13.10	92.40	3,679.53	-15.60	153.37	-16.45	2.18	95.00	OTL	2.5R
41	3,789.00	13.30	89.60	3,771.05	-15.97	174.83	-16.95	0.71	94.00	.5A	.5R
42	3,884.00	12.40	88.90	3,863.67	-15.70	195.96	-16.79	0.96	95.00	OTL	2L
43	3,979.00	11.40	89.00	3,956.63	-15.34	215.54	-16.54	1.05	95.00	2B	4.5L
44	4,073.00	12.20	91.10	4,048.64	-15.37	234.76	-16.68	0.97	94.00	4B	7L
45	4,168.00	12.10	91.10	4,141.51	-15.75	254.75	-17.17	0.11	95.00	5.5B	9L
46	4,263.00	13.10	91.30	4,234.23	-16.19	275.47	-17.72	1.05	95.00	6.5B	11L
47	4,358.00	13.50	93.50	4,326.68	-17.11	297.30	-18.77	0.68	95.00	6B	12L
48	4,453.00	12.90	95.50	4,419.17	-18.80	318.93	-20.58	0.79	95.00	6B	13L
49	4,547.00	12.20	97.70	4,510.92	-21.14	339.21	-23.03	0.90	94.00	7B	13;

Svy	Depth	Inc	Azm	TVD	NS	EW	VS	DLS	CL	A/B	L/R
50	4,642.00	13.30	99.70	4,603.58	-24.32	359.93	-26.33	1.25	95.00	7B	12L
51	4,736.00	13.80	102.30	4,694.96	-28.53	381.54	-30.66	0.84	94.00	6.5B	10.5L
52	4,831.00	13.70	99.00	4,787.24	-32.71	403.73	-34.96	0.83	95.00	5B	11L
53	4,926.00	12.70	98.60	4,879.73	-36.03	425.16	-38.40	1.06	95.00	5B	8L
54	5,021.00	11.30	99.50	4,972.65	-39.13	444.67	-41.61	1.49	95.00	7B	7L
55	5,115.00	12.80	96.90	5,064.58	-41.90	464.09	-44.49	1.70	94.00	8.5B	7L
56	5,210.00	13.30	96.30	5,157.12	-44.36	485.40	-47.07	0.55	95.00	8.5B	7L
57	5,305.00	12.90	96.50	5,249.65	-46.76	506.80	-49.59	0.42	95.00	8.5B	7L
58	5,400.00	12.70	96.30	5,342.29	-49.11	527.71	-52.05	0.22	95.00	9B	7L
59	5,494.00	13.30	96.30	5,433.88	-51.43	548.73	-54.49	0.64	94.00	9B	7L
60	5,589.00	13.60	95.00	5,526.28	-53.60	570.72	-56.79	0.45	95.00	8B	7L
61	5,684.00	13.90	93.30	5,618.55	-55.23	593.24	-58.54	0.53	95.00	7B	8L
62	5,779.00	13.90	91.90	5,710.77	-56.26	616.03	-59.70	0.35	95.00	6B	10L
63	5,874.00	13.10	94.50	5,803.15	-57.49	638.17	-61.05	1.06	95.00	5B	11L
64	5,968.00	12.80	93.80	5,894.76	-59.01	659.18	-62.69	0.36	94.00	5B	12L
65	6,063.00	13.70	94.80	5,987.23	-60.65	680.89	-64.45	0.98	95.00	5B	13L
66	6,157.00	13.60	94.30	6,078.57	-62.41	703.01	-66.34	0.16	94.00	4B	14L
67	6,252.00	13.50	98.90	6,170.93	-64.97	725.10	-69.01	1.14	95.00	3B	14L
68	6,347.00	13.50	98.00	6,263.31	-68.22	747.04	-72.40	0.22	95.00	2.5B	13L
69	6,442.00	13.40	96.90	6,355.70	-71.09	768.95	-75.38	0.29	95.00	2B	13IL
70	6,536.00	13.40	95.80	6,447.14	-73.50	790.60	-77.91	0.27	94.00	1.5B	13L
71	6,631.00	13.10	96.30	6,539.61	-75.79	812.25	-80.33	0.34	95.00	1B	13L
72	6,726.00	12.40	94.80	6,632.27	-77.83	833.11	-82.48	0.82	95.00	1.5B	13L
73	6,821.00	11.80	93.60	6,725.16	-79.29	852.97	-84.05	0.68	95.00	3B	14L
74	6,916.00	12.70	94.40	6,817.99	-80.70	873.08	-85.58	0.96	95.00	4.5B	15L
75	7,011.00	13.10	94.50	6,910.60	-82.35	894.22	-87.34	0.42	95.00	4.5B	16L
76	7,106.00	12.80	94.70	7,003.18	-84.06	915.44	-89.17	0.32	95.00	5B	16.5L
77	7,201.00	12.60	95.40	7,095.86	-85.89	936.25	-91.12	0.27	95.00	5.5B	17L
78	7,295.00	12.40	95.90	7,187.63	-87.89	956.49	-93.24	0.24	94.00	6.5B	17.5L
79	7,390.00	11.60	95.70	7,280.55	-89.89	976.14	-95.34	0.84	95.00	8B	18L
80	7,485.00	11.50	97.10	7,373.63	-92.01	995.05	-97.57	0.31	95.00	10.5B	18L
81	7,580.00	11.00	97.70	7,466.80	-94.40	1,013.43	-100.05	0.54	95.00	11.5B	17.5L
82	7,675.00	10.20	98.60	7,560.18	-96.87	1,030.72	-102.62	0.86	95.00	10B	17L
83	7,769.00	8.40	104.30	7,652.94	-99.81	1,045.61	-105.65	2.15	94.00	8B	16L
84	7,864.00	6.40	107.20	7,747.15	-103.09	1,057.39	-108.99	2.14	95.00	6B	14L
85	7,959.00	5.00	113.50	7,841.68	-106.31	1,066.25	-112.26	1.61	95.00	3.5B	12L
86	8,054.00	3.50	126.80	7,936.41	-109.69	1,072.37	-115.68	1.88	95.00	OTL	9L
87	8,148.00	2.50	146.80	8,030.29	-113.13	1,075.79	-119.13	1.52	94.00	6A	3R
88	8,243.00	1.30	138.90	8,125.23	-115.67	1,077.63	-121.69	1.29	95.00	3A	5R
89	8,338.00	1.30	140.40	8,220.21	-117.32	1,079.02	-123.34	0.04	95.00	1.5A	6R
90	8,433.00	1.50	146.20	8,315.18	-119.18	1,080.40	-125.21	0.26	95.00	0	8R
91	8,527.00	0.50	189.10	8,409.17	-120.61	1,081.02	-126.64	1.26	94.00	1.5B	8R
92	8,622.00	0.50	220.90	8,504.16	-121.33	1,080.69	-127.36	0.29	95.00	2.5B	8R
93	8,717.00	0.40	209.60	8,599.16	-121.93	1,080.25	-127.96	0.14	95.00	3B	7.5R
94	8,811.00	0.50	205.90	8,693.16	-122.59	1,079.91	-128.62	0.11	94.00	3.5B	7R
95	8,906.00	0.50	225.40	8,788.15	-123.25	1,079.43	-129.28	0.18	95.00	4B	6.5R
96	9,001.00	0.70	222.20	8,883.15	-123.97	1,078.75	-129.99	0.21	95.00	5B	6R
97	9,096.00	0.90	226.40	8,978.14	-124.92	1,077.82	-130.93	0.22	95.00	6B	5R
98	9,190.00	0.90	224.10	9,072.13	-125.95	1,076.77	-131.97	0.04	94.00	7B	4R
99	9,285.00	0.30	315.30	9,167.12	-126.31	1,076.08	-132.32	1.00	95.00	7.5B	3R
100	9,380.00	0.60	328.00	9,262.12	-125.72	1,075.64	-131.72	0.33	95.00	7B	3R
101	9,475.00	0.80	299.80	9,357.11	-124.96	1,074.80	-130.96	0.41	95.00	6B	2R
102	9,569.00	1.00	286.50	9,451.10	-124.40	1,073.44	-130.40	0.31	94.00	5.5B	1R
103	9,664.00	1.10	268.40	9,546.09	-124.19	1,071.74	-130.18	0.36	95.00	5B	1L
104	9,758.00	1.50	258.30	9,640.06	-124.47	1,069.63	-130.44	0.49	94.00	5.5B	3L
105	9,854.00	0.50	19.00	9,736.05	-124.33	1,068.53	-130.29	1.88	96.00	5B	4L
106	9,949.00	1.00	42.20	9,831.04	-123.32	1,069.23	-129.29	0.61	95.00	4B	3.5L
107	10,043.00	0.60	6.40	9,925.03	-122.23	1,069.83	-128.20	0.66	94.00	3B	3L
108	10,138.00	0.80	327.00	10,020.03	-121.17	1,069.53	-127.15	0.53	95.00	2B	3L
109	10,233.00	0.90	336.50	10,115.02	-119.93	1,068.87	-125.90	0.18	95.00	1B	4L
110	10,328.00	0.80	328.70	10,210.01	-118.68	1,068.23	-124.65	0.16	95.00	OTL	4L
111	10,422.00	0.80	328.90	10,304.00	-117.56	1,067.55	-123.52	0.00	94.00	1A	5L
112	10,517.00	1.00	334.90	10,398.99	-116.24	1,066.85	-122.20	0.23	95.00	3A	6L
113	10,612.00	1.00	313.40	10,493.97	-114.92	1,065.90	-120.87	0.39	95.00	4A	7L
114	10,706.00	1.00	300.40	10,587.96	-113.94	1,064.59	-119.89	0.24	94.00	5A	8L

Svy	Depth	Inc	Azm	TVD	NS	EW	VS	DLS	CL	A/B	L/R
115	10,801.00	1.10	294.30	10,682.94	-113.15	1,063.05	-119.08	0.16	95.00	6A	10L
116	10,896.00	1.00	300.70	10,777.93	-112.35	1,061.50	-118.28	0.16	95.00	6.5A	11L
117	10,990.00	0.60	306.80	10,871.92	-111.64	1,060.40	-117.56	0.43	94.00	7A	12L
118	11,085.00	0.70	331.40	10,966.91	-110.83	1,059.73	-116.75	0.31	95.00	8A	13L
119	11,179.00	0.80	335.90	11,060.90	-109.73	1,059.19	-115.64	0.12	94.00	9A	13L
120	11,274.00	0.80	319.30	11,155.89	-108.62	1,058.48	-114.53	0.24	95.00	10A	14L
121	11,369.00	0.80	329.60	11,250.88	-107.54	1,057.71	-113.45	0.15	95.00	11A	15L
122	11,464.00	1.30	301.60	11,345.87	-106.41	1,056.46	-112.30	0.74	95.00	12A	16L
123	11,559.00	1.20	293.60	11,440.85	-105.44	1,054.63	-111.33	0.21	95.00	14A	18L
124	11,630.00	1.30	286.90	11,511.83	-104.91	1,053.18	-110.79	0.25	71.00	14A	19L
125	11,690.00	1.10	281.80	11,571.82	-104.60	1,051.96	-110.47	0.38	60.00	14A	21L
126	11,785.00	1.30	280.00	11,666.79	-104.22	1,050.01	-110.08	0.21	95.00	15A	22L
127	11,880.00	1.10	265.10	11,761.77	-104.11	1,048.04	-109.96	0.39	95.00	15A	24.5L
128	11,974.00	1.10	273.50	11,855.76	-104.13	1,046.24	-109.98	0.17	94.00	15A	26L
129	12,069.00	0.80	259.50	11,950.74	-104.20	1,044.68	-110.03	0.40	95.00	15A	28L
130	12,164.00	1.50	316.40	12,045.73	-103.42	1,043.17	-109.24	1.32	95.00	15A	29L
131	12,259.00	8.40	2.10	12,140.33	-95.57	1,042.57	-101.40	7.82	95.00	9A	29L
132	12,354.00	18.90	9.50	12,232.53	-73.40	1,045.37	-79.24	11.18	95.00	0	27L
133	12,449.00	34.10	3.40	12,317.31	-31.39	1,049.51	-37.25	16.23	95.00	8.5B	22.5L
134	12,544.00	45.20	358.20	12,390.36	29.09	1,050.03	23.22	12.19	95.00	13B	21L
135	12,638.00	59.50	0.60	12,447.64	103.31	1,049.41	97.45	15.34	94.00	13B	21L
136	12,733.00	74.90	359.50	12,484.34	190.62	1,049.44	184.76	16.25	95.00	10B	21L
137	12,827.00	88.20	359.20	12,498.12	283.39	1,048.38	277.53	14.15	94.00	1B	20L
138	12,921.00	88.20	358.50	12,501.08	377.32	1,046.49	371.47	0.74	94.00	3A	23L
139	13,016.00	87.30	358.50	12,504.81	472.21	1,044.01	466.37	0.95	95.00	1B	25L
140	13,110.00	88.90	359.00	12,507.92	566.14	1,041.96	560.31	1.78	94.00	4B	26.5L
141	13,205.00	91.70	359.80	12,507.43	661.12	1,040.96	655.29	3.07	95.00	3.5B	27L
142	13,300.00	92.80	359.20	12,503.70	756.04	1,040.14	750.22	1.32	95.00	OTL	27.5L
143	13,395.00	91.50	0.10	12,500.13	850.97	1,039.56	845.15	1.66	95.00	4A	27.5L
144	13,490.00	91.50	359.40	12,497.65	945.93	1,039.14	940.12	0.74	95.00	6A	27.5L
145	13,585.00	89.20	0.40	12,497.06	1,040.92	1,038.98	1,035.11	2.64	95.00	7A	27L
146	13,679.00	89.70	0.30	12,497.97	1,134.92	1,039.55	1,129.09	0.54	94.00	6A	26L
147	13,774.00	88.90	0.40	12,499.13	1,229.91	1,040.13	1,224.08	0.85	95.00	5A	25L
148	13,869.00	90.10	1.30	12,499.96	1,324.89	1,041.54	1,319.05	1.58	95.00	4A	23L
149	13,964.00	91.00	1.30	12,499.05	1,419.86	1,043.70	1,414.01	0.95	95.00	5A	20L
150	14,059.00	91.10	1.80	12,497.30	1,514.81	1,046.26	1,508.94	0.54	95.00	6.5A	17L
151	14,154.00	90.50	1.50	12,495.98	1,609.76	1,049.00	1,603.88	0.71	95.00	8A	14L
152	14,249.00	90.30	1.80	12,495.31	1,704.72	1,051.73	1,698.82	0.38	95.00	8.5A	11L
153	14,344.00	89.50	1.90	12,495.48	1,799.67	1,054.80	1,793.75	0.85	95.00	8.5A	7L
154	14,438.00	90.50	1.10	12,495.48	1,893.64	1,057.26	1,887.70	1.36	94.00	8.5A	4L
155	14,533.00	90.60	1.90	12,494.57	1,988.60	1,059.75	1,982.65	0.85	95.00	9A	1L
156	14,628.00	90.00	1.90	12,494.07	2,083.54	1,062.90	2,077.57	0.63	95.00	10A	2.5R
157	14,723.00	89.50	2.70	12,494.49	2,178.46	1,066.71	2,172.47	0.99	95.00	9.5A	7R
158	14,817.00	90.20	0.00	12,494.73	2,272.43	1,068.93	2,266.42	2.97	94.00	9A	9R
159	14,912.00	90.20	358.70	12,494.40	2,367.42	1,067.85	2,361.42	1.37	95.00	9.5A	9R
160	15,007.00	87.90	357.60	12,495.98	2,462.35	1,064.78	2,456.36	2.68	95.00	8A	6.5R
161	15,102.00	89.90	358.70	12,497.80	2,557.28	1,061.72	2,551.31	2.40	95.00	6A	4R
162	15,197.00	93.40	358.90	12,495.06	2,652.20	1,059.73	2,646.24	3.69	95.00	9A	2.5R
163	15,292.00	90.60	358.90	12,491.75	2,747.12	1,057.91	2,741.17	2.95	95.00	12A	1R
164	15,387.00	88.50	356.30	12,492.49	2,842.02	1,053.93	2,836.09	3.52	95.00	11.5A	2L
165	15,482.00	87.70	355.50	12,495.64	2,936.72	1,047.14	2,930.83	1.19	95.00	8A	8L
166	15,577.00	89.70	357.60	12,497.80	3,031.51	1,041.43	3,025.65	3.05	95.00	6A	13L
167	15,671.00	90.40	357.00	12,497.72	3,125.41	1,037.00	3,119.57	0.98	94.00	6A	17L
168	15,766.00	91.80	359.00	12,495.89	3,220.33	1,033.68	3,214.50	2.57	95.00	8A	20L
169	15,861.00	91.90	359.40	12,492.83	3,315.27	1,032.36	3,309.45	0.43	95.00	11A	21L
170	15,956.00	90.60	0.10	12,490.75	3,410.24	1,031.94	3,404.42	1.55	95.00	13A	21L
171	16,051.00	89.40	359.90	12,490.75	3,505.24	1,031.94	3,499.42	1.28	95.00	13A	20.5L
172	16,145.00	88.20	359.20	12,492.72	3,599.21	1,031.20	3,593.40	1.48	94.00	11A	20.5L
173	16,240.00	89.80	359.80	12,494.38	3,694.19	1,030.38	3,688.38	1.80	95.00	9.5A	21L
174	16,335.00	90.10	359.30	12,494.46	3,789.19	1,029.63	3,783.38	0.61	95.00	9.5A	21L
175	16,430.00	89.90	358.70	12,494.46	3,884.17	1,027.97	3,878.37	0.67	95.00	9.5A	22L
176	16,525.00	88.30	356.50	12,495.96	3,979.07	1,023.99	3,973.29	2.86	95.00	8A	26L
177	16,620.00	90.80	357.60	12,496.70	4,073.93	1,019.11	4,068.18	2.88	95.00	7A	30L
178	16,715.00	93.00	359.60	12,493.55	4,168.84	1,016.79	4,163.10	3.13	95.00	10.5A	32L
179	16,810.00	93.80	359.40	12,487.92	4,263.67	1,015.96	4,257.93	0.87	95.00	5B	0

Svy	Depth	Inc	Azm	TVD	NS	EW	VS	DLS	CL	A/B	L/R
180	16,905.00	92.70	359.60	12,482.53	4,358.51	1,015.13	4,352.77	1.18	95.00	1A	2L
181	16,999.00	92.00	1.20	12,478.68	4,452.43	1,015.79	4,446.68	1.86	94.00	4.5A	6L
182	17,094.00	90.00	1.70	12,477.02	4,547.38	1,018.19	4,541.62	2.17	95.00	6.5A	10.5L
183	17,189.00	89.40	1.60	12,477.52	4,642.33	1,020.93	4,636.56	0.64	95.00	6A	15L
184	17,284.00	89.10	2.00	12,478.76	4,737.28	1,023.91	4,731.49	0.53	95.00	5A	17L
185	17,379.00	90.10	3.30	12,479.42	4,832.17	1,028.30	4,826.35	1.73	95.00	5A	16L
186	17,474.00	90.30	4.30	12,479.09	4,926.96	1,034.60	4,921.11	1.07	95.00	4.5A	9.5L
187	17,576.00	91.30	4.30	12,477.67	5,028.66	1,042.24	5,022.76	0.98	102.00	6A	1L
PTB	17,633.00	91.30	4.30	12,476.38	5,085.49	1,046.52	5,079.56	0.00	57.00		

Submit 1 Copy To Appropriate District Office
 District I – (575) 393-6161
 1625 N. French Dr., Hobbs, NM 88240
 District II – (575) 748-1283
 811 S. First St., Artesia, NM 88210
 District III – (505) 334-6178
 1000 Rio Brazos Rd., Aztec, NM 87410
 District IV – (505) 476-3460
 1220 S. St. Francis Dr., Santa Fe, NM 87505

State of New Mexico
 Energy, Minerals and Natural Resources

OIL CONSERVATION DIVISION
 1220 South St. Francis Dr.
 Santa Fe, NM 87505

Form C-103
 Revised August 1, 2011

WELL API NO.	30-025-46876
5. Indicate Type of Lease STATE ☐ FEE ☐	
6. State Oil & Gas Lease No.	
7. Lease Name or Unit Agreement Name	Bell Lake 24 Fed
8. Well Number	25H
9. OGRID Number	6137
10. Pool name or Wildcat	WC-025 G-08 S243213C; Wolfcamp

SUNDRY NOTICES AND REPORTS ON WELLS (DO NOT USE THIS FORM FOR PROPOSALS TO DRILL OR TO DEEPEN OR PLUG BACK TO A DIFFERENT RESERVOIR. USE "APPLICATION FOR PERMIT" (FORM C-101) FOR SUCH PROPOSALS.) 1. Type of Well: Oil Well ☒ Gas Well ☐ Other ☐ 2. Name of Operator Devon Energy Production Company, L.P. 3. Address of Operator 333 West Sheridan, Oklahoma City, OK 73102 4. Well Location Unit Letter <u>O</u> : <u>178</u> feet from the <u>South</u> line and <u>1452</u> feet from the <u>East</u> line Section <u>24</u> Township <u>24S</u> Range <u>32E</u> NMPM County <u>Lea</u> 11. Elevation (Show whether DR, RKB, RT, GR, etc.) GL: 3550.8'	
---	--

12. Check Appropriate Box to Indicate Nature of Notice, Report or Other Data

NOTICE OF INTENTION TO:

PERFORM REMEDIAL WORK ☐ PLUG AND ABANDON ☐
 TEMPORARILY ABANDON ☐ CHANGE PLANS ☐
 PULL OR ALTER CASING ☐ MULTIPLE COMPL ☐
 DOWNHOLE COMMINGLE ☐

SUBSEQUENT REPORT OF:

REMEDIAL WORK ☐ ALTERING CASING ☐
 COMMENCE DRILLING OPNS. ☐ P AND A ☐
 CASING/CEMENT JOB ☐

OTHER: ☐

OTHER: Completion ☒

13. Describe proposed or completed operations. (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work). SEE RULE 19.15.7.14 NMAC. For Multiple Completions: Attach wellbore diagram of proposed completion or recompletion.

2/12/2021 - 5/25/2021: MIRU WL & PT. PT csg for 30min, OK. TOC to surf. No logs ran. TIH w/pump through frac plug and guns. Perf Wolfcamp, 12,800'-17,506'. Frac totals 11,175,594# prop, 41 bbl acid. ND frac, MIRU PU, NU BOP, DO plugs & CO to PBTD 17,568'. CHC, FWB, ND BOP. RIH w/ 372 jts 2-7/8" L-80 tbg, set @ 12,402'. TOP

I hereby certify that the information above is true and complete to the best of my knowledge and belief.

SIGNATURE Rebecca Deal TITLE Regulatory Analyst DATE 6/22/2021

Type or print name Rebecca Deal E-mail address: Rebecca.Deal@dmn.com PHONE: 405-228-8429
For State Use Only

APPROVED BY: _____ TITLE _____ DATE _____
 Conditions of Approval (if any): _____

Submit To Appropriate District Office Two Copies District I 1625 N. French Dr., Hobbs, NM 88240 District II 811 S. First St., Artesia, NM 88210 District III 1000 Rio Brazos Rd., Aztec, NM 87410 District IV 1220 S. St. Francis Dr., Santa Fe, NM 87505		State of New Mexico Energy, Minerals and Natural Resources Oil Conservation Division 1220 South St. Francis Dr. Santa Fe, NM 87505				Form C-105 Revised August 1, 2011				
		1. WELL API NO. 30-025-46876								
		2. Type of Lease ☐ STATE ☐ FEE ☒ FED/INDIAN								
		3. State Oil & Gas Lease No.								
WELL COMPLETION OR RECOMPLETION REPORT AND LOG										
4. Reason for filing: ☒ COMPLETION REPORT (Fill in boxes #1 through #31 for State and Fee wells only) ☐ C-144 CLOSURE ATTACHMENT (Fill in boxes #1 through #9, #15 Date Rig Released and #32 and/or #33; attach this and the plat to the C-144 closure report in accordance with 19.15.17.13.K NMAC)						5. Lease Name or Unit Agreement Name Bell Lake 24 Fed				
						6. Well Number: 25H				
7. Type of Completion: ☒ NEW WELL ☐ WORKOVER ☐ DEEPENING ☐ PLUGBACK ☐ DIFFERENT RESERVOIR ☐ OTHER										
8. Name of Operator Devon Energy Production Company, L.P.						9. OGRID 6137				
10. Address of Operator 333 West Sheridan Avenue, Oklahoma City, OK 73102						11. Pool name or Wildcat WC-025 G-08 S243213C; Wolfcamp				
12. Location	Unit Ltr	Section	Township	Range	Lot	Feet from the	N/S Line	Feet from the	E/W Line	County
Surface:	O	24	24S	32E		178	South	1452	East	Lea
BH:	A	24	24S	32E		29	North	377	East	Lea
13. Date Spudded 9/14/20	14. Date T.D. Reached 10/18/20	15. Date Rig Released 10/20/20			16. Date Completed (Ready to Produce) 5/25/21		17. Elevations (DF and RKB, RT, GR, etc.) 3550.8' GL			
18. Total Measured Depth of Well 17633 MD, 12476 TVD			19. Plug Back Measured Depth 17568			20. Was Directional Survey Made? Yes		21. Type Electric and Other Logs Run		
22. Producing Interval(s), of this completion - Top, Bottom, Name 12800-17506, Wolfcamp										
23. CASING RECORD (Report all strings set in well)										
CASING SIZE		WEIGHT LB./FT.		DEPTH SET		HOLE SIZE		CEMENTING RECORD		AMOUNT PULLED
13.375		54.5		1209		17.5		930 sx CIC; circ 410 sx		
8.625		32		11670		9.875		735 sx CIC; circ 0sx		
5.5		20		17619		7.875		2060 sx CH; circ 930 sx		
24. LINER RECORD										
SIZE	TOP	BOTTOM	SACKS CEMENT		SCREEN					
							2.875 L-80			
							12402			
25. TUBING RECORD										
26. Perforation record (interval, size, and number) 12800 - 17506, total 694 holes						27. ACID, SHOT, FRACTURE, CEMENT, SQUEEZE, ETC. DEPTH INTERVAL AMOUNT AND KIND MATERIAL USED 12800-17506 Acidize and frac in 24 stages. See detailed summary attached.				
28. PRODUCTION										
Date First Production 5/25/21		Production Method (Flowing, gas lift, pumping - Size and type pump) Flowing				Well Status (Prod. or Shut-in) Producing				
Date of Test 5/29/21	Hours Tested 24	Choke Size	Prod'n For Test Period	Oil - Bbl 1719	Gas - MCF 5013	Water - Bbl. 2819	Gas - Oil Ratio 2916.23			
Flow Tubing Press. psi	Casing Pressure psi	Calculated 24-Hour Rate	Oil - Bbl.	Gas - MCF	Water - Bbl.	Oil Gravity - API - (Corr.)				
29. Disposition of Gas (Sold, used for fuel, vented, etc.) Sold							30. Test Witnessed By			
31. List Attachments Directional Survey, Logs										
32. If a temporary pit was used at the well, attach a plat with the location of the temporary pit.										
33. If an on-site burial was used at the well, report the exact location of the on-site burial:										
Latitude			Longitude			NAD 1927 1983				
I hereby certify that the information shown on both sides of this form is true and complete to the best of my knowledge and belief										
Signature Rebecca Deal		Printed Name Rebecca Deal		Title Regulatory Analyst		Date 6/22/2021				
E-mail Address Rebecca.Deal@dmn.com										

This form is to be filed with the appropriate District Office of the Division not later than 20 days after the completion of any newly-drilled or deepened well and not later than 60 days after completion of closure. When submitted as a completion report, this shall be accompanied by one copy of all electrical and radio-activity logs run on the well and a summary of all special tests conducted, including drill stem tests. All depths reported shall be measured depths. In the case of directionally drilled wells, true vertical depths shall also be reported. For multiple completions, items 11, 12 and 26-31 shall be reported for each zone.

[illegible]

No. 1, from..... N/Ato..... N/A
 No. 2, from..... N/Ato..... N/A
 No. 3, from..... N/Ato..... N/A
 No. 4, from..... N/Ato..... N/A

Include data on rate of water inflow and elevation to which water rose in hole.

No. 1, from.....to.....feet.....
 No. 2, from.....to.....feet.....
 No. 3, from.....to.....feet.....

From	To	Thickness In Feet	Lithology

District I

1625 N. French Dr., Hobbs, NM 88240
Phone:(575) 393-6161 Fax:(575) 393-0720

District II

811 S. First St., Artesia, NM 88210
Phone:(575) 748-1283 Fax:(575) 748-9720

District III

1000 Rio Brazos Rd., Aztec, NM 87410
Phone:(505) 334-6178 Fax:(505) 334-6170

District IV

1220 S. St Francis Dr., Santa Fe, NM 87505
Phone:(505) 476-3470 Fax:(505) 476-3462

State of New Mexico
Energy, Minerals and Natural Resources
Oil Conservation Division
1220 S. St Francis Dr.
Santa Fe, NM 87505

ACKNOWLEDGMENTS

Action 33583

ACKNOWLEDGMENTS

Operator: DEVON ENERGY PRODUCTION COMPANY, LP 333 West Sheridan Ave. Oklahoma City, OK 73102	OGRID: 6137
	Action Number: 33583
	Action Type: [C-104] Completion Packet (C-104C)

ACKNOWLEDGMENTS

☒	I hereby certify that the required Water Use Report has been, or will be, submitted for this wells completion.
☒	I hereby certify that the required FracFocus disclosure has been, or will be, submitted for this wells completion.

District I

1625 N. French Dr., Hobbs, NM 88240
Phone:(575) 393-6161 Fax:(575) 393-0720

District II

811 S. First St., Artesia, NM 88210
Phone:(575) 748-1283 Fax:(575) 748-9720

District III

1000 Rio Brazos Rd., Aztec, NM 87410
Phone:(505) 334-6178 Fax:(505) 334-6170

District IV

1220 S. St Francis Dr., Santa Fe, NM 87505
Phone:(505) 476-3470 Fax:(505) 476-3462

State of New Mexico
Energy, Minerals and Natural Resources
Oil Conservation Division
1220 S. St Francis Dr.
Santa Fe, NM 87505

CONDITIONS

Action 33583

CONDITIONS

Operator: DEVON ENERGY PRODUCTION COMPANY, LP 333 West Sheridan Ave. Oklahoma City, OK 73102	OGRID: 6137
	Action Number: 33583
	Action Type: [C-104] Completion Packet (C-104C)

CONDITIONS

Created By	Condition	Condition Date
ksimmons	None	8/18/2021