

Form 3160-5
(September 2001)

UNITED STATES
DEPARTMENT OF THE INTERIOR
BUREAU OF LAND MANAGEMENT CARLSBAD FIELD OFFICE

FORM APPROVED
OMB No. 1004-0135
Expires: January 31, 2004

SUNDRY NOTICES AND REPORTS ON WELLS
Do not use this form for proposals to drill or to re-enter an abandoned well. Use Form 3160-3 (APD) for such proposals.

Lease Serial No.

NMNMCM069464A

6. If Indian, Allottee or Tribe Name

7. If Unit or CA/Agreement, Name and/or No.

8. Well Name and No.
Federal 18 # 1

9. API Well No.
30-015-05765

10. Field and Pool, or Exploratory Area
Bensen: Yates, East

11. County or Parish, State
Eddy County, New Mexico

SUBMIT IN TRIPLICATE- Other instructions on reverse side.

1. Type of Well
☒ Oil Well ☐ Gas Well ☐ Other

2. Name of Operator
BLM/State of New Mexico for ~~Laguna Grande, LLC~~ Tom R. Cone

3a. Address
620 E. Greene St, Carlsbad, NM 88220

3b. Phone No. (include area code)
575-234-5972

4. Location of Well (Footage, Sec., T., R., M., or Survey Description)
2310' FNL & 660' FWL
SEC 18 T19S R31E

12. CHECK APPROPRIATE BOX(ES) TO INDICATE NATURE OF NOTICE, REPORT, OR OTHER DATA

TYPE OF SUBMISSION	TYPE OF ACTION			
<input type="checkbox"/> Notice of Intent	<input type="checkbox"/> Acidize	<input type="checkbox"/> Deepen	<input type="checkbox"/> Production (Start/Resume)	<input type="checkbox"/> Water Shut-Off
<input checked="" type="checkbox"/> Subsequent Report	<input type="checkbox"/> Alter Casing	<input type="checkbox"/> Fracture Treat	<input type="checkbox"/> Reclamation	<input type="checkbox"/> Well Integrity
<input type="checkbox"/> Final Abandonment Notice	<input type="checkbox"/> Casing Repair	<input type="checkbox"/> New Construction	<input type="checkbox"/> Recomplete	<input type="checkbox"/> Other
	<input type="checkbox"/> Change Plans	<input checked="" type="checkbox"/> Plug and Abandon	<input type="checkbox"/> Temporarily Abandon	
	<input type="checkbox"/> Convert to Injection	<input type="checkbox"/> Plug Back	<input type="checkbox"/> Water Disposal	

13. Describe Proposed or Completed Operation (clearly state all pertinent details, including estimated starting date of any proposed work and approximate duration thereof. If the proposal is to deepen directionally or recomplete horizontally, give subsurface locations and measured and true vertical depths of all pertinent markers and zones. Attach the Bond under which the work will be performed or provide the Bond No. on file with BLM/BIA. Required subsequent reports shall be filed within 30 days following completion of the involved operations. If the operation results in a multiple completion or recompletion in a new interval, a Form 3160-4 shall be filed once testing has been completed. Final Abandonment Notices shall be filed only after all requirements, including reclamation, have been completed, and the operator has determined that the site is ready for final inspection.)

Accepted for Record Only

SUBJECT TO LIKE
APPROVAL BY BLM

RECLAMATION PROCEDURE
ATTACHED

SEE ATTACHED

NMOCD 8/30/21

K 7

RECLAMATION
DUE 3-2-'21

14. I hereby certify that the foregoing is true and correct

Name (Printed/Typed)

John R. Stearns, Jr.

Title Plugging Supervisor

Signature

Date

08/29/2020

THIS SPACE FOR FEDERAL OR STATE OFFICE USE

Approved by

Title

Date

Conditions of approval, if any, are attached. Approval of this notice does not warrant or certify that the applicant holds legal or equitable title to those rights in the subject lease which would entitle the applicant to conduct operations thereon.

Office

Title 18 U.S.C. Section 1001 and Title 43 U.S.C. Section 1212, make it a crime for any person knowingly and willfully to make to any department or agency of the United States any false, fictitious or fraudulent statements or representations as to any matter within its jurisdiction.

(Instructions on page 2)



Plugging Report
Federal 18 #1
30-015-05765

8/26/2020 Moved in equipment and cleared brush off of location. Rigged up and nipped down the tubing. Worked the pump free and laid down 16 ¾" rods and 72 5/8" rods. Dug out the surface head and repaired the connections. Plumbed the surface head to the steel pit. SION

8/27/2020 Installed BOP. Talley OOH with tubing. 72 joints 2 3/8" tubing. Made gauge ring run to 2125' without issue. Set 5 ½" CIBP at 2120'. Casing collar at 2115'. RIH with tubing and tag CIBP. Circulated MLF and tested casing to 500#. Casing good. Spot 25 sx Class C cement on top of CIBP. POOH and SION.

8/28/2020 Perforated casing at 1885'. Set packer and pressured up to 500# and held. Could not inject into perfs. POOH with packer and RIH with tubing to 1898' and spot 25 sx cement with CaCl. Could not get lower than 1898' due to cement on top of CIBP. WOC and tagged at 1664'. Perforated casing at 536'. Pumped down casing and broke perfs down with 300#. Pumped 25 bbls to get returns to the steel pit from the surface annulus. Circulation was weak and then stopped. Increased pump rate to 5 bbl/min with no return of circulation after 10 more bbls. Stopped pumping. The 5 ½" casing and the surface annulus went on a vacuum. Set packer at 60'. Squeezed perfs with 100 sx Class C cement and displaced to 200'. Shut in and shut down.

8/31/2020 Tagged cement @ 286'. Called BLM. Perforated 5 ½" casing at 286'. Could pump into perfs with slight blow to the pit. Set packer at 30'. Squeezed perfs with 50 sx cement with CaCl. WOC and tagged at 247'. Perforated casing at 240'. Could pump into perfs. Slight blow to the pit but no fluid from the surface annulus. Set packer at 30'. Squeezed perfs with 50 sx cement with CaCl. Shut in and shut down.

9/1/2020 Tagged cement at 187'. Perforated casing at 100'. Caught circulation and squeezed perfs with 50 sx cement. Rigged down. Dug out wellhead and cut off. Cement had fallen from surface. Ran 1" down 5 ½" X 8 5/8" annulus to 100' and pumped 50 sx cement with CaCl. No cement to surface. Pulled 1" and laid down. Will wait on cement to set up overnight.

9/2/2020 Ran 1" in annulus and tagged at 98'. Pumped 40 sx with CaCl. No cement to surface. Pulled 1". WOC 5 hrs. Ran 1" in annulus and tagged cement at 38'. Filled up annulus and 5 ½" casing with 15 sx cement. Installed marker.



BLM FOR TOM R. CONE

FED 18 1

API 30-015-05765

NMLC 069464A

2310 FNL 660 FWL

SEC 18 T19S R31E

EDDY CO NM

P & A 9-1-20

District I

1625 N. French Dr., Hobbs, NM 88240
 Phone:(575) 393-6161 Fax:(575) 393-0720

District II

811 S. First St., Artesia, NM 88210
 Phone:(575) 748-1283 Fax:(575) 748-9720

District III

1000 Rio Brazos Rd., Aztec, NM 87410
 Phone:(505) 334-6178 Fax:(505) 334-6170

District IV

1220 S. St Francis Dr., Santa Fe, NM 87505
 Phone:(505) 476-3470 Fax:(505) 476-3462

State of New Mexico
Energy, Minerals and Natural Resources
Oil Conservation Division
1220 S. St Francis Dr.
Santa Fe, NM 87505

QUESTIONS

Action 44964

QUESTIONS

Operator: TOM R CONE 1304 W Broadway Hobbs, NM 88240	OGRID: 188152
	Action Number: 44964
	Action Type: [C-103] Sub. Release After P&A (C-103Q)

QUESTIONS**Subsequent Report of: Location Ready For OCD Inspection After P&A**

For the sake of brevity and completeness, please allow for the following in all groups of questions and for the rest of this application:

- lease and well location, hereinafter "location";
- flowlines or pipelines, hereinafter "pipelines";
- and non-retrieved or abandoned, hereinafter "abandoned".

Was this the last remaining or only well on the location	Not answered.
Are there any abandoned pipelines that are going to remain on the location	Not answered.
Is there any production equipment or structure (not including steel marker, poured onsite concrete bases, or pipelines) that is going to remain on the location	Not answered.
If any production equipment or structure is to remain on the location, please specify	Not answered.

Site Evaluation

Please answer all questions in this group.

Have all the required pits been remediated in compliance with OCD rules and the terms of the Operator's pit permit and closure plan	Not answered.
Have the rat hole and cellar been filled and leveled	Not answered.
Have the cathodic protection holes been properly abandoned	Not answered.
Has a steel marker, at least 4 inches in diameter and at least 4 feet above ground level, been set in concrete	Not answered.
The (concrete-set) steel marker shows: Must attach marker photograph(s). *	THE OPERATOR NAME, LEASE NAME AND WELL NUMBER AND LOCATION, INCLUDING UNIT LETTER, SECTION, TOWNSHIP AND RANGE, SHALL BE WELDED, STAMPED OR OTHERWISE PERMANENTLY ENGRAVED INTO THE MARKER'S METAL.
Has the location been leveled as nearly as possible to original ground contour	Not answered.
Have all the required pipelines and other production equipment been cleared	Not answered.
Has all the required junk and trash been cleared from the location	Not answered.
Have all the required anchors, dead men, tie downs and risers have been cut off at least two feet below ground level	Not answered.
Have all the required metal bolts and other materials have been removed	Not answered.

Poured onsite concrete bases do not have to be removed.

Have all the the required portable bases been removed	Not answered.
Have all other environmental concerns have been addressed as per OCD rules	Not answered.
If any environmental concerns remain on the location, please specify	Not answered.

* Proof of the site marker (photograph) is required.

Please submit any other site photographs that would assist in documenting the above answers, site features, additional concerns, or other nearby / remaing structures and equipment.

Abandoned Pipelines

Only need to provide answers in this group, if any pipelines have been abandoned (in accordance with 19.15.35.10 NMAC).

Have all fluids have been removed from any abandoned pipelines	Not answered.
Have all abandoned pipelines been confirmed to NOT contain additional regulated NORM, other than that which accumulated under normal operation	Not answered.
Have all accessible points of abandoned pipelines been permanently capped	Not answered.

Last Remaining or Only Well on the Location

Please answer all questions that apply in this group, specifically if there is no longer going to be any well or facility remaining at this location.

Have all electrical service poles and lines been removed from the location	Not answered.
Is there any electrical utility distribution infrastructure that is remaining on the location	Not answered.
Have all the battery and pit location(s) have been remediated in compliance with OCD rules and the terms of the Operator's pit permit and closure plan	Not answered.
Have all the retrievable pipelines, production equipment been removed from the location	Not answered.
Has all the junk and trash been removed from the location	Not answered.

District I

1625 N. French Dr., Hobbs, NM 88240
Phone:(575) 393-6161 Fax:(575) 393-0720

District II

811 S. First St., Artesia, NM 88210
Phone:(575) 748-1283 Fax:(575) 748-9720

District III

1000 Rio Brazos Rd., Aztec, NM 87410
Phone:(505) 334-6178 Fax:(505) 334-6170

District IV

1220 S. St Francis Dr., Santa Fe, NM 87505
Phone:(505) 476-3470 Fax:(505) 476-3462

State of New Mexico
Energy, Minerals and Natural Resources
Oil Conservation Division
1220 S. St Francis Dr.
Santa Fe, NM 87505

ACKNOWLEDGMENTS

Action 44964

ACKNOWLEDGMENTS

Operator: TOM R CONE 1304 W Broadway Hobbs, NM 88240	OGRID: 188152
	Action Number: 44964
	Action Type: [C-103] Sub. Release After P&A (C-103Q)

ACKNOWLEDGMENTS

<input checked="" type="checkbox"/>	I hereby certify that all the work has been completed for this location and the site is ready for an OCD scheduled inspection.
-------------------------------------	--

District I

1625 N. French Dr., Hobbs, NM 88240
Phone:(575) 393-6161 Fax:(575) 393-0720

District II

811 S. First St., Artesia, NM 88210
Phone:(575) 748-1283 Fax:(575) 748-9720

District III

1000 Rio Brazos Rd., Aztec, NM 87410
Phone:(505) 334-6178 Fax:(505) 334-6170

District IV

1220 S. St Francis Dr., Santa Fe, NM 87505
Phone:(505) 476-3470 Fax:(505) 476-3462

State of New Mexico
Energy, Minerals and Natural Resources
Oil Conservation Division
1220 S. St Francis Dr.
Santa Fe, NM 87505

CONDITIONS

Action 44964

CONDITIONS

Operator: TOM R CONE 1304 W Broadway Hobbs, NM 88240	OGRID: 188152
	Action Number: 44964
	Action Type: [C-103] Sub. Release After P&A (C-103Q)

CONDITIONS

Created By	Condition	Condition Date
kfortner	Like approval from BLM	8/29/2021