

U.S. Department of the Interior BUREAU OF LAND MANAGEMENT

Well Number: 211H

Sundry Print Report

Well Name: NAILED IT FED COM Well Location: T26S / R30E / SEC 36 / County or Parish/State: EDDY /

LOT 4 / 32.0009914 / -103.8422149

Type of Well: CONVENTIONAL GAS Allottee or Tribe Name:

WELL

Lease Number: NMNM138850 Unit or CA Name: Unit or CA Number:

US Well Number: 3001546855 **Well Status:** Drilling Well **Operator:** TAP ROCK

OPERATING LLC

Subsequent Report

Type of Submission: Subsequent Report

Type of Action: Drilling Operations

Date Sundry Submitted: 08/16/2021 Time Sundry Submitted: 09:13

Date Operation Actually Began: 08/04/2021

Actual Procedure: 8/4/2021: Drill 17.5 inch surface hole to 1137 ft. 8/5/2021: Run 13.375 inch 54.5 lb J55 surface casing to 1124 ft. Pump 40 bbls gel with CTB-15, followed by 400 sks of 13.5 ppg lead cmt, 480 sks of 14.8 ppg tail cmt. Drop plug and displace with 167 bbls of brine. 100 bbls of cement returned back to surface. Pressure test casing to 1500 PSI for 30 minutes, good test. 8/6/2021: Drill 12.25 inch first intermediate hole to 3612 ft. 8/7/2021: Run 9.625 inch 40 lb J55 first intermediate casing to 3601 ft. Pump 40 bbls freshwater, followed by 794 sks of 12.8 ppg lead cmt, 404 sks of 14.8 ppg tail cmt. Drop plug and displace with 270 bbls of freshwater. 110 bbls of cement returned to surface. Pressure test casing to 1500 PSI for 30 minutes, good test. 8/7/2021: Drill 8.75 inch second intermediate hole to 10675 ft. 8/11/2021: Run 7.625 inch 29.7 lb P-110 second intermediate casing to 10569 ft. Pump 20 bbls chem wash, 20 bbls visc water, followed by 751 sks of 11.5 lead cmt, 164 sks of 13.2 ppg tail cmt. Drop plug and displace with 483 bbls of water. 10 bbls of cement to surface. Pressure test casing to 2350 for 30 minutes, good test. Surface Casing Details: Casing ran: 8/5/2021, Fluid Type Fresh Water, Hole 17.5 inch, Csg Size 13.375 inch, Weight 54.5 lbs, Grade J55, Est TOC 0 ft, Depth set 1124 ft, Cement 880 sacks, Yield 1.33, Class C. Pressure test: 1500 PSI, Pressure Drop: 0. First Intermediate Casing Details: Casing ran: 8/7/2021, Fluid Type Brine, Hole 12.25 inch, Csg Size 9.625 inch, Weight 40 lbs, Grade J55, Est TOC 0 ft, Depth set 3601 ft, Cement 1198 sacks, Yield 1.33, Class C, Pressure Held 1500 psi, Pres Drop 0. Second Intermediate Casing Details: Casing ran: 8/11/2021, Fluid Type Cut Brine, Hole 8.75 inch, Csg Size 7.625 inch, Weight 29.7 lbs, Grade P-110, Est TOC 0 ft, Depth set 10569 ft, Cement 915 sacks, Yield 1.35, Class H, Pressure Held 2350 psi, Pres Drop 0.

Page 1 of 2

ceived by OCD: 8/30/2021 4:30:04 PM Well Name: NAILED IT FED COM

Well Location: T26S / R30E / SEC 36 /

LOT 4 / 32.0009914 / -103.8422149

County or Parish/State: EDDY/

IM

Well Number: 211H

Type of Well: CONVENTIONAL GAS

WELL

Lease Number: NMNM138850 Unit or CA Name:

Unit or CA Number:

Allottee or Tribe Name:

US Well Number: 3001546855

Well Status: Drilling Well

Operator: TAP ROCK OPERATING LLC

Zip:

Operator Certification

I certify that the foregoing is true and correct. Title 18 U.S.C. Section 1001 and Title 43 U.S.C. Section 1212, make it a crime for any person knowingly and willfully to make to any department or agency of the United States any false, fictitious or fraudulent statements or representations as to any matter within its jurisdiction. Electronic submission of Sundry Notices through this system satisfies regulations requiring a submission of Form 3160-5 or a Sundry Notice.

Operator Electronic Signature: BILL RAMSEY
Signed on: AUG 16, 2021 09:13 AM

Name: TAP ROCK OPERATING LLC

Title: Regulatory Analyst

Street Address: 523 PARK POINT DRIVE SUITE 200

City: GOLDEN State: CO

Phone: (720) 360-4028

Email address: BRAMSEY@TAPRK.COM

Field Representative

Representative Name:

Street Address:

City:

Phone:

Email address:

BLM Point of Contact

Signature: Jonathon Shepard

BLM POC Name: Jonathon W Shepard **BLM POC Title:** Petroleum Engineer

State:

BLM POC Phone: 5752345972 BLM POC Email Address: jshepard@blm.gov

Disposition: Accepted **Disposition Date:** 08/25/2021

Disposition: 7000ptod

Page 2 of 2

District I
1625 N. French Dr., Hobbs, NM 88240
Phone: (575) 393-6161 Fax: (575) 393-0720

District II 811 S. First St., Artesia, NM 88210 Phone:(575) 748-1283 Fax:(575) 748-9720

District III 1000 Rio Brazos Rd., Aztec, NM 87410 Phone:(505) 334-6178 Fax:(505) 334-6170

1220 S. St Francis Dr., Santa Fe, NM 87505 Phone:(505) 476-3470 Fax:(505) 476-3462

State of New Mexico Energy, Minerals and Natural Resources Oil Conservation Division 1220 S. St Francis Dr. **Santa Fe, NM 87505**

CONDITIONS

Action 45383

CONDITIONS

Operator:	OGRID:
TAP ROCK OPERATING, LLC	372043
523 Park Point Drive	Action Number:
Golden, CO 80401	45383
	Action Type:
	[C-103] Sub. Drilling (C-103N)

CONDITIONS

Created By	Condition	Condition Date
ksimmons	None	9/1/2021