

Office
 District I – (575) 393-6161
 1625 N. French Dr., Hobbs, NM 88240
 District II – (575) 748-1283
 811 S. First St., Artesia, NM 88210
 District III – (505) 334-6178
 1000 Rio Brazos Rd., Aztec, NM 87410
 District IV – (505) 476-3460
 1220 S. St. Francis Dr., Santa Fe, NM
 87505

State of New Mexico
 Energy, Minerals and Natural Resources

Form C-103
 Revised July 18, 2013

OIL CONSERVATION DIVISION
 1220 South St. Francis Dr.
 Santa Fe, NM 87505

WELL API NO. 30-021-20387
5. Indicate Type of Lease STATE <input checked="" type="checkbox"/> FEE <input type="checkbox"/>
6. State Oil & Gas Lease No.
7. Lease Name or Unit Agreement Name BRAVO DOME CARBON DIOXIDE GAS UNIT
8. Well Number #171
9. OGRID Number 16696
10. Pool name or Wildcat (96010) BRAVO DOME CARBON DIOXIDE GAS 640

SUNDRY NOTICES AND REPORTS ON WELLS (DO NOT USE THIS FORM FOR PROPOSALS TO DRILL OR TO DEEPEN OR PLUG BACK TO A DIFFERENT RESERVOIR. USE "APPLICATION FOR PERMIT" (FORM C-101) FOR SUCH PROPOSALS.)	
1. Type of Well: Oil Well <input type="checkbox"/> Gas Well <input type="checkbox"/> Other <input checked="" type="checkbox"/>	
2. Name of Operator OXY USA Inc.	
3. Address of Operator PO BOX 4294, HOUSTON, TX 77210-4294	
4. Well Location	
Unit Letter <u>G</u> : 1700 feet from the <u>NORTH</u> line and 1700 feet from the <u>EAST</u> line	
Section <u>17</u> Township <u>18N</u> Range <u>32E</u> NMPM HARDING County	
11. Elevation (Show whether DR, RKB, RT, GR, etc.) 4564' GR	

12. Check Appropriate Box to Indicate Nature of Notice, Report or Other Data

NOTICE OF INTENTION TO:	SUBSEQUENT REPORT OF:
PERFORM REMEDIAL WORK <input type="checkbox"/>	REMEDIAL WORK <input type="checkbox"/>
TEMPORARILY ABANDON <input type="checkbox"/>	ALTERING CASING <input type="checkbox"/>
PULL OR ALTER CASING <input type="checkbox"/>	COMMENCE DRILLING OPNS. <input type="checkbox"/>
DOWNHOLE COMMINGLE <input type="checkbox"/>	P AND A <input type="checkbox"/>
CLOSED-LOOP SYSTEM <input type="checkbox"/>	CASING/CEMENT JOB <input type="checkbox"/>
OTHER: <input type="checkbox"/>	OTHER: <input type="checkbox"/>

13. Describe proposed or completed operations. (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work). SEE RULE 19.15.7.14 NMAC. For Multiple Completions: Attach wellbore diagram of proposed completion or recompletion.

OXY USA Inc. respectfully requests approval to plug and abandon the subject well. The proposed P&A plan is as follows:

TD-2290' Perfs @ 2240'-2270'
 8-5/8" 24# csg @ 715', 12-1/4" hole, w/ 400sx-TOC-Surf-Circ.
 5-1/2" 15.5# csg @ 2290', 7-7/8" hole, w/ 300sx-TOC-Surf-Circ.

1. POOH with tubing and prod equipment.
 2. RIH & set CIBP @ 2190'. Tag & leak test. M&P 35sx class c cmt to 1929'. WOC – Tag.
 3. M&P 25sx class c cmt f/ 765' to 578'. WOC. Tag.
 4. M&P 35sx class c cmt f/ 250' to surface. WOC – Verify cmt to surface.
- 10# MLF between plugs - Above ground steel tanks will be utilized

Spud Date:

05-29-2008

Rig Release Date:

I hereby certify that the information above is true and complete to the best of my knowledge and belief.

SIGNATURE Leslie T. Reeves TITLE REGULATORY ADVISOR DATE 06/22/2021

Type or print name LESLIE REEVES E-mail address: LESLIE_REEVES@OXY.COM PHONE: 713-497-2492
For State Use Only


APPROVED BY: _____ TITLE _____ DATE _____
 Conditions of Approval (if any): _____

OXY USA Inc. - Proposed
Bravo Dome Carbon Dioxide Gas Unit # 171
API No. 30-021-20387

M*P 35sx class c cmt from 250' to surface. WOC. Verify to surface.

M&P 25sx class c cmt f/ 765' to 578'. WOC. Tag

CIBP @ 2190'. Tag. Dump 35sx class c cmt to 1929'. WOC. Tag.




Spud 05/29/2008
12-1/4" hole @ 715'
8-5/8"24# csg @ 715'
w/ 400sx-TOC-Surf-Circ.

7-7/8" hole @ 2290'
5-1/2" 15.5# csg @ 2290'
w/ 300sx - TOC-Surf-Circ.

Perfs 2240'-2270'

TD - 2290'

OXY USA Inc. - Current
Bravo Dome Carbon Dioxide Gas Unit # 171
API No. 30-021-20387



Spud 05/29/2008
12-1/4" hole @ 715'
8-5/8"24# csg @ 715'
w/ 400sx-TOC-Surf-Circ.

7-7/8" hole @ 2290'
5-1/2" 15.5# csg @ 2290'
w/ sx - TOC-Surf-Circ.

Perfs 2240'-2270'

PBTD -

TD - 2290'

District I

1625 N. French Dr., Hobbs, NM 88240
 Phone:(575) 393-6161 Fax:(575) 393-0720

District II

811 S. First St., Artesia, NM 88210
 Phone:(575) 748-1283 Fax:(575) 748-9720

District III

1000 Rio Brazos Rd., Aztec, NM 87410
 Phone:(505) 334-6178 Fax:(505) 334-6170

District IV

1220 S. St Francis Dr., Santa Fe, NM 87505
 Phone:(505) 476-3470 Fax:(505) 476-3462

State of New Mexico
Energy, Minerals and Natural Resources
Oil Conservation Division
1220 S. St Francis Dr.
Santa Fe, NM 87505

CONDITIONS

Action 33170

CONDITIONS

Operator: OXY USA INC P.O. Box 4294 Houston, TX 772104294	OGRID: 16696
	Action Number: 33170
	Action Type: [C-103] NOI Plug & Abandon (C-103F)

CONDITIONS

Created By	Condition	Condition Date
kpickford	Notify NMOCD 24 Hours Prior to beginning operations	9/2/2021
kpickford	Extend Plug #1 to 2165' to cover the Tubb top (@2231') and the Cimaron top (@2215').	9/2/2021
kpickford	Add a plug 1876'-1664' to cover the Yeso top (@ 1813') and the Glorietta top (@1714').	9/2/2021