

I. REQUEST FOR ALLOWABLE AND AUTHORIZATION TO TRANSPORT

¹ Operator name and Address Centennial Resource Production, LLC 1001 17th Street, Suite 1800 Denver, CO 80202		² OGRID Number 372165
		³ Reason for Filing Code/ Effective Date NW 4/25/21
⁴ API Number 30 - 0 25-46301	⁵ Pool Name Red Hills; Bone Spring, North	⁶ Pool Code 96434
⁷ Property Code 318010	⁸ Property Name Raider Federal Com	⁹ Well Number 503H

II. ¹⁰ Surface Location

UL or lot no. P	Section 21	Township 24S	Range 34E	Lot Idn	Feet from the 300	North/South Line South	Feet from the	East/West line East	County Lea
--------------------	---------------	-----------------	--------------	---------	----------------------	---------------------------	---------------	------------------------	---------------

¹¹ Bottom Hole Location

UL or lot no. A	Section 16	Township 24S	Range 34E	Lot Idn	Feet from the 102	North/South line North	Feet from the 446	East/West line East	County Lea
¹² Lse Code F	¹³ Producing Method Code F	¹⁴ Gas Connection Date 4/25/21	¹⁵ C-129 Permit Number	¹⁶ C-129 Effective Date	¹⁷ C-129 Expiration Date				

III. Oil and Gas Transporters

¹⁸ Transporter OGRID	¹⁹ Transporter Name and Address	²⁰ O/G/W
371960	Lucid Energy Group	G
329971	Oryx Delaware Oil Gathering NM, LLC	O

IV. Well Completion Data

²¹ Spud Date 2/27/21	²² Ready Date 4/25/21	²³ TD 21,335MD/10,996TVD	²⁴ PBTD 21,293	²⁵ Perforations 11,274 - 21,289	²⁶ DHC, MC
²⁷ Hole Size	²⁸ Casing & Tubing Size	²⁹ Depth Set	³⁰ Sacks Cement		
17-1/2	13-3/8	1333	1130		
12-1/4	9-5/8	5364	1210		
8-3/4, 8-1/2	5-1/2	21,330	2500		
	2-7/8 tbg	10,693			

V. Well Test Data

³¹ Date New Oil 4/30/21	³² Gas Delivery Date 4/30/21	³³ Test Date 5/25/21	³⁴ Test Length 24hrs	³⁵ Tbg. Pressure 50	³⁶ Csg. Pressure
³⁷ Choke Size	³⁸ Oil 1231	³⁹ Water 3348	⁴⁰ Gas 1796	⁴¹ Test Method Gas Lift	
⁴² I hereby certify that the rules of the Oil Conservation Division have been complied with and that the information given above is true and complete to the best of my knowledge and belief. Signature: 			OIL CONSERVATION DIVISION		
Printed name: Kanicia Castillo			Approved by: KURT SIMMONS		
Title: Sr. Regulatory Analyst			Title: NMOCD, SANTA FE		
E-mail Address: kanicia.castillo@cdevinc.com			Approval Date: 09/03/2021		
Date: 6/10/21		Phone: 720-499-1537			

District I
1625 N. French Dr., Hobbs, NM 88240
Phone: (575) 393-6161 Fax: (575) 393-0720
District II
811 S. First St., Artesia, NM 88210
Phone: (575) 748-1283 Fax: (575) 748-9720
District III
1000 Rio Brazos Road, Aztec, NM 87410
Phone: (505) 334-6178 Fax: (505) 334-6170
District IV
1220 S. St. Francis Dr., Santa Fe, NM 87505
Phone: (505) 476-3460 Fax: (505) 476-3462

State of New Mexico
Energy, Minerals & Natural Resources Department
OIL CONSERVATION DIVISION
1220 South St. Francis Dr.
Santa Fe, NM 87505

Form C-102
Revised August 1, 2011
Submit one copy to appropriate
District Office

☐ AMENDED REPORT

WELL LOCATION AND ACREAGE DEDICATION PLAT

¹ API Number 30-025-46301	² Pool Code 96434	³ Pool Name Red Hills; Bone Spring, North
⁴ Property Code 318010	⁵ Property Name RAIDER FEDERAL COM	⁶ Well Number #503H
⁷ OGRID No. 372165	⁸ Operator Name CENTENNIAL RESOURCE PRODUCTION, LLC	⁹ Elevation 3497.6'


¹⁰ Surface Location

UL or lot no.	Section	Township	Range	Lot Idn	Feet from the	North/South line	Feet from the	East/West line	County
P	21	24S	34E		300	SOUTH	1010	EAST	LEA

¹¹ Bottom Hole Location If Different From Surface

UL or lot no.	Section	Township	Range	Lot Idn	Feet from the	North/South line	Feet from the	East/West line	County
A	16	24S	34E		102	NORTH	446	EAST	LEA
¹² Dedicated Acres 320	¹³ Joint or Infill	¹⁴ Consolidation Code	¹⁵ Order No.						

No allowable will be assigned to this completion until all interests have been consolidated or a non-standard unit has been approved by the division.



¹⁷ OPERATOR CERTIFICATION

I hereby certify that the information contained herein is true and complete to the best of my knowledge and belief, and that this organization either owns a working interest or unleased mineral interest in the land including the proposed bottom hole location or has a right to drill this well at this location pursuant to a contract with an owner of such a mineral or working interest, or to a voluntary pooling agreement or a compulsory pooling order heretofore entered by the division.

Signature: *K. Schlichting* Date: 4/28/21

Printed Name: Kanicia Schlichting

kanicia.schlichting@cdevinc.com

E-mail Address

¹⁸ SURVEYOR CERTIFICATION

I hereby certify that the well location shown on this plat was plotted from field notes of actual surveys made by me or under my supervision, and that the same is true and correct to the best of my belief.

December 01, 2018

Date of Survey

Signature and Seal of Professional Surveyor:

PAUL BUCHELE
NEW MEXICO
23782
04-22-21
PROFESSIONAL SURVEYOR

Certificate Number:

NAD 83 (AS-DRILLED KOP)
LATITUDE = 32°11'45.98" (32.196106°)
LONGITUDE = 103°28'04.20" (103.467832°)
STATE PLANE NAD 83 (N.M. EAST)
Y: 436155.18' X: 809064.37'
UTM, NAD 83 (ZONE 13)
Y: 11690271.61' X: 2114234.84'

NAD 83 (AS-DRILLED FTP)
LATITUDE = 32°11'48.82" (32.196895°)
LONGITUDE = 103°28'03.94" (103.467762°)
STATE PLANE NAD 83 (N.M. EAST)
Y: 436442.25' X: 809083.80'
UTM, NAD 83 (ZONE 13)
Y: 11690558.75' X: 2114252.48'

NAD 83 (SURFACE HOLE LOCATION)
LATITUDE = 32°11'47.82" (32.196616°)
LONGITUDE = 103°28'10.69" (103.469637°)
STATE PLANE NAD 83 (N.M. EAST)
Y: 436336.38' X: 808504.62'
UTM, NAD 83 (ZONE 13)
Y: 11690449.31' X: 2113674.05'

NAD 83 (AS-DRILLED LTP)
LATITUDE = 32°13'27.82" (32.224394°)
LONGITUDE = 103°28'04.15" (103.467818°)
STATE PLANE NAD 83 (N.M. EAST)
Y: 446446.37' X: 808985.74'
UTM, NAD 83 (ZONE 13)
Y: 11700560.73' X: 2114092.38'

NAD 83 (AS-DRILLED BHL)
LATITUDE = 32°13'28.27" (32.224520°)
LONGITUDE = 103°28'04.15" (103.467821°)
STATE PLANE NAD 83 (N.M. EAST)
Y: 446492.31' X: 808984.65'
UTM, NAD 83 (ZONE 13)
Y: 11700606.66' X: 2114091.01'



Centennial Resources Development, Inc.

**Lea County, NM (NAD83 - UTM Zone 13)
Raider Federal Com
503H**

OH / 67470

Survey: Phoenix MWD Surveys

Standard Survey Report

19 March, 2021





Survey Report



Company:	Centennial Resources Development, Inc.	Local Co-ordinate Reference:	Well 503H
Project:	Lea County, NM (NAD83 - UTM Zone 13)	TVD Reference:	RKB @ 3523.60usft (H&P 296)
Site:	Raider Federal Com	MD Reference:	RKB @ 3523.60usft (H&P 296)
Well:	503H	North Reference:	True
Wellbore:	OH / 67470	Survey Calculation Method:	Minimum Curvature
Design:	Surveys (H&P 296)	Database:	USA Compass

Project	Lea County, NM (NAD83 - UTM Zone 13)		
Map System:	Universal Transverse Mercator (US Survey Fee	System Datum:	Mean Sea Level
Geo Datum:	North American Datum 1983		
Map Zone:	Zone 13N (108 W to 102 W)		Using geodetic scale factor

Site	Raider Federal Com		
Site Position:		Northing:	11,690,439.89 usft
From:	Map	Easting:	2,112,954.42 usft
Position Uncertainty:	0.00 usft	Slot Radius:	13-3/16 "
		Latitude:	32° 11' 47.826895 N
		Longitude:	103° 28' 19.068805 W
		Grid Convergence:	0.81 °

Well	503H		
Well Position	+N/-S	0.00 usft	Northing:
	+E/-W	0.00 usft	Easting:
Position Uncertainty	1.00 usft		Wellhead Elevation:
			Latitude:
			Longitude:
			Ground Level:

Wellbore	OH / 67470		
Magnetics	Model Name	Sample Date	Declination (°)
	MVHD	3/1/2021	6.41
			Dip Angle (°)
			59.78
			Field Strength (nT)
			47,641.11097615

Design	Surveys (H&P 296)		
Audit Notes:			
Version:	1.0	Phase:	ACTUAL
		Tie On Depth:	0.00
Vertical Section:	Depth From (TVD) (usft)	+N/-S (usft)	+E/-W (usft)
	0.00	0.00	0.00
			Direction (°)
			3.26

Survey Program	Date 3/19/2021		
From (usft)	To (usft)	Survey (Wellbore)	Tool Name
156.00	21,335.00	Phoenix MWD Surveys (OH / 67470)	MWD+IFR1+MS
			Description
			OWSG MWD + IFR1 + Multi-Station Correction

Survey									
Measured Depth (usft)	Inclination (°)	Azimuth (°)	Vertical Depth (usft)	+N/-S (usft)	+E/-W (usft)	Vertical Section (usft)	Dogleg Rate (°/100usft)	Build Rate (°/100usft)	Turn Rate (°/100usft)
0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
156.00	0.44	21.78	156.00	0.56	0.22	0.57	0.28	0.28	0.00
First Phoenix MWD Survey									
217.00	0.45	343.91	217.00	1.00	0.24	1.02	0.47	0.02	-62.08
276.00	0.32	338.53	276.00	1.38	0.12	1.38	0.23	-0.22	-9.12
337.00	0.19	0.98	336.99	1.64	0.06	1.64	0.26	-0.21	36.80
427.00	0.25	353.39	426.99	1.98	0.04	1.98	0.07	0.07	-8.43
487.00	0.14	243.91	486.99	2.08	-0.04	2.08	0.54	-0.18	-182.47
577.00	0.12	238.25	576.99	1.98	-0.22	1.97	0.03	-0.02	-6.29
667.00	0.07	355.60	666.99	1.99	-0.31	1.97	0.18	-0.06	130.39
757.00	0.11	189.11	756.99	1.96	-0.32	1.94	0.20	0.04	-184.99



Survey Report



Company:	Centennial Resources Development, Inc.	Local Co-ordinate Reference:	Well 503H
Project:	Lea County, NM (NAD83 - UTM Zone 13)	TVD Reference:	RKB @ 3523.60usft (H&P 296)
Site:	Raider Federal Com	MD Reference:	RKB @ 3523.60usft (H&P 296)
Well:	503H	North Reference:	True
Wellbore:	OH / 67470	Survey Calculation Method:	Minimum Curvature
Design:	Surveys (H&P 296)	Database:	USA Compass

Survey

Measured Depth (usft)	Inclination (°)	Azimuth (°)	Vertical Depth (usft)	+N/-S (usft)	+E/-W (usft)	Vertical Section (usft)	Dogleg Rate (°/100usft)	Build Rate (°/100usft)	Turn Rate (°/100usft)
847.00	0.08	154.00	846.99	1.82	-0.31	1.80	0.07	-0.03	-39.01
938.00	0.14	134.57	937.99	1.68	-0.20	1.67	0.08	0.07	-21.35
1,029.00	0.15	170.30	1,028.99	1.49	-0.10	1.48	0.10	0.01	39.26
1,120.00	0.25	65.14	1,119.99	1.45	0.10	1.46	0.36	0.11	-115.56
1,212.00	0.09	146.72	1,211.99	1.48	0.32	1.49	0.28	-0.17	88.67
1,273.00	0.14	31.89	1,272.99	1.50	0.38	1.52	0.32	0.08	-188.25
1,409.00	0.22	85.61	1,408.99	1.66	0.73	1.70	0.13	0.06	39.50
1,504.00	0.13	36.14	1,503.99	1.76	0.98	1.81	0.18	-0.09	-52.07
1,598.00	0.22	42.34	1,597.99	1.98	1.16	2.04	0.10	0.10	6.60
1,693.00	0.16	52.09	1,692.99	2.20	1.39	2.27	0.07	-0.06	10.26
1,787.00	0.25	63.64	1,786.99	2.37	1.68	2.46	0.10	0.10	12.29
1,881.00	0.26	46.51	1,880.99	2.61	2.01	2.72	0.08	0.01	-18.22
1,975.00	0.20	67.44	1,974.99	2.82	2.32	2.94	0.11	-0.06	22.27
2,070.00	0.34	52.19	2,069.99	3.05	2.70	3.20	0.16	0.15	-16.05
2,164.00	0.47	45.30	2,163.98	3.49	3.19	3.67	0.15	0.14	-7.33
2,259.00	0.60	46.12	2,258.98	4.11	3.83	4.32	0.14	0.14	0.86
2,353.00	0.54	47.87	2,352.98	4.75	4.51	5.00	0.07	-0.06	1.86
2,448.00	0.56	49.40	2,447.97	5.35	5.19	5.64	0.03	0.02	1.61
2,542.00	0.53	53.24	2,541.97	5.91	5.89	6.24	0.05	-0.03	4.09
2,636.00	0.55	52.70	2,635.96	6.45	6.60	6.81	0.02	0.02	-0.57
2,731.00	0.60	46.43	2,730.96	7.07	7.32	7.47	0.08	0.05	-6.60
2,825.00	0.59	44.77	2,824.95	7.75	8.02	8.19	0.02	-0.01	-1.77
2,920.00	0.55	31.08	2,919.95	8.49	8.60	8.96	0.15	-0.04	-14.41
3,014.00	0.52	37.31	3,013.94	9.21	9.09	9.71	0.07	-0.03	6.63
3,109.00	0.52	36.05	3,108.94	9.90	9.61	10.43	0.01	0.00	-1.33
3,203.00	0.59	32.76	3,202.94	10.66	10.12	11.21	0.08	0.07	-3.50
3,298.00	0.73	34.96	3,297.93	11.56	10.73	12.15	0.15	0.15	2.32
3,392.00	0.80	39.43	3,391.92	12.56	11.49	13.19	0.10	0.07	4.76
3,486.00	0.90	45.73	3,485.91	13.58	12.44	14.27	0.15	0.11	6.70
3,581.00	0.86	47.00	3,580.90	14.59	13.49	15.33	0.05	-0.04	1.34
3,675.00	0.88	52.82	3,674.89	15.51	14.58	16.31	0.10	0.02	6.19
3,770.00	1.00	61.70	3,769.88	16.34	15.89	17.22	0.20	0.13	9.35
3,853.00	2.01	88.88	3,852.85	16.71	17.99	17.71	1.46	1.22	32.75
3,948.00	3.50	89.52	3,947.74	16.77	22.55	18.03	1.57	1.57	0.67
4,042.00	5.74	94.55	4,041.42	16.42	30.11	18.11	2.42	2.38	5.35
4,137.00	7.63	108.92	4,135.78	14.00	40.81	16.30	2.64	1.99	15.13
4,231.00	8.60	123.20	4,228.85	8.13	52.60	11.10	2.37	1.03	15.19
4,326.00	8.51	125.91	4,322.79	0.11	64.23	3.77	0.43	-0.09	2.85
4,420.00	8.14	126.00	4,415.80	-7.88	75.25	-3.58	0.39	-0.39	0.10
4,515.00	7.84	126.00	4,509.88	-15.64	85.93	-10.73	0.32	-0.32	0.00
4,609.00	8.05	124.02	4,602.98	-23.09	96.58	-17.56	0.37	0.22	-2.11
4,704.00	8.44	123.22	4,696.99	-30.63	107.92	-24.44	0.43	0.41	-0.84
4,798.00	8.37	122.39	4,789.98	-38.07	119.47	-31.22	0.15	-0.07	-0.88



Survey Report



Company:	Centennial Resources Development, Inc.	Local Co-ordinate Reference:	Well 503H
Project:	Lea County, NM (NAD83 - UTM Zone 13)	TVD Reference:	RKB @ 3523.60usft (H&P 296)
Site:	Raider Federal Com	MD Reference:	RKB @ 3523.60usft (H&P 296)
Well:	503H	North Reference:	True
Wellbore:	OH / 67470	Survey Calculation Method:	Minimum Curvature
Design:	Surveys (H&P 296)	Database:	USA Compass

Survey

Measured Depth (usft)	Inclination (°)	Azimuth (°)	Vertical Depth (usft)	+N/-S (usft)	+E/-W (usft)	Vertical Section (usft)	Dogleg Rate (°/100usft)	Build Rate (°/100usft)	Turn Rate (°/100usft)
4,893.00	8.64	121.18	4,883.94	-45.47	131.41	-37.93	0.34	0.28	-1.27
4,987.00	8.80	118.46	4,976.85	-52.55	143.78	-44.29	0.47	0.17	-2.89
5,082.00	9.14	117.64	5,070.69	-59.52	156.85	-50.50	0.38	0.36	-0.86
5,176.00	9.00	116.00	5,163.52	-66.20	170.07	-56.43	0.31	-0.15	-1.74
5,307.00	8.88	114.00	5,292.92	-74.81	188.52	-63.97	0.25	-0.09	-1.53
5,375.00	8.61	115.71	5,360.13	-79.15	197.90	-67.77	0.55	-0.40	2.51
5,470.00	8.07	113.88	5,454.13	-84.94	210.40	-72.83	0.63	-0.57	-1.93
5,564.00	9.61	111.31	5,547.01	-90.46	223.75	-77.59	1.69	1.64	-2.73
5,659.00	10.82	112.79	5,640.50	-96.80	239.35	-83.03	1.30	1.27	1.56
5,754.00	11.11	108.27	5,733.77	-103.12	256.27	-88.38	0.95	0.31	-4.76
5,848.00	11.72	106.86	5,825.91	-108.73	274.00	-92.97	0.71	0.65	-1.50
5,943.00	11.21	106.35	5,919.02	-114.12	292.10	-97.33	0.55	-0.54	-0.54
6,038.00	10.42	104.45	6,012.33	-118.87	309.28	-101.09	0.91	-0.83	-2.00
6,133.00	9.59	107.14	6,105.88	-123.34	325.16	-104.65	1.00	-0.87	2.83
6,227.00	9.53	105.72	6,198.58	-127.76	340.13	-108.21	0.26	-0.06	-1.51
6,322.00	9.04	105.08	6,292.33	-131.83	354.91	-111.44	0.53	-0.52	-0.67
6,417.00	8.89	103.87	6,386.17	-135.53	369.24	-114.32	0.25	-0.16	-1.27
6,511.00	8.97	103.62	6,479.03	-139.00	383.42	-116.97	0.09	0.09	-0.27
6,605.00	8.58	103.26	6,571.93	-142.33	397.36	-119.51	0.42	-0.41	-0.38
6,700.00	8.72	102.94	6,665.85	-145.57	411.28	-121.95	0.16	0.15	-0.34
6,794.00	9.15	107.61	6,758.71	-149.43	425.35	-125.00	0.90	0.46	4.97
6,889.00	9.16	107.58	6,852.50	-154.00	439.76	-128.74	0.01	0.01	-0.03
6,983.00	10.05	108.46	6,945.18	-158.86	454.67	-132.74	0.96	0.95	0.94
7,171.00	9.80	108.37	7,130.37	-169.09	485.41	-141.21	0.13	-0.13	-0.05
7,265.00	9.61	109.69	7,223.02	-174.26	500.39	-145.52	0.31	-0.20	1.40
7,360.00	8.18	114.58	7,316.88	-179.74	514.01	-150.22	1.70	-1.51	5.15
7,454.00	7.48	111.54	7,410.00	-184.77	525.78	-154.57	0.87	-0.74	-3.23
7,548.00	5.88	110.90	7,503.36	-188.73	535.97	-157.95	1.70	-1.70	-0.68
7,643.00	4.17	102.56	7,598.00	-191.22	543.89	-159.98	1.95	-1.80	-8.78
7,737.00	4.02	98.48	7,691.76	-192.45	550.48	-160.83	0.35	-0.16	-4.34
7,832.00	3.63	98.49	7,786.54	-193.38	556.75	-161.41	0.41	-0.41	0.01
7,926.00	3.41	101.36	7,880.37	-194.37	562.43	-162.08	0.30	-0.23	3.05
8,020.00	3.10	107.12	7,974.21	-195.67	567.60	-163.08	0.48	-0.33	6.13
8,115.00	2.11	95.46	8,069.12	-196.60	571.80	-163.76	1.18	-1.04	-12.27
8,209.00	1.31	112.43	8,163.07	-197.17	574.51	-164.18	1.00	-0.85	18.05
8,304.00	0.82	117.68	8,258.06	-197.90	576.12	-164.82	0.53	-0.52	5.53
8,399.00	0.30	93.69	8,353.05	-198.23	576.97	-165.10	0.59	-0.55	-25.25
8,493.00	0.33	94.17	8,447.05	-198.27	577.49	-165.11	0.03	0.03	0.51
8,588.00	0.18	54.10	8,542.05	-198.20	577.88	-165.02	0.24	-0.16	-42.18
8,682.00	0.56	324.02	8,636.05	-197.74	577.73	-164.57	0.63	0.40	-95.83
8,777.00	1.04	316.09	8,731.04	-196.74	576.86	-163.62	0.52	0.51	-8.35
8,871.00	1.30	311.45	8,825.02	-195.42	575.47	-162.38	0.29	0.28	-4.94
8,965.00	1.52	305.94	8,918.99	-193.99	573.66	-161.05	0.27	0.23	-5.86



Survey Report



Company:	Centennial Resources Development, Inc.	Local Co-ordinate Reference:	Well 503H
Project:	Lea County, NM (NAD83 - UTM Zone 13)	TVD Reference:	RKB @ 3523.60usft (H&P 296)
Site:	Raider Federal Com	MD Reference:	RKB @ 3523.60usft (H&P 296)
Well:	503H	North Reference:	True
Wellbore:	OH / 67470	Survey Calculation Method:	Minimum Curvature
Design:	Surveys (H&P 296)	Database:	USA Compass

Survey

Measured Depth (usft)	Inclination (°)	Azimuth (°)	Vertical Depth (usft)	+N/-S (usft)	+E/-W (usft)	Vertical Section (usft)	Dogleg Rate (°/100usft)	Build Rate (°/100usft)	Turn Rate (°/100usft)
9,060.00	1.53	304.47	9,013.96	-192.53	571.59	-159.71	0.04	0.01	-1.55
9,155.00	1.78	300.39	9,108.92	-191.07	569.28	-158.38	0.29	0.26	-4.29
9,249.00	2.30	299.49	9,202.86	-189.40	566.37	-156.88	0.55	0.55	-0.96
9,344.00	2.88	303.44	9,297.76	-187.14	562.72	-154.84	0.64	0.61	4.16
9,438.00	2.51	312.53	9,391.66	-184.45	559.24	-152.35	0.60	-0.39	9.67
9,533.00	1.31	3.43	9,486.61	-181.96	557.77	-149.95	2.07	-1.26	53.58
9,628.00	1.26	6.47	9,581.58	-179.84	557.95	-147.82	0.09	-0.05	3.20
9,722.00	1.20	13.48	9,675.56	-177.86	558.30	-145.82	0.17	-0.06	7.46
9,817.00	0.97	10.92	9,770.55	-176.10	558.68	-144.04	0.25	-0.24	-2.69
9,911.00	0.74	6.79	9,864.53	-174.71	558.90	-142.65	0.25	-0.24	-4.39
10,006.00	0.80	354.02	9,959.53	-173.45	558.91	-141.38	0.19	0.06	-13.44
10,100.00	0.68	351.93	10,053.52	-172.24	558.76	-140.19	0.13	-0.13	-2.22
10,195.00	0.27	159.88	10,148.52	-171.89	558.76	-139.84	1.00	-0.43	176.79
10,290.00	1.60	170.75	10,243.50	-173.41	559.05	-141.34	1.41	1.40	11.44
10,384.00	2.21	178.29	10,337.45	-176.52	559.31	-144.43	0.70	0.65	8.02
10,479.00	2.04	184.10	10,432.38	-180.04	559.25	-147.94	0.29	-0.18	6.12
10,573.00	1.98	190.92	10,526.33	-183.30	558.82	-151.22	0.26	-0.06	7.26
10,679.00	1.67	194.30	10,632.27	-186.59	558.09	-154.56	0.31	-0.29	3.19
10,773.00	9.02	358.68	10,725.94	-180.54	557.58	-148.54	11.32	7.82	174.87
10,868.00	18.55	9.31	10,818.11	-158.13	559.86	-126.03	10.34	10.03	11.19
10,898.00	21.51	10.52	10,846.29	-148.01	561.64	-115.83	9.96	9.87	4.03
10,962.00	28.60	10.67	10,904.23	-121.38	566.62	-88.97	11.08	11.08	0.23
11,009.00	34.66	7.11	10,944.24	-97.04	570.36	-64.45	13.49	12.89	-7.57
11,056.00	37.60	3.73	10,982.20	-69.46	572.95	-36.77	7.56	6.26	-7.19
11,103.00	43.39	0.39	11,017.93	-38.98	573.99	-6.28	13.15	12.32	-7.11
11,151.00	49.29	2.63	11,051.05	-4.29	574.94	28.41	12.75	12.29	4.67
11,245.00	63.64	2.76	11,102.85	73.77	578.62	106.56	15.27	15.27	0.14
11,340.00	80.21	3.06	11,132.22	163.65	583.20	196.55	17.44	17.44	0.32
11,369.00	85.49	2.84	11,135.83	192.38	584.68	225.32	18.22	18.21	-0.76
11,460.00	88.85	2.07	11,140.32	283.17	588.58	316.18	3.79	3.69	-0.85
11,555.00	91.39	358.49	11,140.12	378.15	589.04	411.03	4.62	2.67	-3.77
11,649.00	93.34	357.83	11,136.24	472.01	586.03	504.57	2.19	2.07	-0.70
11,744.00	90.73	358.94	11,132.87	566.91	583.35	599.16	2.99	-2.75	1.17
11,839.00	90.79	358.42	11,131.61	661.87	581.16	693.85	0.55	0.06	-0.55
11,933.00	91.01	357.65	11,130.13	755.80	577.94	787.45	0.85	0.23	-0.82
12,028.00	91.32	357.56	11,128.20	850.70	573.97	881.96	0.34	0.33	-0.09
12,122.00	92.19	357.25	11,125.32	944.56	569.72	975.43	0.98	0.93	-0.33
12,217.00	91.73	357.88	11,122.08	1,039.42	565.68	1,069.90	0.82	-0.48	0.66
12,311.00	90.08	0.39	11,120.59	1,133.38	564.26	1,163.64	3.20	-1.76	2.67
12,406.00	90.64	0.34	11,119.99	1,228.38	564.87	1,258.52	0.59	0.59	-0.05
12,500.00	91.95	359.27	11,117.87	1,322.35	564.55	1,352.32	1.80	1.39	-1.14
12,595.00	88.98	357.92	11,117.10	1,417.31	562.22	1,446.99	3.43	-3.13	-1.42
12,690.00	89.64	359.38	11,118.24	1,512.27	559.98	1,541.67	1.69	0.69	1.54
12,784.00	90.15	358.28	11,118.41	1,606.25	558.06	1,635.39	1.29	0.54	-1.17



Survey Report



Company:	Centennial Resources Development, Inc.	Local Co-ordinate Reference:	Well 503H
Project:	Lea County, NM (NAD83 - UTM Zone 13)	TVD Reference:	RKB @ 3523.60usft (H&P 296)
Site:	Raider Federal Com	MD Reference:	RKB @ 3523.60usft (H&P 296)
Well:	503H	North Reference:	True
Wellbore:	OH / 67470	Survey Calculation Method:	Minimum Curvature
Design:	Surveys (H&P 296)	Database:	USA Compass

Survey

Measured Depth (usft)	Inclination (°)	Azimuth (°)	Vertical Depth (usft)	+N/-S (usft)	+E/-W (usft)	Vertical Section (usft)	Dogleg Rate (°/100usft)	Build Rate (°/100usft)	Turn Rate (°/100usft)
12,879.00	90.47	1.50	11,117.90	1,701.24	557.88	1,730.21	3.41	0.34	3.39
12,973.00	90.38	1.20	11,117.20	1,795.21	560.10	1,824.15	0.33	-0.10	-0.32
13,068.00	90.78	0.18	11,116.24	1,890.19	561.24	1,919.05	1.15	0.42	-1.07
13,162.00	89.99	1.48	11,115.61	1,984.18	562.60	2,012.96	1.62	-0.84	1.38
13,256.00	90.61	1.00	11,115.12	2,078.16	564.64	2,106.90	0.83	0.66	-0.51
13,351.00	91.30	1.54	11,113.53	2,173.12	566.74	2,201.83	0.92	0.73	0.57
13,445.00	91.19	1.34	11,111.49	2,267.07	569.10	2,295.76	0.24	-0.12	-0.21
13,540.00	90.42	1.15	11,110.16	2,362.03	571.17	2,390.69	0.83	-0.81	-0.20
13,635.00	90.21	0.81	11,109.63	2,457.02	572.79	2,485.61	0.42	-0.22	-0.36
13,729.00	89.87	0.93	11,109.57	2,551.01	574.22	2,579.53	0.38	-0.36	0.13
13,824.00	89.44	0.81	11,110.14	2,645.99	575.66	2,674.45	0.47	-0.45	-0.13
13,918.00	89.01	0.74	11,111.41	2,739.98	576.93	2,768.35	0.46	-0.46	-0.07
14,013.00	88.39	0.61	11,113.57	2,834.95	578.05	2,863.23	0.67	-0.65	-0.14
14,107.00	89.96	0.10	11,114.92	2,928.93	578.63	2,957.10	1.76	1.67	-0.54
14,202.00	89.61	359.99	11,115.28	3,023.93	578.71	3,051.95	0.39	-0.37	-0.12
14,296.00	89.31	359.49	11,116.16	3,117.92	578.28	3,145.76	0.62	-0.32	-0.53
14,391.00	88.59	358.87	11,117.90	3,212.90	576.92	3,240.51	1.00	-0.76	-0.65
14,485.00	90.67	359.42	11,118.51	3,306.88	575.52	3,334.26	2.29	2.21	0.59
14,579.00	88.70	357.65	11,119.03	3,400.84	573.12	3,427.93	2.82	-2.10	-1.88
14,673.00	89.82	358.83	11,120.24	3,494.78	570.23	3,521.56	1.73	1.19	1.26
14,768.00	90.70	1.45	11,119.81	3,589.77	570.46	3,616.40	2.91	0.93	2.76
14,862.00	93.18	2.37	11,116.63	3,683.66	573.59	3,710.32	2.81	2.64	0.98
14,957.00	92.58	1.47	11,111.86	3,778.48	576.77	3,805.17	1.14	-0.63	-0.95
15,051.00	92.81	2.28	11,107.44	3,872.33	579.84	3,899.04	0.89	0.24	0.86
15,145.00	93.55	3.28	11,102.22	3,966.07	584.40	3,992.89	1.32	0.79	1.06
15,240.00	91.69	1.15	11,097.88	4,060.89	588.06	4,087.76	2.97	-1.96	-2.24
15,334.00	89.62	0.37	11,096.80	4,154.87	589.31	4,181.66	2.35	-2.20	-0.83
15,428.00	88.88	0.05	11,098.03	4,248.86	589.65	4,275.52	0.86	-0.79	-0.34
15,523.00	91.47	358.30	11,097.74	4,343.84	588.28	4,370.26	3.29	2.73	-1.84
15,617.00	93.37	358.86	11,093.78	4,437.72	585.96	4,463.86	2.11	2.02	0.60
15,712.00	92.01	359.33	11,089.32	4,532.60	584.46	4,558.51	1.51	-1.43	0.49
15,806.00	94.26	358.55	11,084.18	4,626.44	582.72	4,652.09	2.53	2.39	-0.83
15,901.00	91.90	359.70	11,079.07	4,721.28	581.28	4,746.70	2.76	-2.48	1.21
15,995.00	91.41	0.18	11,076.36	4,815.24	581.18	4,840.50	0.73	-0.52	0.51
16,090.00	90.98	0.43	11,074.38	4,910.22	581.68	4,935.35	0.52	-0.45	0.26
16,184.00	89.81	0.16	11,073.73	5,004.22	582.17	5,029.22	1.28	-1.24	-0.29
16,279.00	90.27	359.51	11,073.66	5,099.22	581.89	5,124.05	0.84	0.48	-0.68
16,373.00	90.05	359.10	11,073.40	5,193.21	580.75	5,217.83	0.49	-0.23	-0.44
16,468.00	90.53	358.41	11,072.92	5,288.18	578.69	5,312.53	0.88	0.51	-0.73
16,562.00	90.38	357.96	11,072.17	5,382.13	575.71	5,406.16	0.50	-0.16	-0.48
16,656.00	90.27	357.52	11,071.64	5,476.06	572.01	5,499.72	0.48	-0.12	-0.47
16,751.00	90.99	358.94	11,070.59	5,571.00	569.07	5,594.35	1.68	0.76	1.49
16,845.00	90.99	358.55	11,068.97	5,664.97	567.01	5,688.04	0.41	0.00	-0.41



Survey Report



Company:	Centennial Resources Development, Inc.	Local Co-ordinate Reference:	Well 503H
Project:	Lea County, NM (NAD83 - UTM Zone 13)	TVD Reference:	RKB @ 3523.60usft (H&P 296)
Site:	Raider Federal Com	MD Reference:	RKB @ 3523.60usft (H&P 296)
Well:	503H	North Reference:	True
Wellbore:	OH / 67470	Survey Calculation Method:	Minimum Curvature
Design:	Surveys (H&P 296)	Database:	USA Compass

Survey

Measured Depth (usft)	Inclination (°)	Azimuth (°)	Vertical Depth (usft)	+N/-S (usft)	+E/-W (usft)	Vertical Section (usft)	Dogleg Rate (°/100usft)	Build Rate (°/100usft)	Turn Rate (°/100usft)
16,940.00	91.79	359.42	11,066.67	5,759.92	565.33	5,782.75	1.24	0.84	0.92
17,034.00	92.69	358.96	11,062.99	5,853.84	564.00	5,876.44	1.08	0.96	-0.49
17,129.00	91.42	359.70	11,059.58	5,948.77	562.89	5,971.15	1.55	-1.34	0.78
17,223.00	91.42	359.17	11,057.26	6,042.74	561.97	6,064.91	0.56	0.00	-0.56
17,318.00	89.27	1.08	11,056.68	6,137.72	562.17	6,159.76	3.03	-2.26	2.01
17,412.00	89.02	0.78	11,058.09	6,231.70	563.70	6,253.67	0.42	-0.27	-0.32
17,506.00	90.76	1.31	11,058.27	6,325.68	565.41	6,347.60	1.94	1.85	0.56
17,601.00	90.89	1.12	11,056.90	6,420.65	567.43	6,442.53	0.24	0.14	-0.20
17,695.00	90.44	1.16	11,055.81	6,514.63	569.30	6,536.46	0.48	-0.48	0.04
17,790.00	90.38	1.55	11,055.13	6,609.60	571.54	6,631.40	0.42	-0.06	0.41
17,884.00	90.33	2.00	11,054.55	6,703.55	574.46	6,725.37	0.48	-0.05	0.48
17,979.00	90.05	2.09	11,054.23	6,798.49	577.85	6,820.35	0.31	-0.29	0.09
18,074.00	89.45	2.01	11,054.64	6,893.43	581.24	6,915.32	0.64	-0.63	-0.08
18,168.00	89.24	359.61	11,055.72	6,987.40	582.57	7,009.22	2.56	-0.22	-2.55
18,263.00	90.81	0.36	11,055.68	7,082.40	582.55	7,104.07	1.83	1.65	0.79
18,357.00	90.41	359.87	11,054.68	7,176.39	582.74	7,197.92	0.67	-0.43	-0.52
18,452.00	90.32	359.69	11,054.07	7,271.39	582.37	7,292.74	0.21	-0.09	-0.19
18,547.00	89.33	358.82	11,054.36	7,366.38	581.14	7,387.51	1.39	-1.04	-0.92
18,641.00	89.02	358.57	11,055.72	7,460.35	579.00	7,481.20	0.42	-0.33	-0.27
18,735.00	88.53	357.62	11,057.73	7,554.27	575.87	7,574.79	1.14	-0.52	-1.01
18,830.00	89.58	357.67	11,059.29	7,649.18	571.97	7,669.32	1.11	1.11	0.05
18,924.00	91.53	359.50	11,058.38	7,743.13	569.65	7,763.00	2.84	2.07	1.95
19,019.00	91.02	358.88	11,056.27	7,838.10	568.30	7,857.73	0.84	-0.54	-0.65
19,113.00	90.25	358.14	11,055.23	7,932.06	565.86	7,951.41	1.14	-0.82	-0.79
19,208.00	91.59	359.02	11,053.70	8,027.02	563.51	8,046.07	1.69	1.41	0.93
19,303.00	90.65	359.00	11,051.84	8,121.98	561.87	8,140.79	0.99	-0.99	-0.02
19,398.00	90.58	0.68	11,050.82	8,216.98	561.60	8,235.61	1.77	-0.07	1.77
19,492.00	90.13	0.35	11,050.24	8,310.97	562.45	8,329.50	0.59	-0.48	-0.35
19,586.00	89.35	358.71	11,050.67	8,404.96	561.67	8,423.30	1.93	-0.83	-1.74
19,681.00	90.52	359.31	11,050.78	8,499.94	560.03	8,518.04	1.38	1.23	0.63
19,776.00	91.49	359.44	11,049.11	8,594.92	559.00	8,612.80	1.03	1.02	0.14
19,870.00	91.02	357.64	11,047.05	8,688.87	556.60	8,706.46	1.98	-0.50	-1.91
19,964.00	91.59	359.41	11,044.91	8,782.81	554.18	8,800.11	1.98	0.61	1.88
20,059.00	92.64	1.90	11,041.40	8,877.73	555.27	8,894.94	2.84	1.11	2.62
20,153.00	93.95	2.14	11,036.00	8,971.51	558.58	8,988.76	1.42	1.39	0.26
20,247.00	93.25	0.89	11,030.10	9,065.29	561.06	9,082.53	1.52	-0.74	-1.33
20,342.00	94.02	359.44	11,024.07	9,160.10	561.33	9,177.19	1.73	0.81	-1.53
20,436.00	94.63	0.54	11,016.99	9,253.83	561.31	9,270.77	1.34	0.65	1.17
20,531.00	93.74	1.07	11,010.05	9,348.56	562.64	9,365.43	1.09	-0.94	0.56
20,625.00	93.46	0.75	11,004.15	9,442.36	564.13	9,459.16	0.45	-0.30	-0.34
20,719.00	94.31	0.00	10,997.78	9,536.14	564.75	9,552.83	1.20	0.90	-0.80
20,814.00	91.55	359.64	10,992.93	9,631.01	564.45	9,647.52	2.93	-2.91	-0.38
20,908.00	90.92	359.89	10,990.90	9,724.99	564.06	9,741.33	0.72	-0.67	0.27



Survey Report



Company:	Centennial Resources Development, Inc.	Local Co-ordinate Reference:	Well 503H
Project:	Lea County, NM (NAD83 - UTM Zone 13)	TVD Reference:	RKB @ 3523.60usft (H&P 296)
Site:	Raider Federal Com	MD Reference:	RKB @ 3523.60usft (H&P 296)
Well:	503H	North Reference:	True
Wellbore:	OH / 67470	Survey Calculation Method:	Minimum Curvature
Design:	Surveys (H&P 296)	Database:	USA Compass

Survey										
Measured Depth (usft)	Inclination (°)	Azimuth (°)	Vertical Depth (usft)	+N/-S (usft)	+E/-W (usft)	Vertical Section (usft)	Dogleg Rate (°/100usft)	Build Rate (°/100usft)	Turn Rate (°/100usft)	
21,003.00	90.24	0.05	10,989.94	9,819.98	564.01	9,836.16	0.74	-0.72	0.17	
21,098.00	89.75	359.83	10,989.95	9,914.98	563.91	9,931.01	0.57	-0.52	-0.23	
21,192.00	88.37	359.60	10,991.49	10,008.97	563.45	10,024.81	1.49	-1.47	-0.24	
21,280.00	87.53	359.10	10,994.64	10,096.90	562.45	10,112.55	1.11	-0.95	-0.57	
Final Phoenix MWD Survey										
21,335.00	87.53	359.10	10,997.01	10,151.84	561.59	10,167.35	0.00	0.00	0.00	
Projection to TD										

Survey Annotations					
Measured Depth (usft)	Vertical Depth (usft)	Local Coordinates		Comment	
		+N/-S (usft)	+E/-W (usft)		
156.00	156.00	0.56	0.22	First Phoenix MWD Survey	
21,280.00	10,994.64	10,096.90	562.45	Final Phoenix MWD Survey	
21,335.00	10,997.01	10,151.84	561.59	Projection to TD	

Intent ☐ As Drilled ☐

API #		
Operator Name:	Property Name:	Well Number

Kick Off Point (KOP)

UL	Section	Township	Range	Lot	Feet	From N/S	Feet	From E/W	County
Latitude					Longitude				NAD

First Take Point (FTP)

UL	Section	Township	Range	Lot	Feet	From N/S	Feet	From E/W	County
Latitude					Longitude				NAD

Last Take Point (LTP)

UL	Section	Township	Range	Lot	Feet	From N/S	Feet	From E/W	County
Latitude					Longitude				NAD

Is this well the defining well for the Horizontal Spacing Unit? ☐Is this well an infill well? ☐

If infill is yes please provide API if available, Operator Name and well number for Defining well for Horizontal Spacing Unit.

API #		
Operator Name:	Property Name:	Well Number

KZ 06/29/2018

Submit To Appropriate District Office Two Copies <u>District I</u> 1625 N. French Dr., Hobbs, NM 88240 <u>District II</u> 811 S. First St., Artesia, NM 88210 <u>District III</u> 1000 Rio Brazos Rd., Aztec, NM 87410 <u>District IV</u> 1220 S. St. Francis Dr., Santa Fe, NM 87505		State of New Mexico Energy, Minerals and Natural Resources Oil Conservation Division 1220 South St. Francis Dr. Santa Fe, NM 87505			Form C-105 Revised April 3, 2017					
WELL COMPLETION OR RECOMPLETION REPORT AND LOG								1. WELL API NO. 30-025-46301		
4. Reason for filing: ☒ COMPLETION REPORT (Fill in boxes #1 through #31 for State and Fee wells only) ☐ C-144 CLOSURE ATTACHMENT (Fill in boxes #1 through #9, #15 Date Rig Released and #32 and/or #33; attach this and the plat to the C-144 closure report in accordance with 19.15.17.13.K NMAC)								5. Lease Name or Unit Agreement Name Raider Federal Com		
								6. Well Number: 503H		
7. Type of Completion: ☒ NEW WELL ☐ WORKOVER ☐ DEEPENING ☐ PLUGBACK ☐ DIFFERENT RESERVOIR ☐ OTHER _____										
8. Name of Operator Centennial Resource Production, LLC						9. OGRID 372165				
10. Address of Operator 1001 17th Street, Suite 1800, Denver, CO						11. Pool name or Wildcat Red Hills; Bone Spring, North 96434				
12. Location	Unit Ltr	Section	Township	Range	Lot	Feet from the	N/S Line	Feet from the	E/W Line	County
Surface:	P	21	24S	34E		300	South	1010	East	Lea
BH:	B	16	24S	34E		102	North	446	East	Lea
13. Date Spudded	14. Date T.D. Reached		15. Date Rig Released		16. Date Completed (Ready to Produce)			17. Elevations (DF and RKB, RT, GR, etc.)		
2/27/21	3/10/21		3/17/21		4/25/21			3497		
18. Total Measured Depth of Well			19. Plug Back Measured Depth		20. Was Directional Survey Made?			21. Type Electric and Other Logs Run		
21,335			21,293		Yes			Gamma Ray		
22. Producing Interval(s), of this completion - Top, Bottom, Name 11,274 - 21,289										
23. CASING RECORD (Report all strings set in well)										
CASING SIZE		WEIGHT LB./FT.		DEPTH SET		HOLE SIZE		CEMENTING RECORD		AMOUNT PULLED
13-3/8		54.5		1333		17-1/2		1130 sx		
9-5/8		40		5364		12-1/4		1015 sx		
5-1/2		20		21330		8-3/4				
5-1/2		20		21330		8-1/2		2500 sx		
24. LINER RECORD						25. TUBING RECORD				
SIZE	TOP	BOTTOM	SACKS CEMENT	SCREEN		SIZE	DEPTH SET		PACKER SET	
						2-7/8	10,693			
26. Perforation record (interval, size, and number)						27. ACID, SHOT, FRACTURE, CEMENT, SQUEEZE, ETC.				
11,274 - 21,289, 2040 holes						DEPTH INTERVAL		AMOUNT AND KIND MATERIAL USED		
						11,274 - 21,289		19,845,420 gals slick water		
								25,023,900# 100 mesh sand		
28. PRODUCTION										
Date First Production		Production Method (Flowing, gas lift, pumping - Size and type pump)				Well Status (Prod. or Shut-in)				
4/30/21		Gas Lift				Producing				
Date of Test	Hours Tested	Choke Size	Prod'n For Test Period	Oil - Bbl	Gas - MCF	Water - Bbl.	Gas - Oil Ratio			
5/25/21	24			1231	1796	3348	1459			
Flow Tubing Press.	Casing Pressure	Calculated 24-Hour Rate	Oil - Bbl.	Gas - MCF	Water - Bbl.	Oil Gravity - API - (Corr.)				
50			1231	1796	3348	43				
29. Disposition of Gas (Sold, used for fuel, vented, etc.)								30. Test Witnessed By		
Sold								Derrick Melton		
31. List Attachments										
C-104, Survey, C-102, Additional points required										
32. If a temporary pit was used at the well, attach a plat with the location of the temporary pit.								33. Rig Release Date:		
34. If an on-site burial was used at the well, report the exact location of the on-site burial:										
Latitude _____ Longitude _____ NAD83										
I hereby certify that the information shown on both sides of this form is true and complete to the best of my knowledge and belief										
Signature 				Printed Name Kanicia Schlichting				Title Sr. Regulatory Analyst Date 6/10/21		
E-mail Address Kanicia.schlichting@cdevinc.com										

This form is to be filed with the appropriate District Office of the Division not later than 20 days after the completion of any newly-drilled or deepened well and not later than 60 days after completion of closure. When submitted as a completion report, this shall be accompanied by one copy of all electrical and radio-activity logs run on the well and a summary of all special tests conducted, including drill stem tests. All depths reported shall be measured depths. In the case of directionally drilled wells, true vertical depths shall also be reported. For multiple completions, items 11, 12 and 26-31 shall be reported for each zone.

Southeastern New Mexico		Northwestern New Mexico	
T. Anhy	T. Canyon	T. Ojo Alamo	T. Penn A"
T. Salt	T. Strawn	T. Kirtland	T. Penn. "B"
B. Salt	T. Bell Canvon 5422	T. Fruitland	T. Penn. "C"
T. Yates	T. Cherry Canyon 6361	T. Pictured Cliffs	T. Penn. "D"
T. 7 Rivers	T. Manzanita Lime 6540	T. Cliff House	T. Leadville
T. Queen	T. Brushy Canyon 7879	T. Menefee	T. Madison
T. Grayburg	T. Bone Spring Lime 9261	T. Point Lookout	T. Elbert
T. San Andres	T. Avalon Shale 9294	T. Mancos	T. McCracken
T. Glorieta	T. 1st Bone Spring Sand 10,296	T. Gallup	T. Ignacio Otzte
T. Paddock	T. 2nd Bone Spring Sand 10,831	Base Greenhorn	T. Granite
T. Blinebry	T. Gr. Wash	T. Dakota	
T. Tubb	T. Delaware Sand	T. Morrison	
T. Drinkard	T. Bone Springs	T. Todilto	
T. Abo	T.	T. Entrada	
T. Wolfcamp	T.	T. Wingate	
T. Penn	T.	T. Chinle	
T. Cisco (Bough C)	T.	T. Permian	

No. 1, from.....to.....
No. 2, from.....to.....
No. 3, from.....to.....
No. 4, from.....to.....

Include data on rate of water inflow and elevation to which water rose in hole.

No. 1, from.....to.....feet.....
 No. 2, from.....to.....feet.....
 No. 3, from.....to.....feet.....

From	To	Thickness In Feet	Lithology

District I
1625 N. French Dr., Hobbs, NM 88240
Phone:(575) 393-6161 Fax:(575) 393-0720
District II
811 S. First St., Artesia, NM 88210
Phone:(575) 748-1283 Fax:(575) 748-9720
District III
1000 Rio Brazos Rd., Aztec, NM 87410
Phone:(505) 334-6178 Fax:(505) 334-6170
District IV
1220 S. St Francis Dr., Santa Fe, NM 87505
Phone:(505) 476-3470 Fax:(505) 476-3462

State of New Mexico
Energy, Minerals and Natural Resources
Oil Conservation Division
1220 S. St Francis Dr.
Santa Fe, NM 87505

ACKNOWLEDGMENTS

Action 31400

ACKNOWLEDGMENTS

Operator: CENTENNIAL RESOURCE PRODUCTION, LLC 1001 17th Street, Suite 1800 Denver, CO 80202	OGRID: 372165
	Action Number: 31400
	Action Type: [C-104] Completion Packet (C-104C)

ACKNOWLEDGMENTS

☒	I hereby certify that the required Water Use Report has been, or will be, submitted for this wells completion.
☒	I hereby certify that the required FracFocus disclosure has been, or will be, submitted for this wells completion.

District I
1625 N. French Dr., Hobbs, NM 88240
Phone:(575) 393-6161 Fax:(575) 393-0720
District II
811 S. First St., Artesia, NM 88210
Phone:(575) 748-1283 Fax:(575) 748-9720
District III
1000 Rio Brazos Rd., Aztec, NM 87410
Phone:(505) 334-6178 Fax:(505) 334-6170
District IV
1220 S. St Francis Dr., Santa Fe, NM 87505
Phone:(505) 476-3470 Fax:(505) 476-3462

State of New Mexico
Energy, Minerals and Natural Resources
Oil Conservation Division
1220 S. St Francis Dr.
Santa Fe, NM 87505

CONDITIONS

Action 31400

CONDITIONS

Operator: CENTENNIAL RESOURCE PRODUCTION, LLC 1001 17th Street, Suite 1800 Denver, CO 80202	OGRID: 372165
	Action Number: 31400
	Action Type: [C-104] Completion Packet (C-104C)

CONDITIONS

Created By	Condition	Condition Date
ksimmons	None	9/3/2021