

District I
1625 N. French Dr., Hobbs, NM 88240

District II
811 S. First St., Artesia, NM 88210

District III
1000 Rio Brazos Rd., Aztec, NM 87410

District IV
1220 S. St. Francis Dr., Santa Fe, NM 87505

State of New Mexico
Energy, Minerals & Natural Resources

Oil Conservation Division
1220 South St. Francis Dr.
Santa Fe, NM 87505

Form C-104
Revised August 1, 2011

Submit one copy to appropriate District Office

☒ AMENDED REPORT

I. REQUEST FOR ALLOWABLE AND AUTHORIZATION TO TRANSPORT

¹ Operator name and Address OXY USA INC. P.O. BOX 50250 MIDLAND, TX 79710		² OGRID Number: 16696
		³ Reason for Filing Code/ Effective Date - NW- 04/19/2021
⁴ API Number 30-015-46465	⁵ Pool Name Ingle Wells; Bone Spring	⁶ Pool Code 33740
⁷ Property Code: 326187	⁸ Property Name: PRECIOUS 30-18 FEDERAL COM	⁹ Well Number: 6H

II. ¹⁰ Surface Location

Ul or lot no.	Section	Township	Range	Lot Idn	Feet from the	North/South Line	Feet from the	East/West line	County
A	31	23S	31E		520	NORTH	765	EAST	EDDY

¹¹ Bottom Hole Location FTP: 119' FSL 794' FEL LTP: 2525' FSL 748' FEL

UL or lot no.	Section	Township	Range	Lot Idn	Feet from the	North/South line	Feet from the	East/West line	County
I	18	23S	31E		2624	SOUTH	747	EAST	EDDY
¹² Lse Code F	¹³ Producing Method Code : P		¹⁴ Gas Connection Date: 04/19/2021		¹⁵ C-129 Permit Number		¹⁶ C-129 Effective Date		¹⁷ C-129 Expiration Date

III. Oil and Gas Transporters

¹⁸ Transporter OGRID	¹⁹ Transporter Name and Address	²⁰ O/G/W
237722	CENTURION PIPELINE L.P.	O
151618	ENTERPRISE FIELD SERVICES LLC	G

IV. Well Completion Data

²¹ Spud Date 01/21/2020	²² Ready Date 04/19/2021	²³ TD 22949'M 9703'V	²⁴ PBTB 22916'M 9703'V	²⁵ Perforations 9876-22850'	²⁶ DHC, MC
²⁷ Hole Size		²⁸ Casing & Tubing Size		²⁹ Depth Set	
17-1/2"		13-3/8"		438'	
12-1/4"		9-5/8"		4208'	
8-3/4" x 8-1/2"		5-1/2"		22929'	
		2-3/8" tbg		9797'	

V. Well Test Data

³¹ Date New Oil 04/22/2021	³² Gas Delivery Date 04/19/2021	³³ Test Date 04/25/2021	³⁴ Test Length 24 hrs	³⁵ Tbg. Pressure	³⁶ Csg. Pressure 725
³⁷ Choke Size 128/128	³⁸ Oil 2654	³⁹ Water 6448	⁴⁰ Gas 2950		⁴¹ Test Method F

⁴² I hereby certify that the rules of the Oil Conservation Division have been complied with and that the information given above is true and complete to the best of my knowledge and belief.

Signature: 

Printed name:
JANA MENDIOLA

Title:
SR. REGULATORY ANALYST

E-mail Address:
Janalyn_mendiola@oxy.com

Date: 07/17/2021 Phone: 432-685-5936

OIL CONSERVATION DIVISION

Approved by:

KURT SIMMONS

Title: NMOCD, SANTA FE

Approval Date: 09/07/2021

Well Name: PRECIOUS 30-18 FEDERAL COM	Well Location: T23S / R31E / SEC 31 / NENE / 32.266748 / -103.810829	County or Parish/State: EDDY / NM
Well Number: 6H	Type of Well: OIL WELL	Allottee or Tribe Name:
Lease Number: NMNM021640, NMNM21640	Unit or CA Name:	Unit or CA Number:
US Well Number: 3001546465	Well Status: Drilling Well	Operator: OXY USA INCORPORATED

Subsequent Report

Type of Submission: Subsequent Report	Type of Action: Workover Operations
Date Sundry Submitted: 06/03/2021	Time Sundry Submitted: 10:48
Date Operation Actually Began: 03/21/2021	

Actual Procedure: RUPU 03/21/21, RIH & clean out to PBTD @ 22916', pressure test casing to 9800# for 30 min, good test. RIH & perf @ 22850-9876' Total 1248 holes. Frac in 52 stages w/ 353488BBL Produced Water + 6098BBL Brackish Water w/ 23915790# sand, RD Schlumberger 04/09/21. Well ready to produce 04/19/21. 05/26/21 RIH with 2-3/8" tbg & gas lift set @ 9797', RD 05/27/21. Formation Tops for this completion are as follows: Rustler 358'M 358'V Salado (Top of Salt) 703'M 703'V Castile (anhydrite/bottom salt) 2541'M 2541'V Lamar/Delaware 3984'M 3983'V Bell Canyon 4015'M 4014'V Cherry Canyon 5011'M 5010'V Brushy Canyon 6284'M 6283'V Bone Spring 7964'M 7961'V Ist Bone Springs 9002'M 8981'V 2nd Bone Springs 9791'M 9656'V

Well Name: PRECIOUS 30-18 FEDERAL COM	Well Location: T23S / R31E / SEC 31 / NENE / 32.266748 / -103.810829	County or Parish/State: EDDY / NM
Well Number: 6H	Type of Well: OIL WELL	Allottee or Tribe Name:
Lease Number: NMNM021640, NMNM21640	Unit or CA Name:	Unit or CA Number:
US Well Number: 3001546465	Well Status: Drilling Well	Operator: OXY USA INCORPORATED

Operator Certification

I certify that the foregoing is true and correct. Title 18 U.S.C. Section 1001 and Title 43 U.S.C. Section 1212, make it a crime for any person knowingly and willfully to make to any department or agency of the United States any false, fictitious or fraudulent statements or representations as to any matter within its jurisdiction. Electronic submission of Sundry Notices through this system satisfies regulations requiring a submission of Form 3160-5 or a Sundry Notice.


Operator Electronic Signature: JANA MENDIOLA	Signed on: JUN 03, 2021 10:48 PM
Name: OXY USA INCORPORATED	
Title: Regulatory Coordinator	
Street Address: PO BOX 50250	
City: Midland	State: TX
Phone: (432) 685-5936	
Email address: Janalyn_mendiola@oxy.com	

Field Representative

Representative Name:		
Street Address:		
City:	State:	Zip:
Phone:		
Email address:		

BLM Point of Contact

BLM POC Name: Jonathon W Shepard	BLM POC Title: Petroleum Engineer
BLM POC Phone: 5752345972	BLM POC Email Address: jshepard@blm.gov
Disposition: Accepted	Disposition Date: 06/30/2021
Signature: Jonathon Shepard	

Submit To Appropriate District Office Two Copies District I 1625 N. French Dr., Hobbs, NM 88240 District II 811 S. First St., Artesia, NM 88210 District III 1000 Rio Brazos Rd., Aztec, NM 87410 District IV 1220 S. St. Francis Dr., Santa Fe, NM 87505		State of New Mexico Energy, Minerals and Natural Resources Oil Conservation Division 1220 South St. Francis Dr. Santa Fe, NM 87505			Form C-105 Revised April 3, 2017					
WELL COMPLETION OR RECOMPLETION REPORT AND LOG								1. WELL API NO. 30-015-46465		
4. Reason for filing: <input checked="" type="checkbox"/> COMPLETION REPORT (Fill in boxes #1 through #31 for State and Fee wells only) <input type="checkbox"/> C-144 CLOSURE ATTACHMENT (Fill in boxes #1 through #9, #15 Date Rig Released and #32 and/or #33; attach this and the plat to the C-144 closure report in accordance with 19.15.17.13.K NMAC)								2. Type of Lease <input type="checkbox"/> STATE <input type="checkbox"/> FEE <input checked="" type="checkbox"/> FED/INDIAN		
								3. State Oil & Gas Lease No.		
7. Type of Completion: <input checked="" type="checkbox"/> NEW WELL <input type="checkbox"/> WORKOVER <input type="checkbox"/> DEEPENING <input type="checkbox"/> PLUGBACK <input type="checkbox"/> DIFFERENT RESERVOIR <input type="checkbox"/> OTHER								5. Lease Name or Unit Agreement Name PRECIOUS 30-18 FEDERAL COM		
8. Name of Operator: OXY USA INC.								6. Well Number: 6H		
10. Address of Operator: P.O. BOX 50250 MIDLAND, TX 79710								11. Pool name or Wildcat INGLE WELLS; BONE SPRING		
12. Location	Unit Ltr	Section	Township	Range	Lot	Feet from the	N/S Line	Feet from the	E/W Line	County
Surface:	A	31	23S	31E		520	NORTH	765	EAST	EDDY
BH:	I	18	23S	31E		2624	SOUTH	747	EAST	EDDY
13. Date Spudded 01/21/2020	14. Date T.D. Reached 01/08/2021		15. Date Rig Released 01/12/2021			16. Date Completed (Ready to Produce) 04/19/2021		17. Elevations (DF and RKB, RT, GR, etc.) 3347' GL		
18. Total Measured Depth of Well 22949'M 9703'V			19. Plug Back Measured Depth 22916'M 9703'V			20. Was Directional Survey Made? YES		21. Type Electric and Other Logs Run Gamma Ray		
22. Producing Interval(s), of this completion - Top, Bottom, Name 9876-22850' 2 nd BONE SPRING										
23. CASING RECORD (Report all strings set in well)										
CASING SIZE		WEIGHT LB./FT.		DEPTH SET		HOLE SIZE		CEMENTING RECORD		AMOUNT PULLED
13.375" J55		54.5		438'		17.5"		575sx-surf circ		
9.625" HCL80		40		4208'		12.25"		1515sx-surf circ		
5.5" P110		20		22929'		8.75" x 8.5"		3921sx-TOC@surf		
24. LINER RECORD										
SIZE	TOP	BOTTOM	SACKS CEMENT	SCREEN		25. TUBING RECORD		SIZE		DEPTH SET
								2.375"		9797'
26. Perforation record (interval, size, and number) Perf @ 9876-22850' Total 1248 holes, Hole Size=0.37					27. ACID, SHOT, FRACTURE, CEMENT, SQUEEZE, ETC.					
					DEPTH INTERVAL		AMOUNT AND KIND MATERIAL USED			
					9876-22850'		353488BBL Produced Water + 6098BBL Brackish Water w/ 23915790# sand			
28. PRODUCTION										
Date First Production 04/22/2021		Production Method (Flowing, gas lift, pumping - Size and type pump) Gas Lift					Well Status (Prod. or Shut-in) Prod.			
Date of Test 04/25/2021	Hours Tested 24 hrs.	Choke Size 128/128	Prod'n For Test Period	Oil - Bbl 2654	Gas - MCF 2950	Water - Bbl. 6448	Gas - Oil Ratio 1112			
Flow Tubing Press.	Casing Pressure 725	Calculated 24- Hour Rate	Oil - Bbl. 2654	Gas - MCF 2950	Water - Bbl. 6448	Oil Gravity - API - (Corr.)				
29. Disposition of Gas (Sold, used for fuel, vented, etc.) SOLD								30. Test Witnessed By		
31. List Attachments WBD										
32. If a temporary pit was used at the well, attach a plat with the location of the temporary pit.								33. Rig Release Date:		
34. If an on-site burial was used at the well, report the exact location of the on-site burial:										
Latitude _____ Longitude _____ NAD83										
I hereby certify that the information shown on both sides of this form is true and complete to the best of my knowledge and belief										
Signature: 		Printed			Name: <u>Jana Mendiola</u>			Title: <u>Sr. Regulatory Analyst</u>		Date: <u>07/17/2021</u>
E-mail Address: <u>janalyn_mendiola@oxy.com</u>										

This form is to be filed with the appropriate District Office of the Division not later than 20 days after the completion of any newly-drilled or deepened well and not later than 60 days after completion of closure. When submitted as a completion report, this shall be accompanied by one copy of all electrical and radio-activity logs run on the well and a summary of all special tests conducted, including drill stem tests. All depths reported shall be measured depths. In the case of directionally drilled wells, true vertical depths shall also be reported. For multiple completions, items 11, 12 and 26-31 shall be reported for each zone.

Southeastern New Mexico		Northwestern New Mexico	
T. Rustler 358'	T. Bell Canyon 4015'	T. Ojo Alamo	T. Penn A"
T. Salado 703'	T. Strawn	T. Kirtland	T. Penn. "B"
T. Castile 2541'	T. Atoka	T. Fruitland	T. Penn. "C"
T. Delaware 3984'	T. Miss	T. Pictured Cliffs	T. Penn. "D"
T. Cherry Canyon 5011'	T. Devonian	T. Cliff House	T. Leadville
T. Brushy Canyon 6284'	T. Silurian	T. Menefee	T. Madison
T. Grayburg	T. Montoya	T. Point Lookout	T. Elbert
T. San Andres	T. Simpson	T. Mancos	T. McCracken
T. Glorieta	T. McKee	T. Gallup	T. Ignacio Otzte
T. Paddock	T. Ellenburger	Base Greenhorn	T. Granite
T. Blinebry	T. Gr. Wash	T. Dakota	
T. Tubb	T. Delaware Sand	T. Morrison	
T. Drinkard	T. Bone Springs 7964'	T. Todilto	
T. Abo	T. 1 st Bone Springs 9002'	T. Entrada	
T. Wolfcamp	T. 2 nd Bone Springs 9791'	T. Wingate	
T. Penn	T. 3 rd Bone Springs	T. Chinle	
T. Cisco (Bough C)	T.	T. Permian	

No. 1, from.....to.....

No. 2, from.....to.....

No. 3, from.....to.....


No. 4, from.....to.....

Include data on rate of water inflow and elevation to which water rose in hole.

No. 1, from.....to.....feet.....
 No. 2, from.....to.....feet.....
 No. 3, from.....to.....feet.....

From	To	Thickness In Feet	Lithology

OXY USA Inc.
Precious 30-18 Federal Com 6H
API No. 30-015-46465



17-1/2" hole @ 448'
13-3/8" csg @ 438'
w/ 575sx-TOC-Surf Circ.

12-1/4" hole @ 4223'
9-5/8" csg @ 4208'
w/ 1515sx-TOC-Surf Circ.

8-3/4" hole @ 4223-9289'
8-1/2" hole @ 9289-22949'
5-1/2" csg @ 22929'
w/ 3921sx-TOC @ Surf.

2-3/8" tbg w/ gas lift @ 9797'

Perfs @ 9876-22850'

TD- 22949'M 9703'V

District I

1625 N. French Dr., Hobbs, NM 88240
Phone:(575) 393-6161 Fax:(575) 393-0720

District II

811 S. First St., Artesia, NM 88210
Phone:(575) 748-1283 Fax:(575) 748-9720

District III

1000 Rio Brazos Rd., Aztec, NM 87410
Phone:(505) 334-6178 Fax:(505) 334-6170

District IV

1220 S. St Francis Dr., Santa Fe, NM 87505
Phone:(505) 476-3470 Fax:(505) 476-3462

State of New Mexico
Energy, Minerals and Natural Resources
Oil Conservation Division
1220 S. St Francis Dr.
Santa Fe, NM 87505

ACKNOWLEDGMENTS

Action 36762

ACKNOWLEDGMENTS

Operator: OXY USA INC P.O. Box 4294 Houston, TX 772104294	OGRID: 16696
	Action Number: 36762
	Action Type: [C-104] Completion Packet (C-104C)

ACKNOWLEDGMENTS

<input checked="" type="checkbox"/>	I hereby certify that the required Water Use Report has been, or will be, submitted for this wells completion.
<input checked="" type="checkbox"/>	I hereby certify that the required FracFocus disclosure has been, or will be, submitted for this wells completion.

District I
1625 N. French Dr., Hobbs, NM 88240
Phone:(575) 393-6161 Fax:(575) 393-0720

District II
811 S. First St., Artesia, NM 88210
Phone:(575) 748-1283 Fax:(575) 748-9720

District III
1000 Rio Brazos Rd., Aztec, NM 87410
Phone:(505) 334-6178 Fax:(505) 334-6170

District IV
1220 S. St Francis Dr., Santa Fe, NM 87505
Phone:(505) 476-3470 Fax:(505) 476-3462

State of New Mexico
Energy, Minerals and Natural Resources
Oil Conservation Division
1220 S. St Francis Dr.
Santa Fe, NM 87505

CONDITIONS

Action 36762

CONDITIONS

Operator: OXY USA INC P.O. Box 4294 Houston, TX 772104294	OGRID: 16696
	Action Number: 36762
	Action Type: [C-104] Completion Packet (C-104C)

CONDITIONS

Created By	Condition	Condition Date
ksimmons	None	9/7/2021