Type or print name

For State Use Only:

APPROVED BY:

Sarah Ferreyros

Kurt Simmons

E-mail address

TITLE

Form C-103 State of New Mexico 1625 N. French Dr., Hobbs, NM 88240 Phone:(575) 393-6161 Fax:(575) 393-0720 **Energy, Minerals and Natural Resources** Permit 300612 District II WELL APLNIIMBER 811 S. First St., Artesia, NM 88210 Oil Conservation Division Phone:(575) 748-1283 Fax:(575) 748-9720 30-025-49223 **District III** 5. Indicate Type of Lease 1220 S. St Francis Dr. 1000 Rio Brazos Rd., Aztec, NM 87410 Phone:(505) 334-6178 Fax:(505) 334-6170 6 State Oil & Gas Lease No. District IV **Santa Fe, NM 87505** 1220 S. St Francis Dr., Santa Fe, NM 87505 Phone:(505) 476-3470 Fax:(505) 476-3462 7. Lease Name or Unit Agreement Name SUNDRY NOTICES AND REPORTS ON WELLS **BRIDGE STATE UNIT 29** (DO NOT USE THIS FORM FOR PROPOSALS TO DRILL OR TO DEEPEN OR PLUG BACK TO A DIFFERENT RESERVOIR. USE "APPLICATION FOR PERMIT" (FORM C-101) FOR SUCH PROPOSALS.) 1. Type of Well: 8. Well Number 502H 2. Name of Operator 9. OGRID Number CENTENNIAL RESOURCE PRODUCTION, LLC 372165 3. Address of Operator 10. Pool name or Wildcat 1001 17th Street Suite 1800, Denver, CO 80202 Unit Letter M : 318 feet from the S line and feet 610 from the W 35E NMPM Township 22S Range County Lea 11. Elevation (Show whether DR, KB, BT, GR, etc.) 3538 GR Pit or Below-grade Tank Application or Closure ___ Distance from nearest fresh water well__ ___ Depth to Groundwater____ _ Distance from nearest surface water Pit Type mil Below-Grade Tank: Volume_ bbls; Construction Material Pit Liner Thickness: 12. Check Appropriate Box to Indicate Nature of Notice, Report or Other Data SUBSEQUENT REPORT OF: NOTICE OF INTENTION TO: PERFORM REMEDIAL WORK PLUG AND ABANDON ALTER CASING REMEDIAL WORK TEMPORARILY ABANDON CHANGE OF PLANS COMMENCE DRILLING OPNS. PLUG AND ABANDON CASING/CEMENT JOB PULL OR ALTER CASING MULTIPLE COMPL X Other: Other: Drilling/Cement 13. Describe proposed or completed operations. (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work.) SEE RULE 1103. For Multiple Completions: Attach wellbore diagram of proposed completion or recompletion. SEE ATTACHMENT See Attached 8/5/2021 Spudded well. **Casing and Cement Program** Date String Hole Csg Weight Dpth Yield Pres Open Size Size lb/ft TOC Held Drop Hole 08/06/21 Surf FreshWater 17.5 13.375 54.5 .155 1860 1440 1.8 Prolite 1100 0 Ν 08/08/21 Int1 Brine 12.25 9.625 40 J55 0 5517 1020 Prolite/C 1500 0 Ν 08/29/21 Prod Brine 8.5 5.5 23 VarnHC 1450 20660 2270 C & H Ν I hereby certify that the information above is true and complete to the best of my knowledge and belief. I further certify that any pit or below-grade tank has been/will be constructed or closed according to NMOCD guidelines \square , a general permit \square or an (attached) alternative OCD-approved plan \square TITLE SIGNATURE DATE Electronically Signed Regulatory Lead 9/7/2021

Sarah.Ferreyros@cdevinc.com

Petroleum Specialist - A

Telephone No.

720-499-1454

9/7/2021 4:06:34 PM

Centennial Resource Production, LLC 1001 17th St., Ste. 1800 Denver CO 80202

C-103
Bridge State Unit 29 #502H
30-025-49223
Lease #331224

DESCRIPTION OF WORK:

8-5-21: Well was spud.

8-6-21: TD 17-1/2" hole @ 1870'. Ran 50 joints, 13-3/8", 54.4#, J-55 surface csg. to 1860'. Cement lead, 1020 sks., 1.80 yield, Prolite; Tail w/420 sks., 1.34 yield, CLH. Circulate to surface. 125 bbls. returned to surface. Tested surf. csg. to 1100# for 30 minutes, test good.

8-8-21: TD 12-1/4" hole @ 5319'. Ran 131 joints 9-5/8 40#, J-55 intermediate csg., to 5517'. Cement lead 820 sks., 3.43 yield, CLC; Tail w/200 sks., 1.34 yield, Prolite. Circulate cmt. to surface. 64 bbls. returned to surface. Tested csg. to 1500# for 30 minutes. Test good.

8/11/21 through 8/27/21: Drill 8-3/4" vertical section to 11,083'. KOP @ 10,007'. Drill 8-1/2" lateral hole to 18,894'.

8/28/21: Drill 8-1/2" lateral section to 20,668'.

8/29/21: Final TD reached @ 20,668 on 8/28/21 @ 1:15 AM. Ran 492 joints 5-1/2" production csg., 23#, Varn/HC CDC to 20,660'. Cement lead 805 sxs., 3.43 yield, CLC; Tail w/1465 sks., 1.86 yield, CLH. Cement did not circulate to surface. TOC @ 1450, determined by calculation.

8/30/21: RR @ 10:00am.