

Well Name: JECO 83A	Well Location: T22N / R3W / SEC 14 / NENE /	County or Parish/State: SANDOVAL / NM
Well Number: 1	Type of Well: OIL WELL	Allottee or Tribe Name: JICARILLA APACHE
Lease Number: 701990014	Unit or CA Name:	Unit or CA Number:
US Well Number: 3004320691	Well Status: Producing Oil Well	Operator: JICARILLA APACHE ENERGY CORPORATION

Notice of Intent

Type of Submission: Notice of Intent	Type of Action Temporary Abandonment
Date Sundry Submitted: 06/25/2021	Time Sundry Submitted: 10:54
Date proposed operation will begin: 06/30/2021	
Procedure Description: Please find the attached procedure and diagram of the proposed action.	

Surface Disturbance

Is any additional surface disturbance proposed?: No

NOI Attachments

- Procedure Description
- JECO_83A__20210625105207
 - JECO_83A__20210625105158
 - JECO_83A__20210625105149

Well Name: JECO 83A	Well Location: T22N / R3W / SEC 14 / NENE /	County or Parish/State: SANDOVAL / NM
Well Number: 1	Type of Well: OIL WELL	Allottee or Tribe Name: JICARILLA APACHE
Lease Number: 701990014	Unit or CA Name:	Unit or CA Number:
US Well Number: 3004320691	Well Status: Producing Oil Well	Operator: JICARILLA APACHE ENERGY CORPORATION

Conditions of Approval

Specialist Review

JECO_83A_1_Procedure_20210825133839.pdf
2505190_TA_JECO_83A_3004320691_KR_08252021_20210825133839.pdf
JECO_83A_1_Proposed_Diagram_20210825133839.pdf
JECO_83A_1_Diagram_20210825133839.pdf

Operator Certification

I certify that the foregoing is true and correct. Title 18 U.S.C. Section 1001 and Title 43 U.S.C. Section 1212, make it a crime for any person knowingly and willfully to make to any department or agency of the United States any false, fictitious or fraudulent statements or representations as to any matter within its jurisdiction. Electronic submission of Sundry Notices through this system satisfies regulations requiring a submission of Form 3160-5 or a Sundry Notice.

Operator Electronic Signature: DANIEL MANUS

Signed on: JUN 25, 2021 10:52 AM

Name: JICARILLA APACHE ENERGY CORPORATION

Title: REGULATORY SPECIALIST

Street Address: 3200 N 1st Street

City: Bloomfield **State:** NM

Phone: (505) 634-5104

Email address: dmanus@blackhawkenergycorp.com

Field Representative

Representative Name:

Street Address:

City: **State:** **Zip:**

Phone:

Email address:

BLM Point of Contact

BLM POC Name: KENNETH G RENNICK

BLM POC Title: Petroleum Engineer

BLM POC Phone: 9708783846

BLM POC Email Address: krennick@blm.gov

Disposition: Approved

Disposition Date: 08/25/2021

Signature: Kenneth Rennick

**Jicarilla Apache Energy Corp
Dba BlackHawk Energy Corp.**

JAECO 83A #1

850' FNL, 800' FEL, Sec. 14, T22N, R 03W

Field: Chacon Dakota

API # 30043206910

Sandoval County, NM Elevation: 7165' G.L.

Purpose Temporarily Abandon Notify BLM Farmington 24 hrs prior to work commence 505-564-7600
notify NMOCD Aztec NM 24 hrs prior to test 505-334-6174

1. Move in Service unit. Spot load beam. Rig up service unit. Check pressures on tbg csg and Bradenhead. Identify B section wellhead flange
2. Install wellhead flange remove hanger install bop with 2 3/8" pipe rams and blind rams and cycle rams.
3. TOH with 2 3/8" tbg slm out of hole and visually inspect tbg
4. TIH w/3 7/8" bit and 4 1/2" csg scraper 1 jt 2 3/8" tbg 2 3/8" SN 2 3/8" tbg to 6692' +/- TOH with tbg
5. Tih with 4 1/2" CMT RET 1 jt 2 3/8" tbg 2 3/8" SN 2 3/8" tbg set RET @ 6692+/- sting out of RET
6. Establish circ down tbg out csg with 2% KCL water circ until all oil and gas is removed from csg
7. Rig up third party testers notify Jarad Benally of Jicarilla Tribe 505-320-9741 if test is successful Toh ld tbg
8. Rig down Service unit. Clean location. move out service unit. Note if test is unsuccessful we will run a packer and locate hole in csg.

Jicarilla Apache Energy Corporation

JAECO 83A #1


850' FNL, 800' FEL; Sec. 14, T22N, R03W

Field: Chacon Dakota

API #: 30043206910000

Sandoval Co., NM Elevation: 7165' G.L.

Current



Completion Date: 11/20/1983 Initial Prod 200 MCF/D/ 900 BOPD

Jesse Evans

May 23,01

JAECO 83A #1
850' FNL, 800' FEL; Sec. 14, T22N, R03W
Field: Chacon Dakota
API #: 30043206910000
Sandoval Co., NM Elevation: 7165' G.L.

Proposed

9 5/8", 40#, H-40 csg. @ 318' w/ 275 sacks

TIH with 4 1/2" CMT RET 1 jt 2 3/8" tbg 2 3/8" SN 2 3/8" tbg
set RET @ 6692+/- sting out of RET

6702-6734 - Dakota "A"

6795-6825 - Dakota "B"

4 1/2", 10.5 & 11.6# K-55 csg. @ 6981' w/ 700 cu. Ft.(1) w/ 555 cu. Ft.(2)

PB- 6899'
TD- 6990'

Completion Date: 11/20/1983 Initial Prod 200 MCF/D/ 900 BOPD

**UNITED STATES DEPARTMENT OF THE INTERIOR
BUREAU OF LAND MANAGEMENT
FARMINGTON DISTRICT OFFICE
6251 COLLEGE BLVD.
FARMINGTON, NEW MEXICO 87402**

Attachment to notice of Intent for TA Operations:

Well: JECO 83A 1 (Sundry ID 2505190)

CONDITIONS OF APPROVAL

1. Contact BLM Inspection and Enforcement at (505) 564 – 7750 hours prior to conducting work so an inspector can be present to witness the operations.
2. Adjust the location of the Cement Retainer to be 50 through 100 feet above the top perforation (6702 feet depth Dakota A).
3. File a subsequent report detailing work completed with exact dates (month, day, year) within 30 days of completing operations. Also file a request for Temporary Abandonment status for a 12-month with the exact effective date the well was temporary abandoned. Provide in the request the plans for the well.

K. Rennick 8/25/2021

District I
1625 N. French Dr., Hobbs, NM 88240
Phone:(575) 393-6161 Fax:(575) 393-0720
District II
811 S. First St., Artesia, NM 88210
Phone:(575) 748-1283 Fax:(575) 748-9720
District III
1000 Rio Brazos Rd., Aztec, NM 87410
Phone:(505) 334-6178 Fax:(505) 334-6170
District IV
1220 S. St Francis Dr., Santa Fe, NM 87505
Phone:(505) 476-3470 Fax:(505) 476-3462

State of New Mexico
Energy, Minerals and Natural Resources
Oil Conservation Division
1220 S. St Francis Dr.
Santa Fe, NM 87505

CONDITIONS

Action 44547

CONDITIONS

Operator: JICARILLA ENERGY CO P.O. Box 249 Bloomfield, NM 87413	OGRID: 11859
	Action Number: 44547
	Action Type: [C-103] NOI Temporary Abandonment (C-103I)

CONDITIONS

Created By	Condition	Condition Date
mkuehling	cast iron or retrievable bridgeplug or packer required. Notify NMOCD 24 hours prior to testing.	9/7/2021