eceingal by Opp Po Applophate Bishect 8 Office	State of flew Mexico	Form C-103 ¹ of 3
<u>District I</u> – (575) 393-6161	Energy, Minerals and Natural Resource	es Revised July 18, 2013 WELL API NO.
1625 N. French Dr., Hobbs, NM 88240 <u>District II</u> – (575) 748-1283	OIL CONCEDUATION DIVISION	30-021-20509
811 S. First St., Artesia, NM 88210 District III – (505) 334-6178	OIL CONSERVATION DIVISION 1220 South St. Francis Dr.	5. Indicate Type of Lease
1000 Rio Brazos Rd., Aztec, NM 87410	Santa Fe, NM 87505	STATE FEE
<u>District IV</u> – (505) 476-3460 1220 S. St. Francis Dr., Santa Fe, NM 87505	Santa Pe, NW 87303	6. State Oil & Gas Lease No.
	TCES AND REPORTS ON WELLS OSALS TO DRILL OR TO DEEPEN OR PLUG BACK TO A	7. Lease Name or Unit Agreement Name
DIFFERENT RESERVOIR. USE "APPLI PROPOSALS.)	ICATION FOR PERMIT" (FORM C-101) FOR SUCH	BRAVO DOME CO2 GAS UNIT
1. Type of Well: Oil Well	Gas Well Other 🗸	8. Well Number 162
2. Name of Operator OXY USA INC. (16696)		9. OGRID Number 16696
3. Address of Operator		10. Pool name or Wildcat
PO BOX 4294, HOUSTON	I, TX 77210-4294	BRAVO DOME CO2 GAS 640
4. Well Location	AOSO NODTH	1050
		d 1650 feet from the EAST line
Section 16	Township 18N Range 30E 11. Elevation (Show whether DR, RKB, RT, GA	NMPM County
	11. Elevation (Snow whether DR, RKB, R1, G)	K, etc.)
12. Check	Appropriate Box to Indicate Nature of No	otice, Report or Other Data
NOTICE OF IN	STENTION TO:	CLIDOCOLICNE DEDODE OF
PERFORM REMEDIAL WORK		SUBSEQUENT REPORT OF: WORK □ ALTERING CASING □
TEMPORARILY ABANDON	_	E DRILLING OPNS. P AND A
PULL OR ALTER CASING		EMENT JOB
DOWNHOLE COMMINGLE		
CLOSED-LOOP SYSTEM OTHER:	TA EXTENSION - MIT 🕡 OTHER:	
	E STILL	ils, and give pertinent dates, including estimated date
	ork). SEE RULE 19.15.7.14 NMAC. For Multip	
proposed completion or re-	completion.	
TD - 2254' PBTD-1940'	PERFS- 1964'-1989' CIBP- 1940	0'
DXY USA Inc. respectfully re	equests a five-year Temporarily Aban	don Status Exemption from the current
A expiration date of 07/25/2	2021. Plan forward is as follows:	·
. Notify NMOCD of casing i	integrity test 24hrs in advance.	
PU pump truck, circulate v	well with treated water, pressure test of	casing to 500psi for 30 minutes.
04/00/00	140	
Spud Date: 04/30/20	Rig Release Date:	
I haraby cartify that the information	a above is true and complete to the best of my kno	wladge and balief
Thereby certify that the information	above is true and complete to the best of my kno	wiedge and belief.
SIGNATURE Leslie T.	768	
	Scenes TITLE REGULATORY A	DVISOR DATE 9/1/2021
T I EQI IE DEE\		
Type or print name LESLIE REE\ For State Use Only		DVISORDATE <u>9/1/2021</u> EEEVES@OXY.COM PHONE: <u>713-497-2492</u>
For State Use Only	VES E-mail address: LESLIE_R	EEVES@OXY.COM PHONE: 713-497-2492
• • •	VES E-mail address: LESLIE_R	

OXY USA Inc. - Current West Bravo Dome Unit # 162 API No. 30-021-20509

PBTD - 1940'

Spud 04/30/2010 12-1/4" hole @ 775' 8-5/8"24# csg @ 775' w/ 408sx-TOC-Surf-Circ. 7-7/8" hole @ 2254' 4-1/2" 12.75# csg @ 2235' w/ 508sx - TOC-Surf-Circ. CIBP @ 1940' - (2018) w/ 5sx cmt on top Perfs 1964' - 1989' Possible CIBP @ 2065'

TD - 2254'

District I
1625 N. French Dr., Hobbs, NM 88240
Phone: (575) 393-6161 Fax: (575) 393-0720

District II 811 S. First St., Artesia, NM 88210 Phone:(575) 748-1283 Fax:(575) 748-9720

District III 1000 Rio Brazos Rd., Aztec, NM 87410 Phone:(505) 334-6178 Fax:(505) 334-6170

1220 S. St Francis Dr., Santa Fe, NM 87505 Phone:(505) 476-3470 Fax:(505) 476-3462

State of New Mexico Energy, Minerals and Natural Resources Oil Conservation Division 1220 S. St Francis Dr. **Santa Fe, NM 87505**

CONDITIONS

Action 43535

CONDITIONS

Operator:	OGRID:
OXY USA INC	16696
P.O. Box 4294	Action Number:
Houston, TX 772104294	43535
	Action Type:
	[C-103] NOI Temporary Abandonment (C-103I)

CONDITIONS

Created	Condition	Condition
Ву		Date
mkuehling	NMOCD witness required on all testing. Northwest bradenhead test required prior to MIT - performed day of MIT - all valves need to be dug out and plumbed to surface - do not bury till after	9/9/2021
	testing - chart recorder with 1000 lb spring - 1 hour clock - chart should match spring and clock.	