

Office  
 District I – (575) 393-6161  
 1625 N. French Dr., Hobbs, NM 88240  
 District II – (575) 748-1283  
 811 S. First St., Artesia, NM 88210  
 District III – (505) 334-6178  
 1000 Rio Brazos Rd., Aztec, NM 87410  
 District IV – (505) 476-3460  
 1220 S. St. Francis Dr., Santa Fe, NM  
 87505

State of New Mexico  
 Energy, Minerals and Natural Resources

Form C-103  
 Revised July 18, 2013

OIL CONSERVATION DIVISION  
 1220 South St. Francis Dr.  
 Santa Fe, NM 87505

WELL API NO. 30-015-26040
5. Indicate Type of Lease STATE <input checked="" type="checkbox"/> FEE <input type="checkbox"/>
6. State Oil & Gas Lease No.
7. Lease Name or Unit Agreement Name Marbob State
8. Well Number 001
9. OGRID Number 228937
10. Pool name or Wildcat SWD, Delaware (96100)

SUNDRY NOTICES AND REPORTS ON WELLS

(DO NOT USE THIS FORM FOR PROPOSALS TO DRILL OR TO DEEPEN OR PLUG BACK TO A DIFFERENT RESERVOIR. USE "APPLICATION FOR PERMIT" (FORM C-101) FOR SUCH PROPOSALS.)

1. Type of Well: Oil Well ☐ Gas Well ☒ Other SWD-1266

2. Name of Operator  
Matador Production Company

3. Address of Operator  
5400 LBJ Freeway, STE. 1500, Dallas, TX 75240

4. Well Location

Unit Letter A : 660 feet from the N line and 660 feet from the E line  
 Section 19 Township 19S Range 29E NMPM County Eddy

11. Elevation (Show whether DR, RKB, RT, GR, etc.)  
3358 GR

12. Check Appropriate Box to Indicate Nature of Notice, Report or Other Data

NOTICE OF INTENTION TO:

PERFORM REMEDIAL WORK ☐ PLUG AND ABANDON ☐  
 TEMPORARILY ABANDON ☐ CHANGE PLANS ☐  
 PULL OR ALTER CASING ☐ MULTIPLE COMPL ☐  
 DOWNHOLE COMMINGLE ☐  
 CLOSED-LOOP SYSTEM ☐  
 OTHER: Remedial Work ☒

SUBSEQUENT REPORT OF:

REMEDIAL WORK ☐ ALTERING CASING ☐  
 COMMENCE DRILLING OPNS. ☐ P AND A ☐  
 CASING/CEMENT JOB ☐  
 OTHER: ☐

13. Describe proposed or completed operations. (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work). SEE RULE 19.15.7.14 NMAC. For Multiple Completions: Attach wellbore diagram of proposed completion or recompletion.

- 1) Contact NMOCD 24 Hours Prior to Operations
- 2) Safety Meeting, move in and rig up workover rig and nipple down wellhead
- 3) Unseat Packer and TOOHP with lined tubing and packer
- 4) Run back with new packer and new string of 2-7/8 fiberglass tubing while hydrotesting and set at same depth as before (3665')
- 5) Pressure test casing to 300 psi for 30 min with NMOCD witness.
- 6) Rig down and move out workover rig
- 7) Resume Injection

Spud Date:

Rig Release Date:

I hereby certify that the information above is true and complete to the best of my knowledge and belief.

SIGNATURE George Malloy TITLE Production Engineer DATE 8/23/2021

Type or print name George Malloy E-mail address: gmalloy@matadorresources.com PHONE: 214-773-4147

For State Use Only


APPROVED BY: John Garcia TITLE Petroleum Engineer DATE 9/21/2021

Conditions of Approval (if any):

- 1) Contact NMOCD 24 Hours Prior to Operations
- 2) Safety Meeting, move in and rig up workover rig and nipple down wellhead
- 3) Unseat Packer and TOO H with lined tubing and packer
- 4) Run back with new packer and new string of 2-7/8 fiberglass tubing while hydrotesting and set at same depth as before (3665')
- 5) Pressure test casing to 300 psi for 30 min with NMOCD witness.
- 6) Rig down and move out workover rig
- 7) Resume Injection


MATADOR PRODUCTION COMPANY  
Marbob State #1 SWD  
Sec. 19-T19S-R29E; 660 FNL 660 FEL Unit A  
Eddy County, NM  
API: 30-015-26040  
WELLBORE SCHEMATIC  
Spudded: 2/3/1989

	Csg Size	Wgt	Depth	Hole Size	Cementing Record
Surface	13 3/8	54.5, 68, 72	375	17 1/2	375 sks CI C to surface
Intermediate	8 5/8	32	2,800	11	1250 sks CI C to surface
Production	5 1/2	17, 20	10,150	7 7/8	1965 sks TOC ~ 3,366'



MATADOR PRODUCTION COMPANY  
Marbob State #1 SWD  
Sec. 19-T19S-R29E; 660 FNL 660 FEL Unit A  
Eddy County, NM  
API: 30-015-26040  
WELLBORE SCHEMATIC  
Spudded: 2/3/1989

	Csg Size	Wgt	Depth	Hole Size	Cementing Record
Surface	13 3/8	54.5, 68, 72	375	17 1/2	375 sks CI C to surface
Intermediate	8 5/8	32	2,800	11	1250 sks CI C to surface
Production	5 1/2	17, 20	10,150	7 7/8	1965 sks TOC ~ 3,366'



**District I**  
1625 N. French Dr., Hobbs, NM 88240  
Phone:(575) 393-6161 Fax:(575) 393-0720

**District II**  
811 S. First St., Artesia, NM 88210  
Phone:(575) 748-1283 Fax:(575) 748-9720

**District III**  
1000 Rio Brazos Rd., Aztec, NM 87410  
Phone:(505) 334-6178 Fax:(505) 334-6170

**District IV**  
1220 S. St Francis Dr., Santa Fe, NM 87505  
Phone:(505) 476-3470 Fax:(505) 476-3462

**State of New Mexico**  
**Energy, Minerals and Natural Resources**  
**Oil Conservation Division**  
**1220 S. St Francis Dr.**  
**Santa Fe, NM 87505**

CONDITIONS

Action 50504

CONDITIONS

Operator: MATADOR PRODUCTION COMPANY One Lincoln Centre Dallas, TX 75240	OGRID: 228937
	Action Number: 50504
	Action Type: [C-103] NOI Workover (C-103G)

CONDITIONS

Created By	Condition	Condition Date
jagarcia	notify OCD 24hrs prior to work	9/21/2021