

District I
1625 N. French Dr., Hobbs, NM 88240
District II
811 S. First St., Artesia, NM 88210
District III
1000 Rio Brazos Rd., Aztec, NM 87410
District IV
1220 S. St. Francis Dr., Santa Fe, NM 87505

State of New Mexico
Energy, Minerals & Natural Resources

Form C-104
Revised August 1, 2011

Oil Conservation Division
1220 South St. Francis Dr.
Santa Fe, NM 87505

Submit one copy to appropriate District Office

☐ AMENDED REPORT

I. REQUEST FOR ALLOWABLE AND AUTHORIZATION TO TRANSPORT

¹ Operator name and Address Burnett Oil Co. Inc. Burnett Plaza - Suite 1500 801 Cherry Street- Unit 9 Fort Worth, Texas 76102		² OGRID Number 03080
⁴ API Number 30 - 015-45767		³ Reason for Filing Code/ Effective Date New Well/ 7/20/2021
⁷ Property Code 2391	⁵ Pool Name Cedar Lake Glorieta Yeso	⁶ Pool Code 96831
⁸ Property Name Jackson B	⁹ Well Number 76	

II. ¹⁰ Surface Location

UL or lot no.	Section	Township	Range	Lot Idn	Feet from the	North/South Line	Feet from the	East/West line	County
F	24	17S	30E		1700	North	1750	West	Eddy

¹¹ Bottom Hole Location

UL or lot no.	Section	Township	Range	Lot Idn	Feet from the	North/South line	Feet from the	East/West line	County
Same									
¹² Lse Code F	¹³ Producing Method Code P	¹⁴ Gas Connection Date 7/20/2021	¹⁵ C-129 Permit Number	¹⁶ C-129 Effective Date	¹⁷ C-129 Expiration Date				

III. Oil and Gas Transporters

¹⁸ Transporter OGRID	¹⁹ Transporter Name and Address	²⁰ O/G/W
015694	Holly Frontier Corporation/Navajo Refinery P.O. Box 159 Artesia, NM 88211	O
038785	DCP Midstream LLC 5718 Westheimer, Suite 2000 Houston, Texas 77057	G
221115	Frontier Field Services LLC 2002 Timberloch Place, Suite 110 The Woodlands, TX 77380	G


IV. Well Completion Data

²¹ Spud Date 2/19/2021	²² Ready Dat 7/20/2021	²³ TD 6336'	²⁴ PBTB 6332'	²⁵ Perforations 4632-6288'	²⁶ DHC, MC
²⁷ Hole Size 12.25"	²⁸ Casing & Tubing Size 8.625"	²⁹ Depth Set 399'	³⁰ Sacks Cement 250 sxs		
7.875"	5.5"	6333'	1360 sxs		
	2.875	5897'			

V. Well Test Data

³¹ Date New Oil 7/20/2021	³² Gas Delivery Date 7/20/21	³³ Test Date 7/25/21	³⁴ Test Length 24	³⁵ Tbg. Pressure 300	³⁶ Csg. Pressure 220
³⁷ Choke Size	³⁸ Oil 137	³⁹ Water 1130	⁴⁰ Gas 105	⁴¹ Test Method P	

⁴² I hereby certify that the rules of the Oil Conservation Division have been complied with and that the information given above is true and complete to the best of my knowledge and belief.

Signature: 
Printed name: Leslie Garvis

Title: Regulatory & Government Affairs Mgr

E-mail Address: lgarvis@burnettoil.com

Date: 8/12/2021

Phone: 817-583-8730

OIL CONSERVATION DIVISION

Approved by: Kurt Simmons

Title: NMOCD, Santa Fe

Approval Date: 09/21/2021



Burnett Oil Company, Inc.

Eddy County, NM NAD 83

Sec 24-T17S-R30E

Jackson B 76

Wellbore #1

Survey: Survey #1

Standard Survey Report

23 February, 2021



Microsoft Survey Report

Company:	Burnett Oil Company, Inc.	Local Co-ordinate Reference:	Well Jackson B 76
Project:	Eddy County, NM NAD 83	TVD Reference:	3719+17 @ 3736.0usft
Site:	Sec 24-T17S-R30E	MD Reference:	3719+17 @ 3736.0usft
Well:	Jackson B 76	North Reference:	Grid
Wellbore:	Wellbore #1	Survey Calculation Method:	Minimum Curvature
Design:	Wellbore #1	Database:	EDM 5000.15 Single User Db

Project	Eddy County, NM NAD 83		
Map System:	US State Plane 1983	System Datum:	Mean Sea Level
Geo Datum:	North American Datum 1983		
Map Zone:	New Mexico Eastern Zone		

Site	Sec 24-T17S-R30E		
Site Position:		Northing:	662,613.68 usft
From:	Map	Easting:	668,910.66 usft
Position Uncertainty:	0.0 usft	Slot Radius:	13-3/16 "
		Latitude:	32° 49' 15.111 N
		Longitude:	103° 55' 4.981 W
		Grid Convergence:	0.23 °

Well	Jackson B 76		
Well Position	+N/-S	0.0 usft	Northing: 663,217.60 usft
	+E/-W	0.0 usft	Easting: 665,759.40 usft
Position Uncertainty	0.0 usft	Wellhead Elevation:	usft
		Latitude:	32° 49' 21.207 N
		Longitude:	103° 55' 41.883 W
		Ground Level:	3,719.0 usft

Wellbore	Wellbore #1		
Magnetics	Model Name	Sample Date	Declination (°)
	IGRF2015	02/05/21	6.77
			Dip Angle (°) 60.50
			Field Strength (nT) 47,876.08429605

Design	Wellbore #1		
Audit Notes:			
Version:	1.0	Phase:	ACTUAL
		Tie On Depth:	0.0
Vertical Section:	Depth From (TVD) (usft)	+N/-S (usft)	+E/-W (usft)
	0.0	0.0	0.0
			Direction (°) 296.29

Survey Program	Date	02/23/21		
From (usft)	To (usft)	Survey (Wellbore)	Tool Name	Description
446.0	6,333.0	Survey #1 (Wellbore #1)	MWD	OWSG MWD - Standard

Survey									
Measured Depth (usft)	Inclination (°)	Azimuth (°)	Vertical Depth (usft)	+N/-S (usft)	+E/-W (usft)	Vertical Section (usft)	Dogleg Rate (°/100usft)	Build Rate (°/100usft)	Turn Rate (°/100usft)
0.0	0.00	0.00	0.0	0.0	0.0	0.0	0.00	0.00	0.00
446.0	1.67	1.10	445.9	6.5	0.1	2.8	0.37	0.37	0.00
1st MWD Survey									
570.0	2.15	357.76	569.9	10.6	0.1	4.6	0.40	0.39	-2.69
758.0	1.67	334.82	757.8	16.6	-1.2	8.5	0.48	-0.26	-12.20
884.0	1.54	330.08	883.7	19.8	-2.9	11.3	0.15	-0.10	-3.76
1,010.0	2.46	324.71	1,009.6	23.4	-5.3	15.1	0.74	0.73	-4.26
1,136.0	2.02	339.13	1,135.5	27.7	-7.6	19.1	0.56	-0.35	11.44
1,262.0	2.02	318.91	1,261.5	31.5	-9.9	22.8	0.56	0.00	-16.05
1,450.0	1.71	339.57	1,449.4	36.6	-13.0	27.9	0.39	-0.16	10.99
1,575.0	2.20	293.78	1,574.3	39.3	-15.9	31.6	1.27	0.39	-36.63



Microsoft Survey Report

Company:	Burnett Oil Company, Inc.	Local Co-ordinate Reference:	Well Jackson B 76
Project:	Eddy County, NM NAD 83	TVD Reference:	3719+17 @ 3736.0usft
Site:	Sec 24-T17S-R30E	MD Reference:	3719+17 @ 3736.0usft
Well:	Jackson B 76	North Reference:	Grid
Wellbore:	Wellbore #1	Survey Calculation Method:	Minimum Curvature
Design:	Wellbore #1	Database:	EDM 5000.15 Single User Db

Survey									
Measured Depth (usft)	Inclination (°)	Azimuth (°)	Vertical Depth (usft)	+N/-S (usft)	+E/-W (usft)	Vertical Section (usft)	Dogleg Rate (°/100usft)	Build Rate (°/100usft)	Turn Rate (°/100usft)
1,701.0	1.76	290.52	1,700.2	41.0	-19.9	36.0	0.36	-0.35	-2.59
1,827.0	1.54	308.81	1,826.2	42.7	-23.0	39.6	0.45	-0.17	14.52
1,952.0	1.32	323.40	1,951.1	44.9	-25.2	42.5	0.34	-0.18	11.67
2,078.0	1.98	307.31	2,077.1	47.4	-27.8	45.9	0.64	0.52	-12.77
2,204.0	2.11	299.58	2,203.0	49.9	-31.5	50.4	0.24	0.10	-6.13
2,330.0	2.15	271.80	2,328.9	51.1	-35.9	54.8	0.81	0.03	-22.05
2,517.0	2.07	292.72	2,515.8	52.5	-42.5	61.4	0.41	-0.04	11.19
2,643.0	2.07	281.03	2,641.7	53.8	-46.9	65.9	0.33	0.00	-9.28
2,831.0	1.98	244.82	2,829.6	53.1	-53.1	71.2	0.67	-0.05	-19.26
3,019.0	1.93	246.58	3,017.5	50.4	-59.0	75.2	0.04	-0.03	0.94
3,207.0	1.80	254.14	3,205.4	48.4	-64.7	79.5	0.15	-0.07	4.02
3,333.0	1.80	270.92	3,331.3	47.9	-68.6	82.7	0.42	0.00	13.32
3,458.0	1.85	273.56	3,456.3	48.0	-72.6	86.4	0.08	0.04	2.11
3,583.0	2.11	269.61	3,581.2	48.1	-76.9	90.3	0.23	0.21	-3.16
3,772.0	2.11	273.83	3,770.1	48.3	-83.9	96.6	0.08	0.00	2.23
3,898.0	2.15	277.60	3,896.0	48.8	-88.5	101.0	0.12	0.03	2.99
4,023.0	2.11	276.90	4,020.9	49.4	-93.1	105.4	0.04	-0.03	-0.56
4,149.0	2.24	278.66	4,146.8	50.0	-97.9	109.9	0.12	0.10	1.40
4,337.0	0.57	337.90	4,334.7	51.5	-101.9	114.1	1.07	-0.89	31.51
4,463.0	0.84	347.83	4,460.7	52.9	-102.3	115.1	0.23	0.21	7.88
4,588.0	0.84	340.62	4,585.7	54.7	-102.8	116.4	0.08	0.00	-5.77
4,776.0	0.70	84.77	4,773.7	56.1	-102.1	116.4	0.65	-0.07	55.40
4,964.0	0.62	122.04	4,961.7	55.7	-100.1	114.4	0.23	-0.04	19.82
5,089.0	0.70	142.43	5,086.7	54.7	-99.0	113.0	0.20	0.06	16.31
5,215.0	0.79	137.59	5,212.7	53.5	-98.0	111.5	0.09	0.07	-3.84
5,341.0	0.44	114.66	5,338.7	52.6	-97.0	110.2	0.33	-0.28	-18.20
5,466.0	0.44	85.56	5,463.7	52.4	-96.1	109.3	0.18	0.00	-23.28
5,592.0	0.79	48.56	5,589.7	53.1	-94.9	108.6	0.41	0.28	-29.37
5,781.0	1.36	69.74	5,778.6	54.7	-91.8	106.6	0.36	0.30	11.21
5,907.0	0.84	94.18	5,904.6	55.2	-89.5	104.7	0.55	-0.41	19.40
6,032.0	2.33	70.71	6,029.6	55.9	-86.2	102.1	1.28	1.19	-18.78
6,158.0	2.46	72.82	6,155.4	57.6	-81.2	98.3	0.12	0.10	1.67
6,268.0	3.12	67.81	6,265.3	59.4	-76.2	94.6	0.64	0.60	-4.55
Last MWD Survey 6268 MD/6265.3 TVD 59.4 N -76.2 W N: 663277.0 E: 665683.2									
6,333.0	3.12	67.81	6,330.2	60.7	-72.9	92.3	0.00	0.00	0.00
PTB 6333 MD/6330.2 TVD 60.7 N -72.9 W N: 663278.3 E: 665686.5 1638.5 FNL & 1677.1 FWL									



Microsoft Survey Report

Company:	Burnett Oil Company, Inc.	Local Co-ordinate Reference:	Well Jackson B 76
Project:	Eddy County, NM NAD 83	TVD Reference:	3719+17 @ 3736.0usft
Site:	Sec 24-T17S-R30E	MD Reference:	3719+17 @ 3736.0usft
Well:	Jackson B 76	North Reference:	Grid
Wellbore:	Wellbore #1	Survey Calculation Method:	Minimum Curvature
Design:	Wellbore #1	Database:	EDM 5000.15 Single User Db



Survey Annotations				
Measured Depth (usft)	Vertical Depth (usft)	Local Coordinates		Comment
		+N/-S (usft)	+E/-W (usft)	
446.0	445.9	6.5	0.1	1st MWD Survey
6,268.0	6,265.3	59.4	-76.2	Last MWD Survey 6268 MD/6265.3 TVD 59.4 N -76.2 W N: 663277.0 E: 66568:
6,333.0	6,330.2	60.7	-72.9	PTB 6333 MD/6330.2 TVD 60.7 N -72.9 W N: 663278.3 E: 665686.5 1638.5 FN

Checked By: _____ Approved By: _____ Date: _____

Burnett Oil Company, Inc.
Project: Eddy County, NM NAD 83
Site: Sec 24-T17S-R30E
Well: Jackson B 76
Wellbore: Wellbore #1
Plan: Plan #1 (Jackson B 76/Wellbore #1)

Jackson B 76
3719.0
RKB Elevation: 3719+17 @ 3736.0usft
North American Datum 1983

0.00 663217.60 665759.40 32° 49' 21.207 N 103° 55' 41.883 W



Azimuths to Grid North
True North: -0.22°
Magnetic North: 6.55°

Magnetic Field
Strength: 47876.1nT
Dip Angle: 60.50°
Date: 02/05/2021
Model: IGRF2015

SECTION DETAILS

MD	Inc	Azi	TVD	+N/-S	+E/-W	Dleg	TFace	VSect
0.0	0.00	0.00	0.0	0.0	0.0	0.00	0.00	0.0
1250.0	0.00	0.00	1250.0	0.0	0.0	0.00	0.00	0.0
1386.5	2.05	296.29	1386.5	1.1	-2.2	1.50	296.29	2.4
4365.5	2.05	296.29	4363.5	48.2	-97.6	0.00	0.00	108.9
4502.0	0.00	0.00	4500.0	49.3	-99.8	1.50	180.00	111.3
6322.0	0.00	0.00	6320.0	49.3	-99.8	0.00	0.00	111.3

DESIGN TARGET DETAILS

Name	TVD	+N/-S	+E/-W	Northing	Easting	Latitude	Longitude	Shape
BHL Jackson B 76	6320.0	49.3	-99.8	663266.90	665659.60	32° 49' 21.699 N	103° 55' 43.050 W	Circle (Radius: 20.0)
- plan hits target center								

interp.txt

Survey Interpolation Results

Well Name : Jackson B 76

Wellbore Name : Wellbore #1

Survey Name : Survey #1

MD	INC	AZI	TVD	NS	EW	DLS	VS	MAPN	MAPE	LAT	LONG
----	-----	-----	-----	----	----	-----	----	------	------	-----	------

1st MWD Survey


446.0	1.67	1.10	445.9	6.5	0.1	0.37	2.8	663224.10		665759.52	32° 49' 21.272 N
103° 55' 41.881 W											

Last MWD Survey

6268.0	3.12	67.81	6265.3	59.4	-76.2	0.64	94.6	663277.00		665683.23	32° 49' 21.798 N
103° 55' 42.773 W											

PTB

6333.0	3.12	67.81	6330.2	60.7	-72.9	0.00	92.3	663278.33		665686.50	32° 49' 21.811 N
103° 55' 42.734 W											

Submit To Appropriate District Office Two Copies District I 1625 N. French Dr., Hobbs, NM 88240 District II 811 S. First St., Artesia, NM 88210 District III 1000 Rio Brazos Rd., Aztec, NM 87410 District IV 1220 S. St. Francis Dr., Santa Fe, NM 87505		State of New Mexico Energy, Minerals and Natural Resources Oil Conservation Division 1220 South St. Francis Dr. Santa Fe, NM 87505			Form C-105 Revised April 3, 2017		
		1. WELL API NO. 30-015-45767					
		2. Type of Lease ☐ STATE ☐ FEE ☒ FED/INDIAN					
		3. State Oil & Gas Lease No.					
WELL COMPLETION OR RECOMPLETION REPORT AND LOG							
4. Reason for filing: ☐ COMPLETION REPORT (Fill in boxes #1 through #31 for State and Fee wells only) ☐ C-144 CLOSURE ATTACHMENT (Fill in boxes #1 through #9, #15 Date Rig Released and #32 and/or #33; attach this and the plat to the C-144 closure report in accordance with 19.15.17.13.K NMAC)				5. Lease Name or Unit Agreement Name Jackson B			
				6. Well Number: 76			
7. Type of Completion: ☒ NEW WELL ☐ WORKOVER ☐ DEEPENING ☐ PLUGBACK ☐ DIFFERENT RESERVOIR ☐ OTHER							
8. Name of Operator Burnett Oil Co. Inc.				9. OGRID 03080			
10. Address of Operator Burnett Plaza - Suite 1500 801 Cherry Street - Unit 9 Fort Worth, Texas 76102				11. Pool name or Wildcat Cedar Lake Glorieta Yeso			
12. Location	Unit Ltr	Section	Township	Range	Lot	Feet from the	
Surface:	F	24	17S	30E		1700	
BH:	Same as SHL						
13. Date Spudded 2/19/2021	14. Date T.D. Reached 2/23/2021	15. Date Rig Released 2/24/2021		16. Date Completed (Ready to Produce) 7/20/2021		17. Elevations (DF and RKB, RT, GR, etc.) 3719	
18. Total Measured Depth of Well 6336'		19. Plug Back Measured Depth 63327/25		20. Was Directional Survey Made? N		21. Type Electric and Other Logs Run GR, DSN	
22. Producing Interval(s), of this completion - Top, Bottom, Name Glorieta- Top: 4627 Bottom: 4731, Yeso - Top: 4731 Bottom: Not Reached							
23. CASING RECORD (Report all strings set in well)							
CASING SIZE		WEIGHT LB./FT.		DEPTH SET		HOLE SIZE	
16"		39		150'		20"	
8.625"		24		399'		12.25"	
5.5"		20		6333'		7.875"	
24. LINER RECORD							
SIZE	TOP	BOTTOM	SACKS CEMENT	SCREEN			
25. TUBING RECORD							
SIZE	DEPTH SET		PACKER SET				
	2.875		5897'				
26. Perforation record (interval, size, and number) 4632-4898' - 0.42, 40, Open 5097-5337' - 0.42, 40, Open 5388-5614' - 0.42, 40, Open 5744-5987' - 0.42, 40, Open 6059-6288' - 0.42, 40, Open				27. ACID, SHOT, FRACTURE, CEMENT, SQUEEZE, ETC.			
				DEPTH INTERVAL AMOUNT AND KIND MATERIAL USED			
				4632-4898' Frac 552,174 GAL sw+29,800# 100 Mesh+208,870# 40/70+37,640# 40/70 RC			
				5097-5337' Frac 558,306 gal SW+29,780# 100 Mesh+208,880# 40/70+37,640# 40/70 RC,			
				5388-5614' Frac 549,234 GAL sw+29,110# 100 Mesh+208,520# 40/70+37,510# 40/70 RC			
				5744-5987' Frac 554,862 GAL sw+29,010# 100 Mesh+208,540# 40/70+37,530# 40/70 RC			
				6059-6288' Frac 557,034 GAL sw+29,020# 100 Mesh+208,550# 40/70+37,520# 40/70 RC			
28. PRODUCTION							
Date First Production 7/20/2021		Production Method (<i>Flowing, gas lift, pumping - Size and type pump</i>) Electric Pumping Unit			Well Status (<i>Prod. or Shut-in</i>) Producing		
Date of Test 7/25/2021	Hours Tested 24	Choke Size	Prod'n For Test Period	Oil - Bbl 137	Gas - MCF 105	Water - Bbl. 1130	
Flow Tubing Press. 300	Casing Pressure 220	Calculated 24-Hour Rate	Oil - Bbl.	Gas - MCF	Water - Bbl.	Oil Gravity - API - (<i>Corr.</i>)	
29. Disposition of Gas (<i>Sold, used for fuel, vented, etc.</i>) Sold						30. Test Witnessed By	
31. List Attachments							
32. If a temporary pit was used at the well, attach a plat with the location of the temporary pit.						33. Rig Release Date:	
34. If an on-site burial was used at the well, report the exact location of the on-site burial:							
I hereby certify that the information shown on both sides of this form is true and complete to the best of my knowledge and belief Signature  Latitude Longitude NAD83 Printed Name Leslie Garvis Title Regulatory & Affairs Manager Date 8/12/2021 E-mail Address lgarvis@burnettoil.com							

INSTRUCTIONS

This form is to be filed with the appropriate District Office of the Division not later than 20 days after the completion of any newly-drilled or deepened well and not later than 60 days after completion of closure. When submitted as a completion report, this shall be accompanied by one copy of all electrical and radio-activity logs run on the well and a summary of all special tests conducted, including drill stem tests. All depths reported shall be measured depths. In the case of directionally drilled wells, true vertical depths shall also be reported. For multiple completions, items 11, 12 and 26-31 shall be reported for each zone.

INDICATE FORMATION TOPS IN CONFORMANCE WITH GEOGRAPHICAL SECTION OF STATE

Southeastern New Mexico		Northwestern New Mexico	
T. Anhy 225	T. Canyon	T. Ojo Alamo	T. Penn A"
T. Salt 420	T. Strawn	T. Kirtland	T. Penn. "B"
B. Salt 1229	T. Atoka	T. Fruitland	T. Penn. "C"
T. Yates 1428	T. Miss	T. Pictured Cliffs	T. Penn. "D"
T. 7 Rivers 1718	T. Devonian	T. Cliff House	T. Leadville
T. Queen 2339	T. Silurian	T. Menefee	T. Madison
T. Grayburg 2730	T. Montoya	T. Point Lookout	T. Elbert
T. San Andres 3069	T. Simpson	T. Mancos	T. McCracken
T. Glorieta 4627	T. McKee	T. Gallup	T. Ignacio Otzte
T. Paddock	T. Ellenburger	Base Greenhorn	T. Granite
T. Blinebry	T. Gr. Wash	T. Dakota	
T. Tubb	T. Delaware Sand	T. Morrison	
T. Drinkard	T. Bone Springs	T. Todilto	
T. Abo	T.	T. Entrada	
T. Wolfcamp	T.	T. Wingate	
T. Penn	T.	T. Chinle	
T. Cisco (Bough C)	T.	T. Permian	

OIL OR GAS SANDS OR ZONES

No. 1, from 4627 to 4731
No. 2, from 4731 to Did not Reach bottom

No. 3, from to
No. 4, from to

IMPORTANT WATER SANDS

Include data on rate of water inflow and elevation to which water rose in hole.

No. 1, from to feet
No. 2, from to feet
No. 3, from to feet

LITHOLOGY RECORD (Attach additional sheet if necessary)

From	To	Thickness In Feet	Lithology	From	To	Thickness In Feet	Lithology
225	420		(Rustler) Shale, Anhydrite				
420	1229		(Salado) Salt				
1229	1428		(Base of Salt) Anhydrite				
1428	1718		(Yates) Anhydrite, Shale				
1718	2339		(Seven Rivers) Anhydrite, Dolomite				
2339	2730		(Queen) Anhydrite, Sandstone				
2730	3069		(San Andres) Dolomite				
4627	4731		(Glorieta) Dolomite, Sandstone, Shale				
4731	-		(Yeso) Dolomite				

District I

1625 N. French Dr., Hobbs, NM 88240
Phone:(575) 393-6161 Fax:(575) 393-0720

District II

811 S. First St., Artesia, NM 88210
Phone:(575) 748-1283 Fax:(575) 748-9720

District III

1000 Rio Brazos Rd., Aztec, NM 87410
Phone:(505) 334-6178 Fax:(505) 334-6170

District IV

1220 S. St Francis Dr., Santa Fe, NM 87505
Phone:(505) 476-3470 Fax:(505) 476-3462

State of New Mexico
Energy, Minerals and Natural Resources
Oil Conservation Division
1220 S. St Francis Dr.
Santa Fe, NM 87505

ACKNOWLEDGMENTS

Action 41794

ACKNOWLEDGMENTS

Operator: BURNETT OIL CO INC 801 Cherry Street Unit #9 Fort Worth, TX 76102	OGRID: 3080
	Action Number: 41794
	Action Type: [C-104] Completion Packet (C-104C)

ACKNOWLEDGMENTS

☒	I hereby certify that the required Water Use Report has been, or will be, submitted for this wells completion.
☒	I hereby certify that the required FracFocus disclosure has been, or will be, submitted for this wells completion.

District I
1625 N. French Dr., Hobbs, NM 88240
Phone:(575) 393-6161 Fax:(575) 393-0720

District II
811 S. First St., Artesia, NM 88210
Phone:(575) 748-1283 Fax:(575) 748-9720

District III
1000 Rio Brazos Rd., Aztec, NM 87410
Phone:(505) 334-6178 Fax:(505) 334-6170

District IV
1220 S. St Francis Dr., Santa Fe, NM 87505
Phone:(505) 476-3470 Fax:(505) 476-3462

State of New Mexico
Energy, Minerals and Natural Resources
Oil Conservation Division
1220 S. St Francis Dr.
Santa Fe, NM 87505

CONDITIONS

Action 41794

CONDITIONS

Operator: BURNETT OIL CO INC 801 Cherry Street Unit #9 Fort Worth, TX 76102	OGRID: 3080
	Action Number: 41794
	Action Type: [C-104] Completion Packet (C-104C)

CONDITIONS

Created By	Condition	Condition Date
ksimmons	None	9/21/2021