

District I
1625 N. French Dr., Hobbs, NM 88240
District II
811 S. First St., Artesia, NM 88210
District III
1000 Rio Brazos Rd., Aztec, NM 87410
District IV
1220 S. St. Francis Dr., Santa Fe, NM 87505

State of New Mexico
Energy, Minerals & Natural Resources

Form C-104
Revised August 1, 2011

Oil Conservation Division
1220 South St. Francis Dr.
Santa Fe, NM 87505

Submit one copy to appropriate District Office

☐ AMENDED REPORT

I. REQUEST FOR ALLOWABLE AND AUTHORIZATION TO TRANSPORT

¹ Operator name and Address Burnett Oil Co. Inc. Burnett Plaza - Suite 1500 801 Cherry Street- Unit 9 Fort Worth, Texas 76102		² OGRID Number 03080
⁴ API Number 30 - 015-47343		³ Reason for Filing Code/ Effective Date New Well/
⁵ Pool Name Cedar Lake Glorieta Yeso	⁶ Pool Code 96831	
⁷ Property Code 20767	⁸ Property Name Jackson A	⁹ Well Number 58

II. ¹⁰ Surface Location

Ul or lot no.	Section	Township	Range	Lot Idn	Feet from the	North/South Line	Feet from the	East/West line	County
I	13	17S	30E		2390	South	330	East	Eddy

¹¹ Bottom Hole Location

UL or lot no.	Section	Township	Range	Lot Idn	Feet from the	North/South	Feet from the	East/West line	County
I	13	17S	30E		2310	South	338	East	Eddy
¹² Lse Code F	¹³ Producing Method Code P	¹⁴ Gas Connection Date 7/15/2021	¹⁵ C-129 Permit Number	¹⁶ C-129 Effective Date	¹⁷ C-129 Expiration Date				


III. Oil and Gas Transporters

¹⁸ Transporter OGRID	¹⁹ Transporter Name and Address	²⁰ O/G/W
015694	Holly Frontier Corporation/Navajo Refinery P.O. Box 159 Artesia, NM 88211	O
038785	DCP Midstream LLC 5718 Westheimer, Suite 2000 Houston, Texas 77057	G
221115	Frontier Field Services LLC 2002 Timberloch Place, Suite 110 The Woodlands, TX 77380	G

IV. Well Completion Data

²¹ Spud Date 2/25/2021	²² Ready Dat 7/15/2021	²³ TD 2/27/2021	²⁴ PBDT 6105'	²⁵ Perforations 4632-6288'	²⁶ DHC, MC
²⁷ Hole Size	²⁸ Casing & Tubing Size	²⁹ Depth Set	³⁰ Sacks Cement		
12.25"	8.625"	440'	250 sxs		
7.875"	5.5"	6111'	1472 sxs		
	2.875	5677'			

V. Well Test Data

³¹ Date New Oil 7/15/2021	³² Gas Delivery Date 7/15/2021	³³ Test Date 7/20/201	³⁴ Test Length 24	³⁵ Tbg. Pressure 380	³⁶ Csg. Pressure 260
³⁷ Choke Size	³⁸ Oil 168	³⁹ Water 382	⁴⁰ Gas 330		⁴¹ Test Method P
⁴² I hereby certify that the rules of the Oil Conservation Division have been complied with and that the information given above is true and complete to the best of my knowledge and belief. Signature: 			OIL CONSERVATION DIVISION		
Printed name: Leslie Garvis			Approved by: KURT SIMMONS		
Title: Regulatory & Government Affairs Mgr			Title: NMOCD, SANTA FE		
E-mail Address: lgarvis@burnettoil.com			Approval Date: 09/21/2021		
Date: 8/12/2021		Phone: 817-583-8730			

DISTRICT I
1625 N. French Dr., Hobbs, NM 88240
Phone (505) 393-8161 Fax: (505) 393-0720

DISTRICT II
811 S. First St., Artesia, NM 88210
Phone (505) 748-1283 Fax: (505) 748-9720

DISTRICT III
1000 Rio Brazos Rd., Aztec, NM 87410
Phone (505) 334-8178 Fax: (505) 334-8170

DISTRICT IV
1220 S. St. Francis Dr., Santa Fe, NM 87505
Phone (505) 476-3489 Fax: (505) 476-3488

State of New Mexico
Energy, Minerals and Natural Resources Department

Form C-102
Revised August 13, 2011

Submit one copy to appropriate
District Office

OIL CONSERVATION DIVISION
1220 South St. Francis Dr.
Santa Fe, New Mexico 87505

WELL LOCATION AND ACREAGE DEDICATION PLAT

☒ AMENDED REPORT

API Number	Pool Code 96831	Pool Name Cedar Lake Glorieta Yeso
Property Code 20767	Property Name JACKSON A	Well Number 58
OGRID No. 03080	Operator Name BURNETT OIL COMPANY, INC.	Elevation 3755

Surface Location

UL or lot No.	Section	Township	Range	Lot Idn	FEET from the	SOUTH/SOUTH LINE	FEET from the	East/EAST LINE	County
1	13	17 S	30 E		2390	SOUTH	330	EAST	EDDY

Bottom Hole Location If Different From Surface

UL or lot No.	Section	Township	Range	Lot Idn	FEET from the	SOUTH/SOUTH LINE	FEET from the	East/EAST LINE	County
1	13	17 S	30 E		2310	SOUTH	338	EAST	EDDY

Dedicated Acres	Joint or Infill	Consolidation Code	Order No.
10 ac.			

NO ALLOWABLE WILL BE ASSIGNED TO THIS COMPLETION UNTIL ALL INTERESTS HAVE BEEN CONSOLIDATED
OR A NON-STANDARD UNIT HAS BEEN APPROVED BY THE DIVISION

N: 670192.3 E: 663987.3 (NAD 83)	N: 670199.2 E: 666626.7 (NAD 83)	N: 670206.2 E: 669266.2 (NAD 83)	OPERATOR CERTIFICATION I hereby certify that the information contained herein is true and complete to the best of my knowledge and belief, and that this organization either owns a working interest or unleased mineral interest in the land including the proposed bottom hole location or has a right to drill this well at this location pursuant to a contract with an owner of such a mineral or working interest, or to a voluntary pooling agreement or a compulsory pooling order heretofore entered by the division. <i>Calvin Bankes</i> 8/5/21 Signature Date <i>Calvin Bankes</i> Printed Name <i>cbankes@burnettoil.com</i> Email Address
N: 664913.1 E: 664004.5 (NAD 83)	N: 664925.4 E: 669283.1 (NAD 83)	SURVEYOR CERTIFICATION I hereby certify that the well location shown on this plat was plotted from field notes of actual surveys made by me or under my supervision, and that the same is true and correct to the best of my belief. AUGUST 3, 2021 Date Surveyed <i>[Signature]</i> Signature & Seal of Professional Surveyor Certificate No. <i>7977</i> Professional Surveyor 0' 500' 1000' 1500' 2000' SCALE: 1" = 1000' WO Num.: 35449	



Burnett Oil Company, Inc.

Eddy County, NM NAD 83

Sec 13-T17S-R30E

Jackson A 58

Wellbore #1

Survey: Survey #1

Standard Survey Report

02 March, 2021



Microsoft Survey Report

Company:	Burnett Oil Company, Inc.	Local Co-ordinate Reference:	Well Jackson A 58
Project:	Eddy County, NM NAD 83	TVD Reference:	3755+17 @ 3772.0usft
Site:	Sec 13-T17S-R30E	MD Reference:	3755+17 @ 3772.0usft
Well:	Jackson A 58	North Reference:	Grid
Wellbore:	Wellbore #1	Survey Calculation Method:	Minimum Curvature
Design:	Wellbore #1	Database:	EDM 5000.15 Single User Db

Project	Eddy County, NM NAD 83		
Map System:	US State Plane 1983	System Datum:	Mean Sea Level
Geo Datum:	North American Datum 1983		
Map Zone:	New Mexico Eastern Zone		

Site	Sec 13-T17S-R30E		
Site Position:		Northing:	667,526.20 usft
From:	Map	Easting:	665,632.30 usft
Position Uncertainty:	0.0 usft	Slot Radius:	13-3/16 "
		Latitude:	32° 50' 3.845 N
		Longitude:	103° 55' 43.179 W
		Grid Convergence:	0.22 °

Well	Jackson A 58		
Well Position	+N/-S	0.0 usft	Northing: 667,314.00 usft
	+E/-W	0.0 usft	Easting: 668,945.50 usft
Position Uncertainty	0.0 usft	Wellhead Elevation:	usft
		Latitude:	32° 50' 1.618 N
		Longitude:	103° 55' 4.356 W
		Ground Level:	3,755.0 usft

Wellbore	Wellbore #1				
Magnetics	Model Name	Sample Date	Declination (°)	Dip Angle (°)	Field Strength (nT)
	IGRF2015	02/17/21	6.76	60.51	47,880.07696859

Design	Wellbore #1				
Audit Notes:					
Version:	1.0	Phase:	ACTUAL	Tie On Depth:	0.0
Vertical Section:	Depth From (TVD) (usft)	+N/-S (usft)	+E/-W (usft)	Direction (°)	
	0.0	0.0	0.0	179.79	

Survey Program	Date	03/02/21			
From (usft)	To (usft)	Survey (Wellbore)	Tool Name	Description	
499.0	6,114.0	Survey #1 (Wellbore #1)	MWD	OWSG MWD - Standard	

Survey									
Measured Depth (usft)	Inclination (°)	Azimuth (°)	Vertical Depth (usft)	+N/-S (usft)	+E/-W (usft)	Vertical Section (usft)	Dogleg Rate (°/100usft)	Build Rate (°/100usft)	Turn Rate (°/100usft)
0.0	0.00	0.00	0.0	0.0	0.0	0.0	0.00	0.00	0.00
499.0	0.62	165.89	499.0	-2.6	0.7	2.6	0.12	0.12	0.00
1st MWD Survey									
694.0	0.79	157.27	694.0	-4.9	1.4	4.9	0.10	0.09	-4.42
819.0	1.01	145.41	819.0	-6.6	2.4	6.6	0.23	0.18	-9.49
945.0	1.36	124.67	944.9	-8.3	4.3	8.4	0.44	0.28	-16.46
1,071.0	1.76	124.23	1,070.9	-10.3	7.1	10.3	0.32	0.32	-0.35
1,197.0	0.84	231.63	1,196.9	-11.9	8.0	12.0	1.72	-0.73	85.24
1,322.0	1.05	220.11	1,321.8	-13.4	6.5	13.4	0.23	0.17	-9.22
1,447.0	1.05	215.46	1,446.8	-15.2	5.1	15.2	0.07	0.00	-3.72
1,573.0	1.23	233.21	1,572.8	-17.0	3.3	17.0	0.31	0.14	14.09



Microsoft Survey Report

Company:	Burnett Oil Company, Inc.	Local Co-ordinate Reference:	Well Jackson A 58
Project:	Eddy County, NM NAD 83	TVD Reference:	3755+17 @ 3772.0usft
Site:	Sec 13-T17S-R30E	MD Reference:	3755+17 @ 3772.0usft
Well:	Jackson A 58	North Reference:	Grid
Wellbore:	Wellbore #1	Survey Calculation Method:	Minimum Curvature
Design:	Wellbore #1	Database:	EDM 5000.15 Single User Db

Survey									
Measured Depth (usft)	Inclination (°)	Azimuth (°)	Vertical Depth (usft)	+N/-S (usft)	+E/-W (usft)	Vertical Section (usft)	Dogleg Rate (°/100usft)	Build Rate (°/100usft)	Turn Rate (°/100usft)
1,699.0	1.27	217.21	1,698.8	-18.9	1.4	18.9	0.28	0.03	-12.70
1,825.0	0.84	201.57	1,824.8	-20.8	0.2	20.8	0.41	-0.34	-12.41
1,951.0	0.79	234.97	1,950.7	-22.2	-0.8	22.2	0.37	-0.04	26.51
2,077.0	1.10	269.51	2,076.7	-22.7	-2.7	22.7	0.50	0.25	27.41
2,202.0	0.79	172.39	2,201.7	-23.6	-3.8	23.6	1.15	-0.25	-77.70
2,328.0	0.84	197.26	2,327.7	-25.3	-4.0	25.3	0.28	0.04	19.74
2,454.0	1.19	213.52	2,453.7	-27.3	-5.0	27.3	0.36	0.28	12.90
2,580.0	1.41	217.30	2,579.6	-29.6	-6.6	29.6	0.19	0.17	3.00
2,706.0	1.58	207.63	2,705.6	-32.4	-8.4	32.4	0.24	0.13	-7.67
2,831.0	1.71	213.61	2,830.6	-35.5	-10.2	35.4	0.17	0.10	4.78
2,957.0	1.93	212.73	2,956.5	-38.8	-12.4	38.8	0.18	0.17	-0.70
3,082.0	0.70	183.73	3,081.5	-41.4	-13.6	41.3	1.09	-0.98	-23.20
3,208.0	0.79	186.80	3,207.4	-43.0	-13.7	42.9	0.08	0.07	2.44
3,397.0	1.98	157.54	3,396.4	-47.3	-12.7	47.2	0.71	0.63	-15.48
3,522.0	1.93	154.55	3,521.3	-51.2	-10.9	51.1	0.09	-0.04	-2.39
3,647.0	1.85	155.60	3,646.2	-54.9	-9.2	54.9	0.07	-0.06	0.84
3,773.0	1.85	159.56	3,772.2	-58.7	-7.6	58.7	0.10	0.00	3.14
3,898.0	1.67	161.75	3,897.1	-62.3	-6.4	62.3	0.15	-0.14	1.75
4,023.0	1.63	170.28	4,022.1	-65.8	-5.5	65.8	0.20	-0.03	6.82
4,149.0	1.63	178.10	4,148.0	-69.3	-5.1	69.3	0.18	0.00	6.21
4,275.0	1.71	184.96	4,274.0	-73.0	-5.2	73.0	0.17	0.06	5.44
4,400.0	1.71	183.46	4,398.9	-76.7	-5.5	76.7	0.04	0.00	-1.20
4,526.0	1.80	180.83	4,524.9	-80.6	-5.6	80.6	0.10	0.07	-2.09
4,652.0	0.09	203.06	4,650.8	-82.7	-5.7	82.6	1.36	-1.36	17.64
4,778.0	0.26	119.39	4,776.8	-82.9	-5.5	82.9	0.21	0.13	-66.40
4,904.0	0.13	98.39	4,902.8	-83.0	-5.1	83.0	0.12	-0.10	-16.67
5,030.0	0.18	267.05	5,028.8	-83.1	-5.2	83.1	0.24	0.04	133.86
5,156.0	0.13	265.20	5,154.8	-83.1	-5.5	83.1	0.04	-0.04	-1.47
5,282.0	0.31	300.01	5,280.8	-82.9	-5.9	82.9	0.17	0.14	27.63
5,407.0	0.26	303.35	5,405.8	-82.6	-6.5	82.6	0.04	-0.04	2.67
5,533.0	0.18	323.74	5,531.8	-82.3	-6.8	82.3	0.09	-0.06	16.18
5,659.0	0.22	337.98	5,657.8	-81.9	-7.0	81.9	0.05	0.03	11.30
5,784.0	0.26	298.51	5,782.8	-81.6	-7.4	81.5	0.13	0.03	-31.58
5,909.0	0.35	318.55	5,907.8	-81.1	-7.9	81.1	0.11	0.07	16.03
6,035.0	0.40	356.70	6,033.8	-80.4	-8.2	80.4	0.20	0.04	30.28
6,049.0	0.35	350.28	6,047.8	-80.3	-8.2	80.3	0.47	-0.36	-45.86
Last MWD Survey 6049 MD/6047.8 TVD -80.3 S -8.2 W N: 667233.6 E: 668937.3									
6,114.0	0.35	350.28	6,112.8	-79.9	-8.2	79.9	0.00	0.00	0.00
PTB 6114 MD/6112.8 TVD -79.9 S -8.2 W N: 667234.0 E: 668937.2 2309.6 FSL & 338.4 FEL									




Microsoft
Survey Report

Company:	Burnett Oil Company, Inc.	Local Co-ordinate Reference:	Well Jackson A 58
Project:	Eddy County, NM NAD 83	TVD Reference:	3755+17 @ 3772.0usft
Site:	Sec 13-T17S-R30E	MD Reference:	3755+17 @ 3772.0usft
Well:	Jackson A 58	North Reference:	Grid
Wellbore:	Wellbore #1	Survey Calculation Method:	Minimum Curvature
Design:	Wellbore #1	Database:	EDM 5000.15 Single User Db

Survey Annotations

Measured Depth (usft)	Vertical Depth (usft)	Local Coordinates		Comment
		+N/-S (usft)	+E/-W (usft)	
499.0	499.0	-2.6	0.7	1st MWD Survey
6,049.0	6,047.8	-80.3	-8.2	Last MWD Survey 6049 MD/6047.8 TVD -80.3 S -8.2 W N: 667233.6 E: 668937
6,114.0	6,112.8	-79.9	-8.2	PTB 6114 MD/6112.8 TVD -79.9 S -8.2 W N: 667234.0 E: 668937.2 2309.6 FSL

Checked By: _____ Approved By: _____ Date: _____

Submit To Appropriate District Office Two Copies <u>District I</u> 1625 N. French Dr., Hobbs, NM 88240 <u>District II</u> 811 S. First St., Artesia, NM 88210 <u>District III</u> 1000 Rio Brazos Rd., Aztec, NM 87410 <u>District IV</u> 1220 S. St. Francis Dr., Santa Fe, NM 87505		State of New Mexico Energy, Minerals and Natural Resources Oil Conservation Division 1220 South St. Francis Dr. Santa Fe, NM 87505			Form C-105 Revised April 3, 2017													
		1. WELL API NO. 30-015-47343																
		2. Type of Lease ☐ STATE ☐ FEE ☒ FED/INDIAN																
		3. State Oil & Gas Lease No.																
WELL COMPLETION OR RECOMPLETION REPORT AND LOG																		
4. Reason for filing: ☒ COMPLETION REPORT (Fill in boxes #1 through #31 for State and Fee wells only) ☐ C-144 CLOSURE ATTACHMENT (Fill in boxes #1 through #9, #15 Date Rig Released and #32 and/or #33; attach this and the plat to the C-144 closure report in accordance with 19.15.17.13.K NMAC)				5. Lease Name or Unit Agreement Name Jackson A														
				6. Well Number: 58														
7. Type of Completion: ☒ NEW WELL ☐ WORKOVER ☐ DEEPENING ☐ PLUGBACK ☐ DIFFERENT RESERVOIR ☐ OTHER																		
8. Name of Operator Burnett Oil Co. Inc.				9. OGRID 03080														
10. Address of Operator Burnett Plaza - Suite 1500 801 Cherry Street - Unit 9 Fort Worth, Texas 76102				11. Pool name or Wildcat Cedar Lake Glorieta Yeso														
12. Location	Unit Ltr	Section	Township	Range	Lot	Feet from the												
Surface:	I	13	17S	30E		2390												
BH:	I	13	17S	30E		2310												
13. Date Spudded 2/25/2021	14. Date T.D. Reached 2/27/2021	15. Date Rig Released 3/1/2021		16. Date Completed (Ready to Produce) 7/15/2021		17. Elevations (DF and RKB, RT, GR, etc.) 3755												
18. Total Measured Depth of Well 6004'		19. Plug Back Measured Depth 6105'		20. Was Directional Survey Made? Y		21. Type Electric and Other Logs Run GR, DSN												
22. Producing Interval(s), of this completion - Top, Bottom, Name																		
23. CASING RECORD (Report all strings set in well)																		
CASING SIZE	WEIGHT LB./FT.	DEPTH SET		HOLE SIZE	CEMENTING RECORD	AMOUNT PULLED												
16"	40	150'		20"														
8.625"	24	440'		12.25"	250 sxs													
5.5"	20	6111'		7.875"	1472 sxs													
24. LINER RECORD				25. TUBING RECORD														
SIZE	TOP	BOTTOM	SACKS CEMENT	SCREEN	SIZE	DEPTH SET												
					2.875"	5677												
						2626'												
26. Perforation record (interval, size, and number) 4632-4898' - 0.42, 40, Open 5097-5337' - 0.42, 40, Open 5388-5614' - 0.42, 40, Open 5744-5987' - 0.42, 40, Open 6059-6288' - 0.42, 40, Open				27. ACID, SHOT, FRACTURE, CEMENT, SQUEEZE, ETC. <table border="1" style="width:100%; border-collapse: collapse;"> <tr> <th>DEPTH INTERVAL</th> <th>AMOUNT AND KIND MATERIAL USED</th> </tr> <tr> <td>4632-4898'</td> <td>Frac 552,174 GAL sw+29,800# 100 Mesh+208,870# 40/70+37,640# 40/70 RC,</td> </tr> <tr> <td>5097-5337'</td> <td>Frac 558,306 gal SW+29,780# 100 Mesh+208,880# 40/70+37,640# 40/70 RC</td> </tr> <tr> <td>5388-5614'</td> <td>Frac 549,234 GAL sw+29,110# 100 Mesh+208,520# 40/70+37,510# 40/70 RC</td> </tr> <tr> <td>5744-5987'</td> <td>Frac 554,862 GAL sw+29,010# 100 Mesh+208,540# 40/70+37,530# 40/70 RC</td> </tr> <tr> <td>6059-6288'</td> <td>Frac 557,624 GAL sw+29,020# 100 Mesh+208,530# 40/70+37,520# 40/70 RC</td> </tr> </table>			DEPTH INTERVAL	AMOUNT AND KIND MATERIAL USED	4632-4898'	Frac 552,174 GAL sw+29,800# 100 Mesh+208,870# 40/70+37,640# 40/70 RC,	5097-5337'	Frac 558,306 gal SW+29,780# 100 Mesh+208,880# 40/70+37,640# 40/70 RC	5388-5614'	Frac 549,234 GAL sw+29,110# 100 Mesh+208,520# 40/70+37,510# 40/70 RC	5744-5987'	Frac 554,862 GAL sw+29,010# 100 Mesh+208,540# 40/70+37,530# 40/70 RC	6059-6288'	Frac 557,624 GAL sw+29,020# 100 Mesh+208,530# 40/70+37,520# 40/70 RC
DEPTH INTERVAL	AMOUNT AND KIND MATERIAL USED																	
4632-4898'	Frac 552,174 GAL sw+29,800# 100 Mesh+208,870# 40/70+37,640# 40/70 RC,																	
5097-5337'	Frac 558,306 gal SW+29,780# 100 Mesh+208,880# 40/70+37,640# 40/70 RC																	
5388-5614'	Frac 549,234 GAL sw+29,110# 100 Mesh+208,520# 40/70+37,510# 40/70 RC																	
5744-5987'	Frac 554,862 GAL sw+29,010# 100 Mesh+208,540# 40/70+37,530# 40/70 RC																	
6059-6288'	Frac 557,624 GAL sw+29,020# 100 Mesh+208,530# 40/70+37,520# 40/70 RC																	
28. PRODUCTION																		
Date First Production 7/15/2021		Production Method (Flowing, gas lift, pumping - Size and type pump) Electric Pumping Unit			Well Status (Prod. or Shut-in) Producing													
Date of Test 7/20/2021	Hours Tested 24	Choke Size	Prod'n For Test Period	Oil - Bbl 168	Gas - MCF 330	Water - Bbl. 382												
Flow Tubing Press. 380	Casing Pressure 260	Calculated 24-Hour Rate	Oil - Bbl.	Gas - MCF	Water - Bbl.	Oil Gravity - API - (Corr.)												
29. Disposition of Gas (Sold, used for fuel, vented, etc.) Sold					30. Test Witnessed By													
31. List Attachments																		
32. If a temporary pit was used at the well, attach a plat with the location of the temporary pit.					33. Rig Release Date:													
34. If an on-site burial was used at the well, report the exact location of the on-site burial:																		
			Latitude		Longitude													
			NAD83															
I hereby certify that the information shown on both sides of this form is true and complete to the best of my knowledge and belief																		
Signature 		Printed Name Leslie Garvis		Title Regulatory & Government Affairs Manager		Date 8/12/2021												
E-mail Address lgarvis@burnettoil.com																		

INSTRUCTIONS

This form is to be filed with the appropriate District Office of the Division not later than 20 days after the completion of any newly-drilled or deepened well and not later than 60 days after completion of closure. When submitted as a completion report, this shall be accompanied by one copy of all electrical and radio-activity logs run on the well and a summary of all special tests conducted, including drill stem tests. All depths reported shall be measured depths. In the case of directionally drilled wells, true vertical depths shall also be reported. For multiple completions, items 11, 12 and 26-31 shall be reported for each zone.

INDICATE FORMATION TOPS IN CONFORMANCE WITH GEOGRAPHICAL SECTION OF STATE

Southeastern New Mexico		Northwestern New Mexico	
T. Anhy 284	T. Canyon	T. Ojo Alamo	T. Penn A"
T. Salt 504	T. Strawn	T. Kirtland	T. Penn. "B"
B. Salt 1287	T. Atoka	T. Fruitland	T. Penn. "C"
T. Yates 1475	T. Miss	T. Pictured Cliffs	T. Penn. "D"
T. 7 Rivers 1753	T. Devonian	T. Cliff House	T. Leadville
T. Queen 2355	T. Silurian	T. Menefee	T. Madison
T. Grayburg 2745	T. Montoya	T. Point Lookout	T. Elbert
T. San Andres	T. Simpson	T. Mancos	T. McCracken
T. Glorieta 4582	T. McKee	T. Gallup	T. Ignacio Otzte
T. Paddock	T. Ellenburger	Base Greenhorn	T. Granite
T. Blinebry	T. Gr. Wash	T. Dakota	
T. Tubb	T. Delaware Sand	T. Morrison	
T. Drinkard	T. Bone Springs	T. Todilto	
T. Abo	T.	T. Entrada	
T. Wolfcamp	T.	T. Wingate	
T. Penn	T.	T. Chinle	
T. Cisco (Bough C)	T.	T. Permian	

OIL OR GAS SANDS OR ZONES

No. 1, from 4582' to 4693' No. 3, fromto.....
 No. 2, from 4693' to Bottom not Reached No. 4, fromto.....

IMPORTANT WATER SANDS

Include data on rate of water inflow and elevation to which water rose in hole.

No. 1, fromto.....feet.....
 No. 2, fromto.....feet.....
 No. 3, fromto.....feet.....

LITHOLOGY RECORD (Attach additional sheet if necessary)

From	To	Thickness In Feet	Lithology	From	To	Thickness In Feet	Lithology
284	504		(Rustler) Anhydrite, Shale				
504	1287		(Salado) Salt				
1287	1475		(Base of Salt) Anhydrite				
1475	1753		(Yates) Anhydrite, Shale				
1753	2355		(Seven Rivers) Anhydrite, Dolomite				
2355	2745		(Queen) Anhydrite, Sandstone				
2745	4582		(Grayburg) Dolomite				
4582	4693		(Glorieta) Sandstone, Shale				
4693	Bottom not reached		(Yeso) Dolomite				

District I

1625 N. French Dr., Hobbs, NM 88240
Phone:(575) 393-6161 Fax:(575) 393-0720

District II

811 S. First St., Artesia, NM 88210
Phone:(575) 748-1283 Fax:(575) 748-9720

District III

1000 Rio Brazos Rd., Aztec, NM 87410
Phone:(505) 334-6178 Fax:(505) 334-6170

District IV

1220 S. St Francis Dr., Santa Fe, NM 87505
Phone:(505) 476-3470 Fax:(505) 476-3462

State of New Mexico
Energy, Minerals and Natural Resources
Oil Conservation Division
1220 S. St Francis Dr.
Santa Fe, NM 87505

ACKNOWLEDGMENTS

Action 41808

ACKNOWLEDGMENTS

Operator: BURNETT OIL CO INC 801 Cherry Street Unit #9 Fort Worth, TX 76102	OGRID: 3080
	Action Number: 41808
	Action Type: [C-104] Completion Packet (C-104C)

ACKNOWLEDGMENTS

☒	I hereby certify that the required Water Use Report has been, or will be, submitted for this wells completion.
☒	I hereby certify that the required FracFocus disclosure has been, or will be, submitted for this wells completion.

District I
1625 N. French Dr., Hobbs, NM 88240
Phone:(575) 393-6161 Fax:(575) 393-0720
District II
811 S. First St., Artesia, NM 88210
Phone:(575) 748-1283 Fax:(575) 748-9720
District III
1000 Rio Brazos Rd., Aztec, NM 87410
Phone:(505) 334-6178 Fax:(505) 334-6170
District IV
1220 S. St Francis Dr., Santa Fe, NM 87505
Phone:(505) 476-3470 Fax:(505) 476-3462

State of New Mexico
Energy, Minerals and Natural Resources
Oil Conservation Division
1220 S. St Francis Dr.
Santa Fe, NM 87505

CONDITIONS

Action 41808

CONDITIONS

Operator: BURNETT OIL CO INC 801 Cherry Street Unit #9 Fort Worth, TX 76102	OGRID: 3080
	Action Number: 41808
	Action Type: [C-104] Completion Packet (C-104C)

CONDITIONS

Created By	Condition	Condition Date
ksimmons	None	9/21/2021