

Submit 1 Copy To Appropriate District Office
District I - (575) 393-6161
1625 N. French Dr., Hobbs, NM 88240
District II - (575) 748-1283
811 S. First St., Artesia, NM 88210
District III - (505) 334-6178
1000 Rio Brazos Rd., Aztec, NM 87410
District IV - (505) 476-3460
1220 S. St. Francis Dr., Santa Fe, NM 87505

State of New Mexico
Energy, Minerals and Natural Resources

Form C-103
Revised August 1, 2011

OIL CONSERVATION DIVISION
1220 South St. Francis Dr.
Santa Fe, NM 87505

SUNDRY NOTICES AND REPORTS ON WELLS (DO NOT USE THIS FORM FOR PROPOSALS TO DRILL OR TO DEEPEN OR PLUG BACK TO A DIFFERENT RESERVOIR. USE "APPLICATION FOR PERMIT" (FORM C-101) FOR SUCH PROPOSALS.)		WELL API NO. 30-025-33671
1. Type of Well: Oil Well ☒ Gas Well ☐ Other ☐		5. Indicate Type of Lease STATE ☐ FEE ☒
2. Name of Operator APACHE CORPORATION		6. State Oil & Gas Lease No.
3. Address of Operator 303 VETERANS AIRPARK LANE, STE 3000, MIDLAND, TX 79705		7. Lease Name or Unit Agreement Name W.A. WEIR "B"
4. Well Location Unit Letter <u>F</u> : <u>2310</u> feet from the <u>N</u> line and <u>1650</u> feet from the <u>W</u> line Section <u>26</u> Township <u>19S</u> Range <u>36E</u> NMPM LEA County		8. Well Number #004
11. Elevation (Show whether DR, RKB, RT, GR, etc.) 3676' GL		9. OGRID Number 873
		10. Pool name or Wildcat MONUMENT ABO(46970)

12. Check Appropriate Box to Indicate Nature of Notice, Report or Other Data

NOTICE OF INTENTION TO:		SUBSEQUENT REPORT OF:	
PERFORM REMEDIAL WORK ☐	PLUG AND ABANDON ☐	REMEDIAL WORK ☐	ALTERING CASING ☐
TEMPORARILY ABANDON ☐	CHANGE PLANS ☐	COMMENCE DRILLING OPNS. ☐	P AND A ☒
PULL OR ALTER CASING ☐	MULTIPLE COMPL ☐	CASING/CEMENT JOB ☐	PNR ☐
DOWNHOLE COMMINGLE ☐			
OTHER: ☐		OTHER: ☐	

13. Describe proposed or completed operations. (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work). SEE RULE 19.15.7.14 NMAC. For Multiple Completions: Attach wellbore diagram of proposed completion or recompletion.

07/15/21-NOTIFIED NMOCD.

07/19/21-SET&TAGGED 5-1/2" CIBP@7250'. CIRCULATED MLF FROM 5006'-SURFACE. COMBINED PLUGS AND SPOTTED 165SX OF CLASS "C" CEMENT IN 5-1/2" CASING FROM 7250'-5750'. SPOTTED 55SX OF CLASS "C" CEMENT FROM 4345'-3830'.

07/20/21-SPOTTED 90SX OF CLASS "C" CEMENT FROM 3335'-2490'. WOC&TAGGED@2698'. SPOTTED 30SX OF CLASS "C" CEMENT FROM 2698'-2490'. SPOTTED 25SX OF CLASS "C" CEMENT FROM 1440'-1195'.

07/21/21-TAGGED@1072'. SPOTTED 40SX OF CLASS "C" CEMENT FROM 300'-SURFACE. CEMENT VERIFIED AT SURFACE. CUTOFF WELLHEAD, ANCHORS 3' BELOW SURFACE AND INSTALL DRYHOLE MARKER. TURN OVER FOR RECLAMATION.

CLOSED LOOP CONTAINMENT SYSTEM WILL BE USED FOR FLUIDS.

Spud Date:

Rig Release Date:

I hereby certify that the information above is true and complete to the best of my knowledge and belief.

SIGNATURE M. Lee Roark TITLE PLUGGING AGENT DATE 8/19/21

Type or print name M. LEE ROARK E-mail address: LEE@JMRSERVICES.COM PHONE: (432) 618-1050

For State Use Only

APPROVED BY: Kerry Fortner TITLE Compliance Officer A DATE 9/21/21

Conditions of Approval (if any):

Authorized by Neal Puma Regulatory Tech Ron Quinn Buck Sr Reclamation Foreman - Apache Corp.



WELL BORE INFO.

0

319

638

956

1275

1594

1913

2231

2550

2869

3188

3506

3825

4144

4463

4781

5100

5419

5738

6056

6375

6694


7013

7331

7650

11" HOLE
8 5/8" 24# @ 1245'
W/ 400 SX TO SURF

7 7/8" HOLE
5 1/2" 15.5# @ 7650'
W/ 1400 SX TO SURF



TD @ 7650'

LEASE NAME	W. A. WEIR "B"
WELL #	#004
API #	30.025.33671
COUNTY	LEA, NM

DEPTH	SX/CMT	FINAL P&A WB DIAGRAM
-------	--------	----------------------

SURF	40 SX	5. PUH & SPOTTED 40 SX CLASS "C" CMT FROM 300' TO SURF, CEMENT @ SURF. RDMO. CUT OF WH, INSTALL DRY HOLE MARKER, CLEAN LOCATION, P&A COMPLETED 7-21-21.
300'		

WATER BOARD & SURF PLUG

1072'	25 SX	4. PUH & SPOTTED 25 SX CLASS "C" CMT @ 1440'-1195', WOC/TAGGED @ 1072'.
1440'		

TOP OF SALT & SURF SHOE

2490'	30 SX	3. PUH & SPOTTED 90 SX CLASS "C" CMT, @ 3335'-2490', WOC/TAGGED TOC @ 2698'. SPOTTED ADDITIONAL 30 SX @ 2698'-2490'.
2698'		
	90 SX	QUEEN, 7 RVRS, YATES, & BASE OF SALT
3335'		

3830'	55 SX	2. PUH & SPOTTED 55 SX CLASS "C" CMT FROM 4345'-3830'.
4345'		

SAN ANDRES & GRAYBURG

5750'	165 SX	1. MIRU P&A RIG. RIH W/TBG & VERIFY CIBP @ 7250', CIRC W/MLF, & SPOTTED 165 SX CLASS "C" CMT FROM 7250'-5750' COMBINING BOTTOM TWO PLUGS.

7250'

CIBP @ 7250' SET BY WO RIG.

ABO PERFS
DRINKARD, TUBB, BLINBRY, PADDOCK, &
GLORIETA



WELL BORE INFO.

0

319

638

956

1275

1594

1913

2231

2550

2869

3188

3506

3825

4144

4463

4781

5100

5419

5738

6056

6375

6694


7013

7331

7650

11" HOLE
8 5/8" 24# @ 1245'
W/ 400 SX TO SURF

7 7/8" HOLE
5 1/2" 15.5# @ 7650'
W/ 1400 SX TO SURF



TD @ 7650'

LEASE NAME	W. A. WEIR "B"
WELL #	#004
API #	30.025.33671
COUNTY	LEA, NM

DEPTH SX/CMT FINAL P&A WB DIAGRAM

SURF } 40 SX

300' }

5. PUH & SPOTTED 40 SX CLASS "C" CMT FROM 300' TO SURF, CEMENT @ SURF. RDMO. CUT OF WH, INSTALL DRY HOLE MARKER, CLEAN LOCATION, P&A COMPLETED 7-21-21.

WATER BOARD & SURF PLUG

1072' } 25 SX

1440' }

4. PUH & SPOTTED 25 SX CLASS "C" CMT @ 1440'-1195', WOC/TAGGED @ 1072'.

TOP OF SALT & SURF SHOE

2490' } 30 SX

2698' }

90 SX

3335' }

3. PUH & SPOTTED 90 SX CLASS "C" CMT, @ 3335'-2490', WOC/TAGGED TOC @ 2698'. SPOTTED ADDITIONAL 30 SX @ 2698'-2490'.

QUEEN, 7 RVRS, YATES, & BASE OF SALT

3830' } 55 SX

4345' }

2. PUH & SPOTTED 55 SX CLASS "C" CMT FROM 4345'-3830'.

SAN ANDRES & GRAYBURG

5750' }

165 SX

7250' }

1. MIRU P&A RIG. RIH W/TBG & VERIFY CIBP @ 7250', CIRC W/MLF, & SPOTTED 165 SX CLASS "C" CMT FROM 7250'-5750' COMBINING BOTTOM TWO PLUGS.

CIBP @ 7250' SET BY WO RIG.

ABO PERFS
DRINKARD, TUBB, BLINBRY, PADDOCK, &
GLORIETA

District I
1625 N. French Dr., Hobbs, NM 88240
Phone:(575) 393-6161 Fax:(575) 393-0720

District II
811 S. First St., Artesia, NM 88210
Phone:(575) 748-1283 Fax:(575) 748-9720

District III
1000 Rio Brazos Rd., Aztec, NM 87410
Phone:(505) 334-6178 Fax:(505) 334-6170

District IV
1220 S. St Francis Dr., Santa Fe, NM 87505
Phone:(505) 476-3470 Fax:(505) 476-3462

State of New Mexico
Energy, Minerals and Natural Resources
Oil Conservation Division
1220 S. St Francis Dr.
Santa Fe, NM 87505

CONDITIONS

Action 43465

CONDITIONS

Operator: APACHE CORPORATION 303 Veterans Airpark Ln Midland, TX 79705	OGRID: 873
	Action Number: 43465
	Action Type: [C-103] Sub. Plugging (C-103P)

CONDITIONS

Created By	Condition	Condition Date
kfortner	None	9/21/2021