

Well Name: FALCON 36 FED COM	Well Location: T24S / R33E / SEC 36 / NWNW / 32.1811415 / -103.5293734	County or Parish/State: LEA / NM
Well Number: 721H	Type of Well: OIL WELL	Allottee or Tribe Name:
Lease Number: NMNM103610	Unit or CA Name:	Unit or CA Number:
US Well Number: 300254824600S1	Well Status: Drilling Well	Operator: EOG RESOURCES INCORPORATED

Notification

Sundry ID:	1516929	Type of Action:	Casing and Cementing
Type of Submission:	Notification	Time Sundry Submitted:	3:38:48 PM
Date Sundry Submitted:	Mar 1, 2021	Time Operation will begin:	11:00:00 AM
Date Operation will begin:	Feb 25, 2021	Field Contact Number:	4326363600
Field Contact Name:	S EVANS	Rig Number:	HP258
Rig Name:			

Well Casing Table:

String Type	Top Setting Depth MD	Top Setting Depth TVD	Top Setting Depth MSL	Bottom Setting Depth MD	Bottom Setting Depth TVD	Bottom Setting Depth MSL
SURFACE	0	0	3531	1360	1360	2171

**Procedure Description:** 2-26-2021 12 1/4 HOLE  
2-26-2021 Surface Hole @ 1,363' MD, 1,361' TVD  
Casing shoe @ 1,361' MD  
Ran 9-5/8" 40# J-55 LTC  
Lead Cement w/ 490 sx Class C (1.79 yld, 13.5 ppg), Trail w/ 105 sx Class C (1.35 yld, 14.8 ppg)  
Test casing to 1,660 psi for 30 min - Good. Circ 220 sx cement to surface Resume drilling

Disposition:	Accepted
Accepted Date:	06/11/2021

Well Name: FALCON 36 FED COM	Well Location: T24S / R33E / SEC 36 / NWNW / 32.1811415 / -103.5293734	County or Parish/State: LEA / NM
Well Number: 721H	Type of Well: OIL WELL	Allottee or Tribe Name:
Lease Number: NMNM103610	Unit or CA Name:	Unit or CA Number:
US Well Number: 300254824600S1	Well Status: Drilling Well	Operator: EOG RESOURCES INCORPORATED

Notification

Sundry ID:	1517660	Type of Action:	Casing and Cementing
Type of Submission:	Notification	Time Sundry Submitted:	1:24:22 PM
Date Sundry Submitted:	Mar 9, 2021	Time Operation will begin:	11:00:00 AM
Date Operation will begin:	Mar 2, 2021	Field Contact Number:	4326363600
Field Contact Name:	S EVANS	Rig Number:	HP258
Rig Name:			

Well Casing Table:

String Type	Top Setting Depth MD	Top Setting Depth TVD	Top Setting Depth MSL	Bottom Setting Depth MD	Bottom Setting Depth TVD	Bottom Setting Depth MSL
INTERMEDIATE	0	0	3491	4000	4000	-469
INTERMEDIATE	4000	4000	-469	5145	5145	-1614

Procedure Description: 3-3-2021 8 3/4" HOLE  
3-3-2021 Intermediate Hole @ 11,885' MD, 11,855' TVD  
Casing shoe @ 11,869' MD  
Ran 7-5/8", 29.7#, HCP-110 MO-FXL  
Stage 1: Cement w/ 420 sx Class H + 0.4% NFL-549 + 0.15% NDS-415 + 1% NBE-733 + 0.2% NFP-702 + 0.4% NRT-213 (1.20 yld, 15.6 ppg)  
Test casing to 2,000 psi for 30 min - good. Did not circ cement to surface, TOC @ 7,000' by Calc  
Stage 2: Bradenhead squeeze w/ 1,000 sx Class C (1.41 yld, 14.8 ppg), TOC 103' by Calc  
Stage 3: Top out w/ 350 sx Class C (1.36 yld, 14.8 ppg), Lines flushed w/ 5 bbls FW, TOC @ 0' by Visual resume drilling 6 3/4" hole

Disposition: Accepted

Accepted Date: 06/11/2021

Well Name: FALCON 36 FED COM	Well Location: T24S / R33E / SEC 36 / NWNW / 32.1811415 / -103.5293734	County or Parish/State: LEA / NM
Well Number: 721H	Type of Well: OIL WELL	Allottee or Tribe Name:
Lease Number: NMNM103610	Unit or CA Name:	Unit or CA Number:
US Well Number: 300254824600S1	Well Status: Drilling Well	Operator: EOG RESOURCES INCORPORATED

Notification

Sundry ID:	1518329	Type of Action:	Casing and Cementing
Type of Submission:	Notification	Time Sundry Submitted:	7:25:05 AM
Date Sundry Submitted:	Mar 16, 2021	Time Operation will begin:	11:00:00 AM
Date Operation will begin:	Mar 14, 2021	Field Contact Number:	4326363600
Field Contact Name:	S EVANS	Rig Number:	HP258
Rig Name:			

Well Casing Table:

String Type	Top Setting Depth MD	Top Setting Depth TVD	Top Setting Depth MSL	Bottom Setting Depth MD	Bottom Setting Depth TVD	Bottom Setting Depth MSL
PRODUCTION	0	0	3531	20905	10620	-7089

Procedure Description:	3-15-2021 6 3/4" HOLE 3-15-2021 Production Hole @ 23,315' MD, 12,600' TVD Casing shoe @ 23,300' MD, 12,600' TVD Ran 5-1/2", 20#, ECP-110 DWC 0' - 11,331' (MJ @ 124', 12,087 and 22,813') Ran 5-1/2", 20#, ICYP-110 TLW-SC 11,331' - 11,899' Ran 5-1/2", 20#, ECP-110 DWC 11,899' - 23,300' Cement w/ 1,020 sx Class H (1.23 yld, 14.5 ppg) Test casing to 3,955 psi for 10 min - Good Did not circ cement to surface, TOC @ 11,300' by Calc RR 3/162021
Disposition:	Accepted
Accepted Date:	06/11/2021

**District I**

1625 N. French Dr., Hobbs, NM 88240  
Phone:(575) 393-6161 Fax:(575) 393-0720

**District II**

811 S. First St., Artesia, NM 88210  
Phone:(575) 748-1283 Fax:(575) 748-9720

**District III**

1000 Rio Brazos Rd., Aztec, NM 87410  
Phone:(505) 334-6178 Fax:(505) 334-6170

**District IV**

1220 S. St Francis Dr., Santa Fe, NM 87505  
Phone:(505) 476-3470 Fax:(505) 476-3462

**State of New Mexico**  
**Energy, Minerals and Natural Resources**  
**Oil Conservation Division**  
**1220 S. St Francis Dr.**  
**Santa Fe, NM 87505**

CONDITIONS

Action 50865

## CONDITIONS

Operator: EOG RESOURCES INC P.O. Box 2267 Midland, TX 79702	OGRID: 7377
	Action Number: 50865
	Action Type: [C-103] Sub. Drilling (C-103N)

## CONDITIONS

Created By	Condition	Condition Date
ksimmons	None	9/22/2021